

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

IMMEDIATE RTI MATTER

विषय: सूचना का अधिकार, 2005 के अंतर्गत shri R Arvind, H No 7/2/22/2, Nehru Nagar, Dhone, Andhra Pradesh-518222 Email: radhaaravind9@gmail.com के दिनांक 20-12-2019 का आवेदन CWCND/R/2019/80224 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 26-12-2019 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/518 dt 23-12-2019), it is to inform that the information asked is not related to WP&P Wing of CWC, may please treated as NIL as far as WP&P Wing of CWC, New Delhi is concerned.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri R Arvind, H No 7/2/22/2, Nehru Nagar, Dhone, Andhra Pradesh-518222

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/518 दिनांक 23-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

●Conserve Water- Save Life●

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

IMMEDIATE RTI MATTER

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Bharat Jhunjunwala ,Lakshamoli, Maletha, Kirtinagar, Uttarakhand, Pin 249161 email; bharatij@gmail.com के दिनांक 19-12-2019 का आवेदन CWCND/R/2019/80223 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 26-12-2019 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/519 dt 23-12-2019), it is to inform that the information asked is not related to WP&P Wing of CWC , may please treated as NIL as far as WP&P Wing of CWC, New Delhi is concerned.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Bharat Jhunjunwala ,Lakshamoli, Maletha, Kirtinagar, Uttarakhand, Pin 249161

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/519 दिनांक 23-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under . **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

By speed/registered post

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Suganchndra Jain, F No. 303, Bafta Tower, Scheme No -54, Vijay Nagar, Indore, MadhyaPradesh-452010 email; suganchandra@yahoo.co.in के दिनांक 24-12-2019 का आवेदन CWCND/R/2019/80225 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 26-12-2019 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No [A-49012/8/2019/RTI/522 दिनांक 24-12-2019](#)), it is to information available in **WP&P Wing of CWC**, is furnished as under:

Central Water Commission is monitoring live storage status of 120 reservoirs of the country on weekly basis and is issuing weekly bulletin on every Thursday. The total live storage capacity of these 120 reservoirs is 170.328 BCM which is about 66.06% of the live storage capacity of 257.812 BCM which is estimated to have been created in the country. As per reservoir storage bulletin dated 09.01.2020, live storage available in these reservoirs is 130.282 BCM, which is 76% of total live storage capacity of these reservoirs. However, last year the live storage available in these reservoirs for the corresponding period was 85.04 BCM and the average of last 10 years live storage was 92.38 BCM. Thus, the live storage available in 120 reservoirs as per 09.01.2020 Bulletin is 153% of the live storage of corresponding period of last year and 141% of storage of average of last ten years.

Weekly Bulletin is also uploaded on the website of [cwc.gov.in](#) > water info>Reservoir Level & Storage Bulletin. This weekly bulletin is also shared with Crop Weather Watch Group (CWWG) of the Ministry of Agriculture and Farmers Welfare. Representatives of CWC also attend meetings convened by CWWG on every Friday to review agricultural activities across the country and to suggest remedial measures to states in case of distress situation. CWC regularly provides storage status of reservoirs and their analysis to the CWWG which is used as an important input.

Whenever the percentage of departure of current storage of a State goes below - 20% of Normal (Average Storage of last Ten years), Advisory is being issued to the State Govt. for judicious use of available water. Based on reservoir storage, CWC has issued advisory to the State Govts. namely Gujarat, Maharashtra, Uttar Pradesh, Andhra Pradesh, Telangana and Tamil Nadu in the month of May 2019, to Jharkhand, Karnataka and Kerala in the month of June 2019 and to Tripura & Uttarakhand in the month of July 2019 for judicious use of available water.

During July, 2019, Ministry of Jal Shakti has launched Jal Shakti Abhiyan (JSA) with the objectives of promoting Water Conservation, Rain Water Harvesting, Renovation of traditional water bodies, Watershed development, Afforestation and creating Public Awareness in around 1500 Blocks that are drought affected, water stressed or over-exploited falling in 256 districts of the country in 2 phases. 23 of these districts are aspirational districts.

Designed in the lines of Gram Swaraj Abhiyan, JSA is planned to be carried out in two phases. Phase-I was carried out between July 01 to September 30, 2019 for all States. For States/UTs with retreating monsoon namely Andhra Pradesh, Tamilnadu, Karnataka, and Puducherry, the campaign is being carried out between October 01 to November 30, 2019. During the campaign, officers, water experts and scientists from the Government of India will work together with State and district officials in India's water-stressed districts for water conservation and water resource management.

Further, it is to state that subject of 'water' is a matter of Entry 17 under List-II of Seventh Schedule (Article 246). This entry is subject to the provisions of Entry 56 of List-I. Accordingly, Water resources projects are planned executed and managed by the State Governments as per their priorities and resources available with them. The Union Government renders assistance to States which is technical, advisory, catalytic and promotional in nature.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Suganchndra Jain, F No. 303, Bafra Tower, Scheme No -54, Vijay Nagar, Indore, MadhyaPradesh-452010

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/522 दिनांक 24-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-500007, Telengana का आवेदन No A-49012/8/2019/RTI/526 दिनांक 31/12/2019 द्वारा मांगी गई सूचना के संबंध में।

Please refer to the above RTI Application, which is received in this office on 01-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/526 dt 31-12-2019) and this office letter No I/12011/41/2019-WPP Coord/I/13863/2020 dt 01/01/2020 & No I/12011/41/2019-WPP Coord/I/14166/2020 dt 08/01/2020.

On receipt of the information from Hy. (South) and Hy. (Central) Dte, CWC, It is to inform that the information asked vide applicants letter No 03 dt 22/12/2019 is as under:

| SNo | Information sought | Information/ reply |
|-----|--|--|
| 1 | What is the total net yield available @ 75% dependable, using the yield series from 1971-72 to 2011-12 at above, including (a) all eligible states (b) surpluses available from the catchment of u/s states during monsoon period over their planned utilization limited to 75 percent availability. | The mentioned issues were linked to Pranahita- Chavella Lift Irrigation Scheme. The proposal of PCUS has already been Cancelled due to inter-state matters etc. Hence, HSO has no comments to offer on the matter |

&

The information asked vide applicants letter No 02 dt08/11/2019 is as under:

| SNo | Information sought | Information/ reply |
|-----|--|---|
| 1 | What is the total net yield available @ 75% dependable, using the yield series from 1971-72 to 2011-12 at barrage site or at diversion site having catchment area of 1,01,897 sq km, (Including Telangana share) | The mentioned issues were linked to Pranahita - Chavella Lift Irrigation Scheme. The Feasibility Report for the "Pranahita Chavella Lift irrigation Scheme (PCLIS)" was forwarded to this unit by Project Appraisal (South) Directorate, , WP&P Wing, CWC vide office letter dated 13.02.2008. The net yield at the project location was assessed and same was conveyed to project authorities. |
| 2 | The net yield so available at barrage site having CA 1,01,897 sq km @ 75% | Latter, the proposal of PCUS was |

| | | |
|---|--|--|
| | dependable in such situation, what is the share of each eligible state, including Telangana State? | cancelled due to inter-state matters etc. Hence, HSO has no comments to offer on the matter. |
| 3 | As per para 3-1 (iv), of 2 nd ref. letter, the net yield was stated as 284.3 TMC at Medigedda or Kaleshwaram project site, How this 284.3 TMC was entitled among eligible states. Please furnish details. | The net yield at Medigedda site of Kaleshwaram Project has been estimated on the basis of contributions of runoff by five sub-basins namely Penganga (G7), Wardha (G8), Maner(G6), Middle Godavari(G5) and Pranahita(G9) of Godavari Basin. The sub-basin wise water entitlement to party state has been given in the GWDT award. Accordingly, availability of water to Andhra Pradesh & Telangana have been worked out as per GWDT award. The details of net yield available as per GWDT from all sub-basins to Telangana and Andhra Pradesh are attached as Annex-I. |

Encls: As above(annex-1)

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-500007, Telengana

Director, D&R Coord. Dte, 4th floor, south block, Sewabhawan, R.K. Purram, New Delhi-110016 for information and further needful please.

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/526 दिनांक 31-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

IMMEDIATE RTI MATTER

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Mallikarjuna. A, S/O Alegowda, NS Road, Chelur, Gubbi Taluk, Tumkur District, Karnataka Pin 572117 के दिनांक 31-12-2019 का आवेदन A-49012/8/2019/RTI/525 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 01-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/525 dt 31-12-2019), it is to inform that no specific information is available in WP&P Wing of CWC. It may please be treated as NIL as far as WP&P Wing of CWC, New Delhi is concerned. However it is to inform that :-

1. CWC has issued Guidelines of preparing Operation and Maintenance manuals for dams in India is available on following link:- [https://www.damsafety.in/ecmincludes/PDFs/Guidelines_for_Preparing &M_Manuals_for_Dams.pdf](https://www.damsafety.in/ecmincludes/PDFs/Guidelines_for_Preparing_M_Manuals_for_Dams.pdf). Applicant is requested to down load the same.
2. Water sharing between states are governed by various inter-state agreements between co-basin states. Information on such agreements is available on <http://www.cwc.gov.in/inter-state-international-conflict>.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Mallikarjuna. A, S/O Alegowda, NS Road, Chelur, Gubbi Taluk, Tumkur District, Karnataka - 572117

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/525 दिनांक 31-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

●Conserve Water- Save Life●

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

By speed/registered post

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Suder Shan, SeniorCitizen, Sriram Sathyanarayana Sandhya Engineering Co., Near Vijaya Public School, Post- AR Moor, District- Nizamabad, Telangana, Pin 503224 के दिनांक 31-12-2019 का आवेदन A-49012/8/2019/RTI/528 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 01-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No [A-49012/8/2019/RTI/528 दिनांक 31-12-2019](#)), it is to information that the information asked vide above said RTI application is not available in WP&P Wing of CWC, may be treated as Nil, as far as WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Suder Shan, SeniorCitizen, Sriram Sathyanarayana Sandhya Engineering Co., Near Vijaya Public School, Post- AR Moor, District- Nizamabad, Telangana, Pin 503224

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/528 दिनांक 31-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♦जल संरक्षण - सुरक्षित भविष्य♦



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♦Conserve Water- Save Life♦

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

IMMEDIATE RTI MATTER

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri R Aravindh, H No 7/2/22/2, Nehru Nagar, Dhane, Andhra Pradesh-518222 के दिनांक 30-12-2019 का आवेदन CWCND/R/2019/80226 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 01-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/529 dt 31-12-2019), it is to inform that the information asked is not related to WP&P Wing of CWC, may please treated as NIL as far as WP&P Wing of CWC, New Delhi is concerned.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri R Aravindh, H No 7/2/22/2, Nehru Nagar, Dhane, Andhra Pradesh-518222

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/529 दिनांक 31-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

IMMEDIATE RTI MATTER

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri R Aravindh, H No 7/2/22/2, Nehru Nagar, Dhane, Andhra Pradesh-518222 के दिनांक 30-12-2019 का आवेदन CWCND/R/2019/80226 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 01-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2019/RTI/529 dt 31-12-2019), it is to inform that the information asked is not related to WP&P Wing of CWC, may please treated as NIL as far as WP&P Wing of CWC, New Delhi is concerned.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri R Aravindh, H No 7/2/22/2, Nehru Nagar, Dhane, Andhra Pradesh-518222

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2019/RTI/529 दिनांक 31-12-2019 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

RTI MATTER
SPEED/REG POST

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Sunil Pareek, Sector-H, House No 31, On circle to GWD Road, Near SBI NRI Branch, Shatrinagar, Jodhpur, Rajasthan, Pin- 342003, email; publicinterestjodhpur@gmail.com के दिनांक 01-01-2020 का आवेदन CWCND/R/20/00001 द्वारा मांगी गई सूचना के संबंध में।

सूचना के अधिकार अधिनियम, 2005 के अंतर्गत अवर सचिव एवं नोडल अधिकारी, सूचना का अधिकार, केन्द्रीय जल आयोग, नई दिल्ली से स्थानांतरित होकर इस कार्यालय में दिनांक 02-1-2020 को प्राप्त उपरोक्त आवेदन के संदर्भ में सूचित किया जाता है कि सूचना का विषय केन्द्रीय जल आयोग के जल आयोजन एवं परियोजना स्कन्ध से संबन्धित नहीं होने के कारण सूचना उपलब्ध नहीं है।

निदेशक
ज 0 आ 0 एवं 0 स 0 नि 0
तथा मुख्य जनसूचना अधिकारी

Shri Sunil Pareek, Sector-H, House No 31, On circle to GWD Road, Near SBI NRI Branch, Shatrinagar, Jodhpur, Rajasthan, Pin- 342003,

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केन्द्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं 0 A-49012/8/2019/RTI/01 दिनांक 01-01-2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

●Conserve Water- Save Life●

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

By Registered post

विषय: सूचना का अधिकार, 2005 के अंतर्गत shri Mahendra Putnala , Hyderabad Email :putnalamahi@gmail.com के दिनांक 31-12-2019 का आवेदन CWCND/R/E/20/00008 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 07-01-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (A-49012/8/2020/RTI/05 dt 06/01/2020), the point wise information available in WP&P Wing of CWC, is as under:

| SN o | Information sought | Reply/ information |
|---------|---|--|
| 1 | How much water (in TMC)I has been lifted from the Kaleshwaram Lift Irrigation Project from June 2019 to December 2019 and how much water (in TMC) has been diverted to different dams/reservoirs/ tanks | No specific information is available in WP&P wing of CWC. However it is to inform that as per the information furnished in Project Proposal by the Project Authorities, "Diversion of 195 TMC of Godavari water to Sripada Rao Yellampally project and subsequently to Mild Manair Reservoir by lifting it to the lands on higher contour which is found to be economically viable, to bring large extents of lands in the basin under irrigation'. For details , applicant is advised to contact, concerned Ministry/Department of Water Resources of state / Kaleshwaram Project Authority |
| 2 | How much money has been spent till date for the construction of Kaleshwaram Lift Irrigation Project. | No specific information is available in WP&P wing of CWC. However, it is informed that the estimated cost of the project is Rs. 80 190.46 Crores at P/L 2016-17. For details, applicant is advised to contact, concerned Ministry / Department of Water Resources of state / Kaleshwaram Project Authority |

Further, the detail of existing and newly proposed reservoirs as submitted by the project authority with their capacities is enclosed as Annex -1.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

shri Mahendra Putnala , Hyderabad Email :putnalamahi@gmail.com

* (only by e-mail due to incomplete address)

प्रतिलिपि: अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/05 दिनांक 06-01-2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

the respective river flows of the Reservoirs, without encroaching upon the irrigation operations contemplated under their original systems.

The details of the existing online reservoirs (of other projects) reservoirs is shown.

Online Balancing Reservoirs (Other Projects)

| Sl. No. | Name of the Reservoir | Capacity (TMC) |
|----------------------|-----------------------------|----------------|
| 1 | Sripada Yellampalli Barrage | 20.175 |
| 2 | Mid-Manair Reservoir | 25.875 |
| 3 | Medaram Tank | 0.78 |
| Total Storage | | 46.83 |

1.1.2 Proposed Reservoirs

The details of the newly proposed reservoirs are shown in the following table.

Newly Proposed Online Reservoirs

| Sl. No. | Name of the Reservoir | Capacity in TMC |
|--------------|--|-----------------|
| 1 | Barrage at Medigadda with FRL 100.0 m | 16.17 |
| 2 | Barrage at Annaram with FRL 120.0 m | 11.9 |
| 3 | Barrage at Sundilla with FRL 130.0 m | 5.11 |
| 4 | Ananthagiri Reservoir | 3.50 |
| 5 | Sri Ranganayaka Sagar (Imamabad Reservoir) | 3.00 |
| 6 | Sri Komaravelli Mallana Sagar (Tadkapally) | 50.00 |
| 7 | Malkapet Reservoir | 3.00 |
| 8 | Konda Pochamma Reservoir (Pamulaparthi) | 7.00 |
| 9 | Pattipaka Reservoir | 5.50 |
| 10 | Gandhamalla Reservoir | 9.87 |
| 11 | Baswapuram Reservoir | 11.39 |
| TOTAL | | 125.94 |

1.1.3 Need for "Sri Komaravelli Mallana Sagar" as a high capacity central reservoir

In order to utilize the diverted water of Godavari River, it is essential to have sufficient storage in the scheme, because there is mismatch between demand and supply, which is highly skewed in the present case. As such, the provision of sufficient storage has been proposed in the system to have operational flexibilities to



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

RTI MATTER (SPEED/REG POST)

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Vikrant Tougé, Environment worker, 84, Bhanota, Greater Noida, UP Pin 201311 का दिनांक 06/01/2020 का आवेदन (CWCND/R/T/20/00002) द्वारा मांगी गई सूचना के संबंध में।

सूचना के अधिकार अधिनियम, 2005 के अंतर्गत अवर सचिव एवं नोडल अधिकारी, सूचना का अधिकार, केन्द्रीय जल आयोग, नई दिल्ली से स्थानांतरित होकर इस कार्यालय में दिनांक 07-01-2020 को प्राप्त उपरोक्त आवेदन के संदर्भ में सूचित किया जाता है कि जल एक राज्य विषय है, सिंचाई और मल्टी परपस परियोजनाएँ संबंधित राज्य सरकारों द्वारा अपनी-अपनी प्राथमिकता के अनुसार अनुमानित, निर्मित और संचालित की जाती हैं। जल संसाधन की स्थिरता सुनिश्चित करने के लिए उसकी वृद्धि, संरक्षण और कुशल प्रबंधन के कदम संबंधित राज्य सरकार द्वारा किए जाते हैं। अतः आवेदक से निवेदन है कि विगतवर सूचना हेतु संबंधित राज्य सरकार के जल संसाधन मंत्रालय/ विभाग/परियोजना प्राधिकरण कि बेव साइट का अवलोकन करे /संपर्क करे।

उपरोक्त आवेदन के संदर्भ में यह भी सूचित किया जाता है कि सूचना का विषय केन्द्रीय जल आयोग के जल आयोजन एवं परियोजना स्कन्ध से संबंधित नहीं होने के कारण सूचना उपलब्ध नहीं, शून्य है।

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Vikrant Tougé, Environment worker, 84, Bhanota, Greater Noida, UP Pin 201311

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केन्द्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं० [A-49012/8/2020/RTI/06](#) दिनांक 06-01-2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द०), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

●Conserve Water- Save Life●

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

RTI MATTER
SPEED/REG POST

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Vipin Kumar Pandey, 25/02 Civil Line, Naraini Road, Atarra, Banda, Up Atarra UP Pin 210201 (email- vipinpandeyatarra@gmail.com) का दिनांक 04/01/2020 का आवेदन (CWCND/R/T/20/00007) द्वारा मांगी गई सूचना के संबंध में।

सूचना के अधिकार अधिनियम, 2005 के अंतर्गत अवर सचिव एवं नोडल अधिकारी, सूचना का अधिकार, केन्द्रीय जल आयोग, नई दिल्ली से स्थानांतरित होकर इस कार्यालय में दिनांक 07-01-2020 को प्राप्त उपरोक्त आवेदन के संदर्भ में सूचित किया जाता है कि सूचना का विषय केन्द्रीय जल आयोग के जल आयोजन एवं परियोजना स्कन्ध से संबन्धित नहीं होने के कारण सूचना उपलब्ध नहीं, शून्य है।

उपरोक्त आवेदन के संदर्भ में यह भी सूचित किया जाता है कि जल प्रदाय एवं प्रदाय किए जल गुणवत्ता बनाए रखना राज्य सरकार का विषय है तथा उसके सम्बंध में निर्णय लेने या योजनाएँ बनाने का अधिकार राज्य का है। आवेदक से अनुरोध है कि वे संबन्धित राज्य सरकार के मंत्रालय/विभाग से संपर्क करें।

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Vipin Kumar Pandey, 25/02 Civil Line, Naraini Road, Atarra, Banda, Up Atarra UP Pin 210201

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केन्द्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं० [A-49012/8/2020/RTI/07](#) दिनांक [06-01-2020](#) के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द०), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225, फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

♣Conserve Water- Save Life♣

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-7, Telengana का आवेदन No 21/51/2020/vol-I-PA S/40 दिनांक 09/01/2020 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application addressed to Director, Cost Appraisal -I, which is received in this office on 09-01-2020 on transfer from PA South, Directorate, CWC, New Delhi, (No CWCID No2/148/IP(S)/2013/702-03 dt 09-01-2020), the copy of the letter having CWCID/No10-A/27/2017/CA-I/2/77 Dt 01/05/2018 is sent herewith.

Encl: As above

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

1. Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-7, Telengana
2. DDO-II, Central Water Commission, New Delhi. आवेदक से प्राप्त पोस्टल ऑर्डर क्रमांक 48F 869855 राशि रुपये 10 (RTI FEE) परिवर्ती कार्रवाई हेतु संलग्न है।

प्रतिलिपि

3. अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को सूचना एवं आवश्यक कार्यवाही हेतु ।
4. निदेशक PA (S) केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066
- 5 निदेशक CA (I-2) केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM
NEW DELHI-110066
Tel.: 01129583225
Fax: 011 29583209
Email :- wppcdte@nic.in

●Conserve Water- Save Life●

Government of India
Central Water Commission
Cost Appraisal (Irrigation)-2 Directorate

6th Floor(S), Sewa Bhawan,
R.K.Puram, New Delhi-66
Tel.Ph.011-29583427

Sub: Kaleshwaram Project, Telangana (New CCA 738851 ha & stabilization of existing CCA 762028 ha) - Examination of Cost Estimates-reg.
Ref: (i) CWC No. 6/231/2017/PA(S)/180-92 dated 28.02.2017
(ii) CE/KPH/DCE/DEE-3/AEE-9/CWC/camp/2017 dated 27.11.2017

The cost estimate of the project cited above for Rs. 80704.84 Cr. at SOR 2015-16 was received from Project Authorities vide letter under reference no. (ii) above for examination of cost aspects. After examination of estimates and compliances submitted by the State Govt. on various observations/ clarifications sought by this directorate and also detailed discussion/ consultation with the project authorities, cost of the project has been finalised for **Rs. 80190.46 Cr** (at SOR 2015-16), out of which an expenditure of Rs. 23,022.74 Cr has been incurred up to December-2017 according to details submitted by the competent authority of the project. It was further informed by the State Govt. that during the period of Jan.'18 to March'18 an expenditure of Rs.7630.98 cr was incurred and total expenditure on the project is Rs. 30653.72 Cr. up to March, 2018 vide their letter dated 25.04.2018.

The finalized cost is subject to correctness of detailed surveys and investigations, approved final alignments of distribution system and final drawings and designs submitted by the project authorities, quantities considered in the estimate with supporting documents provided and duly certified by the project authorities as also the acceptance of the project by the other concerned directorates of CWC and other associated central agencies.

Further, it is important to note that it was intimated vide the D.O. letter no.6/231/2017-PA(S)/1602-1605 dated 22.12.2017 addressed to the Principal Secretary (Irrigation & CAD), Govt. of Telangana from the Chief Engineer (PAO), CWC that estimate should be realistic and need not to be revised in next three years at least. In response to this, Principal Secretary (Irrigation & CAD), Govt. of Telangana vide his D.O. letter no. 1/Spl.CS(Irr)/2018 dated 6.01.2018 has given the targeted dates of completion for the project components through its packages as December, 2018 as the latest. The abstract of cost of the proposal is enclosed herewith for necessary action.

This issues with the approval of Chief Engineer (PAO), CWC.

Encl: As Above


(Rajiv Kumar)
Director

✓ **Director, PA (S) Dte., CWC, Sewa Bhawan, R.K.Puram, New Delhi CWC I.D. No.**
10-A/27/2017/CA(I)-2/77 **dated: 04-05-2018**

Received
2/5/18

KALESHWARAM PROJECT, TELANGANA

GENERAL ABSTRACT

| S. No. | | UNIT-I | UNIT-II | TOTAL |
|--------|--|----------------------|----------------------|----------------------|
| | | Amount (in Rs. Lakh) | Amount (in Rs. Lakh) | Amount (in Rs. Lakh) |
| | Direct Charges | | | |
| I | WORKS | | | |
| 1 | A - Preliminary | 7423.13 | 21370.32 | 28793.45 |
| 2 | B. Land | 427853.22 | 437679.29 | 865532.51 |
| 3 | C-works | 2648459.56 | 1884052.81 | 4532512.36 |
| 4 | D- Regulators | 1450.00 | 29744.17 | 31194.17 |
| 5 | E-Falls | 0.00 | 7839.78 | 7839.78 |
| 6 | F Cross Drainage Works | 0.00 | 271375.75 | 271375.75 |
| 7 | G Bridges | 0.00 | 42638.72 | 42638.72 |
| 8 | H Escape | 0.00 | 0.00 | 0.00 |
| 9 | J Power Plant | 0.00 | 0.00 | 0.00 |
| 10 | K Buildings | 2216.12 | 2462.00 | 4678.12 |
| 11 | L ₁ Earthwork | 0.00 | 317046.18 | 317046.18 |
| 12 | L ₂ Lining | 0.00 | 182992.62 | 182992.62 |
| 13 | L ₃ Tunnel | 0.00 | 779706.48 | 779706.48 |
| 14 | M Plantation | 113.50 | 0.00 | 113.50 |
| 15 | N Tanks and Reservoirs | 0.00 | 25136.94 | 25136.94 |
| 16 | O Miscellaneous | 23055.67 | 33505.60 | 56561.27 |
| 17 | P Maintenance | 26610.76 | 39497.80 | 66108.56 |
| 18 | Q - Special T & P | 112.00 | 0.00 | 112.00 |
| 19 | R - Communication | 8759.00 | 2273.95 | 11032.95 |
| 20 | U-Distributaries and Minors | 191.33 | 378950.93 | 379142.26 |
| 21 | V-Water courses / field channels | 0.00 | 25404.96 | 25404.96 |
| 22 | X Environment and Ecology | 29436.07 | 20982.09 | 50418.16 |
| 23 | Y - Losses on stock | 6079.83 | 8273.65 | 14353.48 |
| | Total of I-Works: | 3181760.18 | 4510934.03 | 7692694.21 |
| II | Establishment Charges @ 2% of I -works less B-land for Unit-I & Unit-II respectively | 55078.14 | 81465.09 | 136543.23 |
| III | Tools & Plants @ 1% of cost of I-Works | 31817.60 | 45109.34 | 76926.94 |
| | Taxes | 0.00 | 0.00 | 0.00 |
| IV | Suspense | 0.00 | 0.00 | 0.00 |
| V | Receipt and Recoveries (- ve) | 0.00 | 0.00 | 0.00 |
| | Total Direct Charges: | 3268655.93 | 4637508.46 | 7906164.39 |
| | Indirect Charges | | | |
| a) | Capital Value of abatement of land revenue (5% of Culturable land revenue of B-Land) | 14070.96 | 21883.96 | 35954.93 |
| b) | Audit & Account Charges @ 1% of cost of I-Works | 31817.60 | 45109.34 | 76926.94 |
| | Total Indirect Charges (a+b): | 45888.56 | 66993.30 | 112881.87 |
| | Total Direct & Indirect Charges: | 3314544.49 | 4704501.77 | 8019046.26 |
| | Grand Total Cost in crore | 33145.44 | 47045.02 | 80190.46 |

