REMINDER II

Government of India Central Water Commission

4th Floor, Sewa Bhawan, R.K. Puram, New Delhi-66. Dated the 27th July, 2020

OFFICE MEMORANDUM

SUB: Implementation of SPARROW w.r.t. AD Gr. II/SDE of CWC-reg.

The undersigned is directed to refer to OM No.A-28013/5/2020-ESTT-V dt. 17.06.2020 (copy enclosed) wherein the updated status of details for SPARROW received in respect of AD-IIs was disclosed.

- 2. It is informed that following directorates has forwarded the details after issuance of above OM:
 - Project Appraisal (North) Directorate
 - Monitoring (North) Directorate
 - Monitoring (South) Directorate
 - Software Management Directorate
- 3. Rest of the Directorates are requested to forward the SPARROW details in respect of AD-IIs through proper channel as per OM no. 37/01/2019-E.V/356-363 dt. 13.03.2020 and OM no. A-52/7/2019-ESTT-VI dt. 08.05.2020 via e-mail to Estt5@nic.in immediately, so that the APARs may be send to concerned AD-IIs.

Digitally signed by RATNAK/ YADAV Date:Mon Jul 27 13:48:30 IST 2020 Reason:Approved

(RATNAKAR YADAV)

UNDER SECRETARY (E.V) Tel. No. 011-29583304 Fax no. 011-29583327

To:

All Directors, CWC HQ

Copy to:

- 1. PPS to Chief Engineer (HRM) CWC
- 2. PS to Director (Admn)
- 3. Secretary, CWC
- 4. SMD, for uploading in CWC website

File No.A-28013/5/2020-ESTT-V

Government of India Central Water Commission

4th Floor, Sewa Bhawan, R.K. Puram, New Delhi-66. Dated the 17th June, 2020

OFFICE MEMORANDUM

SUB: Implementation of SPARROW w.r.t. AD Gr. II/SDE of CWC-reg.

I am directed to refer to OM no. 37/01/2019-E.V/356-363 dt. 13.03.2020 and OM no. A-52/7/2019-ESTT-VI dt. 08.05.2020 and to state that following is the status of data received from CWC HQ offices in respect of SPARROW for AD-IIs/SDE:

S.No.	Dte.	Filled AD- IIs	Complete Data received via proper channel
1	D&R Coordination Directorate	1	1
2	Hydrology (North) Directorate	2	0
3	Hydrology (South) Directorate	1	0
4	Hydrology Dam Safety Review (DSR) Directorate	2	0
5	Embankment Design (N&W) Directorate	1	0
6	Gates Design (E&NE) Directorate	1	0
7	Hydro Mechanical Design (SE&W)Directorate	1	0
8	Dam Safety Management (DSM) Directorate	1	0
9	Dam Safety Rehabilitation (DSR) Directorate	3	0
10	Software Management Directorate	3	0
11	R&D Division	1	1
12	WP&P Coordination Directorate	3	0
13	Inter State Matters – 2 (ISM-2) Directorate	1	0
14	Water Management Directorate	1	0
15	Project Appraisal (North) Directorate	1	0
16	Project Appraisal (Central) Directorate	1	0
17	Cost Appraisal (Irrigation)-1 Directorate	1	0
18	Cost Appraisal (Hydro, Water Supply & Flood) Directorate	1	0
19	Monitoring (North) Directorate	1	0
20	Monitoring (Central) Directorate	1	0
21	Monitoring (East & West) Directorate	1	1
22	Monitoring (South) Directorate	1	0
23	Planning and Progress Directorate	1	0
24	National Projects Directorate	1	0
25	Water Bodies and Economics Directorate	1	0

File No.A-28013/5/2020-ESTT-V

26	External Assistance Directorate	1	0
27	Basin Planning-1 Directorate	1	0
28	Reservoir Operation Directorate	1	0
29	Remote Sensing Directorate	1	0
30	Director, River Management Co-ordination Directorate	2	2
31	River Data Compilation -2 Directorate	1	0
32	River Conservation Directorate	1	0
33	Coastal Management Directorate	1	0
34	Flood Management (FM) –I Directorate	1	0
35	Flood Management (FM) –II Directorate	1	0
36	Technical Coordination Directorate	2	2
37	Training Directorate (including Library)	1	0
38	Procurement and Construction Planning Directorate	5	0
39	Water System Engineering Directorate	1	0
	O/o Secretary, CWC		
40	Work Plan & Coordination Cell	4	0
41	e-Governance Cell	3	3

- 2. It is seen from above data, that only D&R Coordination Directorate, e-Governance Cell, R&D Division, Monitoring (East & West) Directorate, Director, River Management Coordination Directorate and Technical Coordination Directorate have sent data.
- 3. It is requested to send the data of AD-IIs for SPARROW as per OM no. 37/01/2019-E.V/356-363 dt. 13.03.2020 and OM no. A-52/7/2019-ESTT-VI dt. 08.05.2020 via e-mail to Estt5@nic.in positively by 26.06.2020 so that the APARs may be send to concerned AD-IIs.

Digitally signed by RATNAK/ YADAV Date:Wed Jun 17 12:03:36 IST 2020 Reason: Approved

(RATNAKAR YADAV)

UNDER SECRETARY (E.V)
Tel. No. 011-29583304
Fax no. 011-29583327

To:

1) All Directors, CWC HQ

Copy to:

- 1. PPS to Chief Engineer (HRM) CWC
- 2. Secretary, CWC
- 3. SMD, for uploading in CWC website