

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केंद्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

By Registered post

विषय: **Kaleshwaram Lift Irrigation Project in Telengana State.** (तेलंगाना राज्य मे कलेश्वरम लिफ्ट इरिगेशन स्कीम) (सूचना का अधिकार, 2005 के अंतर्गत Shri B Ram Mohan Reddy, Flat No 404, HNo 2-2-25/A/1, Jeelani Meadows, DD Colony, Amberpety, Hyderabad-(A.P.) Pin 500013 (email- telanganayuvashaktiparty@gmail.com) का दिनांक 26/06/2019 का आवेदन (CWCND/R/2019/80113) के अनुसरण मे आवेदक द्वारा उनके ई मेल से प्राप्त पत्र दिनांक 08/04/2020 से मांगी गई सूचना के संबंध मे)

- संदर्भ: 1. Applicants (Shri B Ram Mohan Reddy,) letter dt 13/02/2020.
2. इस कार्यालय का पत्रांक T/57077/3/2019-wppCoord/I/17191/2019 dt 17/03/2020.
3. Applicants (Shri B Ram Mohan Reddy,) letter dt 04/04/2020 (received through e- mail dt 08/04/2020)
4. Director PA S email dt 09/04/2020 and corrected mail dt 09/04/20

With reference to the applicants (Shri B Ram Mohan Reddy) letter dt 13/02/2020 which is received in this office on 21/02/2020, the point wise information as available in WP&P Wing of CWC was provided to the applicant vide this office letter under reference at sl. 2.

Looking to the frequent quarries by the applicant it was further informed to the applicant that, for other information if any required by the applicant, the applicant is hereby informed that if he is willing to avail the facility for inspection of records, he may avail the facility giving prior intimation for inspection of records available with WP&P Wing of CWC as far as CPIO WP&P Wing is concerned. **Fee** for providing information under sub-section (4) of Section 4 and sub-sections (I) and (5) of Section 7 of the Act shall be charged no fee for inspection of records for the first hour of inspection and a fee of rupees 5 for each subsequent hour or fraction thereof. On selection of information, information will be provided by charging fee as prescribed under RTI Act.

Instead of avail the facility for inspection of records, the applicant has now again a letter mentioned under reference sl 3.to clarify 11 more points.

With reference to the applicants (Shri B Ram Mohan Reddy) letter dt 04/04/2020 which is received in this office through e-mail on 08/04/2020, the point wise information as available in WP&P Wing of CWC is as under:

Point No	Information sought	Information/ reply
1	<p>Who are the members of the Advisory Committee of MoWr, their names and addresses and other details at the time of final approval. When was such meeting was held and the certified minutes of the same may of the original proceedings be furnished to me immediately</p>	<p>Project was considered and accepted in the 136th Advisory Committee meeting held on 6 June 2018. The MoM is available on http://cwc.gov.in/tac-meeting-minutes. It is to be noted that the Investment Clearance proposal of Kaleshwaram Project is still pending before CWC/MoJS.</p> <p>As per the Annexure 9 of Guidelines for Submission, Appraisal and Acceptance of Irrigation and Multipurpose Projects, 2017 (available on CWC website) , the Advisory Committee constituted by the Planning Commission has been replaced by an Advisory Committee in the Ministry of Water Resources (now, Ministry of Jal Shakti) which will scrutinize proposals for major / medium irrigation, flood control and multi-purpose projects and the Committee shall consist of the following:</p> <ul style="list-style-type: none"> (i) Secretary, DoWR,RD&GR - Chairman (ii) Chairman, Central Water Commission - Member (iii) Secretary (Expenditure), Ministry of Finance or - Member his Nominee (iv) Secretary, Department of Power, Ministry of Energy- Member or his Nominee. (v) Secretary, Department of Environment &Forest - Member or his Nominee (vi) Secretary, Department. of Agriculture & Cooperation- Member or his Nominee (vii) Secretary, Ministry of Welfare or his Nominee - Member (viii) Director-General, ICAR or his nominee - Member (ix) Chairman, Central Electricity Authority - Member (x) Advisor (I&CAD), Planning Commission - Member (xi) Advisor (Energy), Planning Commission - Member (xii) Financial Advisor , Ministry of Jal Shakti-

		<p>Member</p> <p>(xiii) Chairman, Central Ground Water Board - Member</p> <p>(xiv) Chief Engineer (PAO), CWC - Member-Secretary</p>
2	<p>Without the comprehensive approval, how can the state government proceed with the works. Have you segregated your assessment for the works already done and the redesigned works have been assessed by you. It is totally absurd that you have considered the project as ONGOING project illegally. Do you have the enough authority to do so.</p>	<p>Appraisal of Project Proposal (DPR) is different from actual construction of Project done by State Govt. Task of CWC is to ensure examination of techno-economic feasibility of Medium and large projects on Inter-State Basin/ rivers as mentioned in the SI No 3 of Guidelines of Investment Clearance of Ministry (Please Refer to http://mowr.gov.in/policies-guideline/guidelines</p>
3	<p>Grossly you have not followed your own guidelines in approaching this most corrupt ridden and meaningless project. Do you endorse this statement or not</p>	<p>No Comments</p>
4	<p>Please advise whether the then central minister was circulated with this file, if so his remarks may be communicated to me along with the records thereof</p>	<p>As per the laid down procedures of Ministry/CWC Guidelines, the TAC Note (Note for Advisory Committee) was finalized and got approved in the meeting of Advisory Committee. MoM may be refereed .</p>
5	<p>It is highly illegal for your chairman and other members to visit the works in tasteful manner and enjoy the state government hospitality time and again having not given the comprehensive sanction. Please give the reasons thereof</p>	<p>Visit of Technical Team to project site is usually done in every other project whenever time permits before any medium/large project is placed before Advisory committee. This is a normal procedure in appraisal process.</p>
6	<p>The projection cost of the agriculture produce as a result of this project, the power costs, the inputs and outputs for the purpose of B.C. ratio have been criminally and grossly manipulated by you in collusion with the state government which clearly suggest large scale corruption at all levels</p>	<p>Details of BC Ratio etc. which is part of NOTE for Advisory Committee has already been shared and hence no further comments.</p>
7	<p>You have endangered the lives of</p>	<p>Design aspects were finalized by State Govt.</p>

	millions of people of Hyderabad (just 70 kms away) by approving the parallel barrage at Mallannasagar of a reservoir of 50 TMC which can induce a koyna type seismic effect when completed and breach of the reservoir.	CWC has no role in this matter as CDO certificate was submitted by State Govt while submitting the DPR in February, 2017. However, there is a provision of Certificate on site specific Seismic design parameters as per Appendix -G(1) of the CWC Guidelines which needs to be obtained by State Govt before the project was approved by Advisory Committee
8	It is a gross misconduct and dereliction of duty on the part of CWC that you are reporting NIL about the interstate agreement having raised the question yourself to the state government	No Comments
9	It is enough proof that you commission has not considered the risks and maintenance burdens in your assessment to show that you have indulged in large scale corruption in this project including your minister. The project is a colossal failure in the history of irrigation of this country. You are now answerable to the people of the state who have been pushed into a permanent debt trap	No Comments
10	A skeleton NOTE to the advisory committee is not the final sanction, please note	No Comments
11	Kindly issue immediately orders to the state government to stop all the further works and recommend for CBI enquiry in the matter. Kindly clarify on the above. If not, I shall be constrained to undertake indefinite fasting before your office within one month from the date of this letter.	No Comments

The applicant is hereby again informed that if he is willing (not satisfied with information provided so far) to avail the facility for inspection of records, he may avail the facility giving

prior intimation for inspection of records available with WP&P Wing of CWC as far as CPIO WP&P Wing is concerned. **Fee** for providing information under sub-section (4) of Section 4 and sub-sections (I) and (5) of Section 7 of the Act shall be charged no fee for inspection of records for the first hour of inspection and a fee of rupees 5 for each subsequent hour or fraction thereof. On selection of information, information will be provided by charging fee as prescribed under RTI Act.

निदेशक/ Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

प्रति Shri B Ram Mohan Reddy, Flat No 404, HNo 2-2-25/A/1, Jeelani Meadows, DD Colony, Amberpety, Hyderabad-(A.P.) Pin 500013

प्रतिलिपि:

1. मुख्य अभियंता, (PAO) केंद्रीय जल आयोग, सेवा भवन, आर के पुरम नई दिल्ली-110066
2. अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को इस कार्यालय के पत्र सं. आई-1200/41/2019-WPPCoord//17191/2019 dt 17/03/2020 के अनुसरण में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under.

Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi - 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम
नई दिल्ली-110066
दूरभाष : 011 29583225 , फैक्स : 011 29583209
ई मेल: wppcdte@nic.in
जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN,
R.K.PURAM NEW DELHI-110066
Tel.: 01129583225 Fax: 011 29583209
Email :- wppcdte@nic.in