File No.I-12011/68/2021-WPP Coord.

1/65803/2024(41)



Government of India
Ministry of Jal Shakti
Deptt. of Water Resources, RD&GR
Central Water Commission
WP&P COORDINATION DIRECTORATE

विषय: सूचनाकाअधिकार, 2005 केअंतर्गत Shri B. Ram Mohan Reddy,Advocate, R/o Flat No 404, H. No 2-2-25/A/1, D.D. Colony, Amberpet, Hyderabad (Telangana) Pin 500013 कादिनांक 21/06/2021 केआवेदन द्वारा मांगी गई सूचना के संबंध मे।

(Information sought under RTI Act by Shri B. Ram Mohan Reddy, Advocate, R/o Flat No 404, H. No 2-2-25/A/1, D.D. Colony, Amberpet, Hyderabad (Telangana) Pin 500013 vide RTI application No. NilDt21/06/2021-reg)

With reference to above RTI Application, which was received in this officeondt02/07/2021 upon transfer from Under Secretary & Nodal for RTI, CWC, New Delhi, vide letter NoA-49012/8/2021/RTI/243dated 02/07/2021, the point wise information as available in WP&P Wing of CWC, is as under:

S. No.	Information sought	Information/Reply
1	Whether you (CWC) are a statutory	CWC is a premier Technical Organization of India in
	body and you are required to give	the field of Water Resources and is presently
	TechnicalFeasibility and Economic	functioning as an attached office to Department of
	Viability certificate to this	River Development and Ganga Rejuvenation, MoJS,
	KALESHWARAMPROJECT. ALSO,	Government of India.
	inform as to whether which authority	All new major and medium irrigation projects including
	in CWC is legally final as they are	multipurpose projects which have inter-State
	many department to sign the RTI	ramifications are subject to techno-economic appraisal
	applications as I am sending	of CWC.
	singleapplication with single fees	You may please refer to Para (B) (1) of Guidelines for
2	what is your jurisdiction and	Investment Clearance of DoWR, RD& GR dated
	limitations in Kaleshwaram Project	17.12.2015 available on MoJS official website.
	under yourpurview. I found you are	
	not very clear in this respect giving	The list of PIO of CWC is also available at CWC
	rise to some unknowndealings.	website link http://www.cwc.gov.in/right-information .
	ALSO, what type of the project	
	KALESHWARAM is as per your	
	norms.	
3	YOU asked me to approach the state	Please refer to "Guidelines for Submission, Appraisal
	government when the said	and Acceptance of Irrigation and Multipurpose
	information is available with you.	Projects, 2017"available at cwc website at link
	ALSO what are the various	http://www.cwc.gov.in/guidelines-and-guide-book-

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225 , फैक्स : 011 29583209

ई मेल: wppcdte@nic.in **♦जल संरक्षण - सुरक्षित भविष्य**Σ



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM NEW DELHI-110066 Tel: 01129583225

Tel.: 01129583225 Fax: 011 29583209 Email :- wppcdte@nic.in

♦Conserve Water- Save Life

3/2021	(1) clearances and permissions th estate	publications
	government has to obtain for	
	KALESHWARAM.	
4	Your PAGE Nos. 12 to 15 of 23-03-	Actual construction status of the project after the
	2017 of Director, Project	project being accepted by Advisory Committee of
	Appraisal:ONGOING PROJECT.	D/oWR, RD & GR is not available in this office.
	Please enumerate the reasons for	Further, WP&P wing didn't receive (since 6 June
	the change for the	2018) any revised project proposal for Kaleshwaram
	newKALESHWARAM to ONGOING	project. Accordingly, WP&P wing has nil information
	project midway.	about any changes (if any) in project parameters.
5	Your PAGE Nos. 47 to 48 of 13-07-	The rate of energy charges approved by
	2017 of Central Electricity	TSTRANSCO, State Govt. of Telangana has been
	Authority, Ministry of Power, Govt. of	used in the BC ratio computation.
	India: HOW and why you have	
	accepted the cost ofpower to Rs.	
	3.00 per unit	
6	Your PAGE Nos. 50 TO 68 and 69	The information in this regard has already been
	TO 72 of Hydrology Department:	provided by CPIO, D&R wing of CWC vide letter no.
	whether you have found the final	1/7/2021/D&RC/RTI/1542-43 dated 20/07/2021.
	compliance/compliances, if any, are	
	in order, technically and legally	
	regarding Hydrology Directorate of	
	CWC as perpara I ofPAGE No. 113.	
	Please certify that have you seen the	
	same.	
7	Your PAGE Nos. 73 TO 76 AND 77	Please refer to ISM-1 Dte., CWC letter no. 04/02/TEL/
	TO 86: INTER STATE ASPECTS	ISM-1/2017/974 dated 30/11/2017, copy of same has
	ANDHYDROLOGY: Whether all the	already been provided to the applicant vide this office
	aspects are procedurally, legally and	letter no. T-57077/3/2019-WPP Coord. Dated
	work wiseare in order as per your	16/09/2019.
	norms.	
8	Your PAGE Nos. 109 TO 112 of	Subject matter related to contract management
	Construction of Machinery	pertains to State Govt. Thus, nil information is
	Consultancy &PMof CWC: Have you	available in this regard.
	approved the contractors chosen by	
	the state government for	
	KALESHWARAM and send the	
	copies of agreements and mode of	
	payment tothem. Have you verified	
	the contractor's adequate	
	experience. Also, the stategovernment	
	has transferred the lands acquired by	
I	the many many and the the many and the	
	the government in the name ofthe	
	contractors. AND are you satisfied	

803/	202 1	these pages.	
	9	Your Chairman and other	The site visits are done as part of appraisal process,
	J	Directors/members/experts have	applicable for any project under appraisal in CWC.
		visited/inspected thesite of	Before the project is being placed before Advisory
		KALESHWARAM. What are the	Committee, are visits are carried out by CWC (HQ)
		reasons for their such act and send	or, by nearest Regional CWC offices.
	10	their reports/findings	No report was prepared by the visiting team. The information sought is in form of queries, which do not
	10	What are your assessments on various risks of seismography,	form 'Information' within the provisions of RTI Act 2005. As
		floods, earthquakes like koyna project	per RTI Act, CPIO is required to provide information as
		of Maharashtra, if Pranahita waters	available with him in the form of O.M., notifications, rules,
			regulations, orders, letters and circulars etc. Queries/ clarifications or interpretation of information is outside the
		are stopped byMaharashtra like Almatti in Karnataka on Krishna river,	preview of the Right to Information Act, 2005.
		·	
		wastage of wateroverlapping of other	
-	11	what are your findings after	As the CDO Certificate was submitted in the case of
	1 1	comparative studies of old (Pranahita-	
		Chevella) andnew projects of	Kaleshwaram Project, Design aspects were not examined by CWC and hence, there is no
		KALESHWARAM. And send the copy	comparative study available in this office.
		of the	comparative study available in this office.
		consolidated comprehensiveTechnical	
		Feasibility and Economic Viability	
		report of both theseprojects as given	
		to the state government.	
	12	What are the objections on old	In the case of Pranahita-Chevella Project, Government
	12	Pranahita-Chevellaproject by the	o fMaharashtra did not agree on raising the height of
		states ofMaharashtra, Madhya	the reservoir by GoTS as the pondage was mainly in
		Pradesh, Orissa, Andhra Pradesh	Maharashtra. Government of Telangana agreed to
		and other states underGodavari	submit revised DPR but the same was never
		basin.	submitted to CWC. Meanwhile, after detailed Survey &
	13	Are in the knowledge of the	Investigation works, Government of Telangana
	.0	phases/packages abandoned in the	submitted a new DPR of Kaleshwaram Project in
		old Pranahita-Chevellaproject.	February 2017, claiming that, it was the re-engineered
		ola i ranama enevenaprojest.	version of earlier project.
	14	What is a SIMULATION TEST as	No 'Simulation test' had been asked by this office
		asked by you to the state	from State Government. However, for working out the
		government. How and where they are	'success rate' of the project, simulation studies were
		conducted by the state government.	carried out using the proposed water demand and
		Send the reports thereof	availableyield series.
		cond the reporte thereof	avallasioyiola conce.
	15	Have you given consolidated/	CWC provided BC Ratio computed as per the
		comprehensive B.C. Ratio approval to	"Guidelines for preparation of Detailed Project Report
		the state government on	of irrigation and multipurpose projects, 2010" for
		KALESHWARAM along with the	finalization of the DPR and subsequent approval from
		complete calculation.	TAC.
			-
		i .	

202 ⁻	(')	
16	Forward the copy of the approval certificate from the state planning department, Forest and Environmental clearances etc. which you solicited from the stategovernment.	The clearance as provided by State Govt. as provided in TAC note, which has already been provided to the Applicant vide PA (S) Dte., CW letter no. 21/51/2019-PA(S)/84-85 dated 27.01.2021.
17	Send the complete guidelines and the checklist for KALESHWARAM as we are unable to get the same from your website. Are there any other papers/documents to be submitted to you by the state government.	Please refer to reply at sr. No. 3 for guidelines. Wir regard to checklist, nil information is available.
18	Send the complete DPRs and all volumes of old and new projects as submitted by the state government as submitted by you. They are not placed in the website ofthe state government	Being the third party documents, DRRs of Dr. B.I. Ambebedkar Pranahita-Chevella Sujala Sravar Project(2010) and Kaleshwaram Project and Dr. B.I. Ambebedkar Pranahita project Applicant is requested to obtain attested copy of DPR from concerned Project Authority /. Govt of Telangana. As far as CWC is concerned, Note for consideration of the Advisory Committee of DoWR, RD & GR final document in the appraisal process for acceptance of any project. A Copy of the Note has already been sent to the applicant vide PA (S) Dte., CWC letter in 21/51/2019-PA(S)/84-85 dated 27.01.2021. It is further to inform that soft copy of DPR of Kaleshwaran Project was obtained and provided to the applicativide letter no T-57077/3/2019-WF Coord.//1/9452/2019 Dated 18.10.2019.
19	What is the meaning of 'AGREED' used by the state government and the phrase 'NO COMMENTS' used by you in the compliance reports in the entire KALESHWARAM project file.	The information sought is in form of queries, which do not form 'Information' within the provisions of RTI Act 2005. A per RTI Act, CPIO is required to provide information available with him in the form of O.M., notifications, rule regulations, orders, letters and circulars etc. Queries clarifications or interpretation of information is outside the preview of the Right to Information Act, 2005.
20	Whether the state government has gone ahead with the project by releasing funds unilaterally without your approvals. And please give the details.	So far as state funding is concerned, this office cannot comment as funding has nothing to do with appraisal process in CWC.

निदेशक Director

ज.आ.एवंप. स.नि. तथामुख्यजनसूचनाअधिकारी WP&P (C) & CPIO

- 1. Shri B. Ram Mohan Reddy, Advocate, R/o Flat No 404, H. No 2-2-25/A/1, D.D. Colony, Amberpet, Hyderabad (Telangana) Pin 500013
 - 2. Under Secretary and Nodal Officer RTI with reference to his letter A-49012/8/2021/RTI/243 dated 02/07/2021, for information and further necessary action please

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi - 110066. Phone No. 26103561 Fax No.26103561. email-ceprjap@nic.in