



विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri S. Lakshmipathi Naidu, Hinnadevulakuppall, Avulapalli Village, Peddaupparapalli (P), Somala (M), Chittor (D), Andhra Pradesh, Pin: 517257. email: guthaguna@gmail.com का RTI क्र CWCND/R/E/22/00210 दिनांक 07/11/2022 के आवेदन द्वारा मांगी गई सूचना के संबंध में।

(Information sought under RTI Act by Shri S. Lakshmipathi Naidu, Hinnadevulakuppall, Avulapalli Village, Peddaupparapalli (P), Somala (M), Chittor(D), Andhra Pradesh, Pin: 517257. email: guthaguna@gmail.com vide RTI application No. CWCND/R/E/22/00210 dated 07/11/2022 –reg)

With reference to above RTI application, which was transferred to this office from Under Secretary & Nodal Officer, RTI cell, CWC, New Delhi on 11/11/2022, vide letter no. A-49012/8/2022/RTI/457 dated 10/11/2022, the point wise information as available in WP&P Wing of CWC, is as under:

क्र.सं	वांछित सूचना	उपलब्ध सूचना
1.	Copies of communications between Water Resource Department of Andhra Pradesh and CWC on about Rs. 7150 crores worth linking of Galeru Nagari Sujala Sravanthi and Handri Neeva Sujala Sravanthi irrigation schemes and its connected 3 reservoirs. a. Mudiveedu balancing reservoir. b. Nethiguntapalli balancing reservoir. c. Avalapalli balancing reservoirs	Project proposal in the form of DPR of Galeru Nagari Sujala Sravanthi (GNSS) and Handri Neeva Sujala Sravanthi (HNSS) irrigation schemes of Andhra Pradesh have not been received in CWC. Thus, information/ material in this regard may be treated as nil from WP&P wing. However, applicant may contact the Project Authorities i.e., Govt of Andhra Pradesh for more information.
2.	Whether approvals such as Hydrology clearance, Investment clearance, Sismicity clearance, approval for designs, water allocation been granted for the construction of Lift Schemes to lift water from GNSS to HNSS in Andhra Pradesh as per G.O.RT. No. 444, and formation of balancing reservoirs. a. Mudiveedu balancing reservoir. b. Nethiguntapalli balancing reservoir. c. Avulapalli balancing reservoirs sanctioned by Andhra Pradesh Govt as per G.O.RT.No. 461	
3.	Copies of Communications on implementation of Judgment passed by NGT in OA No. 137/2021 File No.I-12011/93/2022-PA(S) DTE passed by Special Bench of Southern Zone bench.	Copy of the Judgement is enclosed. As regards implementation part, the same does not pertain to CWC. As such, this office has no comments.
4.	Copies of Communications between CWC and Water Resource Department of Andhra Pradesh on above reservoirs and Balancing reservoirs	Information is not available in this office.



I/115667/2022(1)

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

To,

1. Shri S. Lakshmipathi Naidu, Hinnadevulakuppall, Avulapalli Village, Peddaupparapalli (P), Somala (M), Chittor(D), Andhra Pradesh, Pin: 517257., email: guthaguna@gmail.com
2. Under Secretary and Nodal Officer, RTI Cell with reference to letter No. A-49012/8/2022/RTI/457 dated 10/11/2022, for kind information and further necessary action please
(Applicant may find the RTI reply correspondence at <http://cwc.gov.in/rti-reply>)

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), SewaBhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email: cepriap@nic.in**