

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग
केन्द्रीय जल आयोग
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Deptt. of Water Resources, RD&GR
Central Water Commission
WP&PCOORDINATIONDIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Inaganti Ravi kumar, Flat no: 304, Badris Elite Appartments, Yanamalakuduru Lakula Road, Vijayawada, Andhra Pradesh, Pin: 520007. email: inaganti@hotmail.com का RTI क्रं CWCND/R/E/22/00247 दिनांक 26/12/2022 के आवेदन द्वारा मांगी गई सूचना के संबंध में।

(Information sought under RTI Act by Shri Inaganti Ravi kumar, Flat no: 304, Badris Elite Appartments, Yanamalakuduru Lakula Road, Vijayawada, Andhra Pradesh, Pin: 520007. email: inaganti@hotmail.com vide RTI application No. CWCND/R/E/22/00247 dated 26/12/2022 –reg)

The above referred RTI has been transferred to this Office from Under Secretary & Nodal officer, RTI Cell, CWC, New Delhi on 28/12/2022, vide letter no.A-49012/8/2022/RTI/537 dated 27/12/2022.

In this regard, it is informed that information as available in WP&P Wing of CWC said RTI, is provided below:

क्र.सं	वांछित सूचना	उपलब्ध सूचना
1.	Regarding Govt. of AP proposed Rayalaseema Drought Mitigation Project and Babu Jagjeevan Ram Uttrandhra Sravanthi Scheme, Andhra Pradesh proposals for Securitize by the CWC.	<u>Rayalaseema Drought Mitigation Project (RDMP)</u> The original DPR of Rayalaseema Drought Mitigation Project (RDMP) along with its components like GNSS, HNSS, CBR was not considered and accepted by the Advisory Committee of DoWR, RD&GR.
2.	Also, NITI AAYOG requested for evaluation process may be expedited.	Further, ERM proposal of RDMP was received from Govt. of Andhra Pradesh, however, the DPR of the project was returned back to Project Authority vide this PA (S) Dte., PAO, CWC letter dated 07.03.2022 (copy enclosed) stating that ERM proposal of RDMP can not be examined at this stage unless original project/components get approved by Advisory Committee of DoWR, RD & GR.
3.	Present stage of Evaluation and Securitization process at CWC till date.	
4.	I request to kindly provide the correspondence made by the CWC on the above said two projects and attentions taken so far.	<u>Babu Jagjeevan Ram Uttrandhra Sravanthi Scheme</u> DPR of Babu Jagjeevan Ram Uttrandhra Sravanthi Scheme, AP has not been submitted to CWC for Techno-Economical Examination. However, only one hard copy of DPR for Babu Jagjeevan Ram Uttrandhra Sravanthi Scheme (Vol-1) submitted for finalization of water availability series of Thupakulugudem Barrage (Samakka Sagar Project and Sita Rama Lift Irrigation Scheme).

निदेशक Director

ज.आ.एवंप. स.नि. तथासुख्यजनसूचनाअधिकारी WP&P (C) & CPIO

To,

- Shri Inaganti Ravikumar, Flat no: 304, Badris Elite Appartments, Yanamalakuduru Lakula Road, Vijayawada, Andhra Pradesh, Pin: 520007., email: inaganti@hotmail.com



I/121548/2023(4)

Under Secretary and Nodal Officer, RTI Cell with reference to letter NoA-49012/8/2022/RTI/537 Dated: 27/12/2022 for kind information and further necessary action please

(Applicant may find the RTI reply correspondence at <http://cwc.gov.in/rti-reply>)

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7th Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No. 26103561. email: ceprjap@nic.in**