

I/157704/2024

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल विज्ञानीय प्रेक्षण परिमंडल



Government of India  
Ministry of Jal Shakti  
Dept. of Water Resources, RD &GR  
Central Water Commission  
Hydrological Observation Circle

मकान संख्या 285, सैक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-1, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: schocnoida-cwc@nic.in

पत्र सं.: HOC-V/DB-41/2022-23/ 01-02

दिनांक: 01.01.2024

### **AUCTION NOTICE/नीलामी सूचना**

Scaled quotations are invited for the sale of unserviceable T&P articles on "as is where is basis" as per the list enclosed so as to reach the undersigned by 10.01.2024 at 13:00 hrs on the terms and conditions mentioned below. The quotations will be opened in the office of Superintending Engineer, Hydrological Observation Circle, Vaishali, Ghaziabad, UP on 10.01.2024 at 15:00 hrs. The interested bidders or authorized representatives may be present at the time of opening of quotation.

#### **TERMS & CONDITIONS:**

1. The materials to be disposed will be kept open for inspection in office of Superintending Engineer, Hydrological Observation Circle, Vaishali, Ghaziabad, UP on all working days from 01.01.2024 to 10.01.2024 between 10.00 AM to 05.00 PM.
2. Bidder should be attached the Xerox copy of Aadhar & Pan Card along with quotation.
3. The sealed envelope containing the quotation shall be super scribed as "QUOTATION FOR DISPOSAL OF WRITE OFF/SURVEY OFF OF UNSERVICEABLE / UNREPAIRABLE T&P ITEMS AT HOC, CWC, VAISHALI, GHAZIABAD, UP".
4. The exact amount in words as well as in figures shall be mentioned in the quotation.
5. Alterations/Corrections/over writings if any on the quotation must be attested, without which the quotations would be summarily/totally rejected.
6. Bidder should invariably quote for all the items of quotations. Quotations for part of the materials will be rejected.
7. The successful bidder after issue of acceptance letter shall deposit the amount towards bid amount within 5 working days, in cash or a Demand Draft (drawn in favour of Executive Engineer UYD, CWC, and New Delhi).
8. The bidder shall remove the articles at his own cost and expenses within three days after full payment of the accepted bid amount from the time of communication to that effect.
9. The period of validity of quotation shall be 120 days from the date of opening of the

quotation.

10. The Superintending Engineer, Hydrological Observation Circle, CWC, Vaishali, Ghaziabad, UP reserve the right to accept or reject any quotation in full or part without assigning any reason.
11. In case of any dispute the decision of Superintending Engineer, Hydrological Observation Circle, CWC, Vaishali, Ghaziabad, UP shall be final and binding on the bidders.
12. CWC staff and their relatives are not eligible for participating in the bidding.  
This issues with the approval of competent authority.

**Encl: List of unserviceable T&P articles**

Signed by Avinash Kumar  
Soni  
Date: 01-01-2024 11:42:29  
(Avinash Kumar Soni)  
Reason: Approved  
Assistant Director-II

**Copy to:-**

1. Accounts Branch, HOC, CWC, Vaishali, Ghaziabad, UP.
2. Notice Board, HOC, CWC, Vaishali, Ghaziabad, UP.
3. For Uploading on the CWC, Website.



मकान संख्या 285, सेक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-1, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: sehcnoida-cwc@nic.in

**O/o Superintending Engineer, Hydrological Observation Circle, CWC, Vaishali, Ghaziabad**

**List of un-serviceable T&P articles laying at O/o SE, HOC, CWC, Vaishali, Ghaziabad**

| Sl. No.                     | No. or Qty. | Unit | Description of Articles              | Amount (In Rs.) | Amount (In Words) |
|-----------------------------|-------------|------|--------------------------------------|-----------------|-------------------|
| 1                           | 1           | No.  | Air conditioner 1.5 T (AC) LG        |                 |                   |
| 2                           | 1           | No.  | Almirah steel                        |                 |                   |
| 3                           | 2           | Nos. | Celling Fan                          |                 |                   |
| 4                           | 1           | No.  | Desert Cooler/Air Cooler             |                 |                   |
| 5                           | 4           | Nos. | TFT Monitor                          |                 |                   |
| 6                           | 2           | Nos. | UPS 625 VA (Microtek) (computer use) |                 |                   |
| 7                           | 2           | Nos. | Visiting Executive chairs            |                 |                   |
| 8                           | 2           | Nos. | Visitors Chairs Fixed                |                 |                   |
| 9                           | 1           | No.  | H.P. laser Jet Printer P1108         |                 |                   |
| 10                          | 4           | Nos. | Telephone Instrument                 |                 |                   |
| 11                          | 1           | No.  | Oil filled Radiator Room Heater      |                 |                   |
| 12                          | 2           | Nos. | Medium back Revolving Chair          |                 |                   |
| 13                          | 1           | No.  | H.P. Scan jet scanner HP G-3110      |                 |                   |
| 14                          | 1           | No.  | Photo copier canon iR2202N           |                 |                   |
| 15                          | 1           | No.  | Submersible Pump with unit           |                 |                   |
| 16                          | 1           | No.  | Blower (Usha-1, Thermoking-3)        |                 |                   |
| 17                          | 2           | Nos. | TFT 22" Screen                       |                 |                   |
| 18                          | 1           | No.  | Hot Air Oven                         |                 |                   |
| 19                          | 1           | No.  | BAMS Machine (wall mounted)          |                 |                   |
| 20                          | 3           | Nos. | Wall Fans                            |                 |                   |
| <b>Total Amount (Rs.) =</b> |             |      |                                      |                 |                   |



मकान संख्या 285, सेक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-1, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: sehcnoida-cwc@nic.in

## Quotation

To

The Superintending Engineer,  
Hydrological Observation Circle,  
Central Water Commission,  
Vaishali, Ghaziabad, UP-201010.

**Subject:** Quotation for Disposal of Write off/Survey off of Unserviceable/Unrepairable T&P Items at  
HOC, CWC, Vaishali, Ghaziabad.

**Ref:** Letter No.: HOC-V/DB-41/2023-24/..... Dated.....

Sir,

I/We have seen the materials listed at Sl. No.1 to 20 as per the reference and hereby offer  
Rs..... (Rupees.....  
.....only) towards the cost of materials.

Signature of the bidder:

Name:

Tel. No. :

Date:

Place:

Address: .....  
.....



मकान संख्या 285, सेक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-1, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: sehoenoida-cwc@nic.in

पत्र सं.: HOC-V/DB-41/2023-24/01-02

दिनांक: 01.01.2024

### नीलामी सूचना

जल विज्ञानीय प्रेक्षण परिमंडल, केन्द्रीय जल आयोग, वैशाली, गाज़ियाबाद द्वारा अनुपयोगी T&P सामान की नीलामी हेतु "जैसी हैं और जहां हैं" के आधार पर, बोलीदाता से लिफाफा बंद संविदा आमंत्रित किये जाते हैं। लिफाफा बंद संविदा "अधीक्षण अभियंता, जल विज्ञानीय प्रेक्षण परिमंडल, केन्द्रीय जल आयोग, वैशाली, गाज़ियाबाद" के कार्यालय में दिनांक 10/01/2024 को 13.00 बजे तक नीचे लिखे नियम एवं शर्तों के अनुसार भेजी जा सकती हैं तथा ये उसी दिन दिनांक 10/01/2024, 15.00 बजे अधिशासी अभियंता, ऊपरी यमुना मण्डल, नई दिल्ली के कार्यालय में खोली जाएगी। इच्छुक बोलीदाता या उनके प्रतिनिधि चाहे तो कोटेशन खोलने के समय उपस्थित रह सकते हैं।

### नियम एवं शर्तें:-

1. T&P संयंत्र आइटम सामान "जैसी हैं और जहां हैं" के आधार पर विक्री हेतु उपलब्ध हैं। यह T&P संयंत्र आइटम सामान यमुना उपमंडल नई दिल्ली के अंतर्गत बागपत स्थल के कार्यालय में दिनांक 01.01.2024 से 10.01.2024 तक किसी भी सरकारी कार्य दिवस में 10.00 बजे से शाम 5.00 बजे तक इच्छुक बोलीदाता द्वारा देखी जा सकती हैं।
2. बोलीदाता को कोटेशन के साथ आधार और पैन कार्ड की जेरोक्स कॉपी संलग्न करना अनिवार्य हैं।
3. बंद लिफाफे के उपर "QUOTATION FOR DISPOSAL OF WRITE OFF/SURVEY OFF OF UNSERVICEABLE/UNREPAIRABLE T&P ITEMS AT HOC, CWC, VAISHALI, GHAZIABAD, UP/ जल विज्ञानीय प्रेक्षण परिमंडल के०ज०आ०, वैशाली, गाज़ियाबाद पर रखे बेकार/अपूरणीय उपकरण एवं संयंत्र आइटम के राइट ऑफ/सर्वे ऑफ के निपटान के लिए उद्धरण" लिखा होना चाहिए।
4. संविदा में धनराशि अंको एवं शब्दों दोनों में लिखी होनी चाहिए।
5. यदि कोटेशन में कोई परिवर्तन/सुधार/ओवर राइटिंग हो तो उसे सत्यापित किया जाना चाहिए, जिसके बिना कोटेशन को सरसरी तौर पर/पूरी तरह से खारिज कर दिया जाएगा।
6. बोलीदाता को निरपवाद रूप से कोटेशन की सभी मर्तों के लिए उद्धरण देना चाहिए। सामग्री के भाग के लिए कोटेशन अस्वीकार कर दिया जाएगा।



मकान संख्या 285, सेक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-1, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: schoenoida-cwc@nic.in

7. सफल प्रतिभागी को स्वीकृति पत्र जारी होने के 5 कार्य दिवस के अन्दर पूर्ण धनराशि डिमांड ड्राफ्ट (डीमांड ड्राफ्ट अधिशासी अभियंता, ऊपरी यमुना मंडल, केन्द्रीय जल आयोग, नई दिल्ली के पक्ष में तैयार किया गया हो) अथवा नगद रूप में कार्यालय में जमा करनी होगी।
8. लगाई गयी बोली की वैधता संविदा खोले जाने की दिनांक से 120 दिन के लिए मान्य होगी।
9. अधीक्षण अभियंता, जल विज्ञानीय प्रेक्षण परिमंडल, केन्द्रीय जल आयोग, वैशाली, गाज़ियाबाद के पास किसी भी कोटेशन को बिना कोई कारण बताए आंशिक अथवा पूर्ण रूप से स्वीकार या अस्वीकार करने का अधिकार सुरक्षित है।
10. किसी भी विवाद की स्थिति में अधीक्षण अभियंता, जल विज्ञानीय प्रेक्षण परिमंडल, केन्द्रीय जल आयोग, वैशाली, गाज़ियाबाद द्वारा लिया गया निर्णय अंतिम होगा एवं प्रत्येक बोलीदाता उसे मानने के लिए बाध्य होगा।
11. सफल बोलीदाता T&P/ संयंत्र आइटम सामान को पूर्ण धनराशि जमा करने के 3 कार्य दिवस के भीतर अपने स्वयं के खर्चे पर कार्यालय परिसर से बाहर लेके जाएगा।
12. CWC कर्मचारी या उनके रिश्तेदार इस नीलामी में प्रतिभागी बनने योग्य नहीं हैं।

यह सक्षम प्राधिकारी के अनुमोदन से जारी होता है।

संलग्नक:- अनुपयोगी T&P/ संयंत्र आइटम सामान की सूची।

(अविनाश कुमार सोनी)

सहायक निदेशक-II

प्रति:-

1. लेखा शाखा, ज०वि०प्रे०परि०, के०ज०आ०, वैशाली, गाज़ियाबाद।
2. सूचना पट्ट, ज०वि०प्रे०परि०, के०ज०आ०, वैशाली, गाज़ियाबाद।
3. के०ज०आ० की वेब साइट पर अपलोड करने हेतु।

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल विज्ञानीय प्रेक्षण परिमंडल



Government of India  
Ministry of Jal Shakti  
Dept. of Water Resources, RD & GR  
Central Water Commission  
Hydrological Observation Circle

मकान संख्या 285, सैक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-I, Vaishali, Ghaziabad, U.P.:-  
दूरभाष Tel::0120-4574224, ईमेल e-mail: sehcnoida-cwc@nic.in

**O/o Superintending Engineer, Hydrological Observation Circle, CWC, Vaishali, Ghaziabad**

**List of un-serviceable T&P articles laying at O/o SE, HOC, CWC, Vaishali, Ghaziabad**

| Sl. No.                     | No. or Qty. | Unit | Description of Articles              | Amount (In Rs.) | Amount (In Words) |
|-----------------------------|-------------|------|--------------------------------------|-----------------|-------------------|
| 1                           | 1           | No.  | Air conditioner 1.5 T (AC) LG        |                 |                   |
| 2                           | 1           | No.  | Almirah steel                        |                 |                   |
| 3                           | 2           | Nos. | Celling Fan                          |                 |                   |
| 4                           | 1           | No.  | Desert Cooler/Air Cooler             |                 |                   |
| 5                           | 4           | Nos. | TFT Monitor                          |                 |                   |
| 6                           | 2           | Nos. | UPS 625 VA (Microtek) (computer use) |                 |                   |
| 7                           | 2           | Nos. | Visiting Executive chairs            |                 |                   |
| 8                           | 2           | Nos. | Visitors Chairs Fixed                |                 |                   |
| 9                           | 1           | No.  | H.P. laser Jet Printer P1108         |                 |                   |
| 10                          | 4           | Nos. | Telephone Instrument                 |                 |                   |
| 11                          | 1           | No.  | Oil filled Radiator Room Heater      |                 |                   |
| 12                          | 2           | Nos. | Medium back Revolving Chair          |                 |                   |
| 13                          | 1           | No.  | H.P. Scan jet scanner HP G-3110      |                 |                   |
| 14                          | 1           | No.  | Photo copier canon iR2202N           |                 |                   |
| 15                          | 1           | No.  | Submersible Pump with unit           |                 |                   |
| 16                          | 1           | No.  | Blower (Usha-1, Thermoking-3)        |                 |                   |
| 17                          | 2           | Nos. | TFT 22" Screen                       |                 |                   |
| 18                          | 1           | No.  | Hot Air Oven                         |                 |                   |
| 19                          | 1           | No.  | BAMS Machine (wall mounted)          |                 |                   |
| 20                          | 3           | Nos. | Wall Fans                            |                 |                   |
| <b>Total Amount (Rs.) =</b> |             |      |                                      |                 |                   |

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल विज्ञानीय प्रेक्षण परिमंडल



Government of India  
Ministry of Jal Shakti  
Dept. of Water Resources, RD &GR  
Central Water Commission  
Hydrological Observation Circle

मकान संख्या 285, सैक्टर-1, वैशाली, गाज़ियाबाद, उ. प्र. -201 010. House No.285, Sector-I, Vaishali, Ghaziabad, U.P.-  
दूरभाष Tel.:0120-4574224, ईमेल e-mail: sehcnoida-cwc@nic.in

## Quotation

To

The Superintending Engineer,  
Hydrological Observation Circle,  
Central Water Commission,  
Vaishali, Ghaziabad, UP-201010.

**Subject:** Quotation for Disposal of Write off/Survey off of Unserviceable/Unrepairable T&P Items at  
HOC, CWC, Vaishali, Ghaziabad.

**Ref:** Letter No.: HOC-V/DB-41/2023-24/..... Dated.....

Sir,

I/We have seen the materials listed at Sl. No.1 to 20 as per the reference and hereby offer  
Rs..... (Rupees.....  
.....only) towards the cost of materials.

Signature of the bidder:

Name:

Tel. No. :

Date:

Place:

Address: .....

.....