



No: SRD/C/27013/DB/2024-25/ 965-970

Dated: 16/05/2024

NOTICE INVITING QUOTATION

For and behalf of the president of India, Sealed quotations are invited by the undersigned from the authorized/ reputed contractor/ firms for the work of **Aluminum partition wall, false ceiling work in Lower Cauvery Water Quality Lab (LCWQL) under Southern Rivers Division, CWC, Coimbatore**. The sealed quotations will be received in the office of undersigned i.e., O/o Executive Engineer, SRD, CWC, Coimbatore during working hours upto 13.00 hours on or before **27.05.2024** & shall be opened on same day by **15:30 hours** by the undersigned/authorized official in presence of interested quotations or their authorized representative who desired to remain present at the time of opening of quotations.

Description of the work	Estimated cost	Last date & time for receiving quotation	Date and time for opening quotation	Location
Aluminum partition wall, false ceiling work in Lower Cauvery Water Quality Lab (LCWQL) under Southern Rivers Division, CWC, Coimbatore	Rs. 1,68,645/-	Date:27.05.2024 Time:13.00 hours.	Date:27.05.2024 Time:15.30 hours.	O/o Executive Engineer, Southern Rivers Division, Central Water Commission, Gandhimanagar, Coimbatore.

L.P. Selvam
16/05/2024
(Panneer Selvam. L)
Executive Engineer
SRD/CWC/Coimbatore
M. H. V.
16/05/24

Copy to

1. The Superintending Engineer, Cauvery & Southern Rivers Circle, CWC, Bengaluru for information Please. (e-mail id - secsrcbangalore-cwc@nic.in)
2. The Sub-divisional Engineers MCSD/Coimbatore, LCSD/Trichy & VSD/ Madurai for information and with a request to display on notice board please.
3. The Accounts Branch, SRD, CWC, Coimbatore, chargeable under DWRIS- Minor Civil & Electrical Works.
4. Notice board, CWC, Coimbatore.

Limited Tender Form

Name of the Procuring Entity: Executive Engineer, Southern Rivers Division,


Central Water Commission, Coimbatore.

Firm's Reference			Date	
Firm Registration No. (if any)			PAN (attach photocopy)	
TIN/VAT/GST No.		LIMITED TENDER FORM	Address:	
Phone			O/o Executive Engineer	
Fax			Southern Rivers Division, Central	
Email			water commission, Gandimaanagar, Peelamedu, Coimbatore.	
			e-mail: ee-srd-cwc@gov.in	
M/s:		Enquiry No. and Date		
		Date of Tender Opening		27.05.2024
		The tender would be opened at 3.30 pm on the date of tender opening above, at the address mentioned above.		

Limited tender form can be downloaded from www.cwc.gov.in

Please submit **on or before 1:00 pm** on the date of tender opening, your quotation for the following works, in accordance with the terms and conditions printed overleaf, in a sealed cover, marked on top with - Enquiry No, Date of Tender Opening.

Yours Sincerely


16/05/2024

The Executive Engineer
SRD, CWC, Coimbatore.

Tender Schedule: All Rates in Figures and in Words in Rupees

Name of work: Aluminum partition wall, false ceiling work in Lower Cauvery Water Quality Lab (LCWQL) under Southern Rivers Division, CWC, Coimbatore

Sl. No	Description and Specification	Qty.	Unit	Performance terms	Rate per Unit	Taxes & Duties	Packing / forwarding/ If any	Total Amount
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred	52.26	kg	As per SOP of work and in accordance with the direction given by Engineer-in-charge				

	and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) For fixed portion Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)						
2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	9.57	kg	-do-			
3	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc.	14.18	Sqm	-do-			

	complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides							
4	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	11.53	Sqm	-do-				
5	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 300x10 mm each	2.00	each	-do-				
6	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :125 mm	4.00	each	-do-				
7	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Single rubber stopper	2.00	each	-do-				
8	Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on inter-locking metal T-Grid of hot dipped galvanised iron section of 0.33mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T runners of size 24x38 mm of length 3000 mm, cross - T of size	32.74	Sqm	-do-				

	24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6mm thick with precut hole on both 25mm flange to pierce into 12x50mm or even bigger size dash fastener if require, fixed with Glavanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in-Charge. With 15 mm thick Tegular edged light weight calcium silicate false ceiling tiles							
9	Providing and fixing 12 mm thick panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick. Fire retardant plywood conforming to IS: 5509.	6.81	Sqm	-do-				
10	Providing and fixing 19mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes, shelves, racks, almirah, cupboard and drawer etc. including necessary nails, screws etc. complete as per direction of Engineer-in charge.	2.77	Sqm	-do-				
Grand Total								
Total amount in words								

Performance Schedule: 45 days from issue of work order.

Specifications/Special Conditions of Contract: work should be performed as per CPWD manual/specification & direction of Engineer-in-charge.

Item/Tender Specific Conditions of this Tender:

I/ we engage to performance the works to your office and comply the following:

1. Tender schedule and technical specification indicated.

2. Item/tender specific conditions for this tender.

3. Terms and conditions printed overleaf.

4. General conditions of contract signed by me at the time of supplier registration (for registered suppliers).

5. I/we confirm that set off for the GST, etc. Paid on the inputs have been taken into consideration in the above quoted price and further agree to pass on such additional duties as sets offs as may become available in future under GST, etc.

6. This offer is valid for 90 (ninety) days from the date of opening of the quotations.

7. That we have not been debarred by any Government/Undertaking.


8. That the rates quoted are not higher than the rates quoted for the same item to any Government / Undertaking.

9. That the bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration and replacement.

Signature & Seal		Name of Authorized Signatory:	
Place & Date:			
Address:		Tel. No./ Fax. No./ MobileNo. Email Id:	

TERMS AND CONDITIONS OF LIMITED TENDER

- i) The quotation must be in the form furnished by procuring entity and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not, the quotation will not be considered. Quotations written in pencil will not be considered.
- ii) Quotation will be opened on the due date at 3.30 pm at the indicated venue in the presence of the entities or their representatives who may wish to be present.
- iii) The Government of India reserves the right to accept the offer by individual items and reject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
- iv) Participation in this tender is by invitation only and is limited to the reputed entity involved in a similar type of work. Unsolicited offers are liable to be ignored. However, relevant entity who desire to participate in such tenders in future may bring it to the notice of procuring entity and apply for registration as per procedure.
- v) Complete details and specification if any must accompany the quotation. If you have got any counter offer as suitable to the material required by us, the same may be shown separately.
- vi) The Government of India reserves the right to modify the work specified in this enquiry.
- vii) The prices quoted should be firm till the works are completed. Please quote the rates in words and figures. The price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- viii) Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- ix) The performance period required for completion of work should be invariably specified in the quotation.
 1. In case your quotation is accepted, and an order is placed on you, the work completion against the order should be made within the period stipulated in the order. The Government of India reserves the right to recover any loss sustained due to delayed completion of work by way of penalty. Failure to performance of work within the stipulated period shall entitle Procuring Entity for the imposition of penalty without assigning any reasons @ 0.5% of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of performance period.
 2. Security deposit @ 2.5% will be deducted from total bill amount and released after 6 months from the date of completion of works.
- x) The quotationer's may visit the site before submitting quotation of the above work.
- xi) Dispute clause: Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at Coimbatore only.
- xii) Our normal payment will be made to the contractor on satisfactory completion of work on submission of pre-receipted bill in triplicate with mandate form, payment will be made by through e-payment.


16/05/2024

Executive Engineer
Central Water Commission
Southern Rivers Division