



Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.





Government of India Ministry of Water Resources, River Development & Ganga Rejuvenation Central Water Commission Hydrology Division

नीरवलम / NEERVALAM संख्या:आर—81,टी .एन. एच. बी. कोलोनी / No. R-81, TNHB Colony, पश्चिम वेलाचेरी, चेन्नै —600042 / West Velachery, Chennai-600042. दुर संचार /Phone फैक्स/ Fax - 044-22554250 email: eecwcchennai@yahoo.co.in

Tender No. 14/HD/HQS/NIT/2018/874-976

### **NOTICE INVITING BIDS / TENDER**

CPWD-6

दिनांक/Date: 06/03/2018

On behalf of the President of India, <u>EXECUTIVE ENGINEER</u>, <u>HYDROLOGY DIVISION</u>, <u>CENTRAL WATER COMMISSION</u>, <u>"NEERVALAM"</u>, <u>PLOT NO.81</u>, <u>TNHB COLONY</u>, <u>NEAR TELEPHONE EXCHANGE</u>, <u>WEST VELACHERY</u>, <u>CHENNAI - 600 042</u> invites sealed item rate tenders from eligible contractors / firms for the following work under single bid system.

Name of the work/contract

Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

Period of Completion

30 Days

Estimated cost

Rs. 2, 20, 000/-

**Earnest Money Deposit** 

Rs. 4400/-

Tender Fee

Rs. 500/-

1. The Eligibility Criteria is as follows:

- a) The firm should have registered as authorized civil contractor by central/state government.
- b) The firm should have minimum experience of 3 years in the field of civil works.
- c) Satisfactory certificate for similar works from any State / Central Government / PSU or any firm during the period 2014-17.

- The tender must be delivered in the office of the Executive Engineer, Hydrology Division, CWC, Chennai, on or before 15:00 hrs on 26/03/2018 and must be accompanied by the EMD as indicated above in the form of DD. The tenders can be downloaded from <a href="https://www.cwc.nic.in">www.cwc.nic.in</a> & <a
- Tenders received after the last date and time shall not be entertained. The tenders can be withdrawn before
  the close of sale of tenders date by sending a request. The withdrawn tenders shall be collected personally
  from the Executive Engineer.
- Tenders will be opened in the presence of tenderers or their representatives who choose to attend at 15:30 hours on 26/03/2018 in the Office of the Executive Engineer, Hydrology Division, Central Water Commission, "Neervalam", Plot No.81, TNHB Colony, Near Telephone Exchange, West Velachery, Chennai 600 042.
- The terms and conditions, schedules, schedule of quantities specified in this document forms the part of contract agreement.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

> (र. गिरिधर)/(R.GIRIDHAR) अधिशासी अभियंता/Executive Engineer

# प्रतिलिपी/Copy to:

- 1. The Superintending Engineer, C&SRC, CWC, Bengaluru for kind information please.
- The Accounts Branch, HD, CWC, Chennai to book the expenditure under the head 11:00:27 Minor Works DWRIS.

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

- The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender, and reserves its right to reject any or all of the tenders received without assigning any reason thereof. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- The department shall deduct statutory taxes as applicable on the value of work as per prevailing Government instructions / orders. In lieu, the department shall issue a certificate of deduction of the tax at source to the contractor, in relevant forms.
- 3. This Notice Inviting Tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall submit the following documents (i.e.)
  - · The Notice Inviting Tender
  - · Terms and conditions
  - · Schedule of work
  - · Agreement Form / Letter of Acceptance
  - · Security Deposit

# 4. Amendment of Bidding Document:

At any time prior to the deadline for submission of bids, the competent authority may amend bidding documents by issuing addendum. Any addendum thus issued, shall be part of the bidding document and shall be communicated in writing to all bidders of the bidding document. To give perspective bidders, reasonable time to take an addendum into account in preparing their bids, the competent authority shall extend as necessary the deadline for submission of bids.

# 5. Language of the Bid:

All documents relating to the bid/tender shall be in English language.

# 6. EMD:

- If a bidder withdraws his bid during the period of bid validity specified in the terms and conditions of the contract.
- ii) If a bidder does not accept the correction of errors, (i.e If there is a discrepancy between unit cost and total cost, then unit cost will prevail. If there is a difference between words and figures, the amount in words will prevail).

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

#### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

#### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

#### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

Security Deposit at 5% of the contract value will be deducted from Form 24 (First and Final Bill). The amount shall be held by the department for a period of **six** months. After satisfactory performance of installations during the period, the amount will be returned to the contractor. However, the period may extend beyond six months if the department wishes to do so.

#### 8. Bid Prices:

- a) The bid shall be for the full quantity as described in the schedule of work, and corrections if any, shall be made by crossing out, initialling, dating and re writing.
- Rates quoted shall be inclusive of all charges, statutory taxes and other levies and contingencies, if any.
- c) The rates quoted by the tenderers shall remain fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d) No additional charges will be paid over and above the quoted rates of the Agency and the department shall also not pay any extra amount on any account.
- e) The rates shall be quoted in Indian Rupee only.
- f) The Bidder shall fill in rates and prices of all the items of works in the bill of quantities Items, for which, no rate or price is entered by the Bidder will not be paid when executed and shall be deemed covered by the other rates and prices in the bill of quantities.
- g) When there is discrepancy between the rates in figures and words, the rate in words will prevail.
- h) When there is discrepancy between the unit rate and the total amount resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

#### 9. Bid Validity:

Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Executive Engineer may request the bidders to extend the period of validity in a specified additional period. The request and the responses thereto shall be made in writing.

- (a) Defines for purpose of these provisions, the terms set forth below as follows:-
- (i) 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution, and
- (ii) 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the Executive Engineer of the benefits of free and open competition.
- (b) Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

No Engineer of gazetted rank or other gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government Of India is allowed to work as a contractor for a period of two years after his retirement from the Government Service, without the previous permission of the Government Of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

### 11. Clarification of Bidding Documents:

To assist in the examination, evaluation and comparison of bids, the Executive Engineer may at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Executive Engineer in the evaluation of the bids.

# 12. Examination of Bids and Determination of Responsiveness:

A substantially responsive bid is one that confirms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the work and which limits in any substantial way inconsistent with the bidding documents, the Executive Engineer's rights or the bidder's obligations under the contract, or whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

If a bid is not substantially responsive, it will be rejected by the Executive Engineer and may not subsequently be made responsive by correction or withdrawal and the non-confirming deviations or reservations.

## 13. Notification of Award:

The bidder whose bid has been accepted will be notified of the award of work by the Executive Engineer prior to expiration of the Bid validity period. This letter of acceptance will state the sum that the Executive Engineer will pay the contractor in consideration of the execution of the works by the contractor.

### 14. Payment Terms:

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Upon receipt of notification of defect in the performance of tube well during the period of 6 months, if contractor fails to take immediate corrective measures to rectify the defect, a penalty as decided by SE(C&SRC), CWC, Bengaluru subject to a maximum of 5% of contract value, shall be applied for unsatisfactory performance of work.

### 16. Transportation:

The cost to transport the materials required at location specified shall be included in the rates and no additional cost shall be claimed by the contractor.

### 17. Liquidated damages:

If the tenderer fails to complete the work within the period specified in the contract, the Executive Engineer shall, without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damage, a sum equivalent to the percentage specified in contract or unperformed service for each week or part there of delay until actual delivery or performance, up to maximum deduction of the specified percentage in contract. Once the maximum is reached, the undersigned may consider termination of the contract.

### 18. Termination for default:

The Undersigned, without prejudice to any other remedy for breach of contract by, written notes of default sent to the tenderer, may terminate this contract in whole or in part if,

- a) The tenderer fails to complete any or all of the service/systems within the period specified in the contract, or within any extension thereof granted by the department.
- b) The tenderer fails to perform any other obligation under the contract.
- c) The tenderer, in the judgement of the department has engaged in corrupt or fraudulent practice in competing for or in executing the contract.

## 19. Termination for insolvency:

The Undersigned may at any time terminate the contract by giving written notice to the tenderer if the latter becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the tenderer, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the undersigned.

## 20. Taxes and duties:

The tenderer shall be entirely responsible for all taxes, duties etc. incurred and no separate charges can be claimed by the tenderer.

### 21. Materials to be used for the work:

## Storage handling and use of materials

Materials and components shall be handled in such a manner as to avoid any damage or contamination, and in accordance with all applicable recommendations of the manufacturers.

#### **Bricks**

Brick conforming to IS 2222 class 12.5 shall be regular and uniform in shape and colour, and all of a similar size to the respective type.

### Cement

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

Mortar shall be mixed only as and when required in the proportions of 1 part cement to 6 parts sand, with fresh, clean and clear water, until its colour and consistency are uniform. It shall be conveyed fresh as required for use, and used within 20 minutes of mixing.

### Pipe

Pipes shall conform to CPVC type and comply to IS specifications. Losses that occur to existing water lines due to fixing and relaying, pipe bedding, bending, cutting, fixing shall be the responsibility of the contractor.

### Tank

Tank conforming to IS 12701 with cover and locking arrangement, capacity - 3000 litres

# Scaffolding & Safety Measures

The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and scaffolding methods of construction. Contractor shall be required to provide necessary safety arrangements to workers to avoid any accidents or damage to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damage caused during the execution of work.

### Dismantling

Care should be taken by the contractor while disconnecting existing water lines made of GI, tanks and any other fixtures, so that no hindrance is caused to the existing water supply.

**SCHEDULES** 

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

Note: All other clauses are not applicable.

**SCHEDULES** 

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

Note: All other clauses are not applicable.

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

SCHEDULE 'A' Applicable (enclosed)

SCHEDULE 'B' Not Applicable SCHEDULE 'C' Not Applicable SCHEDULE 'D' Not Applicable SCHEDULE 'E' Applicable

SCHEDULE 'F' Applicable

SCHEDULE 'E' Reference to general conditions of the work

Name of the work Supply and Installation of Water Supply Systems at

Hydrology Division, CWC, Chennai

**Estimated Cost** Rs. 2,20,000/-

EMD @ 2% Rs. 4400/- (refundable)

Security Deposit 5% of contract value to successful firm

SCHEDULE 'F'

Executive Engineer, Hydrology Division, Central Water Commission, Plot No R-81, TNHB colony, West Velachery, Chennai – 600042. Office Inviting Tender

Definitions:

Engineer-in-charge Assistant Director-II, HD, CWC, Chennai

Accepting Authority Executive Engineer, Hydrology Division, CWC, Chennai

Department Central Water Commission

Clause 1 Applicable

Clause 2

Authority for fixing compensation Superintending Engineer, C&SRC, CWC, Bengaluru

Clause 3

Authority for determination of tender Executive Engineer, HD, CWC, Chennai

Clause 3A Applicable

Clause 5 Applicable (period of completion - 30 days)

Clause 11 Applicable (specifications enclosed)

Clause 16 Applicable Clause 17 Applicable

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

S.No	Description of Item	Qty	Unit	Rate (Rs.)	Amount (Rs.)
1.	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in- charge.	4.0	No	ente actes sionen sione no Lucia piñ	27001 15520 1270166 120000
2.	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge. For 15 mm to 40 mm nominal bore	170	М		
3.	Dismantling of old PVC Drain pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps: For 100 mm diameter	75	M	Bruss of Brownson	
4.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. For 50 mm Outer Dia Pipes	185	М		
5.	Providing and fixing of PVC pipes for making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	75	М		AV 2014
i.	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	50	No		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. Circular Tank (3000 Litre Capacity)	2.0	Litre		

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m	AND MATERIAL SERVICES AND ADMINISTRATION OF THE PROPERTY OF TH	ENCERT STATE OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m	AND MATERIAL SERVICES AND ADMINISTRATION OF THE PROPERTY OF TH	ENCERT STATE OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

8.	Making connection of CPVC distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:	20	No		
9.	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/structure, upto 25 metre height, above ground level, including additional rows of scaffolding in stepped manner as per requirement of site, made with 40mm dia M.S. tube, placed 1.5 metre centre to centre, horizontal & vertical tubes joint with cup & lock system with M.S. Tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and/ or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connecting with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc., complete as per directions and approval of Engineer-in-charge. Note:- (1) The elevational area of the scaffolding shall be measured for payment purpose.(2) The payment will be made once only for execution of all items for such works	110	Sq.m		ENCERT SALES OF THE PROPERTY O
10.	Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand): With F.P.S.(non modular) bricks	0.63	Cu.m		rapotal Papotal Por essa Postal
11.	15 mm cement plaster on the rough side of single or half brick wall of mix :1:6 (1 cement: 6 fine sand	2.73	Sq.m	10456	netritori Poler
		150	SAME	Total	

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for sixty days from the due date of its opening in case of single bid system and not to make any modification in its terms and conditions.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is submitted.

Further, if I/We fail to commence work as specified, I/We agree that President of India or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Security Deposit absolutely. The said Security Deposit shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained.

Further, I/We agree that in case of forfeiture of Earnest Money or Security Deposit as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Dated:

For & on behalf of the President of India.