

GOVT. OF INDIA
CENTRAL WATER COMMISSION
WAINGANGA DIVISION

GRAM: HYDRONET, NAGPUR
TEL / FAX : (0712) 2510156

CGO COMPLEX
BLOCK "C" 11th FLOOR
SEMINARY HILLS, NAGPUR - 440 006

No. WD/NAG/HQJE/JE-34/2014-15/ 269-71

Date: 23-02-2015

NOTICE INVITING QUOTATION

Sealed quotations are hereby invited from registered firms/reputed parties to carry out the following works as per the terms and conditions described below:

| Sl No. | Description of works | Quantity | Estimated cost | Time of completion |
|--------|---|--------------------------|----------------|--------------------|
| 1. | Construction of Compound Wall for full climatic station at Site no.60, Bamini under WSD,CWC, Chandrapur | As per enclosed schedule | Rs.1,90,400 | 30 days |

Terms and conditions:

- 1.The rates must be quoted for each item separately.
- 2.The rates should be inclusive of all taxes. No extra payment on any account will be made.
- 3.The work should be completed as per the drawing and specifications, otherwise liable for rejection.
- 4.Income tax as per prevailing rates will be deducted at source. PAN no. must be informed for submission of TDS return to I.T.Deptt.
- 5.Pre-receipted bill in triplicate as per actual quantity of work will have to be submitted for making payment after satisfactory completion of the work.
- 6.Payment will be made by Cheque / Demand Draft.
- 7.Earnest money deposit of Rs.3900/- in the form of Demand Draft payable in favour of Ex.Engr.Wainganga Dn.CWC Nagpur should be enclosed alongwith the quotation.Quotations without required EMD will not be considered and rejected.

Sealed quotation duly super scribed " Construction of Compound Wall for full climatic station at Site no.60, Bamini under WSD,CWC, Chandrapur " will be received by the undersigned till 15:00 hours of 07-03-2015 and will be opened on the same day at 15.30 hours in the presence of parties. Quotations received after the schedule time of opening will not be considered. The undersigned reserves the right to reject any or all the quotations without assigning any reasons thereof.

(Signature)
(A.S.Banode)
Executive Engineer

- Copy to :-
1. The Superintending Engineer (C), M.C.O. C.W.C. Nagpur for uploading on CWC website.
 2. The Assistant Engr. UWSD/LWSD/WSD/PGSD, CWC,Nagpur/Chandrapur/Yavatmal for information and publicity.
 3. Office Notice Board.



SCHEDULE OF ITEMS & QUANTITY


Name of Work: Construction of compound wall in Full Climate Station at Site 60, Bamni

| Item No. | Description of item | Unit | Qty. | Rate | Amount |
|----------|---|------|-------|------|--------|
| 1 | Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m. 2.9.1 Ordinary rock | cum | 22.46 | | |
| 2 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 4.1.5 -1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) | cum | 5.60 | | |
| 3 | Centering and shuttering including strutting, propping etc. and removal of form work for : 4.3.3 Columns, piers, abutments, pillars, posts and struts sqm | sqm | 39.18 | | |
| 4 | Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. up to floor five level, excluding cost of centring, shuttering, finishing and reinforcement : 5.2.3 - 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cum | cum | 5.797 | | |
| 5 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. 5.22.3 Cold twisted bars | Kg | 414 | | |
| 6 | Brick work with common burnt clay machine moulded perforated bricks of class designation 12.5 conforming to IS: 2222 in superstructure above plinth level up to floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) : 6.3.1 With F.P.S.(non modular) bricks cum | cum | 5.009 | | |
| 7 | 15 mm cement plaster on the rough side of single or half brick wall of mix : 13.2.2 - 1:6 (1 cement: 6 fine sand) | sqm | 79.44 | | |
| 8 | 2.25 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m. | cum | 19.77 | | |
| 9 | Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. 10.5.1 Using M.S. angels 40x40x6 mm for diagonal braces | sqm | 2.88 | | |

| | | | | | |
|----|--|-----|-------|-------|--|
| | Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 10.25.2 In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works Grill on top of brick wall as per drawing | kg | 66.32 | | |
| 12 | Finishing walls with water proofing cement paint of required shade : 13.44.1 New work (Two or more coats applied @ 3.84 kg/10 sqm) | sqm | 79.44 | | |
| 11 | Dismantling of old fencing | Job | 1.0 | | |
| | | | | Total | |

(Rupees _____)


Signature Of Contractor



F.C.S of
217E-60 BAMNI


Reckord B.

Chadwick
R. G. Johnson
C. P. E.



CROSS-SECTION OF
COLUMN

Prepared by: hail



Flat 20 mm wide - 3 mm thick,
GRILL DRAWING

Checked By:

R. S. Khane
S.B.E

Prepared By:

W. K. S. S. S.
W. K. S. S. S.