



**GOVERNMENT OF INDIA
CENTRAL WATER COMMISSION**

**Tender Document
for
Supply of 5.5 m long Steel Boat, 45/50 HP O B Engine &
Boat Outfit with Accessories**

Estimated Cost: Rs.8,29,400.00

Ref.No.LGD/DB/NIT/2014-15/51-54 dated 6th January, 2015.

Last date of submission: 21.01.2015 upto 1430 hrs.

Date of Opening: 21.01.2015 at 1530 hrs.

- (i) Name of Bidder: _____
(ii) Date of application for tender by Bidder: _____
(iii) Date of issue of tender papers : _____

**Executive Engineer
Lower Godavari
Division CWC,
Hyderabad**

INDEX

Sl. No.	PARTICULAR	PAGE No.
1.	Notice Inviting Tender (NIT)	1-5
2. Appendix-I	Conditions, Specifications & Accessories of the Boat	6-8
3. Appendix-II(A)	Conditions, Specifications & Accessories of the OB Engine	9-10
4. Appendix-II(B)	Specifications & Accessories of the Boat outfit	11
5. Annexure-I	Technical Bid (To be filled by the Bidder)	12-14
6. Annexure-II	Financial Bid (To be filled by the Bidder)	15
7. Annexure-III	Warranty Certificate	16
8. Annexure-IV	Certificate regarding near relatives	17
9. Annexure-V	Certificate for the documents down loaded from the web site	18
10. Annexure-VI	Declaration (To be filled by the Bidder)	19

GOVERNMENT OF INDIA
CENTRAL WATER COMMISSION
LOWER GODAVARI DIVISION

Krishna – Godavari Bhawan,
H.No.11-4-648, A.C. Guards,
Hyderabad – 500 004
Dated: 6-01-2015

No. LGD/DB/NIT/2014-15/ 51-54

NOTICE INVITING TENDER

The Executive Engineer, Lower Godavari Division, Central Water Commission, Hyderabad on behalf of the President of India, invites item rate (sealed) tenders from the Registered & approved Manufactures, Authorised Dealers & Suppliers for supply of following Navigational Equipments with accessories having sufficient experience in supplying of Navigational Equipments and valid Service Tax Registration, PAN card, up to date VAT clearance certificate on the terms and conditions & specifications given at Appendix -I & II(A) & (B):

S. No.	Name of Equipment	Quantity	Estimated cost (Rs.)	EMD (Rs.)	Cost of the Tender Document (Rs.)
1.	Supply of 5.5 m steel boat along with accessories	1 No.	Rs. 8,29,400/- (Including Transportation charges)	Rs.16,588/-	Rs.500/- (By cash/DD)
2.	Supply of 45/50 HP OB Engine (Yamaha)	1 No.			
3.	Accessories of boat (Fit for Hydrological observations)	1 No.			

The Sealed Tenders should be submitted in two sealed covers. The first sealed cover should be super scribed as "Technical Bid" and the second sealed cover super scribed as "Financial Bid". Both the sealed covers should be placed in the main sealed envelope super scribed "Tender for Supply of Navigational Equipments to the O/o Executive Engineer LGD, CWC, Hyderabad" due for opening on 21/01/2015 at 15:30 Hrs. This sealed Tender should be addressed to the Executive Engineer, Lower Godavari Division, Central Water Commission, H. No. 11-4-648, Krishna Godavari Bhawan, Hyderabad (TS) – 500 004 and reach this office on or before 21-01-2015 by 14:30 Hrs

Tender documents available for sale @ Rs. 500/- each by cash in the O/o Executive Engineer, Lower Godavari Division, CWC, Hyderabad from 12-01-2015 to 20-01-2015 during the working hours between 10:30 Hrs to 16:30 Hrs.

The details of tender will also be available in the website <http://www.eprocure.gov.in/CPP> or www.kgbo-cwc.ap.nic.in. The bidder downloading the tender document shall enclose the cost of tender document of Rs. 500/- in the form of payee Demand draft drawn in favour of The Executive Engineer, Lower Godavari Division, CWC, Hyderabad payable at SBI, Red Hills Branch, Hyderabad.

The Executive Engineer reserves the right to accept or reject any or all the tenders without assigning any reason.


Executive Engineer
Lower Godavari Division,
CWC, Hyderabad
For and On Behalf of The President of India

Copy for information to:-

1. The Superintending Engineer, Godavari Circle, CWC, Hyderabad with a request to arrange to publish the same in CPP portal.
2. Deputy Director, O/o CE, CWC, KGBO, Hyderabad for uploading the same on KGBO Web site.
3. The AAO, Accounts Branch, LGD, CWC, Hyderabad.
4. Notice Board.

TERMS AND CONDITIONS:

1. The Tenders should be submitted in two sealed covers. The First sealed cover should be super scribed as "**Technical Bid**" and should contain proforma at Annexure-I. The Second sealed cover super scribed "**Financial Bid**" should contain only rates (Annexure-II) which are to be quoted item rates. Both the sealed covers should be placed in the main sealed envelope super scribed "**Tender for Supply of Navigational Equipments to the O/o Executive Engineer LGD, CWC, Hyderabad**" due for opening on **21.01.2015 at 15:30 hrs**. This sealed Tender should be addressed to the Executive Engineer, Lower Godavari Division, CWC, " K.G. Bhawan" H.No.11-4-648, Room No.413, A.C. Guards, Hyderabad -500 004 (T.S.) and reach this office on or before **14:30 hrs of 21.01.2015**.
2. The Tenders received will be opened on the same day i.e. on **21.01.2015 at 15:30** hours in the presence of Bidders or their representatives if present. Incomplete and conditional tenders shall not be accepted.
3. Tender documents available for sale @ Rs.500/- in the O/o Executive Engineer, Lower Godavari Division, CWC, Hyderabad from 12-01-2015 to 20-01-2015 during the working hours between 10:30 Hrs to 16:30 Hrs. The tender document can also be obtained from websites of Krishna & Godavari Basin Organization, CWC, Hyderabad www.kgbo-cwc.ap.nic.in and Central Procurement Portal <http://www.eprocure.gov.in>. The bidder downloading the tender document shall enclose the cost of tender document of Rs. 500/- in the form of payee Demand draft drawn in favour of The Executive Engineer, Lower Godavari Division, CWC, Hyderabad payable at SBI, Red Hills Branch, Hyderabad.
4. The rates quoted shall include all taxes, duties, customs, octroi charges etc. FOR charges may be quoted **rate per Km**. In case the instrument is being imported all the financial implication shall be borne by the Tenderer and only administration support may be extended by the Govt. of India. All exemption for use in Govt. of India has to be clearly stipulated. The rates must be indicated in figures and in words. Every correction in the tender should invariable be authenticated by the tenderer, failing which the tender will be rejected. Tender submitted should be duly authenticated (signed by the tenderer) on each page of tender.
5. **EMD @ 2 %** of the Estimated amount of the work shall be enclosed in the form of demand draft drawn in favour of the Executive Engineer, Lower Godavari Division, CWC, Hyderabad payable at Hyderabad. EMD of un-successful bidders will be returned back immediately after finalization of bids without interest. The EMD of the successful bidder will be released only after completion of supply at destination and functioning satisfactorily. No interest will be allowed on Earnest Money deposited.
6. **Security deposit/performance Guarantee:** The successful bidder shall furnish an amount equivalent to 10% of the value of bid as Security Deposit/Performance Guarantee in the form of DD/Bank Guarantee/NSC/FDRs from any scheduled bank in favour of Executive Engineer, LGD, CWC, Hyderabad payable at Hyderabad. The supply Order will be issued only on receipt of performance Guarantee. The security deposit / performance guarantee will be released on after completion of the Guarantee period of the equipments.
7. The bidders are required to submit the attested copies of valid Registration of Firm, PAN/CST/GST/VAT/Tin, ISO 9001 Certification and upto date VAT & Service Tax clearance/Income tax returns for the last two years along with the bid documents, failing which the tender shall be declared as non-responsive and thus liable for rejection.
8. Submission of more than one tender paper by a tenderer for a particular supply will render the bid liable for rejection.
9. **Bid validity:** Bid shall remain valid for the period of 60 days from the date of bid opening. In exceptional circumstances prior of the original bid validity period, the Employer may request the bidders to extended the period of validity in a specified additional period. The request and the responses thereto shall be made in writing. The discretion of acceptance rests with the undersigned.
10. Telegraphic Tender/Tender through FAX or email will not be considered.

11. Every tenderer must go through the terms and conditions carefully and understand them before submitting his tender. No excuse that the conditions have not been read or understood will be entertained later.
12. The items/parts should be of standard quality and specifications as mentioned in the schedule. The equipment should have functional guarantee at least for **one year** from the date of supply and installation at the site.
13. Tender should be submitted only for the item given in the schedule. When the offer is for an item having different specifications/features functions, the difference between the item called for and the one offered by the tenderer shall be highlighted in the offer itself. The advantages such specification /features shall also be mentioned.
14. The schedule of the items attached gives only estimated requirements of this office. Notwithstanding the estimate or probable quantity or number, the Executive Engineer, Lower Godavari Division, CWC, Hyderabad has the right to alter any quantity or any number of the articles mentioned in the schedule from time to time or not to order any quantity or any number of any such articles at all.
15. The items to be supplied should be Standard Make and their technical specification must be enclosed with the tender. The brochures /leaflets of products shall also be enclosed with the tender. Service manual with circuit diagram will have to be provided with the supply.
16. Any attempt on the part of the tenderer or their agent to influence the department will disqualify such tender.
17. In the case of firms which are registered with the Chief Engineer, Krishna & Godavari, Basin Organization, Central Water Commission, Hyderabad attested Photocopy of the certificate issued by the above office should be furnished along with the tender for exempting them from payment of Earnest Money Deposit
18. No insurance charges are payable by this office. The supply of the item should be made at the site F.O.R. at Talnar under ISD, Jagdalpur in firm's own risk. The articles if any damaged during transit should be replaced.
19. The Equipment in question is required to be securely packed as per B.I.S (ISI) standard trade practices to avoid damages to the consignment in transit. The packing charges should be included in the breakup details of cost.
20. The consignment is required to be dispatched to the consignee only after inspection of departmental representatives and duly insured for transit insurance for all risks from the consigner's warehouse to the consignee's warehouse up to final destination till the erection/ installation of the main equipment/instrument. The insurance charges should be included in the break up details of cost.
21. No Tenderer shall be allowed at any time and on any ground whatsoever, any claim for revision or modification of the rate quoted by him during of the contract period. Clerical and typographical error etc., committed by the tenderer in the tender form shall not ordinarily be considered after the opening of the tender.
22. Conditional tender will not be considered under any circumstance and the tender containing any conditions shall be summarily rejected without any further correspondence.
23. Tender not stipulating period of delivery and tender with price variation clause/subject to prior sale conditions shall be rejected.
24. Test certificate of the equipment of the manufacturer should be furnished along with the supply of the instrument.
25. Selection of tenders would very much depend upon the efficacy/ quality of the supply offered. Sample/Demonstration if required should be produced/arranged before the Executive Engineer or his representative, Lower Godavari Division, Central Water Commission, Hyderabad at the expense of the tenderer /contractor.

26. Withdrawal of tenders will not be entertained after tenders have been opened. Any firm, which indulges in withdrawal, shall be Black listed.
27. Tenderers participating in the tender should have at least 3 years experience in the supply of Navigational Equipment. Similar equipment should have been supplied to a government department or Institution. List of such supply in the last three years along-with performance certificate from such purchasers on the satisfactory maintenance of the equipment supplied/commissioned /maintained should be enclosed to the application for purchase of tender document.
28. The equipment will be supplied within 4 weeks from the date of supply order.
29. **Penalty:** Except under circumstances beyond the control of firm, penalty @ 0.15% of the bid amount per day shall be charged for a period of 10 days beyond the stipulated date of completion of supply. If the firm fails to execute the supply order even after 10 days beyond the stipulated date, the supply order shall be cancelled and he/they shall be blacklisted
30. The right to reject any quotation or all the quotations, without assigning any reason thereof, rests with the undersigned.
31. **Corrupt and fraudulent practices:** It is expected that Bidders under this contract observe the highest standard of ethics during the execution of this contract. In pursuance of this policy, the employer; Defines for purpose of these provisions, the terms set forth below as follows:-
 - a. 'Corrupt practice' means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the contract execution and
 - b. 'Fraudulent practice' means a misrepresentation of facts in order to influence the execution of a contract to the detriment of the employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competition levels and to deprive the employer of the benefits of free and open competition.
 - c. Will reject a proposal for award of work if he determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for contract in question.
32. **Clarification of Bidding Documents:** To assist in the examination, evaluation and comparison of bids, the Employer may at its discretion, ask any bidders for clarification of its bid and may ask for original documents as per requirement. The request for clarification and the response shall be in writing, but no change in the price or substance of the bid shall be sought or offered or permitted except as required to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the bids.
33. **Examination of Bids and Determination of Responsiveness:** A substantially responsive bid is one that conforms to all the terms and conditions of the bidding document without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality, or performance of the work and which limits in any substantial way. Inconsistent with the bidding documents, the Employer's rights or the bidder's obligations under the contract, or who's Rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids. If a bid is not substantially responsive, it will be rejected by the Employer and may not subsequently be made responsive by correction or withdrawal and the non- confirming deviations or reservations.
34. **Award Criteria:** The employer shall award the supply to the bidder whose bid has been found to be substantially responseive and who has offered the lowest evaluated bid price
35. **Signing of contract:** The successful bidder, on acceptance of his bid by the Accepting Authority, shall,execute the Contract in the contract/agreement form.
36. **Changes in contractor's organisation to be approved:** When the contractor has to enter in to a partnership with an individual or firm after submission of bids, approval in writing of the employer shall be

obtained before any change is made in the constitution of firm. If previous approval from the employer not obtained, action may be taken against the contractor as per relevant rules in force.

37. **Payment Terms:** No advance or intermediate payment shall be made for work. The payment will be made within 30 days from the date of installation and commissioning of the equipments by cheque/Demand draft drawn on SBI on receipt of said items at Lower Godavari Division, CWC, Hyderabad after completion of full supply in correct and good conditions subject to fulfillment of all other terms and conditions of agreement to be entered in to subsequently.
38. The firm should submit the bill in triplicate along with an advance stamp receipt immediately after supply of the instrument in full for making payment.
39. **Taxes as applicable will be deducted from payments made to the tenderer at the prescribed rates by Government of India.**
40. **Service Manual:** Service manual with circuit diagram will have to be provided with the instrument.
41. **Repair and Maintenance:** The tenderer should furnish the detailed data for repair and maintenance facilities as would be extended by them in case of necessity.
42. **Termination of Contract:** Without prejudice to any of the rights or remedies under this contract, if the contractor dies/absconding, the Engineer-in-Charge on behalf of the President of India shall have the option of terminating the contract without compensation to the bidder.



Executive Engineer
Lower Godavari Division

STEEL BOAT (5.5 m)

Purpose

The steel boat will be used to execute hydrological measurements in rivers, canals and reservoirs. Many of the measurements will be made in very shallow water.

Conditions & Requirements

- The boat shall be of such a design that it operates reliably and safely under the prevailing environmental and hydraulic conditions.
- The boat shall be capable to operate in shallow water where repeatedly the hull may impact with rock or sediment.
- All corrosive materials shall be provided with full and durable coating.
- All coatings used shall provide full protection against rusting and corrosion to the steel body, structural parts, and components of the boat.
- All parts, structural members and components of the boat remaining exposed to water shall be provided with complete cathodic protection.
- The boat shall be very sturdy, unsinkable and shall have an adequate stability.
- The boat shall be easy to operate and maintain.
- The boat shall have an expected technical lifetime of not less than 10 years.
- The boat shall be capable to operate for at least 6 months without any major servicing.
- The boat shall have floatation chambers filled with closed cell foam.
- The boat shall be provided with appropriate fenders.
- The boat's welded and/or riveted joints shall be designed to avoid leakage while taking into account the hostile environment of operation e.g. shallow water, high flow rate, floating debris, high sediment loads.
- The boat shall have a cabin to accommodate equipment and staff.
- The cabin shall, at port and starboard side, have sitting benches.
- The cabin shall have windows and a lockable door.
- On deck adequate workspace (at least $2.3 \times 2.5 \text{ m}^2$) should be provided to carry out hydrological measurements.
- The rear deck shall be provided with an awning.

- The boat shall be supplied with the accessories as needed for effective deployment.
- The boat shall be fitted with two outboard engines.
- The outboard engines shall be operated by a remote control system, located at the stern side bulkhead of the cabin.
- The control system shall match the outboard engines.
- A break water arrangement shall be provided in the front.
- Guard-rail and stanchions with detachable chain will be rigged out around the deck-opening. Suitable guard-rails shall also be provided around the deck.
- Bollards and fairleads are to be provided on the deck for mooring purpose.
- A maintenance manual, related to the type and model of the boat, shall be part of the delivery.

Specifications

1. Boat

length	approx. 5.5 m
width	approx. 2.5 m
draft	approx. 0.5 m
free board	approx. 0.6 m
Bottom shape	flat or slightly catamaran
Propulsion	2NO 45/50 HP OB Engines
carrying capacity	1000Kg(approx.)
Material of construction	Overall 11 Gauge Steel Sheet with Riveted or Welded joints
Thickness of sheet	11 gauge

2. Cabin

length	approx. 2.5 m
height	ample sitting height
door	Lockable
door width	>0.8 m
Removable Chanopy may be provided.	

3. Boat accessories

Oars & Oars lock with guider:	2 pair.
Seat Cushion with good quality resin covers	1sets

Sisal Moving Rope 1" dia. 30 M long-	1Nos.
Five pronged Mild Steel Anchor of 25 Kg. & 10 kg	1No each
Fenders	4 Nos. of coir type
Fire Extinguisher	5Kg
Paddles	4 No
Echo Sounder	1 no. Digital type.

The fire extinguisher shall be readily accessible in the motor compartment (if any) and in the cabin.

Remarks:

For Indian bidders, the Registrar of Shipping, Mumbai shall approve the design and drawing. For International bidders the design and drawing shall be approved by a National Agency in their country authorized for the purpose and acceptable to the purchaser.

OUTBOARD ENGINE (45 / 50HP)

Purpose

One or two outboard engines are to propel the survey boat during bathymetric and discharge measurements and sampling.

Conditions & Requirements

The outboard engine shall be of such a design that it operates reliably and safely under the prevailing environmental and hydraulic conditions.

- The engine will be used in sediment and debris laden water.
- The engine will be used in shallow water with a rocky bottom.
- The engine shall be easy to operate and maintain.
- The engine shall be supplied with the accessories as needed for effective use.
- All materials on the engine shall be non-corrosive.
- The engine shall have an expected technical lifetime of not less than 5 years.
- The engine shall be very sturdy.
- Operator's and maintenance manuals, related to the type and model of the outboard engine, shall be part of the bid and delivery.
- The design of the cooling system shall be sediment and debris tolerant.
- The propeller and tail shall be impact resistant.
- The propeller shall be fitted with an adequate type of breaking pin.
- The engine shall have a provision to adjust its trimming.
- The engines shall be operated by a remote control system, located at the stern side bulkhead of the cabin.
- The control system shall have a starting switch, gear switch and a throttle system for each outboard engine and a steering wheel and emergency stop switch for simultaneous operation of the engines.
- For a good serviceability, the engines shall be of a commonly used brand in India.

- capacity 45/50 HP 2 Stroke. OBM
- operation remote controlled twin engine, electric start
- fuel petrol start, petrol running
- Propeller workhorse type, to be selected during trials with boat
- tail length to match with boat
- alarms overheating, oil pressure

Accessories

- toolkit
- breaking pins
- spare propellers
- maintenance instructions
- manual
- petrol tank and hoses etc.

4. Boat outfit

material	as per IS 6064-1971
mass of current meter	up to 100 kg
maximum load	2,000 Newtons
cable length	max. 30 m
cable torque	torque free suspension cable

The suspension cable should not exert any torque that may adversely affect the alignment of the flow sensor into the direction of flow. In particular in case a heavy suspension weight issued, there is a risk of cable induced torque.

flow velocity	max. 5 m/s
mounting	the boat outfit details have to match the boat on which it is to be used.
Winch	Suitable winch of mild steel to match the Boat outfit for lowering the Equipment and with hold the weight of fish weights of 100-200 lb

Remarks

For the installation of winches, fitting of survey echo-sounder transducers etc. some local reinforcements and/or supports may be required. Arrangements shall be possible for mounting a duly compensated magnetic compass on to the boat for use in positioning the boat for flow measurements. Arrangements shall exist for mounting the boat outfit (Bracket) and for dropping of the anchor to keep the boat stationary, during velocity measurements. These can only be specified after selection of the survey instruments and other relevant equipment.

Arrangements shall be made for safe working on the boat.

Annexure -I**Name of Work: Supply of Navigational Equipments****TECHNICAL BID****(To be enclosed in a separate sealed envelope)**

1	Name of Tendering Company / Firm / Agency (Attach certificate of registration)	
2	Name of proprietor / Director of Company / Firm / Agency	
3	Full address of Reg. Office	
	Telephone No.	
	FAX No.	
	E-Mail Address	
4	Full address of Operating / Branch office	
5	Registration of Firm / Company (Attach attested copy)	

6	Details of supply similar equipments to other orgn.	
7.	Attested copies of Registration of Shipping, Mumbai	
8.	Attested copies of authorization from the Manufactures .	
9.	Banker of company / Firm / Agency with full address (Attach certified copy of statement of A/c for last Three years)	
10.	Telephone No. of Banker	
11.	PAN / GIR No. (Attach attested copy)	
12.	Service Tax Registration No. (Attach attested copy)	

12. Financial turnover of the tendering company / Firm / Agency for the last 2 financial years.

(Attach separate sheet if space provided is in-sufficient)

Financial Year	Amount (Rs. lakh)	Remarks, if any
2011-12		
2012-13		

13. Give details of the major similar contracts handled previous and present by the tendering company / firm / agency on behalf of PSUs and Government Department during the last two years in the following format. Attested copies of work orders may also be attached.

S.No.	Name of Instrument	Amount of supply (Rs. Lakhs)	Details of client along with address telephone and FAX No.
1.			
2.			

3.			
4.			
5.			

(Attach separate sheet if space provided is in-sufficient)

14. Details of EMD: Rs. _____ Demand Draft No: _____
date of issue _____

(Name of issuing Bank and Branch) _____

15. Additional information, if any:

Signature of authorized person of the bidder with seal

Financial Bid

Name of Work: - Supply of Steel Boat (5.5 m long) with 45/50 HP
OB Engine

Sl. No	Details of Supply	Quantity	Rate in `		Amount in `	
			In figure	In words	In figure	In words
1	2	3	4	5	6	7
1	Supply of 5.5 m long steel boat with accessories (Fit for conducting Hydrological Observations)	1				
2.	Supply of 45/50 HP OB Engine (Branded)	1				
3.	Boat out fit (Fit for conducting Hydrological Observations)	1				
4.	Other charges, if any					

Total in words (Rupees.....)

Period of Delivery

Signature of authorized person of the bidder with seal

The prices quoted shall include all costs of imports if any. The packaging, insurance, taxes and transportation charges should be indicated separately, if any. The spares, if any essentially required should be indicated separately along with the costs. **AMC charges for above equipments for a period of 3 years may be mentioned.**

WARRANTY CERTIFICATE

We warrant that everything to be supplied by us hereunder shall be brand new free from all defects and faults in equipment workmanship and manufacture and shall be of the highest grade & quality and consistent with the established and generally accepted standards for equipment of the type ordered, shall be in full conformity with the specifications/drawings of tender document, if any and shall operate properly. We shall be fully responsible for its efficient operation.

In case of any latent defect or inconsistency due to poor manufacturing/repair & overhaul of the equipment/instrument, or defective supply not conforming to the specifications if observed after delivery of the store and thereafter within 12 months from the date of acceptance, we undertake the guarantee to repair/supply free of cost the defective items up to the final destination and the inland expenses borne by the indenter, will be at our cost.

The warranty shall survive inspection and payment for and acceptance of the goods but shall expire (except in respect of complaints of which the Tenderer has been notified prior to such date) twelve months after their successful acceptance by the purchaser.

SEAL of manufacturer/supplier Enterprises.

Date.....

Signature.....

Name & address of manufacturer/supplier

CERTIFICATE REGARDING NEAR RELATIVES

I S/O resident of
hereby certify that none of my near relative(s) as defined below is/are employed in Central Water Commission. In case at any stage, it is found that the information given by me is false/incorrect, CWC shall have absolute right to take any action as deemed fit without any prior information to me.

SIGNATURE OF BIDDER WITH NAME AND ADDRESS

(In case of proprietorship firm the certificate is to be given by the proprietor, for partnership firm by all partners and in case of limited company by all the directors of company)

CERTIFICATE FOR THE DOCUMENTS DOWNLOADED FROM THE WEBSITE

In case the tender document is downloaded from the web site a declaration in the following Performa has to be furnished.

"I..... (Authorised signatory) hereby declare that the tender document submitted has been downloaded from the website and no addition/deletion/correction has been made in the document downloaded. I also declare that I have enclosed a DD/Bankers Cheque No. Datedfor Rs..... towards the cost of tender document..

In case at any stage, it is found that the information given above is false/ incorrect, CWC shall have the absolute right to take any action as deemed fit without any prior intimation.

SIGNATURE OF THE BIDDER WITH SEAL

DECLARATION

1. I, _____ Son / Daughter / Wife of
Shri _____ Proprietor / Director/authorized signatory of the
agency/Firm, mentioned above, is competent to sign this declaration and execute this tender
document;

2. I have carefully read and understood all the terms and conditions of the tender and undertake
to abide by them;

3. The information / documents furnished along with the above application are true and authentic
to the best of my knowledge and belief. I / we, am / are well aware of the fact that furnishing of
any false information / fabricated document would lead to rejection of my tender at any stage
besides liabilities towards prosecution under appropriate law.

Signature of authorized person

Date:

Full Name:

Place:

Seal: