

I/17335/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-7, Telengana के दिनांक 04-03-2020 का आवेदन A-49012/8/2020/RTI/74 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 05-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/74 dt 04-03-2020), it is to inform that No specific information is available, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

Looking to the frequent RTI applications by the applicant, the applicant is hereby informed that if he is willing to avail the facility for inspection of records, he may avail the facility giving prior intimation for inspection of related records available under WP&P Wing of CWC as far as CPIO WP&P Wing is concerned.

**Fee** for providing information under sub-section (4) of Section 4 and sub-sections (1) and (5) of Section 7 of the Act shall be charged, no fee for inspection of records for the first hour of inspection and a fee of rupees 5 for each subsequent hour or fraction thereof. On selection of information, information will be provided by charging fee as prescribed under RTI Act.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri J.C.S. Reddy, 2-2-15, B9, Flat No 406, Bindhu Prestige Apartment, DD Colony, Bagh Amberpet, Hyderabad-500007, Telengana

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. No A-49012/8/2020/RTI/74 दिनांक 0403/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/17335/2020

I/17343/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Ms. Aranya, Azim Premji University, UG Residence, Sompura, Bengaluru, Karnataka Pin 562125, email aranyishara@gmail.com के दिनांक 13-03-2020 का आवेदन A-49012/8/2020/RTI/84 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 13-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/84 dt 13/03/2020), it is to inform that the information asked vide above said RTI application is not available in CWC, WP&P Wing, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Ms. Aranya, Azim Premji University, UG Residence, Sompura, Bengaluru, Karnataka Pin 562125

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/84 dt 13/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/18045/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027gmail.com के दिनांक 15-03-2020 का आवेदन CWCND/R/E/20/00042 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 17-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/87 dt 16/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/87 dt 16/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



I/17992/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027@gmail.com के दिनांक 15-03-2020 का आवेदन CWCND/R/E/20/00043 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 17-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/88 dt 16/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/88 dt 16/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225 , फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/17991/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027@gmail.com के दिनांक 15-03-2020 का आवेदन CWCND/R/E/20/00044 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 17-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/89 dt 16/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/89 dt 16/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/17990/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027@gmail.com के दिनांक 15-03-2020 का आवेदन CWCND/R/E/20/00045 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 19-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/90 dt 18/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/90 dt 18/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/17989/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027@gmail.com के दिनांक 15-03-2020 का आवेदन CWCND/R/E/20/00046 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 19-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/91 dt 18/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/91 dt 18/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣

I/17988/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Indra Rongphar, Village Chirimakam, PO Donkamokam, Distt West Karbi, Anlong, Assam-782485., email rtirongphar@gmail.com के दिनांक 18-03-2020 का आवेदन CWCND/R/E/20/00047 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 20-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No A-49012/8/2020/RTI/93 dt 20/03/2020), it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Indra Rongphar, Village Chirimakam, PO Donkamokam, Distt West Karbi, Anlong, Assam-782485

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके पत्र सं. A-49012/8/2020/RTI/93 dt 20/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/18048/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Sahil Dhankhar, S.K. Petro Centre, Rohtak Road Jhajjar, Haryana Pin 124103 e-mail : sahildhankhar001@gmail.com का दिनांक 20/03/2020 के आवेदन क्रमशः (CWCND/R/ई/20/00048) द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 24-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No CWCND/R/ई/20/00048 dt 20-03-2020), it is to inform that the information asked vide above said RTI application is not available in CWC, WP&P Wing, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director  
ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Sahil Dhankhar, S.K. Petro Centre, Rohtak Road Jhajjar, Haryana Pin 124103

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 24/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/18046/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Indra Rongphar, Village Chirimakam, PO Donkamokam, Distt West Karbi, Anlong, Assam-782485., email rtirongphar@gmail.com के दिनांक 20-03-2020 का आवेदन CWCND/R/E/20/00053 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office by e-mail on 20-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Indra Rongphar, Village Chirimakam, PO Donkamokam, Distt West Karbi, Anlong, Assam-782485

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके e-mail dt 20/03/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



I/18123/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Harlogki Timung, Addl CE Office, PWD Colony, Diphu, Assam- 782460 (email- harlongki@gmail.com) का दिनांक 23/03/2019 का आवेदन (CWCND/R/T/20/00016) द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 24-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director  
ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

Shri Harlogki Timung, Addl CE Office, PWD Colony, Diphu, Assam- 782460

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 24-03-2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



I/18170/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Santosh, C/o Shri Murali, No. 57, S B Road, Sajjan Rao Circle, VV Purram, Bangalore, Karnataka Pin: 560004, email sl.santosh@gmail.com के दिनांक 24-03-2020 का आवेदन CWCND/R/E/20/00054 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office by email dt 27-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, the point wise information available in WP&P Wing of CWC, is as under:

S N o	Information sought	Reply/ information
1	Certified copy of the Detailed Project Report (DPR) submitted by the Karnataka Government (Principal Secretary Water Resources Department) on January 18, 2019	To obtain copy of DPR, Applicant is requested to contact concern department/ Project Authorities or from CWMA.
2	Certified copy of the cover letter sent along with DPR	Copy of covering letter received from Project Authority of Govt of Karnataka is enclosed as Annex 4
3	Certified copy of the response or review comments provided by Central Water Commission to the Government of Karnataka	It is understood that DPR was shared with co-basin States through CWMA as well as with Appraising Agencies internally within CWC and Central Electricity Authority (CEA). Preliminary observations of Appraising Directorates which are purely Technical in Nature were communicated to CWMA time to time as CWMA is the sole Authority in the Cauvery matters. The same may be obtained from CWMA as the subject matter is heard in the Supreme Court, and these are available in public domain as affidavits and in some other forms.  Comments of this Directorate vide letter dated 27.09.2018 on inter-State aspects of Feasibility Report of Mekedatu Balancing Reservoir cum Drinking Water project of Karnataka is enclosed as <b>Annexure-I</b> . Copy of comments on DPR of the project have been communicated to PA(S) vide letter dated 18.03.2019, copy of the same is

I/18170/2020

		enclosed as <b>Annexure-II</b> .
4	Certified copies of the object letters against this project submitted by the Tamilnadu Government to Central Water Commission.	As replied in Point no 3. Govt of Tamil Nadu is one of the Respondent in the Court matters. More information w.r.t. objections of Tamil Nadu on the above matter may be available with PR Wing of DoWR, RD&GR, MoJS and CWMA as there could be VIP/PMO reference on the same. Govt. of Tamil Nadu vide its letter dated 17.09.2018 communicated its Comments / views on the Feasibility Report of Mekedatu Balancing Reservoir cum Drinking Water project to the Secretary, DoWR, RD&GR and copy of the same is enclosed as <b>Annexure-III</b>
5	Certified copies of all other letters or correspondence happened on this project between your office and the Karnataka or Tamil Nadu Governments.	As clarified above, it is submitted that the subject matter is heard in Supreme Court and CWMA has to pass instructions to Appraising Agencies of CWC and CEA for further direction in this matter. No such instructions or decisions of Court or CWMA have been given to this office.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Santosh, C/o Shri Murali, No. 57, S B Road, Sajjan Rao Circle, VV Purram, Bangalore, Karnataka

प्रतिलिपि

अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 27-03-2020 के अनुसरण में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



Public Works Department,  
Secretariat, Chennai-9.

Letter No.40715/C.Spl.1/2008-50, Dated 17.9.2018

From

Dr. Girija Vaidyanathan, I.A.S.,  
Chief Secretary to Government

To

The Secretary to Government of India,  
Ministry of Water Resources, River Development and Ganga Rejuvenation,  
Shram Sakthi Bhawan,  
Rafi Marg,  
New Delhi-110 001.(w.e)

Sir,

Sub: Cauvery Water Dispute – Feasibility Report proposal for the proposed “Mekedatu Balancing Reservoir-cum-Drinking Water Project” of Karnataka – Request to furnish the Detailed Project Report / Feasibility Report to communicate the comments / views of Tamil Nadu – Reg.

- Ref: 1. From the Union Minister of Water Resources, River Development and Ganga Rejuvenation D.O. No.10/4/2013-Pen.River (Pt.II), dated 8.1.2016.
2. From the Minister of State for Water Resources, River Development and Ganga Rejuvenation D.O. letter dated 22.8.2018.
3. From the Director, Central Water Commission, Project Appraisal (South) Directorate, TELE/FAX, dated 24.8.2018 (copy marked to the Principal Resident Commissioner, Government of Tamil Nadu, New Delhi)

\*\*\*\*

I am directed to state that Hon'ble Chief Minister of Tamil Nadu wrote to Hon'ble Prime Minister on 4.9.2018 urging to instruct the Ministry of Water Resources, River Development and Ganga Rejuvenation to direct the Central Water Commission to stop forthwith further processing of the Feasibility Report of the Government of Karnataka to construct a Balancing Reservoir at Mekedatu across the river Cauvery and not to give any consent to any projects in the river Cauvery without obtaining the prior concurrence of Tamil Nadu and other co-basin States.



2. Without prejudice to receipt of Feasibility Report for Karnataka's Mekedatu Balancing Reservoir-cum-Drinking Water Project and the comments/ views/ objections of Tamil Nadu thereto, the preliminary comments / views of the Government of Tamil Nadu are as follows:-

- i) Tamil Nadu has opposed the Mekedatu Project or any new project in the Cauvery Basin proposed by Karnataka since Cauvery is a deficit basin and therefore no new project is to be permitted. During the final arguments before the Supreme Court in Civil Appeals filed by the party States (Karnataka, Kerala and Tamil Nadu) against the Final Order of the Tribunal, Tamil Nadu argued that Karnataka is not to be allowed to have more storage structures as it would affect lower riparian States, viz., Tamil Nadu and Puducherry. Water would not be available to Tamil Nadu in time and space for the specific utilization which is the past experience of Tamil Nadu, especially after 1974. The argument of Tamil Nadu is also mentioned in the judgement of Hon'ble Supreme Court dated 16.2.2018, wherein it is stated that the Tamil Nadu has expressed apprehension that Karnataka if granted further capacity to store water, such excess water retention would be the cause for further disputes between the States (vide, Para 321, Page 370 of the Supreme Court Judgement dated 16.2.2018).
- ii) The Supreme Court has modified the allocations between Tamil Nadu and Karnataka with judgement dated 16.2.2018. In this judgement, the court provided an additional 4.75 TMC ft. to Bangaluru drinking water supply and additional allocation of 10 TMC ft. to Karnataka. Apart from these no changes were made to the Tribunal's Final Order. The Court has also held that no interference with the determinations and findings recorded by the Tribunal is called for in view of scrutiny of the available materials on record (para 397, page 449).
- iii) The Supreme Court further directed that upper riparian state (Karnataka) shall not take any action so as to affect the scheduled deliveries of water to the lower riparian States, viz., Tamil Nadu and Puducherry (vide Para 399, Page 450). Therefore, Karnataka is prevented from taking any *suo motu* action which will affect the lower riparian States.
- iv) Ever since CWDT gave its Interim Order on 25.6.1991, Karnataka did not comply with the Order to ensure monthly quantity at Mettur. Even after the Final Order of CWDT which was notified on 19.2.2013, Karnataka did not adhere to the Order and did not keep up with the schedule of releases at Billigundulu. The flows realised were mainly from surplus or from flows realised in the intermediate catchment, i.e., below of KRS and Kabini. In deficit years, Karnataka appropriated the waters to the maximum extent taking advantage of the geographical position and it never shared the distress. Central Water Commission or Ministry of Water Resources, River Development and Ganga Rejuvenation did not even evolve a formula to share the distress so far.



- v) The Cauvery Water Management Authority has been established with effect from 1.6.2018 and the Cauvery Water Management Authority is yet to function in full fledged manner for the implementation of the Final Order of the Tribunal as modified by the Hon'ble Supreme Court. Karnataka has only released the inevitable surplus which it could not hold in its reservoirs due heavy rain fall in the Cauvery catchments warranting the further meetings of Cauvery Water Management Authority than the one meeting held on 2.7.2018 and to direct the releases as per the orders in force. So, Tamil Nadu could not come to a conclusion as to whether Karnataka implements the Final Order of the Tribunal as modified by the Supreme Court as per the directions of Cauvery Water Management Authority, in letter and spirit. Therefore, the action of Karnataka to implement the orders during normal year and deficit year is to be monitored.
- vi) On hydrology point of view, the need for creating additional storage has to be decided based on long term data and not on one or 2 years data. The CWDT which has gone into the availability of Storage in Cauvery Basin has stated that the existing storage capacity available in the basin is adequate for storing and distributing the water of the basin, vide, Cauvery Water Disputes Tribunal Award Vo.III, Para 35, Page 101.
- vii) The Reservoir Storage capacity of Karnataka is 124 TMC ft, besides it is also having more than 11700 tanks in the Basin. Thus, its Storage Capacity is about 175 TMC ft. Additional storage capacity, if created by Karnataka, will only enable it to increase its reserve storage or to utilize the water for unauthorized schemes and thereby Karnataka will not release the share of water due to Tamil Nadu, especially during normal and deficit years, leave alone the share from surplus.
- viii) Karnataka has executed several unauthorized Lift Irrigation Schemes (copy enclosed) which was brought to the notice of the then Sub-Committee of the Cauvery Supervisory Committee by Tamil Nadu in the meeting held on 06.11.2015. The Committee did not take any action on these unauthorized projects executed by Karnataka.
- ix) State of Karnataka has already created the infrastructure facilities for drawing 24 TMC ft per year for providing drinking water supply to Bengaluru City, which includes additional allocations 4.75 TMC ft now allocated by the Supreme Court's Judgement dated 16.2.2018. Therefore, the question of creating additional reservoir even in the guise for drinking water supply and power generation does not arise.
- x) While that being the case, the Central Water Commission ought not to have now entertained the request of Karnataka for considering the Makedatu Balancing Reservoir Project either for Power production or for creating additional storage in the guise of drinking water supply without consulting Government of Tamil Nadu.




- xi) The Ministry of Water Resources, River Development and Ganga Rejuvenation, Government of India had addressed a letter to Government of Karnataka in regard to Mekedatu Project of Karnataka on 8.9.2015, wherein it was suggested that it would be advisable that the Government of Karnataka share their plans for the said project with co-basin States, as required under the Order of the Cauvery Water Disputes Tribunal, to bring them on board before taking up their Detailed Project Report / construction.
- xii) The Central Water Commission ought not to have processed the proposal of Karnataka for its Mekedatu Balancing Reservoir-cum-Drinking Water Project either for hydro power generation or for creating additional storage in the guise of drinking water supply without the prior concurrence of the Government of Tamil Nadu and other co-basin States.
- xiii) At the outset, the Central Water Commission ought to have advised to Karnataka to get the concurrence of Tamil Nadu and other co-basin States.
- xiv) The action of Karnataka to have a reservoir at Mekedatu will affect the livelihood of lakhs of farmers in Tamil Nadu who depend on Cauvery water.

3. In these circumstances, I request you to stop forthwith further processing of the Feasibility Report of the Government of Karnataka to construct a Balancing Reservoir at Mekedatu across the river Cauvery and not to give any consent / clearance to any projects of Karnataka in the river Cauvery without obtaining the prior concurrence of Tamil Nadu and other co-basin States.

4. The action taken by Central Water Commission on this reference may be informed to this Government immediately.

Yours faithfully,

  
17.9.2018  
for Chief Secretary to Government  
5006  
17/9/2018





**Government of India**  
 भारत सरकार  
**Central Water Commission**  
 केन्द्रीय जल आयोग  
 Inter State Matters-1 Dte.  
 अंतरराज्यीय मामले -1 निदेशालय



**Fifth Floor, SewaBhawan**  
 पंचम तल, सेवा भवन  
**R.K. Puram, New Delhi-66**  
 रामा कृष्ण पुरम, नई दिल्ली -६६  
 Phone No: 011-29583276  
 Email: ism-1dte-cwc@nic.in

**विषय:-**Detailed Project Report (DPR) of proposed Mkedatu Balancing Reservoir cum Drinking Water project of Karnataka.

This is in reference to your letter no. 11/200/2018-PA(S)/78-92 dated 25.01.2019 through which DPR of Mkedatu Balancing Reservoir cum Drinking Water Project of Karnataka was sent for examination from inter-State angle and comments thereon.

#### **Project in brief**

Mkedatu Balancing Reservoir cum Drinking Water Project is proposed to be constructed on River Cauvery and is proposed to be located at longitude 77°26'25" E & Latitude 12°16'20" N. The envisaged masonry and concrete dam with a maximum height of 95.0 m is proposed to be located about 2.0 Km downstream of confluence of Arkavathy with Cauvery river and little u/s of start of inter-State boundary of State of Karnataka and Tamil Nadu. As per DPR, the gross storage of the reservoir is 67.16 TMC and dead storage is 7.7 TMC. Further, the FRL and MDDL of the reservoir are 440.0 m and 395.0 m respectively. The project also envisages an underground hydro power unit with a capacity of 400MW (Three units of 120MW and one unit of 40MW) on the right bank of river. The maximum designed discharge of power plant at MDDL is 520.07 cumec for 400 MW and minimum discharge at FRL is 22 cumecs for 26 MW. There is a provision of 3 no of sluice gates having discharge capacity of 762.4 m<sup>3</sup>/sec at full reservoir level and 502 m<sup>3</sup>/sec at minimum draw down level at river bed level. As per DPR, the aforesaid arrangement will facilitate in regulating the required quantum of water to Tamil Nadu on monthly basis (in a normal year) as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018. The installation of smaller unit of 40 MW has been contemplated to utilize the release of 2.5 TMC per month of February to March to cater to the environmental consideration as per Hon'ble Supreme Court award. The project also envisages for meeting drinking water requirement of Bengaluru Metropolitan Region to the extent of 4.75 TMC (consumptive use) and its adjoining area etc by way of proposing a scheme to tap water from the foreshore of the above project.

The Annual Yield calculated at above proposed project site is 483 TMC (2TMC+ 481 TMC) which has been derived from CWDT report. As per the DPR the submergence will be in Karnataka.

The project has been examined from inter-State angle and comments / observations of this Directorate are as under:

#### **Comments**

1. The PFR of the project was earlier received in 2018 and in principle consent of CWC for preparation of DPR was accorded by CWC vide CWC letter no 11/200/2018-PA(S)/3052-57 dated 22.11.2018 subject to certain conditions as stated in the aforesaid letter. The comments in the following paras are without prejudice to the conditions mentioned in the aforesaid letter so far as inter-State aspects are concerned.
2. The project authority has stated that project will facilitate in meeting drinking water requirement of Bengaluru city. However no details of intake water structure, arrangement for lifting the water



and supplying the water to Bengaluru city is available under Salient Features of DPR. It is suggested that these details be also included in the DPR.


3. Project authority have stated that a working table has been prepared with a view to ascertain the suitability of storage capacity of the reservoir in meeting the stipulated demand of drinking water and to regulate the required quantum of water to Tamil Nadu on monthly basis (in a normal year) as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018. However, on close examination of the DPR no working table is noticed anywhere. In this regard, it is suggested that monthly working tables indicating drinking water requirement, evaporation losses, water requirement for hydro power unit, discharge through spillway / river sluices to meet stipulated monthly flows at Billigundulu etc should be attached with the DPR for further examination by the Cauvery Water Management Authority.
4. An analysis of monthly flows at Billigundulu for 45 years (from 1972-73 to 2016-17) has been carried out in ISM-1 Dte. It is observed that total annual flows during a water year were less than 177.25 TMC on only 8 occasions out of the 45 years. In other words, it can be stated that on 37 occasions out of 45 years the yearly requirement of 177.25 TMC can be met. Thus, without reservoir, success rate of meeting yearly quantum at Billigundulu as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 is 82.22%.
5. While working table is not attached with DPR, results of simulation study on the basis of working table have been mentioned in the DPR. In simulation studies, it has been mentioned that dependability of 100 % is accorded to Bengaluru drinking water and 50% to the release commitments per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 in preparing the working tables. However, stipulated flows at Billigundulu as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 besides 100% success rate for providing drinking water requirement of 4.75 TMC needs to be ensured.

Thus, in view of above, it is suggested that review of methodology adopted for carrying out simulation study may be done by the Cauvery Water Management Authority which is charged with implementation of the order of CWDT as modified by the Supreme Court.

6. Discrepancies are observed in the figures of
  - Monthly evaporation losses at KRS reservoir as indicated in the DPR with those were communicated by the State of Karnataka to CWRC through letter no. CNNL/Tech-4/CWDT-879/2018-19 dated 31.07.2018(copy attached) and
  - Monthly total inflows into four Karnataka reservoirs as mentioned in Table 5.13 at page 103 of Volume I of DPR with the monthly total inflows into four Karnataka reservoirs as were communicated by the Government of Karnataka through emails (copy attached).

The discrepancies in detail are annexed at Annexure A in tabular format. It is suggested to intimate the correct figures of aforesaid mentioned discrepancies.

This issue with the approval of CE, IMO, CWC.

  
(Bhupinder Singh)  
Director

**Director, PA (South) Directorate, CWC, New Delhi.**

CWC UO No4/5/Kar/ISM-1/2017/ 090

Date: 18 /03/2019



## Annexure-A

1. Discrepancies are observed in the figures of monthly evaporation losses at KRS reservoir as indicated in the DPR with those were communicated by the State of Karnataka to CWRC through letter no. CNNL/Tech-4/CWDT-879/2018-19 dated 31.07.2018(copy attached) and the same are shown as under:

Description	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Total
Evaporation losses as indicated in the DPR (mm / day)	4.199	3.212	3.195	3.293	4.048	3.319	3.187	3.122	3.048	3.048	4.885	5.12	-
Monthly Evaporation losses(mm) based on the DPR	125.97	99.572	99.045	98.79	125.488	99.57	98.797	96.782	86.106	105.648	146.55	158.72	1341.038
Monthly Evaporation losses as furnished to CWRC (inch / mm)	5.95 / 151.13	4.675 / 118.745	4.675 / 118.745	4.675 / 118.745	5.95 / 151.13	4.675 / 118.745	4.675 / 118.745	4.675 / 118.745	4 / 101.60	5 / 127	7 / 177.8	8 / 203.2	63.95 / 1624.33
Evaporation losses (mm/day) based on data furnished to CWRC	5.04	3.83	3.83	3.96	4.88	3.96	3.83	3.83	3.60	4.10	5.93	6.55	-

2. Discrepancies are observed in the monthly total inflows into four Karnataka reservoirs as mentioned in Table 5.13 at page 103 of Volume I of DPR with the monthly total inflows into four Karnataka reservoirs as were communicated by the Government of Karnataka through emails (copy attached). Some of such discrepancies are shown as under:

	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
Inflows (TMC) during 2015-16 (as per Table 5.13 of DPR, page 103; Vol. I)	12.594	27.259	26.478	22.345	19.038	28.435	9.23	3.683	1.918	1.924	1.371	2.011
Inflows (TMC) during 2015-16 (As furnished through email dated 08.06.2016 from ceiswcauvery@gmail.com)	58.002	45.419	35.140	24.140	21.156	19.344	7.227	2.599	1.035	0.66	0.676	0.745



Government of India

भारत सरकार

Central Water Commission

केन्द्रीय जल आयोग

Inter State Matters –I Directorate

अंतरराज्यीय मामले- I निदेशालय



Fifth Floor, SewaBhawan

पंचम तल,सेवा भवन

R.K.Puram, New Delhi-66

रामा कृष्ण पुरम, नई दिल्ली-६६

Phone No: 011-29583276

Email: ism-1dte-cwc@nic.in

**विषय:-** Feasibility Report of proposed Mekedatu Balancing Reservoir cum Drinking Water project of Karnataka.

This is in reference to your letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018 regarding feasibility report of Mekedatu Balancing Reservoir cum Drinking Water Project of Karnataka.

Project in brief is as under:

Name of the project	Mekedatu Balancing reservoir cum drinking water project
Location	Ramanagara and Chamarajanagar districts of Karnataka
River & River Basin	Cauvery, Cauvery basin
Type of project	Multipurpose
Benefits from the project	1. Hydropower Installed Capacity of 400 MW (3x120 MW + 1x40 MW) 2. Drinking Water: 4.75 TMC to serve population of 1, 2, 42,650 (to Bengaluru Metropolitan Region, its surrounding areas etc.) 3. Evaporation Losses: 1.55 TMC 4. No irrigation is proposed from this project, hence GCA & CCA of this project are Nil
Reservoir levels	
- FRL	440.00 m
- MDDL	395.00 m
Reservoir Capacities	
- Gross	64.00 TMC
- Live	56.30 TMC
- MDDL/ Dead storage	7.70 TMC
Yield at Mekedatu site	481 TMC
Submergence due to the project	In the Karnataka State: 4995.9 ha (at FRL) In other States: Nil

The project has been examined from inter-State angle and comments / observations of this Directorate are as under:

#### Comments

- Under para 1.12 at page 31 of the FR, the following objective of the Scheme are stated.
  - To ensure and release the required quantum of water to Tamil Nadu on monthly basis as per CWDT award as modified by the Supreme Court.



- (ii) To provide additional 4.75 TMC of drinking water to Bengaluru Metropolitan Region.
- (iii) To generate power by installing 400 MW units.


It is very clear from the above that main objective of the scheme is to implement the CWDT award as modified by the Hon'ble Supreme Court.

2. From PAO,CWC UO letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018, it is noted that Project Authority has been requested to send additional copies of the FR to E-in-C of the Cuavery basin States and simultaneously copy of the said letter has been sent to Resident Commissioners of the other three States for information. This action shows that action on the FR has been taken by PAO,CWC as per the **Guidelines for Submission, Appraisal and Acceptance of Irrigation and Multipurpose projects, 2017 as approved by MoWR, RD & GR in January, 2017.** However as per para 1.5 of the said Guidelines, these are applicable to major, medium irrigation and multi-purpose projects on inter-State rivers or their tributaries. Since the FR under examination is mainly for implementing the CWDT award as modified by the Hon'ble Supreme Court without any irrigation component, perhaps the aforesaid Guidelines are not applicable for the instant FR. PAO,CWC needs to take fresh look in the matter.

3. The Mekedatu Scheme involves generation of power by installing 400 MW units with cost of Rs 5912 crore. According to Section 8 of Electricity Act, 2003 read with the Notification dated 18.04.2006 of Ministry of Power, Scheme costing more than Rs 2500/- crore need to be concurred by CEA, Ministry of Power, Govt. of India( Notification of Ministry of Power for latest cost ceiling needs to be ascertained by PAO,CWC). Under para 1.9.9 at page 23 of the FR, it is mentioned that scheme was earlier submitted to CEA on 30.3.2012 but CEA in March,2014 suggested to the project authority to obtain the views of states of Tamil Nadu and UT of Puducherry and make available the same to CEA for further examination. From PAO, CWC UO letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018, it is not clear if scheme has been submitted to CEA for its concurrence. This aspect needs the attention of PAO, CWC.

4. The Ministry of Water Resources, RD & GR has notified Cauvery Water Management Scheme consisting of Cauvery Water Management Authority and Cauvery Water Regulation Committee on June 1, 2018. The Authority shall exercise such power and shall discharge such duty to do any or all things necessary, sufficient and expedient for securing compliance and implementation of the Award of the Tribunal as modified by the Hon'ble Supreme Court vide Order dated the 16<sup>th</sup> February, 2018. Keeping in view the functions of Cauvery Water Management Scheme, non applicability of CWC guidelines, attraction of Section 8 of Electricity Act, 2003 read with the Notification dated 18.04.2006 of Ministry of Power and main objective of the Mekedatu scheme being to implement the CWDT award as modified by the Hon'ble Supreme Court, the Mekedatu Scheme should be approved by CEA and Cauvery Water Management Scheme in consultation with CWC on design aspect of the structure.

This issues with the approval of Member (WP&P), CWC.

  
27.08.2018  
उप निदेशक  
(आशीष कुमार पाण्डेय)

✓ Director, PA (S) Dte., CWC, New Delhi.  
CWC UO No. 4/5/KAR/ISM-1/2017/ 507

Date: 29/9/2018



Annex - 1

Annex - 1



**GOVERNMENT OF KARNATAKA**

No.WRD 114 MMK 2017

Karnataka Government Secretariat,  
3<sup>rd</sup> Floor, Vikasa Soudha,  
Bangalore, dated: 04-08-2018.

From :

The Principal Secretary to Government,  
Water Resources Department.

To:

✓ The Chief Engineer,  
Project Appraisal Organization,  
Central Water Commission, Sewa Bhavan,  
R.K.Puram, New Delhi-110066.

Sir,

Sub: Submission of Feasibility Report proposal for the  
proposed Mekedatu Balancing Reservoir cum Drinking  
Water Project – Seeking approval reg.

Ref: (i) Managing Director, CNNL letter addressed to CE,  
CWC, Bengaluru No: CNNL/TECH-3/ MPD-151/vol-  
3/2017-18, dated 06.06.2017.

(ii) CE, CWC, Monitoring(South) Organisation,  
Bangalore letter No: 63/08/2017/Mon-S/1015-017,  
Dated: 07.07.2017

\*\*\*\*\*

This Government is very keen for speedy implementation of  
Mekedatu balancing reservoir cum drinking water project. The detailed  
project report was submitted to The Chief Engineer, Monitoring-South,  
Central Water Commission, Bengaluru vide letter dated : 06.06.2017  
[ vide ref (i) above ] from the Managing Director, Cauvery Neeravari  
Nigama Limited, Bengaluru for securing necessary clearances.

The CE, CWC , Monitoring(South) Organisation , Bengaluru in  
letter dated 07.07.2017 [ vide ref (ii) above ] has communicated the  
comments and observations on the proposal. The CE, CWC has also  
conveyed that as per the procedures described in the latest guidelines  
2017, a Pre- Feasibility report is to be first submitted by the Project

6/8/18  
Dir PACS (Hard in  
for presentation of  
Proj Auth & Comm  
for Appraising DE  
incl. CEA  
6/8  
AD



Authorities and the DPR is to be prepared and submitted after obtaining "in principle" clearance for the Pre-feasibility Report. Further, the report shall be submitted through the Government of Karnataka to Project Appraisal Organization, Central Water Commission, New Delhi duly complying the observations.

Considering the comments and observations and mode of project preparation, the Mekedatu balancing reservoir cum drinking water project is modified. The objectives of the Mekedatu Balancing Reservoir cum Drinking Water Project are as follows:

- utilizing additional consumptive use of 4.75 TMC of water (as per modified allocation by the judgement of Hon'ble Supreme Court dated 16.02.2018) to provide drinking water facility to Bangalore Metropolitan Region from Mekedatu Balancing Reservoir cum Drinking Water Project;
- to regulate 177.25 TMC of water to Tamil Nadu on a monthly basis (in a normal year) at Biligundlu as per the CWDT award as modified by the Hon'ble Supreme Court of India vide its judgement dated 16/02/2018.
- generation of 400 MW of power annually by utilizing static head available due to natural topography and the storage level

It is proposed to construct a reservoir of capacity 67.16 TMC across river Cauvery near Mekedatu well within the boundary of Karnataka State. **This will not be inconsistent with the decision/ final orders of CWDT** read with the Clause XIII of final orders of the CWDT dated 05.02.2007. The clause reads as follows :

*"The State of Karnataka and Tamil Nadu brought to our notice that a few Hydro-Electric Power Projects in the common reach boundary are being negotiated with the National Hydro-Power corporation (NHPC). In this connection, we have only to observe that whenever any such hydro-power project is constructed and Cauvery waters are stored in the reservoir, the pattern of downstream releases should be consistent with our order so that the irrigation requirements are not jeopardized."*

The pre-feasibility report is prepared in accordance with the latest Guidelines of CWC for securing "in-principle" clearance before submitting a Detailed Project Report.



The estimated cost of the project is Rs 5,912 crores. The Benefit Cost Ratio works out to 1.26 and the IRR works out to 12.41%. The project is proposed to be completed in a span of 4 Years. The detailed engineering designs, drawings and estimates for the project are under preparation stage.

The said project is planned with the provision as to :

- to provide drinking water to Bengaluru Metropolitan region,
- regulate the releases to Tamil Nadu as per the Award (in a normal year) and
- further utilize the available static head to generate 400 MW of power( which is incidental, without disturbing the monthly deliveries of water to Tamil Nadu).

The pre-feasibility Report of Mekedatu Balancing reservoir cum Drinking Water Project is herewith submitted for favour of kind consideration and for according in-principle clearance for preparing a detailed project report for obtaining further clearances to enable the execution of the project as early as possible since the project is contemplated to meet the drinking water needs.

Encl:

- (1) 8 sets of Pre-feasibility report  
(Vol-I Report & Annexures)  
(Vol-II Designs & Cost Estimates) /  
(Vol-III Drawings) & (Ann-IV Hydrology)
- (2) Compliance to observations raised by  
CE, Monitoring(South), CWC, B'lore

Yours faithfully,

(Rakesh Singh)

Principal Secretary to Government,  
Water Resources Department.

Copy to:

1. The Managing Director, Cauvery Neeravari Nigam Limited, Bangalore.
2. The Chief Engineer, Monitoring (South) Organisation , CWC, JalaSoudha, HMT Post, Bangalore- 560013.

I/18170/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Santosh, C/o Shri Murali, No. 57, S B Road, Sajjan Rao Circle, VV Purram, Bangalore, Karnataka Pin: 560004, email sl.santosh@gmail.com के दिनांक 24-03-2020 का आवेदन CWCND/R/E/20/00054 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office by email dt 27-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, the point wise information available in WP&P Wing of CWC, is as under:

S N o	Information sought	Reply/ information
1	Certified copy of the Detailed Project Report (DPR) submitted by the Karnataka Government (Principal Secretary Water Resources Department) on January 18, 2019	To obtain copy of DPR, Applicant is requested to contact concern department/ Project Authorities or from CWMA.
2	Certified copy of the cover letter sent along with DPR	Copy of covering letter received from Project Authority of Govt of Karnataka is enclosed as Annex 4
3	Certified copy of the response or review comments provided by Central Water Commission to the Government of Karnataka	It is understood that DPR was shared with co-basin States through CWMA as well as with Appraising Agencies internally within CWC and Central Electricity Authority (CEA). Preliminary observations of Appraising Directorates which are purely Technical in Nature were communicated to CWMA time to time as CWMA is the sole Authority in the Cauvery matters. The same may be obtained from CWMA as the subject matter is heard in the Supreme Court, and these are available in public domain as affidavits and in some other forms.  Comments of this Directorate vide letter dated 27.09.2018 on inter-State aspects of Feasibility Report of Mekedatu Balancing Reservoir cum Drinking Water project of Karnataka is enclosed as <b>Annexure-I</b> . Copy of comments on DPR of the project have been communicated to PA(S) vide letter dated 18.03.2019, copy of the same is



I/18170/2020

		enclosed as <b>Annexure-II</b> .
4	Certified copies of the object letters against this project submitted by the Tamilnadu Government to Central Water Commission.	As replied in Point no 3. Govt of Tamil Nadu is one of the Respondent in the Court matters. More information w.r.t. objections of Tamil Nadu on the above matter may be available with PR Wing of DoWR, RD&GR, MoJS and CWMA as there could be VIP/PMO reference on the same. Govt. of Tamil Nadu vide its letter dated 17.09.2018 communicated its Comments / views on the Feasibility Report of Mekedatu Balancing Reservoir cum Drinking Water project to the Secretary, DoWR, RD&GR and copy of the same is enclosed as <b>Annexure-III</b>
5	Certified copies of all other letters or correspondence happened on this project between your office and the Karnataka or Tamil Nadu Governments.	As clarified above, it is submitted that the subject matter is heard in Supreme Court and CWMA has to pass instructions to Appraising Agencies of CWC and CEA for further direction in this matter. No such instructions or decisions of Court or CWMA have been given to this office.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Santosh, C/o Shri Murali, No. 57, S B Road, Sajjan Rao Circle, VV Purram, Bangalore, Karnataka

प्रतिलिपि

अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 27-03-2020 के अनुसरण में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣





Public Works Department,  
Secretariat, Chennai-9.

Letter No.40715/C.Spl.1/2008-50, Dated 17.9.2018

From

Dr. Girija Vaidyanathan, I.A.S.,  
Chief Secretary to Government

To

The Secretary to Government of India,  
Ministry of Water Resources, River Development and Ganga Rejuvenation,  
Shram Sakthi Bhawan,  
Rafi Marg,  
New Delhi-110 001.(w.e)

Sir,

Sub: Cauvery Water Dispute – Feasibility Report proposal for the proposed “Mekedatu Balancing Reservoir-cum-Drinking Water Project” of Karnataka – Request to furnish the Detailed Project Report / Feasibility Report to communicate the comments / views of Tamil Nadu – Reg.

- Ref: 1. From the Union Minister of Water Resources, River Development and Ganga Rejuvenation D.O. No.10/4/2013-Pen.River (Pt.II), dated 8.1.2016.
2. From the Minister of State for Water Resources, River Development and Ganga Rejuvenation D.O. letter dated 22.8.2018.
3. From the Director, Central Water Commission, Project Appraisal (South) Directorate, TELE/FAX, dated 24.8.2018 (copy marked to the Principal Resident Commissioner, Government of Tamil Nadu, New Delhi)

\*\*\*\*

I am directed to state that Hon'ble Chief Minister of Tamil Nadu wrote to Hon'ble Prime Minister on 4.9.2018 urging to instruct the Ministry of Water Resources, River Development and Ganga Rejuvenation to direct the Central Water Commission to stop forthwith further processing of the Feasibility Report of the Government of Karnataka to construct a Balancing Reservoir at Mekedatu across the river Cauvery and not to give any consent to any projects in the river Cauvery without obtaining the prior concurrence of Tamil Nadu and other co-basin States.



2. Without prejudice to receipt of Feasibility Report for Karnataka's Mekedatu Balancing Reservoir-cum-Drinking Water Project and the comments/ views/ objections of Tamil Nadu thereto, the preliminary comments / views of the Government of Tamil Nadu are as follows:-

- i) Tamil Nadu has opposed the Mekedatu Project or any new project in the Cauvery Basin proposed by Karnataka since Cauvery is a deficit basin and therefore no new project is to be permitted. During the final arguments before the Supreme Court in Civil Appeals filed by the party States (Karnataka, Kerala and Tamil Nadu) against the Final Order of the Tribunal, Tamil Nadu argued that Karnataka is not to be allowed to have more storage structures as it would affect lower riparian States, viz., Tamil Nadu and Puducherry. Water would not be available to Tamil Nadu in time and space for the specific utilization which is the past experience of Tamil Nadu, especially after 1974. The argument of Tamil Nadu is also mentioned in the judgement of Hon'ble Supreme Court dated 16.2.2018, wherein it is stated that the Tamil Nadu has expressed apprehension that Karnataka if granted further capacity to store water, such excess water retention would be the cause for further disputes between the States (vide, Para 321, Page 370 of the Supreme Court Judgement dated 16.2.2018).
- ii) The Supreme Court has modified the allocations between Tamil Nadu and Karnataka with judgement dated 16.2.2018. In this judgement, the court provided an additional 4.75 TMC ft. to Bangaluru drinking water supply and additional allocation of 10 TMC ft. to Karnataka. Apart from these no changes were made to the Tribunal's Final Order. The Court has also held that no interference with the determinations and findings recorded by the Tribunal is called for in view of scrutiny of the available materials on record (para 397, page 449).
- iii) The Supreme Court further directed that upper riparian state (Karnataka) shall not take any action so as to affect the scheduled deliveries of water to the lower riparian States, viz., Tamil Nadu and Puducherry (vide Para 399, Page 450). Therefore, Karnataka is prevented from taking any *suo motu* action which will affect the lower riparian States.
- iv) Ever since CWDT gave its Interim Order on 25.6.1991, Karnataka did not comply with the Order to ensure monthly quantity at Mettur. Even after the Final Order of CWDT which was notified on 19.2.2013, Karnataka did not adhere to the Order and did not keep up with the schedule of releases at Billigundulu. The flows realised were mainly from surplus or from flows realised in the intermediate catchment, i.e., below of KRS and Kabini. In deficit years, Karnataka appropriated the waters to the maximum extent taking advantage of the geographical position and it never shared the distress. Central Water Commission or Ministry of Water Resources, River Development and Ganga Rejuvenation did not even evolve a formula to share the distress so far.



- v) The Cauvery Water Management Authority has been established with effect from 1.6.2018 and the Cauvery Water Management Authority is yet to function in full fledged manner for the implementation of the Final Order of the Tribunal as modified by the Hon'ble Supreme Court. Karnataka has only released the inevitable surplus which it could not hold in its reservoirs due heavy rain fall in the Cauvery catchments warranting the further meetings of Cauvery Water Management Authority than the one meeting held on 2.7.2018 and to direct the releases as per the orders in force. So, Tamil Nadu could not come to a conclusion as to whether Karnataka implements the Final Order of the Tribunal as modified by the Supreme Court as per the directions of Cauvery Water Management Authority, in letter and spirit. Therefore, the action of Karnataka to implement the orders during normal year and deficit year is to be monitored.
- vi) On hydrology point of view, the need for creating additional storage has to be decided based on long term data and not on one or 2 years data. The CWDT which has gone into the availability of Storage in Cauvery Basin has stated that the existing storage capacity available in the basin is adequate for storing and distributing the water of the basin, vide, Cauvery Water Disputes Tribunal Award Vo.III, Para 35, Page 101.
- vii) The Reservoir Storage capacity of Karnataka is 124 TMC ft, besides it is also having more that 11700 tanks in the Basin. Thus, its Storage Capacity is about 175 TMC ft. Additional storage capacity, if created by Karnataka, will only enable it to increase its reserve storage or to utilize the water for unauthorized schemes and thereby Karnataka will not release the share of water due to Tamil Nadu, especially during normal and deficit years, leave alone the share from surplus.
- viii) Karnataka has executed several unauthorized Lift Irrigation Schemes (copy enclosed) which was brought to the notice of the then Sub-Committee of the Cauvery Supervisory Committee by Tamil Nadu in the meeting held on 06.11.2015. The Committee did not take any action on these unauthorized projects executed by Karnataka.
- ix) State of Karnataka has already created the infrastructure facilities for drawing 24 TMC ft per year for providing drinking water supply to Bengaluru City, which includes additional allocations 4.75 TMC ft now allocated by the Supreme Court's Judgement dated 16.2.2018. Therefore, the question of creating additional reservoir even in the guise for drinking water supply and power generation does not arise.
- x) While that being the case, the Central Water Commission ought not to have now entertained the request of Karnataka for considering the Makedatu Balancing Reservoir Project either for Power production or for creating additional storage in the guise of drinking water supply without consulting Government of Tamil Nadu.




- xi) The Ministry of Water Resources, River Development and Ganga Rejuvenation, Government of India had addressed a letter to Government of Karnataka in regard to Mekedatu Project of Karnataka on 8.9.2015, wherein it was suggested that it would be advisable that the Government of Karnataka share their plans for the said project with co-basin States, as required under the Order of the Cauvery Water Disputes Tribunal, to bring them on board before taking up their Detailed Project Report / construction.
- xii) The Central Water Commission ought not to have processed the proposal of Karnataka for its Mekedatu Balancing Reservoir-cum-Drinking Water Project either for hydro power generation or for creating additional storage in the guise of drinking water supply without the prior concurrence of the Government of Tamil Nadu and other co-basin States.
- xiii) At the outset, the Central Water Commission ought to have advised to Karnataka to get the concurrence of Tamil Nadu and other co-basin States.
- xiv) The action of Karnataka to have a reservoir at Mekedatu will affect the livelihood of lakhs of farmers in Tamil Nadu who depend on Cauvery water.

3. In these circumstances, I request you to stop forthwith further processing of the Feasibility Report of the Government of Karnataka to construct a Balancing Reservoir at Mekedatu across the river Cauvery and not to give any consent / clearance to any projects of Karnataka in the river Cauvery without obtaining the prior concurrence of Tamil Nadu and other co-basin States.

4. The action taken by Central Water Commission on this reference may be informed to this Government immediately.

Yours faithfully,

  
17.9.2018  
for Chief Secretary to Government  
5006  
17/9/2018





**Government of India**  
 भारत सरकार  
**Central Water Commission**  
 केन्द्रीय जल आयोग  
 Inter State Matters-1 Dte.  
 अंतरराज्यीय मामले -1 निदेशालय



**Fifth Floor, SewaBhawan**  
 पंचम तल, सेवा भवन  
**R.K. Puram, New Delhi-66**  
 रामा कृष्ण पुरम, नई दिल्ली -६६  
 Phone No: 011-29583276  
 Email: ism-1dte-cwc@nic.in

**विषय:-**Detailed Project Report (DPR) of proposed Mkedatu Balancing Reservoir cum Drinking Water project of Karnataka.

This is in reference to your letter no. 11/200/2018-PA(S)/78-92 dated 25.01.2019 through which DPR of Mkedatu Balancing Reservoir cum Drinking Water Project of Karnataka was sent for examination from inter-State angle and comments thereon.

#### **Project in brief**

Mkedatu Balancing Reservoir cum Drinking Water Project is proposed to be constructed on River Cauvery and is proposed to be located at longitude 77°26'25" E & Latitude 12°16'20" N. The envisaged masonry and concrete dam with a maximum height of 95.0 m is proposed to be located about 2.0 Km downstream of confluence of Arkavathy with Cauvery river and little u/s of start of inter-State boundary of State of Karnataka and Tamil Nadu. As per DPR, the gross storage of the reservoir is 67.16 TMC and dead storage is 7.7 TMC. Further, the FRL and MDDL of the reservoir are 440.0 m and 395.0 m respectively. The project also envisages an underground hydro power unit with a capacity of 400MW (Three units of 120MW and one unit of 40MW) on the right bank of river. The maximum designed discharge of power plant at MDDL is 520.07 cumec for 400 MW and minimum discharge at FRL is 22 cumecs for 26 MW. There is a provision of 3 no of sluice gates having discharge capacity of 762.4 m<sup>3</sup>/sec at full reservoir level and 502 m<sup>3</sup>/sec at minimum draw down level at river bed level. As per DPR, the aforesaid arrangement will facilitate in regulating the required quantum of water to Tamil Nadu on monthly basis (in a normal year) as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018. The installation of smaller unit of 40 MW has been contemplated to utilize the release of 2.5 TMC per month of February to March to cater to the environmental consideration as per Hon'ble Supreme Court award. The project also envisages for meeting drinking water requirement of Bengaluru Metropolitan Region to the extent of 4.75 TMC (consumptive use) and its adjoining area etc by way of proposing a scheme to tap water from the foreshore of the above project.

The Annual Yield calculated at above proposed project site is 483 TMC (2TMC+ 481 TMC) which has been derived from CWDT report. As per the DPR the submergence will be in Karnataka.

The project has been examined from inter-State angle and comments / observations of this Directorate are as under:

#### **Comments**

1. The PFR of the project was earlier received in 2018 and in principle consent of CWC for preparation of DPR was accorded by CWC vide CWC letter no 11/200/2018-PA(S)/3052-57 dated 22.11.2018 subject to certain conditions as stated in the aforesaid letter. The comments in the following paras are without prejudice to the conditions mentioned in the aforesaid letter so far as inter-State aspects are concerned.
2. The project authority has stated that project will facilitate in meeting drinking water requirement of Bengaluru city. However no details of intake water structure, arrangement for lifting the water



and supplying the water to Bengaluru city is available under Salient Features of DPR. It is suggested that these details be also included in the DPR.


3. Project authority have stated that a working table has been prepared with a view to ascertain the suitability of storage capacity of the reservoir in meeting the stipulated demand of drinking water and to regulate the required quantum of water to Tamil Nadu on monthly basis (in a normal year) as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018. However, on close examination of the DPR no working table is noticed anywhere. In this regard, it is suggested that monthly working tables indicating drinking water requirement, evaporation losses, water requirement for hydro power unit, discharge through spillway / river sluices to meet stipulated monthly flows at Billigundulu etc should be attached with the DPR for further examination by the Cauvery Water Management Authority.
4. An analysis of monthly flows at Billigundulu for 45 years (from 1972-73 to 2016-17) has been carried out in ISM-1 Dte. It is observed that total annual flows during a water year were less than 177.25 TMC on only 8 occasions out of the 45 years. In other words, it can be stated that on 37 occasions out of 45 years the yearly requirement of 177.25 TMC can be met. Thus, without reservoir, success rate of meeting yearly quantum at Billigundulu as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 is 82.22%.
5. While working table is not attached with DPR, results of simulation study on the basis of working table have been mentioned in the DPR. In simulation studies, it has been mentioned that dependability of 100 % is accorded to Bengaluru drinking water and 50% to the release commitments per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 in preparing the working tables. However, stipulated flows at Billigundulu as per CWDT award as modified by the Hon'ble Supreme Court on 16.02.2018 besides 100% success rate for providing drinking water requirement of 4.75 TMC needs to be ensured.

Thus, in view of above, it is suggested that review of methodology adopted for carrying out simulation study may be done by the Cauvery Water Management Authority which is charged with implementation of the order of CWDT as modified by the Supreme Court.

6. Discrepancies are observed in the figures of
  - Monthly evaporation losses at KRS reservoir as indicated in the DPR with those were communicated by the State of Karnataka to CWRC through letter no. CNNL/Tech-4/CWDT-879/2018-19 dated 31.07.2018(copy attached) and
  - Monthly total inflows into four Karnataka reservoirs as mentioned in Table 5.13 at page 103 of Volume I of DPR with the monthly total inflows into four Karnataka reservoirs as were communicated by the Government of Karnataka through emails (copy attached).

The discrepancies in detail are annexed at Annexure A in tabular format. It is suggested to intimate the correct figures of aforesaid mentioned discrepancies.

This issue with the approval of CE, IMO, CWC.

  
(Bhupinder Singh)  
Director

**Director, PA (South) Directorate, CWC, New Delhi.**

CWC UO No4/5/Kar/ISM-1/2017/ 090

Date: 18 /03/2019

## Annexure-A

1. Discrepancies are observed in the figures of monthly evaporation losses at KRS reservoir as indicated in the DPR with those were communicated by the State of Karnataka to CWRC through letter no. CNNL/Tech-4/CWDT-879/2018-19 dated 31.07.2018(copy attached) and the same are shown as under:

Description	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Total
Evaporation losses as indicated in the DPR (mm / day)	4.199	3.212	3.195	3.293	4.048	3.319	3.187	3.122	3.048	3.048	4.885	5.12	-
Monthly Evaporation losses(mm) based on the DPR	125.97	99.572	99.045	98.79	125.488	99.57	98.797	96.782	86.106	105.648	146.55	158.72	1341.038
Monthly Evaporation losses as furnished to CWRC (inch / mm)	5.95 / 151.13	4.675 / 118.745	4.675 / 118.745	4.675 / 118.745	5.95 / 151.13	4.675 / 118.745	4.675 / 118.745	4.675 / 118.745	4 / 101.60	5 / 127	7 / 177.8	8 / 203.2	63.95 / 1624.33
Evaporation losses (mm/day) based on data furnished to CWRC	5.04	3.83	3.83	3.96	4.88	3.96	3.83	3.83	3.60	4.10	5.93	6.55	-

2. Discrepancies are observed in the monthly total inflows into four Karnataka reservoirs as mentioned in Table 5.13 at page 103 of Volume I of DPR with the monthly total inflows into four Karnataka reservoirs as were communicated by the Government of Karnataka through emails (copy attached). Some of such discrepancies are shown as under:

	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
Inflows (TMC) during 2015-16 (as per Table 5.13 of DPR, page 103; Vol. I)	12.594	27.259	26.478	22.345	19.038	28.435	9.23	3.683	1.918	1.924	1.371	2.011
Inflows (TMC) during 2015-16 (As furnished through email dated 08.06.2016 from ceiswcauvery@gmail.com)	58.002	45.419	35.140	24.140	21.156	19.344	7.227	2.599	1.035	0.66	0.676	0.745





Government of India

भारत सरकार

Central Water Commission

केन्द्रीय जल आयोग

Inter State Matters –I Directorate

अंतरराज्यीय मामले- I निदेशालय



Fifth Floor, SewaBhawan

पंचम तल,सेवा भवन

R.K.Puram, New Delhi-66

रामा कृष्ण पुरम, नई दिल्ली-६६

Phone No: 011-29583276

Email: ism-1dte-cwc@nic.in

**विषय:-** Feasibility Report of proposed Mekedatu Balancing Reservoir cum Drinking Water project of Karnataka.

This is in reference to your letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018 regarding feasibility report of Mekedatu Balancing Reservoir cum Drinking Water Project of Karnataka.

Project in brief is as under:

Name of the project	Mekedatu Balancing reservoir cum drinking water project
Location	Ramanagara and Chamarajanagar districts of Karnataka
River & River Basin	Cauvery, Cauvery basin
Type of project	Multipurpose
Benefits from the project	1. Hydropower Installed Capacity of 400 MW (3x120 MW + 1x40 MW) 2. Drinking Water: 4.75 TMC to serve population of 1, 2, 42,650 (to Bengaluru Metropolitan Region, its surrounding areas etc.) 3. Evaporation Losses: 1.55 TMC 4. No irrigation is proposed from this project, hence GCA & CCA of this project are Nil
Reservoir levels	
- FRL	440.00 m
- MDDL	395.00 m
Reservoir Capacities	
- Gross	64.00 TMC
- Live	56.30 TMC
- MDDL/ Dead storage	7.70 TMC
Yield at Mekedatu site	481 TMC
Submergence due to the project	In the Karnataka State: 4995.9 ha (at FRL) In other States: Nil

The project has been examined from inter-State angle and comments / observations of this Directorate are as under:

#### Comments

- Under para 1.12 at page 31 of the FR, the following objective of the Scheme are stated.
  - To ensure and release the required quantum of water to Tamil Nadu on monthly basis as per CWDT award as modified by the Supreme Court.



- (ii) To provide additional 4.75 TMC of drinking water to Bengaluru Metropolitan Region.
- (iii) To generate power by installing 400 MW units.


It is very clear from the above that main objective of the scheme is to implement the CWDT award as modified by the Hon'ble Supreme Court.

2. From PAO,CWC UO letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018, it is noted that Project Authority has been requested to send additional copies of the FR to E-in-C of the Cuavery basin States and simultaneously copy of the said letter has been sent to Resident Commissioners of the other three States for information. This action shows that action on the FR has been taken by PAO,CWC as per the **Guidelines for Submission, Appraisal and Acceptance of Irrigation and Multipurpose projects, 2017 as approved by MoWR, RD & GR in January, 2017.** However as per para 1.5 of the said Guidelines, these are applicable to major, medium irrigation and multi-purpose projects on inter-State rivers or their tributaries. Since the FR under examination is mainly for implementing the CWDT award as modified by the Hon'ble Supreme Court without any irrigation component, perhaps the aforesaid Guidelines are not applicable for the instant FR. PAO,CWC needs to take fresh look in the matter.

3. The Mekedatu Scheme involves generation of power by installing 400 MW units with cost of Rs 5912 crore. According to Section 8 of Electricity Act, 2003 read with the Notification dated 18.04.2006 of Ministry of Power, Scheme costing more than Rs 2500/- crore need to be concurred by CEA, Ministry of Power, Govt. of India( Notification of Ministry of Power for latest cost ceiling needs to be ascertained by PAO,CWC). Under para 1.9.9 at page 23 of the FR, it is mentioned that scheme was earlier submitted to CEA on 30.3.2012 but CEA in March,2014 suggested to the project authority to obtain the views of states of Tamil Nadu and UT of Puducherry and make available the same to CEA for further examination. From PAO, CWC UO letter no. 11/200/2018-PA(S)/2660-75 dated 24.08.2018, it is not clear if scheme has been submitted to CEA for its concurrence. This aspect needs the attention of PAO, CWC.

4. The Ministry of Water Resources, RD & GR has notified Cauvery Water Management Scheme consisting of Cauvery Water Management Authority and Cauvery Water Regulation Committee on June 1, 2018. The Authority shall exercise such power and shall discharge such duty to do any or all things necessary, sufficient and expedient for securing compliance and implementation of the Award of the Tribunal as modified by the Hon'ble Supreme Court vide Order dated the 16<sup>th</sup> February, 2018. Keeping in view the functions of Cauvery Water Management Scheme, non applicability of CWC guidelines, attraction of Section 8 of Electricity Act, 2003 read with the Notification dated 18.04.2006 of Ministry of Power and main objective of the Mekedatu scheme being to implement the CWDT award as modified by the Hon'ble Supreme Court, the Mekedatu Scheme should be approved by CEA and Cauvery Water Management Scheme in consultation with CWC on design aspect of the structure.

This issues with the approval of Member (WP&P), CWC.

  
27.08.2018  
उप निदेशक  
(आशीष कुमार पाण्डेय)

✓ Director, PA (S) Dte., CWC, New Delhi.  
CWC UO No. 4/5/KAR/ISM-1/2017/ 507

Date: 29/9/2018



Annex - 1

Annex - 1



**GOVERNMENT OF KARNATAKA**

No.WRD 114 MMK 2017

Karnataka Government Secretariat,  
3<sup>rd</sup> Floor, Vikasa Soudha,  
Bangalore, dated: 04-08-2018.

From :

The Principal Secretary to Government,  
Water Resources Department.

To:

✓ The Chief Engineer,  
Project Appraisal Organization,  
Central Water Commission, Sewa Bhavan,  
R.K.Puram, New Delhi-110066.

Sir,

Sub: Submission of Feasibility Report proposal for the  
proposed Mekedatu Balancing Reservoir cum Drinking  
Water Project – Seeking approval reg.

Ref: (i) Managing Director, CNNL letter addressed to CE,  
CWC, Bengaluru No: CNNL/TECH-3/ MPD-151/vol-  
3/2017-18, dated 06.06.2017.

(ii) CE, CWC, Monitoring(South) Organisation,  
Bangalore letter No: 63/08/2017/Mon-S/1015-017,  
Dated: 07.07.2017

\*\*\*\*\*

This Government is very keen for speedy implementation of  
Mekedatu balancing reservoir cum drinking water project. The detailed  
project report was submitted to The Chief Engineer, Monitoring-South,  
Central Water Commission, Bengaluru vide letter dated : 06.06.2017  
[ vide ref (i) above ] from the Managing Director, Cauvery Neeravari  
Nigama Limited, Bengaluru for securing necessary clearances.

The CE, CWC , Monitoring(South) Organisation , Bengaluru in  
letter dated 07.07.2017 [ vide ref (ii) above ] has communicated the  
comments and observations on the proposal. The CE, CWC has also  
conveyed that as per the procedures described in the latest guidelines  
2017, a Pre- Feasibility report is to be first submitted by the Project

6/8/18  
Dir PACS (Hard in  
for presentation of  
Proj Auth & Comm  
for Appraising DE  
incl. CEA  
6/8  
AD



Authorities and the DPR is to be prepared and submitted after obtaining "in principle" clearance for the Pre-feasibility Report. Further, the report shall be submitted through the Government of Karnataka to Project Appraisal Organization, Central Water Commission, New Delhi duly complying the observations.

Considering the comments and observations and mode of project preparation, the Mekedatu balancing reservoir cum drinking water project is modified. The objectives of the Mekedatu Balancing Reservoir cum Drinking Water Project are as follows:

- utilizing additional consumptive use of 4.75 TMC of water (as per modified allocation by the judgement of Hon'ble Supreme Court dated 16.02.2018) to provide drinking water facility to Bangalore Metropolitan Region from Mekedatu Balancing Reservoir cum Drinking Water Project;
- to regulate 177.25 TMC of water to Tamil Nadu on a monthly basis (in a normal year) at Biligundlu as per the CWDT award as modified by the Hon'ble Supreme Court of India vide its judgement dated 16/02/2018.
- generation of 400 MW of power annually by utilizing static head available due to natural topography and the storage level

It is proposed to construct a reservoir of capacity 67.16 TMC across river Cauvery near Mekedatu well within the boundary of Karnataka State. **This will not be inconsistent with the decision/ final orders of CWDT** read with the Clause XIII of final orders of the CWDT dated 05.02.2007. The clause reads as follows :

*"The State of Karnataka and Tamil Nadu brought to our notice that a few Hydro-Electric Power Projects in the common reach boundary are being negotiated with the National Hydro-Power corporation (NHPC). In this connection, we have only to observe that whenever any such hydro-power project is constructed and Cauvery waters are stored in the reservoir, the pattern of downstream releases should be consistent with our order so that the irrigation requirements are not jeopardized."*

The pre-feasibility report is prepared in accordance with the latest Guidelines of CWC for securing "in-principle" clearance before submitting a Detailed Project Report.



The estimated cost of the project is Rs 5,912 crores. The Benefit Cost Ratio works out to 1.26 and the IRR works out to 12.41%. The project is proposed to be completed in a span of 4 Years. The detailed engineering designs, drawings and estimates for the project are under preparation stage.

The said project is planned with the provision as to :

- to provide drinking water to Bengaluru Metropolitan region,
- regulate the releases to Tamil Nadu as per the Award (in a normal year) and
- further utilize the available static head to generate 400 MW of power( which is incidental, without disturbing the monthly deliveries of water to Tamil Nadu).

The pre-feasibility Report of Mekedatu Balancing reservoir cum Drinking Water Project is herewith submitted for favour of kind consideration and for according in-principle clearance for preparing a detailed project report for obtaining further clearances to enable the execution of the project as early as possible since the project is contemplated to meet the drinking water needs.

Encl:

- (1) 8 sets of Pre-feasibility report  
(Vol-I Report & Annexures)  
(Vol-II Designs & Cost Estimates) /  
(Vol-III Drawings) & (Ann-IV Hydrology)
- (2) Compliance to observations raised by  
CE, Monitoring(South), CWC, B'lore

Yours faithfully,

(Rakesh Singh)

Principal Secretary to Government,  
Water Resources Department.

Copy to:

1. The Managing Director, Cauvery Neeravari Nigam Limited, Bangalore.
2. The Chief Engineer, Monitoring (South) Organisation , CWC, JalaSoudha, HMT Post, Bangalore- 560013.

I/18125/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Saurabh, delhi, T 10 G 1, Amrapali Grand, Greater Noida, UP Pin 201306 ईमेल : saurabh.skills@gmail.com का दिनांक 27/03/2020 के आवेदन (CWCND/R/T/20/00018) द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 27-03-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, it is to inform that the information asked is not available in WP&P Wing of CWC, the information may please treated as NIL as far as CPIO, WP&P Wing of CWC, New Delhi is concerned.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

प्रति 1|Shri Krishnalal Ahuja,( Under Secretary & CPIO NMCG), Under Secretary Coordination, Department of WR RD & GR, Shram Shakti Bhawan, Rafi Marg, New Delhi Pin : 110001 Email: ashok.kgupta@nic.in। अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, के के ई मेल दिनांक 27-03-2020, से सूचना का अधिकार, 2005 के अंतर्गत प्राप्त आवेदन जिसे लोक डाउन होने के कारण इस कार्यालय के ईमेल दिनांक 10/04/2020 से Under Secretary & CPIO NMCG को अग्रसारित कर दिया गया था पुनः इस अनुरोध के साथ कि आवेदन द्वारा मांगी गई आपके संगठन से संबन्धित सूचना इस कार्यालय को सूचित करते हुये सीधे आवेदक को उपलब्ध कराने का कष्ट करें।

प्रतिलिपि सूचनार्थः

- 2। Shri Saurabh, delhi, T 10 G 1, Amrapali Grand, Greater Noida, UP Pin 201306
3. अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 27-03-2020 के संदर्भ में सूचना एवं आवश्यक कार्रवाई हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल : [wppcdte@nic.in](mailto:wppcdte@nic.in)  
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



I/18047/2020

भारत सरकार

जल शक्ति मंत्रालय

जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग

केंद्रीय जल आयोग

जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India

Ministry of Jal Shakti

Deptt. of Water Resources, RD&amp;GR

Central Water Commission

WP&amp;P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448, email litsongrongphar0027@gmail.com के दिनांक 07-04-2020 का आवेदन CWCND/R/E/20/00057 द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received vide email in this office on 09-04-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, it is to inform that Amreng Irrigation Project, Assam is a medium irrigation project and medium irrigation projects are not dealt in WP&P Wing of the CWC.

The information asked vide above said RTI, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Litsong Rongphar, Kheroni, phelangpi pator Gaon, PO/P.S- Kheroni, Distt. -West Karbi Anglong, Assam. Pin 782448

प्रतिलिपि सूचनार्थ

1 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके e-mail दिनांक 09/04/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम

नई दिल्ली-110066

दूरभाष : 011 29583225, फैक्स : 011 29583209

ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM

NEW DELHI-110066

Tel.: 01129583225

Fax: 011 29583209

Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣

I/18679/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत श्री धीरज मिश्रा, F-44-45, शहीद भगत सिंह मार्ग, लेन जैन भवन के सामने, गोल मार्केट, नईदिल्ली--110001 का दिनांक 9/04/2020 के आवेदन क्रमशः (CWCND/R/E/20/00058) द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 09-04-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No CWCND/R/E/20/00058 dt 09/04/2020) it is to inform that, the information asked vide above said RTI application is not available in WP&P Wing of CWC, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

1. श्री धीरज मिश्रा, F-44-45, शहीद भगत सिंह मार्ग, लेन जैन भवन के सामने, गोल मार्केट, नईदिल्ली--110001

प्रतिलिपि

2। Shri Krishnalal Ahuja, ( Under Secretary & CPIO NMCG), Under Secretary Coordination, Department of WR RD & GR, Shram Shakti Bhawan, Rafi Marg, New Delhi

3। Under Secretary & CPIO RTI, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan Jorbagh, New Delhi-110003

4। Shri Ajit Kumar, Director (MP-I) & Central Public Information Officer , Ganga Flood Control Commission, Ministry of Jal Shakti, Department of Water Resources, River Development and Ganga Rejuvenation, Sinchai Bhawan, Patna, Bihar - 800 015

इस कार्यालय के पत्रांक I/18124/2020 दिनांक 24/04/20 के अनुसरण में सूचना एवं आवश्यक कार्रवाई हेतु

प्रतिलिपि सूचनार्थ

5 अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल dt 09/04/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi - 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/18049/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

विषय: सूचना का अधिकार, 2005 के अंतर्गत श्री धीरज मिश्रा, F-44-45, शहीद भगत सिंह मार्ग, लेन जैन भवन के सामने, गोल मार्केट, नईदिल्ली--110001 का दिनांक 13/04/2020 के आवेदन क्रमशः (CWCND/R/ई/20/00060) द्वारा मांगी गई सूचना के संबंध में।

With reference to above RTI Application, which is received in this office on 15-04-2020 on transfer from Under Secretary & Nodal Officer for RTI, CWC, New Delhi, (No CWCND/R/ई/20/00060 dt 13-04-2020), it is to inform that the information asked vide above said RTI application is not available in CWC, WP&P Wing, may be treated as Nil, as far as CPIO, WP&P Wing of CWC is concern.

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&P (C) & CPIO

श्री धीरज मिश्रा, F-44-45, शहीद भगत सिंह मार्ग, लेन जैन भवन के सामने, गोल मार्केट, नईदिल्ली--110001

प्रति अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 15/04/2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. **Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), Sewa Bhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)**

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
♣जल संरक्षण - सुरक्षित भविष्य♣



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

♣Conserve Water- Save Life♣



I/18222/2020

भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग  
केंद्रीय जल आयोग  
जल आयोजन एवं परियोजनासमन्वय निदेशालय



Government of India  
Ministry of Jal Shakti  
Deptt. of Water Resources, RD&GR  
Central Water Commission  
WP&P COORDINATION DIRECTORATE

BY REG POST

विषय: सूचना का अधिकार, 2005 के अंतर्गत Shri Mallikarjun Sidramappa Khuba, F 9/1 , Second Floor, Vasant Vihar, New Delhi, New Delhi, Pin 110057 email vaibhav9tentacles@gmail.com के दिनांक 22-4-2020 के आवेदन (CWCND/R/T/20/00020) द्वारा मांगी गई सूचना के संबंध में।

इस कार्यालय में 24-04-2019 को प्राप्त केन्द्रीय जल आयोग के के अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी के ई मेल दिनांक 24-04-2020 से प्राप्त Shri Mallikarjun Sidramappa Khuba, F 9/1 , Second Floor, Vasant Vihar, New Delhi, New Delhi, Pin 110057 के सूचना के अधिकार, 2005 के अंतर्गत दिनांक 22-04-2020 के आवेदन के बिन्दु क्रमांक 2 संबंध में सूचित कि जल से संबन्धित सूचना केंद्रीय जल आयोग वेबसाइट <http://old.cwc.gov.in/main/downloads/ReassessmentMainReport.pdf> पर उपलब्ध है आवेदक से अनुरोध है कि वे वेबसाइट का अवलोकन करें।

आवेदन के बिन्दु क्रमांक 1 से चाही गई सूचना के विषय में सूचित कि जल आयोजन एवं परियोजना स्कन्ध में विषय संबंधी सूचना उपलब्ध नहीं/ शून्य है।

निदेशक Director

ज.आ.एवं प. स.नि. तथा मुख्य जनसूचना अधिकारी WP&amp;P (C) &amp; CPIO

Shri Mallikarjun Sidramappa Khuba, F 9/1 , Second Floor, Vasant Vihar, New Delhi, New Delhi, Pin 110057

प्रतिलिपि अवर सचिव एवं सूचना के अधिकार के नोडल अधिकारी, केंद्रीय जल आयोग, सेवा भवन, रामकृष्ण पुरम, नई दिल्ली-110066 को उनके ई मेल दिनांक 24-04-2020 के संदर्भ में सूचना एवं आवश्यक कार्यवाही हेतु ।

In case you are not satisfied with the information/ reply provided by this office, you may directly prefer an appeal within 30 days from the receipt of this letter to the first appellate authority whose address is given as under. Name, designation & address of Appellate Authority for WP&P wing of CWC is Chief Engineer (PAO), Central Water Commission, 7<sup>th</sup> Floor (S), SewaBhawan, R. K. Puram, New Delhi – 110066. Phone No. 26103561 Fax No.26103561. email-[ceprjap@nic.in](mailto:ceprjap@nic.in)

तृतीय तल (द 0), सेवा भवन, रामकृष्ण पुरम  
नई दिल्ली-110066  
दूरभाष : 011 29583225, फैक्स : 011 29583209  
ई मेल: [wppcdte@nic.in](mailto:wppcdte@nic.in)  
●जल संरक्षण - सुरक्षित भविष्य●



3rd FLOOR (S), SEWA BHAWAN, R.K.PURAM  
NEW DELHI-110066  
Tel.: 01129583225  
Fax: 011 29583209  
Email :- [wppcdte@nic.in](mailto:wppcdte@nic.in)

●Conserve Water- Save Life●

I/18222/2020