Email:eelgd@yahoo.com

Phone: 40-23308649 Fax: 040- 23308652

GOVERNMENT OF INDIA CENTRAL WATER COMMISSION LOWER GODAVARI DIVISION

Krishna Godavari Bhavan H.NO.11-4-648, III Floor A.C. Guards Hyderabad-500 004.

No. LGD/C-4/2013-14/H/ 3363-65

9 - 12-2013

NOTICE INVITING QUOTATIONS

Sealed quotations are invited by the undersigned for and on behalf of the President of India for supply of following items to Lower Godavari Division, CWC, Hyderabad. The quotations super scribed "Quotation for supply of Bridge outfit" will be accepted by the Executive Engineer, Lower Godavari Division, CWC, Hyderabad up to 1500 Hrs. on 27-12-2013 and will be opened on the same day at 1530 Hrs. in the presence of quotationers or their authorized representative whoever wish to be present.

S.I	No		Description & Specifications of item	Qty	unit	Rate (in Rs.)
1.		The Bri	dge Outfit is to suspend Current Meters and samplers from a	1	No.	
			into a river			
		COND	ITIONS AND REQUIREMENTS			
		- >	The bridge outfit shall be of such a design that it operates			
			reliably and safely under the prevailing environmental	-		
			conditions.	-		
		, >	The bridge outfit shall be easy to operate and maintain			
		>	The bridge outfit shall be supplied with the accessories as			
			needed for effective deployment			
		>	All material on the bridge outfit exterior shall be non-			
			corrosive.			
		>	The bridge outfit shall have an expected technical lifetime of			
			not less than 10 years		1	
		>	The equipment shall consist of a crane and a winch			
		-	arrangement.			
		>	The current meter shall be lowered by a hand driven winch.			
		>	The bridge outfit shall be provided with clamping facility to			
			hold the cable at an any desired position.			
		﴿ قُورَ رَبِّ	While hoisting the current meter the cable shall be wound			
	سمر		gradually guided from the one drum end to the other and			
			vice versa, to lay the windings tidily next to each other.			
		>				
		>				
		<i>A</i>	ratchet/catch shall be assembled in a compact unit.			
		>	This assembly shall be mounted on a moving crane.			
		>	The crane trolley shall have 4 wheels with solid rubber tyres			
			for easy movement.			
		>	During operation of the current meter, the crane trolley shall			
			stand on pedestals.			

- > A counter weight for the crane shall be included in the delivery. It should be sufficient to keep the crane from keeling over.
- > The cable from which the current meter is suspended shall have an incorporated insulated electrical conductor. The conductor connects the flow sensor revolution sensor switch to the pulse counter. The electrical connection should pass through a slip-ring assembly on the winch.
- > The suspension cable, shall match the propeller type current. meter from 10.009.
- > If a propeller type flow meter is used then the suspension cable shall be torque free.
- The crane shall have a wire angle indicator.
- ➤ The equipment shall generally comply with IS 6064-1971.

SPECIFICATIONS

Material

Mass of current meter

Maximum load

Cable length

Cable torque

:As per IS 6064-1971

: up to 20 kg

: 1500 Newton

: 30 m

: Torque free suspension cable. Suspension cable should not

Exert in case a heavy suspension Weight is used, there is a risk of

Cable induced torque.

Flow Velocity

Boom Length: 1.1 m Boom Height: 1.2 m

: Max. 5m/s

Terms & Conditions

- The quotations duly signed should be properly sealed and dropped in quotation Box in the office of the 1. Executive Engineer, Lower Godavari Division, 11-4-648, KG Bhavan, AC Guards, Hyderabad-500 004. The sèaled envelope should be superscribed "Quotation for supply of Bridge outfit due on 27-12-2013.
- In the event of the date of opening of quotation being a holiday, quotations will be opened on the next working day with timings unchanged.
- Quotationers must have PAN/TIN/Service Tax number/VAT. 3.
- The pamphlets / brochures may be submitted along with the quotation. 4.
- The undersigned does not bind himself to accept the lowest quotation and reserve the right to accept or reject any or all the quotations without assigning any reason thereof.
- The material must be of standard quality and as per specifications and free from all defects. The material if 6. found defective subsequently or not conforming to the specifications as stated above, have to be replaced by the firm without any additional charges.
- The material shall have a warranty of minimum one year from the date of supply. 7.
- Material should be delivered at office of the Executive Engineer, Lower Godavari Division, 11- 4 -648, 8. KG Bhavan, AC Guards, Hyderabad-500 004 only.
- Material should be supplied within 30 days from the date of issue of supply order. 9.

- 10. The rates should be F.O.R. destination at Office of Executive Engineer, Lower Godavari Division, 11-4-648, KG Bhavan, AC Guards, Hyderabad-500 004 and inclusive of all taxes/charges including VAT/Service tax/Transport charges/Insurance etc. No other incidental charges, whatsoever, will be entertained.
- 11. The validity of quotation for acceptance shall be 90 days and rates quoted should remain valid for 180 days from the date of opening.
- 12. The rate should be quoted both in words and in figures. All the eraser mistakes, overwriting should be duly attested or else the quotation will be disqualified altogether.
- 13. The payment will be made by account payee cheque for local supplier or by Demand Draft for outstation supplier on production of pre-receipted bill in triplicate only after satisfactory supply of the materials in good condition and as per specification.
- 14. TDS shall be deducted from the bill at the time of payment as per latest Govt. orders.

Executive Engineer LGD, CWC, Hyderabad

Copy to:

- 1. The Superintending Engineer, Godavari Circle, CWC, Hyderabad for information and for keeping on CPPP please.
- 2. The Deputy Director, O/o CE, KGBO for information and for Keeping on KGBO web site.
- 3. The Accounts Branch, LGD, CWC, Hyderabad with the request to present at the time of opening of quotation.