

GOVERNMENT OF INDIA
CENTRAL WATER COMMISSION



KRISHNA BASIN
METEOROLOGICAL DATA
(JUNE 2015 – MAY 2016)

KRISHNA & CO-ORDINATION CIRCLE
HYDERABAD

FEBRUARY – 2017

PREFACE

Realizing the need for a sound meteorological data base for planning and development of water resources on a river basin basis, the Government of India through Ministry of Water Resources, River Development and Ganga Rejuvenation has been making efforts to develop data bases covering all aspects of meteorological cycle. Reliable and continuous records of water resources data are essential for the optimum development of water resources. Conducting meteorological observations in addition to the hydrological observations in all-important river basins of India has, therefore, been one of the main activities of Central Water Commission (CWC).

Meteorological observations of Krishna Basin were started by CWC in early 1960. However, the meteorological Year Book, as a publication, has been started recently. This Meteorological Year Book contains rainfall and climatic data for the year 2015-16 (June 2015 to May 2016) collected at 38 Meteorological stations maintained by CWC in Krishna basin.

This publication contains the daily rainfall and Max. Min. temperatures, Evaporation, Wind direction, Humidity and Wind velocity during 2015-16 at these sites, in the data sheets appended.

Three field divisions of CWC, viz, Upper Krishna Division, Pune, Lower Krishna Division, Hyderabad under the control of Krishna & Co-ordination Circle, Hyderabad and Cauvery Division, Bengaluru under the control of C & S R Circle, Bengaluru have contributed in bringing out this Meteorological Year Book for the year 2015-16.

Hyderabad
February , 2017


(Rajeev Singhal)
Superintending Engineer

C O N T E N T S

S.NO	DESCRIPTION	PAGE NO.
1	INTRODUCTION	
1.1	Scope	1
1.2	Source of Information	2
1.3	Basin description	2
1.4	Past records of meteorological data	4
1.5	Observation technique	5
2	METEROLOGICAL DATA	
2.1	Explanatory notes	9
2.2	Method of presentation	9
2.3	Basin Map	10
2.4	Sitewise Max. Min. Temperature, Total Rainfall and Average Annual Rainfall	11
1	Krishna at Prakasam Barrage	16
2	Munneru at Keesara	22
3	Wyra at Madhira (Telangana State)	28
4	Paleru at Paleru Bridge	34
5	Krishna at Wadenapally (Telangana State)	40
6	Musi at Dameracherla (Telangana State)	46
7	Halia at Halia (Telangana State)	52
8	Krishna at N. S. Dam	58
9	Krishna at Srisailem Dam	64
10	Tungabhadra at Bawapuram	70
11	Tungabhadra at Mantralayam	76
12	Hagari at T. Rampuram	82
13	Vedavathi at Kellodu	88
14	Swarnamukhi at Hoovinahole	94
15	Varada at Marol	100
16	Tungabhadra at Harlahalli	106
17	Haridra at Byaladahalli	112
18	Kumudavathi at Kuppelur	118
19	Tungabhadra at Honnali	124
20	Tunga at Shimoga	130
21	Tungabhadra at T. B. Dam	136
22	Tungabhadra at Oollenur	142
23	Bhima at Yadgir	145
24	Kagna at Malkhed	151
25	Kagna Jewangi	157
26	Sina at Wadakbal	163
27	Bhima Deongaon Bridge	169
28	Bhima Takli	175
29	Bhima at Narsingpur	181
30	Krishna at K. Agraharam	187
31	Krishna at P D Jurala Project	193
32	Krishna at Deosugur	199
33	Krishna at Huvinhedgi	205
34	Malaprabha at Chalachagudda (Seasonal)	211
35	Ghataprabha at Gokak Falls (Seasonal)	214
36	Krishna at Alamatti Dam	217
37	Krishna at Narayanpur Dam	223
38	Krishna at Kurundwad	229

KRISHNA BASIN
METEOROLOGICAL DATA
(JUNE 2015– MAY 2016)

1.1 Scope

Central Water Commission is conducting Hydro-Meteorological observations along with Water Quality, Morphological survey and Flood Forecasting work etc. in Krishna Basin at 38 stations which were established under different schemes viz. K.G. Commission report (22 stations), 163 key station scheme (8 stations) and Flood Forecasting plan scheme (8 stations). All these stations are located in the states of Maharashtra, Karnataka, Telangana and Andhra Pradesh.

The stations where meteorological observations are being conducted are at Table-1

Table-1

Sl No.	Code No	Name of Station
1	PRAKASAM	Prakasam Barrage
2	AKA00B4	Keesara
3	AKA10D2	Madhira
4	AKC00D3	Paleru Bridge
5	AK000D5	Wadenapally
6	AKF00A7	Dameracherla
7	AKH00G2	Halia
8	NS DAM	N.S.Dam
9	SRISAILAM	Srisailam
10	AKL00B8	Bawapuram
11	AKL00F2	Mantralayam
12	AKL50A6	T Ramapuram (Seasonal)
13	AKL50T9	Kellodu
14	HOOVINAHOLE	Hoovinahole
15	AKLA0C4	Marol
16	AKL00S8	Haralahalli
17	AKLB0D3	Byladahalli
18	AKLC0B8	Kuppelur
19	AKL00X6	Honnali
20	AKLD0C6	Shimoga
21	TB DAM	TB Dam
22	AKL00K1	Oollenur
23	AKP00B6	Yadgir
24	AKP10E1	Malkhed
25	AKP10M5	Jewangi

SI No.	Code No	Name of Station
26	AKP60C4	Wadakbal
27	DEONGAON	Deongaon Bridge
28	AKP00K4	Takli
29	AKP00Q4	Narasingpur
30	AK000K6	Krishna Agraharam
31	PDJURALA	P .D. Jurala
32	AK000L7	Deosugur
33	AK000N2	Huvinhedigi
34	AKS00H1	Cholachguda (Seasonal)
35	AKT00P9	Gokak Falls (Seasonal)
36	ALMATTI	Almatti
37	NARAYANAPUR	Narayanpur Dam
38	AK000V1	Kurundwad

1.2 SOURCE OF INFORMATION

During the year 2015-16 Meteorological observation have been conducted at 38 stations in the Krishna basin, in three field divisions of Central Water Commission viz. Upper Krishna Division, Pune, at 6 stations, Lower Krishna Division, Hyderabad at 24 stations and Cauvery Division, Bengaluru at 8 stations.

1.3 BASIN DESCRIPTION

River Krishna, is the second largest of the peninsular rivers, and fourth largest in India. It drains through the States of Maharashtra, Karnataka, Telangana and Andhra Pradesh. The Krishna basin is situated between East Longitudes 73° 21' to 81° 09' and North Latitudes 13° 07' to 19° 25'. After flowing for about 1401 km, in West to East direction, it joins into the Bay of Bengal at downstream of Vijayawada. The Krishna river is having drainage area of 2,58,948 sq.km.

Table No.2: State wise distribution of drainage area

Name of State	Length (km)	Drainage area (sq.km)	% of Area
Maharashtra	306	69,425	26.8%
Karnataka	483	1,13,271	43.7%
Andhra Pradesh & Telangana	612	76252	29.5%

River Krishna rises at an elevation of 1337 m just north of Mahabaleswar, about 64 km from the Arabian Sea and flows from west to east through the States of Maharashtra, Karnataka, Telangana and Andhra Pradesh before it joins the Bay of Bengal at downstream of Vijayawada. The total length of river from its origin to outfall into the sea is 1401 km.

There are about 13 major tributaries which join the river Krishna along its 1401 km course, out of which, six tributaries are joining on right bank and remaining seven are on left bank. Among the major tributaries, the Ghataprabha, Malaprabha and Tunga Bhadra are the principal right bank tributaries which together contribute 35.45% of the total catchment area, whereas the Bhima, Musi and Munneru are the principal left bank tributaries which together contribute 35.62% of the total catchment area of 2,58,948 sq.km of river Krishna.

The Krishna Basin is triangular in shape, roughly, with its base along with Western Ghats, the apex at Vijayawada in Andhra Pradesh and the river Krishna itself forming the maiden with barrage in between hills of Eastern Ghats before its falling in Bay of Bengal.

Details of Rain Gauge stations and other salient features of Krishna River and its main tributaries are given below.

Table No. 3

Sl. No	Name of River	Elevation of source	Length of River/ Tributary (km)	Catchment area (sq.km)	*Average annual rainfall (mm)	No. of Rain Gauge stations
	Main Krishna River	1337	1401	52227	489.4	11
1	Koyna	1441	118	4,890	-	-
2	Panchganga	1020	74	2,575	-	-
3	Dudhganga	870	103	2,350	-	-
4	Ghataprabha	884	283	8,829	294.7	1
5	Malaprabha	793	304	11,549	461.1	1
6	Bhima	945	861	70,614	562.5	7
7	Tunga Bhadra	610	531	71,417	550.0	13
8	Dindi	718	178	3,490	-	-
9	Peddavagu	707	109	2,343	-	-
10	Halia	708	112	3,780	329.2	1
12	Musi	661	265	11,212	607.4	1
12	Paleru	515	152	3,263	658.8	1
13	Munneru	238	195	10,409	546.4	2

* Average annual rainfall (mm) calculated for last 5 years data.

At present there are 660 Minor, Medium, Major dams and barrages(completed and ongoing) are in the Krishna River Basin by the year 2012. They are Prakasham barrage at Vijayawada. Pulichinthala dam, Nagarjuna Sagar Dam, Sri sailam dam, P.D.Jurala project, Narayanapur dam, Almatti dam, Koyna dam, Kadakvasla dam, Ghod Reservoir, Ujjanini dam, Tunga project, Bhadra project, T.B.Dam, Soundappi dam on Malaprabha, Hirakal dam on Ghatprabha, Dhuppal weir, V. Sagar project and Paleru reservoir etc.

1.4 PAST RECORDS OF METEOROLOGICAL DATA

1.4.1 METEOROLOGICAL SITES:

Meteorological observations like Rainfall, Maximum-Minimum temperature, Wind velocity, Evaporation and Humidity are being conducted at various stations. During the year 2015-16 Rainfall observations were conducted at all the 38 stations where as Maximum-Minimum temperature observations at 30 stations, Wind velocity observation at 11 stations, Humidity observations at 7 stations and Evaporation data observations were conducted at 8 stations. The date of availability of data, which included in this report at various stations, is shown at table 4.

Table No. 4

Sl no.	Name of station	Date of starting				
		Rainfall	Max. Min Temp	Wind velocity	Humidity	Evaporation
1	Prakasam Barrage	01/01/1989	-	-	-	-
2	Keesara	01/10/1983	23/09/1963	-	-	-
3	Madhira	01/06/1986	23/02/1984	-	-	-
4	Paleru Bridge	21/08/1990	18/05/1964	-	-	-
5	Wadenapally	01/01/1981	27/05/1964	-	-	-
6	Dameracherla	01/06/1990	01/12/1967	21/03/2001	-	21/03/2001
7	Halia	01/06/1990	15/02/1984	-	-	-
8	N.S.Dam	26/07/1986	-	-	-	-
9	Srisailam	01/06/2010	-	-	-	-
10	Bawapuram	01/06/2000	14/03/1964	-	-	-
11	Mantralayam	01/01/1980	10/03/1972	-	-	01/07/2001
12	T Ramapuram (Seasonal)	07/07/1994	13/07/1963	-	-	-
13	Kellodu	10/05/1992	01/06/1990	01/06/1990	1/06/1990	-
14	Hoovinahole	01/01/2005	28/11/1997	-	-	-
15	Marol	31/12/1987	05/02/1965	05/02/1965	05/02/1965	05/02/1965
16	Haralahalli	01/07/1978	11/08/1965	28/08/1961	28/08/1961	28/08/1961
17	Byladahalli	01/10/2004	21/03/1985	21/03/1985	-	21/03/1985
18	Kuppelur	19/06/1996	01/06/1990	-	-	-
19	Honnali	07/08/1988	21/06/1978	21/06/1978	21/06/1978	21/06/1978
20	Shimoga	10/06/1988	21/06/1971	-	-	-
21	TB Dam	01/06/1958	-	-	-	-
22	Oollenur	01/06/1981	20/06/1972	-	-	-
23	Yadgir	01/01/1989	05/09/1963	-	-	-
24	Malkhed	07/06/1991	29/09/1989	-	-	-
25	Jewangi	07/06/1991	24/11/1978	-	-	-
26	Wadakbal	01/04/1981	19/07/1963	-	-	-
27	Deongaon Bridge	01/06/1984	-	-	-	-

Sl no.	Name of station	Date of starting				
		Rainfall	Max.Min Temp	Wind velocity	Humidity	Evaporation
28	Takli	26/03/1988	01/06/1965	-	-	-
29	Narasingpur	01/01/2000	01/06/1965	01/08/2003	01/08/2003	01/08/2003
30	Krishna Agraharam	01/08/1981	01/06/1981	-	-	-
31	P .D. Jurala	21/03/1989	-	-	-	-
32	Deosugur	01/06/1981	30/07/1963	-	-	-
33	Huvinhedigi	01/01/1982	01/02/1976	-	-	-
34	Cholachguda (Seasonal)	30/12/1988	01/06/1982	-	-	-
35	Gokak Falls (Seasonal)	16/06/1987	21/03/1971	-	-	-
36	Almatti	01/12/1986	-	-	-	-
37	Narayanapur Dam	01/07/1989	-	-	-	-
38	Kurundwad	01/05/2009	21/05/1972	-	-	-

1.5 OBSERVATION TECHNIQUE

Meteorological observations at GDQ/GDSQ site are recorded regularly at 08.30hrs. The Meteorological instruments are installed in the premises of the site offices. The data observed at sites is sent to Division office for further processing. The observation technique applied for the collection of Meteorological data is given below.

1.5.1 RAIN FALL

Accuracy in the measurement of rainfall is of great importance in almost every field of its application and is significant in agriculture, irrigation, design of waterways, flood control, power generation and conservation of water resources at national and international levels.

The Ordinary Rain-gauge (ORG) is made of fiberglass reinforced plastic material as per Indian Standard Specification No. IS 5225: 1992 (old version 5225-1969). The details of ORG installed at sites are given below.

Measuring capacity of Rainfall in mm	Collector Nominal	Base	Bottle
100	200 cm ²	Small	2 liter
200	200 cm ²	Small	4 liter

Both the above 100 and 200 mm rainfall rain gauges are identical except for the bottle used. The rain gauges capacity can be changed by interchanging the collector bottles of different capacities. The 2 liter bottle is used only in regions where rainfall between two observations is likely to be less than 100 mm or where an additional cylinder is used to collect the overflow, if any, from the bottle. The rim diameter of the collector is 159.6 mm. The base and the collector are locked together by a set of two locking rings fixed firmly to the two parts.

Besides, a hasp and staple is provided to permanently lock the rain gauge with a padlock. Care is taken that the rain gauge is not installed on the ground that falls away steeply on the side of prevailing wind. Its distance from every object is generally kept four times the height of the object and never less than twice the height of the object, above rim of the gauge.

Rainfall is measured in terms of the depth of the water, which would be collected upon a level area of any size, assuming the rain to fall uniformly over the area at the rate which it falls uniformly over the area of rim collector of rain gauge. Thus, one centimeter of rainfall means that if the rain were to fall on the level surface which does not absorb it and from which it cannot run off or evaporate, it would form a sheet of water one centimeter in depth. To measure the rainfall, the water collected in the receiving bottle is poured in to especially graduated glass cylinders are manufactured according to Indian Standard Specification No. IS: 4849-4968. Care is taken to avoid spilling of the collected water.

As per their requirement, Indian Meteorological Department (IMD) has installed the rain gauges at some of the selected sites of CWC. The rainfall data from these sites is communicated to IMD, Pune as per their time schedule. At the remaining sites the rain gauges have been installed by field divisions of Central Water Commission. The date of installation of rain gauges (both ORG & SRRG) and the names of the agencies maintaining them is given at Table 5

Table No. 5

NAME OF THE AGENCY MAINTAINING ORG & SRRG

SL No.	Site Name	ORG (Date)	Agency	SRRG (Date)	Agency
1	Prakasam Barrage	01/01/1989	State Govt.	-	-
2	Keesara	01/10/1983	CWC	-	-
3	Madhira	01/06/1986	CWC		
4	Paleru Bridge	21/8/1990	CWC/IMD	06/05/2000	CWC/IMD
5	Wadenapally	01/01/1981	CWC	25/08/1995	CWC
6	Dameracherla	01/06/1990	CWC	01/06/2001	CWC
7	Halia	01/06/1990	CWC		
8	N.S.Dam	26/07/1986	CWC	-	-
9	Srisaillam	01/06/2010	CWC	-	-
10	Bawapuram	01/06/2000	CWC	01/06/2000	CWC
11	Mantralayam	01/01/1980	IMD	22/08/1980	IMD
12	T Ramapuram (Seasonal)	07/07/1994	CWC	-	-
13	Kellodu	10/05/1992	CWC	-	-
14	Hoovinahole	01/01/2005	CWC	-	-
15	Marol	31/12/1987	CWC	-	-
16	Haralahalli	01/07/1978	CWC	-	-

SL No.	Site Name	ORG (Date)	Agency	SRRG (Date)	Agency
17	Byladahalli	01/10/2004	CWC	-	-
18	Kuppelur	19/06/1996	CWC	-	-
19	Honnali	07/08/1988	CWC	-	-
20	Shimoga	10/06/1988	CWC	-	-
21	T.B Dam	01/06/1958	T B Board	-	-
22	Oollenur	01/06/1981	CWC	-	-
23	Yadgir	01/01/1989	CWC	-	-
24	Malkhed	07/06/1991	CWC	-	-
25	Jewangi	07/06/1991	CWC	-	-
26	Wadakbal	01/04/1981	CWC	-	-
27	Deongaon Bridge	01/06/1984	CWC	-	-
28	Takli	26/03/1988	CWC	-	-
29	Narasingpur	01/01/2000	CWC	-	-
30	Krishna Agraharam	01/08/1981	CWC	-	-
31	P .D. Jurala	21/03/1989	Dam Authority	-	-
32	Deosugur	01/06/1981	CWC	-	-
33	Huvinhedigi	01/01/1982	CWC	07/07/2000	CWC
34	Cholachguda (Seasonal)	30/12/1988	CWC	01/08/2002	CWC
35	Gokak Falls (Seasonal)	16/06/1987	CWC	-	-
36	Almatti	01/12/1986	Dam Authority	-	-
37	Narayanapur Dam	01/07/1989	IMD	-	-
38	Kurundwad	01/05/2009	CWC	-	-

1.5.2 MAXIMUM MINIMUM TEMPERATURE

As general purpose maximum and minimum thermometer is used at sites for registering extremes of temperature during a day i.e, 24 hrs. The thermometer of 'A' pattern having range -40°C to $+60^{\circ}\text{C}$ with smallest scale divisions equivalent to 1.0°C (IS: 7000-1973) is generally used.

The thermometer is exposed in wooden louvered enclosure known as Stevenson screen, which support the thermometers and shield them from direct radiation from outside sources and from precipitation while allowing free circulation of air around them, and prevent accidental damage.

1.5.3 WIND VELOCITY

The accurate measurement of wind velocity is of great importance in meteorological research and practice, agriculture, transport, shipping, industry, engineering and in many other fields of human activity. The simplest and most common method of measuring wind velocity is by the use of a Cup Counter Anemometer in which the run of wind is indicated directly on a revolution counter. From the readings of the counter at the beginning and the end of a specified period i.e. one day, the mean wind velocity over the period is calculated.

The instrument specified in Indian Standard Specification No. IS:5912-1970 is used for this purpose at sites. The instrument is fixed at the top of a pole erected /roof top in the site office premises. The instrument has a cup wheel consisting of three conical cups with beaded edges, free to rotate in a horizontal plane. The cup wheel spindle is connected by worm gearing to a revolution counter mounted inside a waterproof housing. The gear ratio between the cup and counter spindles is so chosen that the run of the wind is shown.

1.5.4 HUMIDITY

Humidity data is of great importance in agriculture, Irrigation, ware housing especially for grains, transport, tourism, and meteorological research and in many other field of human activity. The simplest and most common method of measuring humidity is by the use of Dry & Wet bulb thermometer. The range of these thermometers is from -10°C to 50°C with smallest scale division's equivalent to 1.0°C . These thermometers are exposed in Stevenson screen. By the observed temperature from both these thermometers, humidity is determined from Hygrometric table.

1.5.5 EVAPORATION

The measurement of the amount of water evaporated from the soil and from free water surfaces is of great importance in agriculture, hydro meteorological studies, in the design, operation of reservoirs, and in irrigation and drainage systems. The rate of evaporation is defined as the amount of water lost by evaporation from a unit surface area, in unit time. This is proportionate to depth of water lost in unit time. The unit time is generally a day and the unit depth is in millimeters.

Evaporation is measured at sites using a Pan Evaporimeter. The values obtained with Pan Evaporimeter do not give directly the evaporation from a surface representative of natural conditions. They indicate, however, the order of magnitude of evaporation from such surfaces and comparative results over different areas need to be obtained by using identical instruments and similar exposures.

The pan Evaporimeter as specified in Indian Standard Specification No. IS: 5973-1970 is used at sites for observing evaporation data. The instrument consists of a cylindrical reservoir of fixed diameter and depth, filled with water to few centimeters below to rim. A fixed point gauge in a stilling well serves to indicate the level of water at each observation to bring the water level to the fixed point. The cross sectional area of the measuring cylinder is such that the number of millimeters of water added from the measuring cylinder divided by 100 gives the amount of water in millimeters which has

been evaporated from pan during a given interval of time. The reservoir is covered with wire mesh netting to protect the pan from birds and animals. A thermometer suspended from mount clamped to the side of the reservoir records the temperature of the water in the pan.

2.0 METEOROLOGICAL DATA

2.1 EXPLANATORY NOTES

The explanatory notes described here under is to assist in the interpretation of Meteorological parameters contained in the data presented here.

1. Meteorological parameters are observed at sites regularly at 08.30 hrs.
2. Water year ranges from 1st June of one calendar year to 31st May of the next calendar year and covers one complete Hydrological cycle.
3. Measuring authority refers to the field division responsible for the collection of Meteorological data.
4. All the Meteorological data viz. Maximum- Minimum temperature, Wind Velocity, Humidity and Evaporation is published in the form of daily observed data keeping in view of its utility in designing of hydrological, hydropower projects and for agriculture purposes etc.

2.2 METHOD OF PRESENTATION

In the succeeding pages, station wise Meteorological data (daily observed) are presented containing Maximum-Minimum temperature, Wind Velocity, Evaporation, Humidity and Rainfall data. The sequence of stations is arranged from the origin of the river to mouth giving the priority to an intermediate tributary station in a similar fashion.

Site wise Maximum-Minimum Temperature, Total Rainfall and Average Annual Rainfall

Sl. No	Site Name	District	Taluk	Temperature(^o C)		Total Rainfall (mm) 2015-16	Annual Rainfall(mm) as per IMD
				Max.	MIN.		
1	PRAKASAM BARRAGE	Krishna	Vijayawada (Urban)	-	-	1136.9	1020.3
2	Keesara	Krishna	Kanchikacher	45	17	492.7	NA
3	Madhira	Khammam	Madhira	46	16	542.1	938.3
4	Paleru Bridge	Krishna	Jaggayyapet	45	17	642.1	NA
5	Wadenapally	Nalgonda	Mallacheruvu	48	17	575.7	NA
6	Dameracherla	Nalgonda	Damercherla	46	15	688.5	NA
7	Halia	Nalgonda	Hanumala	45	18	529.4	NA
8	N.S.DAM	Nalgonda	Peddavoora	-	-	718.7	NA
9	Srisailem	Kurnool	Atmakur	-	-	629.8	727.9
10	Bawapuram	Kurnool	Kurnool	45	15	308.2	NA
11	Mantralayam	Kurnool	Mantralayam	46	13	654.8	NA
12	T Ramapuram (Seasonal)	Bellary	Shiraguppa	49	13	594.4	NA
13	Kellodu	Chitradurga	Hosadurga	45	10	562.6	NA
14	Hoovinahole	Chitradurga	Hiriyur	41	9	578.70	NA
15	Marol	Dharwad		42.5	10	275.4	NA
16	Haralahalli	Dharwad		42.5	13	266.2	NA
17	Byladahalli	Davanagere	Harihara	40	11	351.0	NA
18	Kuppelur	Dharwad		43	15	351.8	NA
19	Honnali	Shimoga		35.5	13	319.4	648
20	Shimoga	Shimoga	Shimoga	41	14.5	371.0	919.4
21	TB DAM	Bellary	Hospet	-	-	601.4	NA
22	Oollenur	Raichur	Lingasugur	39	19	361.3	NA
23	Yadgir	Gulbarga	Yadagiri	44	18	595.6	882.6
24	Malkhed	Gulbarga	Sedam	43	18	649.2	NA
25	Jewangi	Ranga Reddy	Basheerabad	43	15	429.2	827
26	Wadakbal	Sholapur	Solapur South	45	9.5	425.3	NA

Site wise Maximum-Minimum Temperature, Total Rainfall and Average Annual Rainfall


Sl. No	Site Name	District	Taluk	Temperature(⁰ C)		Total Rainfall (mm) 2015-16	Annual Rainfall(mm) as per IMD
				Max.	MIN.		
27	DEONGAON BRIDGE	Gulbarga		-	-	334.4	NA
28	Takli	Sholapur	Solapur South	43	14	558.4	NA
29	Narasingpur	Sholapur	Malasiras	45.5	7	338.4	NA
30	Krishna Agraharam	Mahbubnagar	Gadwal	46	18	420.1	NA
31	P .D. JURALA	Mahbubnagar	Gadwal	-	-	460.6	NA
32	Deosugur	Raichur	Manvi	45	20	372.1	NA
33	Huvinhedigi	Raichur	Devadurga	44	12	442.6	NA
34	Cholachguda (Seasonal)	Bijapur	Badami	45	14	538.62	NA
35	Gokak Falls (Seasonal)	Belgaum	Gokak	45	14	289.6	541
36	Almatti	Bijapur		-	-	360.2	NA
37	NARAYANAPUR DAM	Gulbarga	Gulbarga	-	-	399.0	NA
38	Kurundwad	Kolhapur	Shirol	40	14	246.6	NA

* Source : IMD, Hyderabad




0 45 90 180 Kilometers

SITewise TOTAL ANNUAL RAINFALL 2015-16




SITewise TOTAL ANNUAL RAINFALL 2015-16



SITewise TOTAL ANNUAL RAINFALL 2015-16

Series1



SITE : Prakasam Barrage

CODE : PRAKASAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	19.8
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	12.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	4.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	16.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	4.0	-	-	-	-	-	-	53.8
16	-	-	-	-	-	-	16.0	-	-	-	-	-	-	30.2
17	-	-	-	-	-	-	13.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	22.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	45.0	-	-	-	-	-	-	11.8
20	-	-	-	-	-	-	40.0	-	-	-	-	-	-	5.8
21	-	-	-	-	-	-	24.6	-	-	-	-	-	-	12.2
22	-	-	-	-	-	-	19.2	-	-	-	-	-	-	51.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	19.8
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	22.2
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					45.0	0.0	0.0					53.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							215.8							227.6
Ava.	0.0	0.0					7.2	0.0	0.0					7.3

Note : "-" Denotes not applicable.

SITE : Prakasam Barrage

CODE : PRAKASAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	19.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	16.4	-	-	-	-	-	-	5.2
4	-	-	-	-	-	-	5.2	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	5.8	-	-	-	-	-	-	26.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	31.0
9	-	-	-	-	-	-	1.0	-	-	-	-	-	-	2.0
10	-	-	-	-	-	-	45.4	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	9.2	-	-	-	-	-	-	4.5
12	-	-	-	-	-	-	8.4	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	13.8	-	-	-	-	-	-	22.2
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.0
16	-	-	-	-	-	-	11.2	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	11.0
18	-	-	-	-	-	-	76.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.5
20	-	-	-	-	-	-	11.2	-	-	-	-	-	-	2.0
21	-	-	-	-	-	-	7.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	73.2	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.5
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	2.0	-	-	-	-	-	-	5.2
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					76.0	0.0	0.0					31.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							304.8							126.1
Ava.	0.0	0.0					9.8	0.0	0.0					4.2

SITE : Prakasam Barrage

CODE : PRAKASAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	8.4	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	8.2	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	51.8	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	7.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	7.2
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	22.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	48.8
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	33.2
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					51.8	0.0	0.0					48.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							97.4							91.2
Ava.	0.0	0.0					3.1	0.0	0.0					3.0

SITE : Prakasam Barrage

CODE : PRAKASAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Prakasam Barrage **CODE :** PRAKASAM
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Prakasam Barrage

CODE : PRAKASAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	30.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	20.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	24.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					30.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							74.0
Ava.	0.0	0.0					0.0	0.0	0.0					2.4

SITE : Keesara **CODE :** AKA00B4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	35.0	26.0	-	-	-	-	2.0
4	-	-	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
12	-	-	-	-	-	-	15.6	35.0	26.0	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
15	-	-	-	-	-	-	11.6	34.0	25.0	-	-	-	-	53.0
16	34.0	24.0	-	-	-	-	18.6	35.0	25.0	-	-	-	-	1.5
17	32.0	22.0	-	-	-	-	9.2	36.0	26.0	-	-	-	-	0.0
18	30.0	23.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
19	27.0	22.0	-	-	-	-	30.0	36.0	26.0	-	-	-	-	1.2
20	27.0	22.0	-	-	-	-	18.0	36.0	25.0	-	-	-	-	1.6
21	27.0	22.0	-	-	-	-	26.4	35.0	25.0	-	-	-	-	0.0
22	28.0	22.0	-	-	-	-	3.2	35.0	25.0	-	-	-	-	14.8
23	30.0	22.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	4.4
24	29.0	23.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
25	31.0	23.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	8.2
26	32.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.8
27	33.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
28	35.0	27.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
29	36.0	27.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
30	36.0	27.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
31								36.0	25.0	-	-	-	-	12.0
Max.	36.0	27.0					30.0	37.0	27.0					53.0
Min.	27.0	22.0					0.0	34.0	24.0					0.0
Total							132.6							99.5
Ava.	15.6	11.8					4.4	35.6	25.6					3.2

Note : "-" Denotes not applicable.

SITE : Keesara

CODE : AKA00B4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
2	35.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
3	34.0	25.0	-	-	-	-	16.2	35.0	24.0	-	-	-	-	0.0
4	34.0	25.0	-	-	-	-	6.4	34.0	24.0	-	-	-	-	0.0
5	35.0	25.0	-	-	-	-	3.0	34.0	24.0	-	-	-	-	0.0
6	34.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
7	33.0	24.0	-	-	-	-	3.2	34.0	23.0	-	-	-	-	21.2
8	34.0	25.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	11.4
9	35.0	25.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
10	34.0	24.0	-	-	-	-	6.8	34.0	23.0	-	-	-	-	0.0
11	33.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	2.2
12	33.0	24.0	-	-	-	-	2.8	34.0	24.0	-	-	-	-	2.3
13	34.0	24.0	-	-	-	-	16.4	34.0	23.0	-	-	-	-	10.4
14	34.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	11.2
15	35.0	24.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	3.0
16	35.0	24.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
17	35.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	2.2
18	35.0	25.0	-	-	-	-	4.2	34.0	25.0	-	-	-	-	0.0
19	35.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.8
20	34.0	24.0	-	-	-	-	36.0	33.0	23.0	-	-	-	-	2.0
21	34.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	2.2
22	34.0	24.0	-	-	-	-	6.0	34.0	24.0	-	-	-	-	0.0
23	34.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
24	34.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
25	34.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
26	35.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
27	35.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.6
28	34.0	24.0	-	-	-	-	10.8	35.0	24.0	-	-	-	-	0.0
29	34.0	24.0	-	-	-	-	8.2	35.0	24.0	-	-	-	-	0.0
30	34.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.4
31	34.0	24.0	-	-	-	-	1.4							
Max.	36.0	25.0					36.0	35.0	25.0					21.2
Min.	33.0	23.0					0.0	33.0	23.0					0.0
Total							121.4							69.9
Ava.	34.3	24.5					3.9	34.2	23.8					2.3

SITE : Keesara

CODE : AKA00B4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	24.0	-	-	-	-	0.4	34.0	24.0	-	-	-	-	0.0
2	32.0	23.0	-	-	-	-	1.0	34.0	24.0	-	-	-	-	0.0
3	35.0	24.0	-	-	-	-	0.6	34.0	24.0	-	-	-	-	0.0
4	36.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
5	35.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
6	34.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
7	35.0	24.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
8	35.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
9	36.0	25.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
10	35.0	24.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
11	36.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
12	36.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
13	36.0	25.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
14	35.0	24.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
15	34.0	24.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
16	34.0	24.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
17	34.0	24.0	-	-	-	-	17.6	29.0	19.0	-	-	-	-	5.2
18	34.0	24.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	3.2
19	34.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
20	34.0	25.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
21	34.0	25.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
22	34.0	25.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
23	35.0	25.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
24	34.0	25.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
25	34.0	25.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
26	34.0	24.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
27	34.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
28	34.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
29	33.0	23.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
30	34.0	24.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
31	34.0	24.0	-	-	-	-	0.0							
Max.	36.0	25.0					17.6	34.0	25.0					5.2
Min.	32.0	23.0					0.0	27.0	18.0					0.0
Total							19.6							8.4
Ava.	34.5	24.2					0.6	30.8	21.5					0.3

SITE : Keesara

CODE : AKA00B4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
2	29.0	19.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
3	30.0	20.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	3.5
4	30.0	20.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
6	29.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
7	29.0	19.0	-	-	-	-	0.0	28.0	17.0	-	-	-	-	0.0
8	29.0	19.0	-	-	-	-	0.0	28.0	17.0	-	-	-	-	0.0
9	29.0	19.0	-	-	-	-	0.0	28.0	17.0	-	-	-	-	0.0
10	29.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
11	29.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
12	29.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
13	30.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
14	29.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
15	30.0	19.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
16	30.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
17	30.0	19.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
18	30.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
19	30.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
20	30.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
21	30.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
22	30.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
23	30.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
24	29.0	18.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
25	30.0	18.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
26	29.0	19.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
27	30.0	19.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
28	28.0	18.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
29	29.0	18.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
30	29.0	18.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
31	30.0	19.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
Max.	30.0	20.0					0.0	32.0	22.0					3.5
Min.	28.0	18.0					0.0	28.0	17.0					0.0
Total							0.0							3.5
Ava.	29.5	19.0					0.0	30.0	19.5					0.1

SITE : Keesara **CODE :** AKA00B4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
2	31.0	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
3	32.0	22.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
5	32.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
6	32.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
8	33.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
9	33.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
10	33.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
11	33.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
12	33.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
13	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
14	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
15	32.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
17	32.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
18	32.0	22.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
20	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
21	32.0	22.0	-	-	-	-	0.0	39.0	27.0	-	-	-	-	0.0
22	32.0	22.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
23	33.0	22.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
24	33.0	22.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
25	34.0	22.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
26	34.0	22.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
27	34.0	22.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
28	34.0	22.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
29	34.0	22.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
								41.0	26.0	-	-	-	-	0.0
								41.0	26.0	-	-	-	-	0.0
Max.	34.0	22.0					0.0	41.0	27.0					0.0
Min.	31.0	21.0					0.0	33.0	23.0					0.0
Total							0.0							0.0
Ava.	32.6	21.9					0.0	37.1	25.2					0.0

SITE : Keesara

CODE : AKA00B4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	26.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
2	38.0	26.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
3	38.0	26.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
4	38.0	26.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
5	39.0	25.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
6	40.0	26.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	15.2
7	40.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
8	40.0	25.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
9	39.0	25.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
10	39.0	25.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
11	40.0	25.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
12	41.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
13	41.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
14	41.0	26.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
15	41.0	26.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
16	41.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
17	42.0	26.0	-	-	-	-	0.0	39.0	27.0	-	-	-	-	0.0
18	43.0	26.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
19	40.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	5.8
20	40.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	6.0
21	41.0	26.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
22	42.0	27.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
23	43.0	27.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
24	44.0	27.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
25	45.0	27.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
26	43.0	26.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
27	42.0	27.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
28	41.0	27.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	10.8
29	42.0	27.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
30	42.0	27.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
31								44.0	27.0	-	-	-	-	0.0
Max.	45.0	27.0					0.0	44.0	29.0					15.2
Min.	38.0	25.0					0.0	36.0	24.0					0.0
Total							0.0							37.8
Ava.	40.8	26.0					0.0	41.3	26.5					1.2

SITE : Madhira **CODE :** AKA10D2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	44.0	32.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
2	36.0	26.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
3	40.0	25.0	-	-	-	-	0.0	35.0	29.0	-	-	-	-	70.2
4	38.0	25.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
5	38.0	26.0	-	-	-	-	0.0	36.0	30.0	-	-	-	-	0.0
6	37.0	28.0	-	-	-	-	0.0	38.0	32.0	-	-	-	-	0.0
7	37.0	25.0	-	-	-	-	0.0	36.0	28.0	-	-	-	-	0.0
8	38.0	24.0	-	-	-	-	0.0	36.0	28.0	-	-	-	-	3.2
9	37.0	27.0	-	-	-	-	1.4	36.0	30.0	-	-	-	-	0.0
10	39.0	26.0	-	-	-	-	0.0	36.0	31.0	-	-	-	-	0.0
11	38.0	26.0	-	-	-	-	0.0	37.0	30.0	-	-	-	-	0.0
12	37.0	26.0	-	-	-	-	5.8	37.0	30.0	-	-	-	-	0.0
13	37.0	25.0	-	-	-	-	0.0	36.0	28.0	-	-	-	-	0.0
14	35.0	26.0	-	-	-	-	38.6	36.0	29.0	-	-	-	-	0.0
15	35.0	24.0	-	-	-	-	15.6	35.0	27.0	-	-	-	-	24.6
16	29.0	23.0	-	-	-	-	36.6	36.0	25.0	-	-	-	-	0.0
17	32.0	23.0	-	-	-	-	40.4	35.0	28.0	-	-	-	-	0.0
18	28.0	25.0	-	-	-	-	31.9	36.0	25.0	-	-	-	-	2.0
19	30.0	25.0	-	-	-	-	53.0	33.0	26.0	-	-	-	-	0.0
20	30.0	25.0	-	-	-	-	34.8	33.0	28.0	-	-	-	-	3.8
21	31.0	24.0	-	-	-	-	7.2	35.0	27.0	-	-	-	-	4.4
22	32.0	25.0	-	-	-	-	2.8	33.0	27.0	-	-	-	-	1.0
23	35.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	2.3
24	36.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
25	36.0	23.0	-	-	-	-	0.4	36.0	26.0	-	-	-	-	0.0
26	38.0	28.0	-	-	-	-	0.4	35.0	28.0	-	-	-	-	2.2
27	39.0	28.0	-	-	-	-	0.0	34.0	28.0	-	-	-	-	0.0
28	35.0	26.0	-	-	-	-	5.2	35.0	27.0	-	-	-	-	1.0
29	36.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
30	36.0	29.0	-	-	-	-	0.0	36.0	28.0	-	-	-	-	0.0
31								37.0	28.0	-	-	-	-	0.0
Max.	44.0	32.0					53.0	40.0	32.0					70.2
Min.	28.0	23.0					0.0	33.0	25.0					0.0
Total							274.1							114.7
Ava.	35.6	25.6					9.1	35.7	27.7					3.7

Note : "-" Denotes not applicable.

SITE : Madhira

CODE : AKA10D2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	26.0	-	-	-	-	0.0	38.0	28.0	-	-	-	-	0.2
2	35.0	24.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	2.6
3	33.0	26.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.6
4	35.0	25.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
5	35.0	25.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
6	32.0	25.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
7	33.0	28.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	1.2
8	34.0	24.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
9	32.0	27.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
10	32.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
11	31.0	25.0	-	-	-	-	0.0	33.0	28.0	-	-	-	-	0.0
12	30.0	25.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	3.4
13	30.0	26.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	14.4
14	35.0	25.0	-	-	-	-	0.0	29.0	26.0	-	-	-	-	8.3
15	34.0	28.0	-	-	-	-	0.0	29.0	25.0	-	-	-	-	0.0
16	34.0	26.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
17	36.0	28.0	-	-	-	-	0.0	31.0	27.0	-	-	-	-	11.8
18	35.0	26.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
19	36.0	27.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
20	36.0	29.0	-	-	-	-	0.0	32.0	27.0	-	-	-	-	1.8
21	35.0	26.0	-	-	-	-	0.0	33.0	28.0	-	-	-	-	0.0
22	35.0	24.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
23	34.0	25.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
24	35.0	25.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
25	34.0	24.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
27	34.0	28.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
28	35.0	27.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	27.0
29	34.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
30	36.0	27.0	-	-	-	-	0.0	33.0	27.0	-	-	-	-	0.0
31	33.0	26.0	-	-	-	-	0.0							
Max.	36.0	29.0					0.0	38.0	28.0					27.0
Min.	30.0	24.0					0.0	29.0	25.0					0.0
Total							0.0							71.3
Ava.	33.9	25.9					0.0	33.8	26.3					2.4

SITE : Madhira

CODE : AKA10D2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	26.0	-	-	-	-	1.0	32.0	24.0	-	-	-	-	0.0
2	35.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
3	36.0	27.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
4	35.0	26.0	-	-	-	-	6.8	34.0	26.0	-	-	-	-	0.0
5	36.0	28.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
6	34.0	27.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
7	34.0	27.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
8	34.0	28.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
9	35.0	26.0	-	-	-	-	0.0	29.0	24.0	-	-	-	-	0.0
10	36.0	27.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
11	36.0	28.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
12	36.0	28.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
13	37.0	27.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
14	35.0	26.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
15	37.0	27.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
16	37.0	27.0	-	-	-	-	0.0	28.0	24.0	-	-	-	-	1.2
17	36.0	26.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	16.0
18	36.0	26.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
19	37.0	27.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
20	36.0	27.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
21	35.0	28.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
22	34.0	27.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
23	34.0	24.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
24	37.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
25	36.0	27.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
26	35.0	26.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
27	33.0	25.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
28	33.0	25.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
29	34.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
30	33.0	25.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
31	34.0	25.0	-	-	-	-	0.0							
Max.	37.0	28.0					6.8	36.0	26.0					16.0
Min.	33.0	24.0					0.0	28.0	20.0					0.0
Total							7.8							17.2
Ava.	35.1	26.4					0.3	31.8	23.6					0.6

SITE : Madhira

CODE : AKA10D2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	23.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
2	31.0	24.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
3	30.0	27.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
4	30.0	26.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
5	32.0	25.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
6	31.0	24.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
7	32.0	24.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
8	30.0	26.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
9	31.0	24.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
10	31.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
11	32.0	21.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
12	30.0	21.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
13	31.0	23.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
14	31.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
15	31.0	22.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
17	31.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	31.0	22.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
20	31.0	23.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
21	32.0	23.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
22	31.0	20.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
23	30.0	19.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
24	32.0	21.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
25	28.0	20.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
26	30.0	19.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
27	30.0	18.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
28	31.0	17.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
29	32.0	17.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
30	32.0	16.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
31	32.0	17.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
Max.	32.0	27.0					0.0	33.0	23.0					0.0
Min.	28.0	16.0					0.0	30.0	17.0					0.0
Total							0.0							0.0
Ava.	31.0	21.6					0.0	31.2	20.0					0.0

SITE : Madhira

CODE : AKA10D2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
2	36.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
3	35.0	19.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
4	36.0	21.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
5	34.0	21.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
6	34.0	20.0	-	-	-	-	0.0	39.0	21.0	-	-	-	-	0.0
7	34.0	20.0	-	-	-	-	0.0	37.0	20.0	-	-	-	-	0.0
8	34.0	20.0	-	-	-	-	0.0	38.0	19.0	-	-	-	-	0.0
9	35.0	22.0	-	-	-	-	0.0	38.0	19.0	-	-	-	-	0.0
10	35.0	22.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
11	34.0	21.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
12	35.0	22.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
13	35.0	21.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
14	35.0	20.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
15	35.0	22.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
16	34.0	20.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
17	34.0	18.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
18	35.0	17.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
19	37.0	18.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
20	36.0	17.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
21	38.0	20.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
22	37.0	22.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
23	36.0	22.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
24	35.0	23.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
25	35.0	23.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
26	35.0	23.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
27	35.0	24.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
28	36.0	23.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
29	37.0	23.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
								38.0	26.0	-	-	-	-	0.0
								39.0	26.0	-	-	-	-	0.0
Max.	38.0	24.0					0.0	43.0	27.0					0.0
Min.	33.0	17.0					0.0	36.0	19.0					0.0
Total							0.0							0.0
Ava.	35.2	20.9					0.0	38.4	24.0					0.0

SITE : Madhira

CODE : AKA10D2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	26.0	-	-	-	-	0.0	45.0	28.0	-	-	-	-	0.0
2	40.0	26.0	-	-	-	-	0.0	45.0	28.0	-	-	-	-	0.0
3	41.0	27.0	-	-	-	-	0.0	44.0	30.0	-	-	-	-	0.0
4	40.0	27.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
5	41.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.8
6	41.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	39.1
7	41.0	25.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
8	40.0	25.0	-	-	-	-	0.0	41.0	24.0	-	-	-	-	0.0
9	41.0	25.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
10	41.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
11	42.0	24.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
12	42.0	25.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
13	42.0	27.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
14	42.0	28.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
15	42.0	28.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
16	42.0	28.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
17	42.0	28.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
18	41.0	27.0	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.0
19	42.0	26.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	10.3
20	41.0	27.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
21	43.0	27.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	0.0
22	44.0	29.0	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.0
23	44.0	29.0	-	-	-	-	0.0	40.0	30.0	-	-	-	-	0.0
24	44.0	28.0	-	-	-	-	0.0	44.0	31.0	-	-	-	-	0.0
25	44.0	29.0	-	-	-	-	0.0	44.0	32.0	-	-	-	-	0.0
26	42.0	29.0	-	-	-	-	0.0	45.0	32.0	-	-	-	-	0.0
27	41.0	29.0	-	-	-	-	0.0	46.0	30.0	-	-	-	-	0.0
28	44.0	28.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	6.8
29	44.0	28.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
30	44.0	27.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
31								45.0	28.0	-	-	-	-	0.0
Max.	44.0	29.0					0.0	46.0	32.0					39.1
Min.	40.0	24.0					0.0	33.0	22.0					0.0
Total							0.0							57.0
Ava.	41.9	27.0					0.0	40.7	27.9					1.8

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	27.0	-	-	-	-	5.6	36.0	26.0	-	-	-	-	0.0
2	39.0	27.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	23.6
3	39.0	26.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
4	39.0	27.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
5	39.0	25.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
6	39.0	24.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
7	39.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
8	38.0	26.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
9	36.0	25.0	-	-	-	-	10.0	37.0	27.0	-	-	-	-	0.0
10	35.0	26.0	-	-	-	-	0.0	37.0	28.0	-	-	-	-	0.0
11	40.0	26.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
12	41.0	27.0	-	-	-	-	4.0	38.0	28.0	-	-	-	-	0.0
13	37.0	26.0	-	-	-	-	2.0	38.0	26.0	-	-	-	-	0.0
14	34.0	25.0	-	-	-	-	21.2	37.0	25.0	-	-	-	-	0.0
15	34.0	25.0	-	-	-	-	13.8	38.0	27.0	-	-	-	-	2.0
16	33.0	25.0	-	-	-	-	34.6	38.0	27.0	-	-	-	-	0.0
17	30.0	25.0	-	-	-	-	7.0	34.0	22.0	-	-	-	-	0.0
18	31.0	26.0	-	-	-	-	60.6	36.0	27.0	-	-	-	-	0.0
19	30.0	25.0	-	-	-	-	73.2	35.0	28.0	-	-	-	-	0.0
20	32.0	24.0	-	-	-	-	29.0	35.0	27.0	-	-	-	-	0.0
21	30.0	25.0	-	-	-	-	7.8	35.0	25.0	-	-	-	-	0.0
22	30.0	26.0	-	-	-	-	6.2	35.0	24.0	-	-	-	-	1.8
23	35.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	10.2
24	33.0	23.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	6.2
25	34.0	25.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
26	35.0	25.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	0.8
27	34.0	24.0	-	-	-	-	1.0	35.0	26.0	-	-	-	-	0.0
28	36.0	25.0	-	-	-	-	8.0	35.0	27.0	-	-	-	-	1.6
29	34.0	25.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
30	36.0	26.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
31								35.0	27.0	-	-	-	-	0.0
Max.	41.0	27.0					73.2	38.0	28.0					23.6
Min.	30.0	23.0					0.0	33.0	22.0					0.0
Total							284.0							46.2
Ava.	35.4	25.3					9.5	36.0	26.2					1.5

Note : "-" Denotes not applicable.

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	26.0	-	-	-	-	8.4	25.0	34.0	-	-	-	-	0.0
2	35.0	27.0	-	-	-	-	0.0	26.0	33.0	-	-	-	-	0.0
3	35.0	25.0	-	-	-	-	0.0	25.0	34.0	-	-	-	-	0.0
4	33.0	25.0	-	-	-	-	9.0	24.0	35.0	-	-	-	-	0.0
5	33.0	27.0	-	-	-	-	0.0	24.0	36.0	-	-	-	-	0.0
6	33.0	24.0	-	-	-	-	2.4	26.0	34.0	-	-	-	-	6.0
7	34.0	25.0	-	-	-	-	0.0	25.0	37.0	-	-	-	-	56.2
8	35.0	26.0	-	-	-	-	0.0	25.0	34.0	-	-	-	-	3.0
9	34.0	26.0	-	-	-	-	9.6	26.0	35.0	-	-	-	-	0.0
10	33.0	24.0	-	-	-	-	2.0	24.0	35.0	-	-	-	-	0.0
11	34.0	26.0	-	-	-	-	5.4	25.0	33.0	-	-	-	-	0.0
12	34.0	27.0	-	-	-	-	17.3	23.0	33.0	-	-	-	-	36.6
13	32.0	24.0	-	-	-	-	4.6	23.0	33.0	-	-	-	-	11.4
14	33.0	26.0	-	-	-	-	0.0	23.0	32.0	-	-	-	-	0.0
15	34.0	25.0	-	-	-	-	6.2	24.0	33.0	-	-	-	-	2.6
16	34.0	25.0	-	-	-	-	0.0	23.0	32.0	-	-	-	-	0.0
17	33.0	25.0	-	-	-	-	0.0	24.0	32.0	-	-	-	-	15.0
18	34.0	26.0	-	-	-	-	0.0	24.0	33.0	-	-	-	-	0.0
19	35.0	24.0	-	-	-	-	0.0	25.0	34.0	-	-	-	-	0.0
20	35.0	26.0	-	-	-	-	15.2	23.0	35.0	-	-	-	-	7.0
21	34.0	27.0	-	-	-	-	17.4	24.0	36.0	-	-	-	-	0.0
22	35.0	27.0	-	-	-	-	1.0	23.0	35.0	-	-	-	-	0.0
23	35.0	24.0	-	-	-	-	0.0	23.0	34.0	-	-	-	-	0.0
24	34.0	26.0	-	-	-	-	0.0	25.0	34.0	-	-	-	-	0.0
25	34.0	24.0	-	-	-	-	0.0	23.0	33.0	-	-	-	-	0.0
26	35.0	24.0	-	-	-	-	0.0	22.0	32.0	-	-	-	-	0.0
27	35.0	23.0	-	-	-	-	0.0	21.0	32.0	-	-	-	-	0.0
28	33.0	26.0	-	-	-	-	16.6	22.0	33.0	-	-	-	-	0.0
29	34.0	25.0	-	-	-	-	0.0	22.0	33.0	-	-	-	-	0.0
30	34.0	23.0	-	-	-	-	0.0	22.0	29.0	-	-	-	-	0.0
31	34.0	22.0	-	-	-	-	0.0							
Max.	35.0	27.0					17.4	26.0	37.0					56.2
Min.	32.0	22.0					0.0	21.0	29.0					0.0
Total							115.1							137.8
Ava.	34.0	25.2					3.7	23.8	33.6					4.6

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
2	32.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
3	33.0	24.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
4	33.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
5	34.0	23.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
6	34.0	21.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
8	34.0	21.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
9	34.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
10	34.0	22.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
11	34.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
12	34.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
13	34.0	23.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
14	35.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
15	34.0	25.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
16	35.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
17	35.0	25.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	12.6
18	34.0	23.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.0
19	33.0	25.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
20	33.0	26.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
21	34.0	24.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
22	35.0	26.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
23	36.0	24.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
24	36.0	25.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
25	34.0	23.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
27	33.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
28	35.0	26.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
29	34.0	23.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
30	33.0	24.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.0
31	33.0	22.0	-	-	-	-	0.0							
Max.	36.0	26.0					0.0	34.0	25.0					12.6
Min.	32.0	21.0					0.0	28.0	19.0					0.0
Total							0.0							12.6
Ava.	33.9	23.5					0.0	31.4	22.1					0.4

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	22.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
2	33.0	24.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
3	32.0	19.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
5	29.0	19.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
6	29.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
7	30.0	24.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
8	32.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
9	33.0	20.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
10	33.0	23.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
11	32.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
12	32.0	18.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
13	32.0	20.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
14	32.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
15	32.0	23.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
16	32.0	20.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
17	33.0	24.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
18	33.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
19	32.0	24.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
20	33.0	20.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
21	32.0	23.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
22	32.0	21.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
23	32.0	19.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
24	32.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
25	30.0	21.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
26	29.0	18.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
27	31.0	21.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
28	33.0	17.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
29	30.0	19.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
30	31.0	18.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
31	31.0	20.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
Max.	33.0	24.0					0.0	33.0	23.0					0.0
Min.	29.0	17.0					0.0	28.0	17.0					0.0
Total							0.0							0.0
Ava.	31.7	20.9					0.0	31.1	20.7					0.0

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	21.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
2	32.0	18.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
3	31.0	21.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
4	33.0	21.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
5	33.0	24.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
6	32.0	20.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
7	32.0	19.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
8	33.0	23.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
9	33.0	24.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
10	34.0	22.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
11	34.0	20.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
12	34.0	24.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
13	33.0	19.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
14	34.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
15	34.0	24.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
16	34.0	23.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
17	34.0	19.0	-	-	-	-	0.0	36.0	21.0	-	-	-	-	0.0
18	35.0	21.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
19	35.0	20.0	-	-	-	-	0.0	38.0	21.0	-	-	-	-	0.0
20	35.0	24.0	-	-	-	-	0.0	38.0	19.0	-	-	-	-	0.0
21	35.0	22.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
22	38.0	20.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
23	38.0	21.0	-	-	-	-	0.0	42.0	23.0	-	-	-	-	0.0
24	37.0	25.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
25	35.0	22.0	-	-	-	-	0.0	41.0	22.0	-	-	-	-	0.0
26	34.0	20.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
27	34.0	24.0	-	-	-	-	0.0	41.0	24.0	-	-	-	-	0.0
28	33.0	21.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
29	35.0	23.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
								39.0	24.0	-	-	-	-	0.0
								41.0	22.0	-	-	-	-	0.0
Max.	38.0	25.0					0.0	42.0	27.0					0.0
Min.	31.0	18.0					0.0	34.0	19.0					0.0
Total							0.0							0.0
Ava.	34.0	21.6					0.0	37.3	22.3					0.0

SITE : Paleru Bridge

CODE : AKC00D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	23.0	-	-	-	-	0.0	45.0	27.0	-	-	-	-	0.0
2	41.0	23.0	-	-	-	-	0.0	45.0	29.0	-	-	-	-	0.0
3	41.0	23.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
4	42.0	22.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
5	42.0	25.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	1.4
6	41.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	26.0
7	40.0	28.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
8	42.0	27.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
9	43.0	29.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
10	42.0	28.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
11	41.0	28.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
12	42.0	28.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
13	41.0	27.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
14	42.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
15	42.0	25.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
16	41.0	23.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
17	41.0	23.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
18	42.0	22.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
19	41.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	6.4
20	41.0	24.0	-	-	-	-	0.0	38.0	22.0	-	-	-	-	0.0
21	42.0	23.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
22	43.0	24.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
23	44.0	25.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
24	44.0	25.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
25	45.0	23.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	0.0
26	45.0	22.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
27	44.0	22.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
28	45.0	23.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	1.8
29	44.0	22.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	10.8
30	44.0	24.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
31								39.0	26.0	-	-	-	-	0.0
Max.	45.0	29.0					0.0	45.0	29.0					26.0
Min.	39.0	22.0					0.0	37.0	22.0					0.0
Total							0.0							46.4
Ava.	42.2	24.6					0.0	41.0	26.3					1.5

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	29.0	-	-	-	-	0.0	39.0	29.0	-	-	-	-	0.0
2	42.0	28.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
3	41.0	28.0	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.6
4	42.0	30.0	-	-	-	-	0.0	38.0	30.0	-	-	-	-	0.0
5	40.0	28.0	-	-	-	-	0.0	39.0	30.0	-	-	-	-	0.0
6	35.0	27.0	-	-	-	-	0.0	39.0	30.0	-	-	-	-	0.0
7	35.0	27.0	-	-	-	-	0.0	38.0	31.0	-	-	-	-	0.0
8	39.0	28.0	-	-	-	-	0.0	38.0	31.0	-	-	-	-	0.0
9	35.0	28.0	-	-	-	-	15.8	38.0	31.0	-	-	-	-	0.0
10	40.0	28.0	-	-	-	-	0.0	39.0	31.0	-	-	-	-	0.0
11	43.0	30.0	-	-	-	-	0.0	39.0	30.0	-	-	-	-	0.0
12	36.0	27.0	-	-	-	-	8.4	40.0	30.0	-	-	-	-	0.0
13	36.0	28.0	-	-	-	-	0.0	41.0	30.0	-	-	-	-	0.0
14	35.0	27.0	-	-	-	-	31.2	38.0	31.0	-	-	-	-	0.0
15	34.0	27.0	-	-	-	-	10.8	33.0	27.0	-	-	-	-	25.4
16	31.0	27.0	-	-	-	-	13.6	35.0	28.0	-	-	-	-	7.6
17	32.0	27.0	-	-	-	-	14.6	37.0	28.0	-	-	-	-	0.0
18	30.0	26.0	-	-	-	-	25.6	37.0	28.0	-	-	-	-	0.0
19	31.0	26.0	-	-	-	-	80.4	35.0	28.0	-	-	-	-	6.6
20	29.0	25.0	-	-	-	-	15.0	37.0	29.0	-	-	-	-	4.6
21	30.0	26.0	-	-	-	-	20.4	36.0	29.0	-	-	-	-	0.0
22	34.0	28.0	-	-	-	-	0.7	32.0	27.0	-	-	-	-	0.6
23	37.0	28.0	-	-	-	-	0.0	34.0	29.0	-	-	-	-	0.4
24	37.0	28.0	-	-	-	-	0.0	37.0	28.0	-	-	-	-	7.4
25	36.0	28.0	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.0
26	36.0	28.0	-	-	-	-	4.4	39.0	28.0	-	-	-	-	0.2
27	36.0	28.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
28	37.0	28.0	-	-	-	-	0.0	39.0	29.0	-	-	-	-	0.0
29	37.0	28.0	-	-	-	-	3.4	39.0	28.0	-	-	-	-	0.0
30	39.0	28.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
31								39.0	28.0	-	-	-	-	0.0
Max.	43.0	30.0					80.4	41.0	31.0					25.4
Min.	29.0	25.0					0.0	32.0	27.0					0.0
Total							244.3							53.4
Ava.	36.2	27.6					8.1	37.5	29.1					1.7

Note : "-" Denotes not applicable.

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
2	36.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
3	37.0	22.0	-	-	-	-	6.6	37.0	25.0	-	-	-	-	0.0
4	36.0	21.0	-	-	-	-	6.8	38.0	24.0	-	-	-	-	0.0
5	36.0	23.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
6	36.0	24.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	13.8	35.0	23.0	-	-	-	-	24.2
8	37.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.8
9	35.0	22.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
10	30.0	21.0	-	-	-	-	0.4	34.0	24.0	-	-	-	-	0.0
11	35.0	22.0	-	-	-	-	3.0	35.0	24.0	-	-	-	-	0.0
12	32.0	22.0	-	-	-	-	1.8	32.0	23.0	-	-	-	-	21.9
13	31.0	22.0	-	-	-	-	52.4	32.0	24.0	-	-	-	-	16.2
14	31.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	1.6
15	34.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.4
16	31.0	24.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
17	35.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	11.6
18	37.0	21.0	-	-	-	-	0.2	34.0	23.0	-	-	-	-	0.0
19	37.0	23.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
20	33.0	20.0	-	-	-	-	26.0	32.0	25.0	-	-	-	-	0.0
21	35.0	23.0	-	-	-	-	6.4	33.0	25.0	-	-	-	-	1.4
22	32.0	23.0	-	-	-	-	1.4	35.0	25.0	-	-	-	-	0.0
23	36.0	22.0	-	-	-	-	1.2	34.0	25.0	-	-	-	-	0.0
24	35.0	23.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
25	36.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
26	34.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
27	34.0	22.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
28	34.0	22.0	-	-	-	-	6.6	34.0	25.0	-	-	-	-	0.0
29	34.0	22.0	-	-	-	-	3.2	34.0	26.0	-	-	-	-	0.0
30	34.0	21.0	-	-	-	-	8.0	33.0	25.0	-	-	-	-	0.0
31	35.0	22.0	-	-	-	-	0.0						-	
Max.	37.0	25.0					52.4	38.0	26.0					24.2
Min.	30.0	20.0					0.0	32.0	23.0					0.0
Total							137.8							78.1
Ava.	34.4	22.5					4.4	34.4	24.3					2.6

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	26.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
2	35.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
3	35.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
4	35.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
5	35.0	25.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
6	36.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
7	37.0	26.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
8	37.0	26.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
9	37.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
10	38.0	26.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
11	38.0	26.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
12	38.0	27.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
13	38.0	25.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
14	38.0	24.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
15	37.0	25.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
16	36.0	26.0	-	-	-	-	0.0	27.0	23.0	-	-	-	-	0.0
17	36.0	26.0	-	-	-	-	0.0	24.0	20.0	-	-	-	-	12.0
18	36.0	25.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	4.8
19	36.0	25.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
20	37.0	26.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.2
21	37.0	25.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
22	32.0	26.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
23	32.0	25.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
24	36.0	26.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
25	37.0	26.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
26	35.0	24.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
27	34.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
28	35.0	24.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
29	37.0	24.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
30	35.0	25.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
31	33.0	25.0	-	-	-	-	0.0							
Max.	38.0	27.0					0.0	36.0	26.0					12.0
Min.	32.0	23.0					0.0	24.0	20.0					0.0
Total							0.0							17.0
Ava.	35.9	25.3					0.0	32.0	22.8					0.6

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	23.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
2	32.0	24.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
3	32.0	25.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
4	31.0	25.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
5	31.0	25.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
6	34.0	24.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
8	33.0	20.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
9	33.0	19.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
10	34.0	20.0	-	-	-	-	0.0	34.0	18.0	-	-	-	-	0.0
11	34.0	20.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
12	35.0	21.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
13	30.0	24.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
14	34.0	20.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
15	29.0	19.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
16	34.0	19.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
17	31.0	21.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
18	35.0	20.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
19	35.0	21.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
20	33.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
21	35.0	21.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
22	30.0	22.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
23	30.0	19.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
24	30.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
25	31.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
26	30.0	18.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
27	30.0	22.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
28	32.0	19.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
29	29.0	17.0	-	-	-	-	0.0	35.0	19.0	-	-	-	-	0.0
30	29.0	18.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
31	33.0	20.0	-	-	-	-	0.0	36.0	19.0	-	-	-	-	0.0
Max.	35.0	25.0					0.0	36.0	20.0					0.0
Min.	29.0	17.0					0.0	30.0	17.0					0.0
Total							0.0							0.0
Ava.	32.1	21.2					0.0	33.1	18.9					0.0

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
2	38.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
3	37.0	19.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
4	37.0	20.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
5	36.0	21.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
6	35.0	21.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
7	35.0	21.0	-	-	-	-	0.0	38.0	21.0	-	-	-	-	0.0
8	35.0	22.0	-	-	-	-	0.0	40.0	21.0	-	-	-	-	0.0
9	36.0	22.0	-	-	-	-	0.0	40.0	21.0	-	-	-	-	0.0
10	37.0	22.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
11	37.0	23.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
12	37.0	23.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
13	36.0	23.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
14	36.0	23.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
15	37.0	21.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
16	37.0	20.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
17	36.0	19.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
18	38.0	21.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
19	39.0	18.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
20	39.0	20.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
21	40.0	21.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
22	39.0	23.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
23	38.0	23.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
24	38.0	25.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
25	37.0	23.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
26	36.0	24.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
27	37.0	24.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
28	38.0	20.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
29	37.0	24.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
								41.0	25.0	-	-	-	-	0.0
								41.0	25.0	-	-	-	-	0.0
Max.	40.0	25.0					0.0	44.0	26.0					0.0
Min.	35.0	18.0					0.0	36.0	21.0					0.0
Total							0.0							0.0
Ava.	37.1	21.6					0.0	39.9	24.4					0.0

SITE : Wadenapally

CODE : AK000D5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	28.0	-	-	-	-	0.0	48.0	28.0	-	-	-	-	0.0
2	43.0	28.0	-	-	-	-	0.0	46.0	29.0	-	-	-	-	0.0
3	43.0	29.0	-	-	-	-	0.0	45.0	28.0	-	-	-	-	0.0
4	43.0	28.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	6.0
5	43.0	28.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	6.5
6	40.0	29.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	13.6
7	43.0	29.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
8	38.0	28.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
9	42.0	28.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
10	44.0	29.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
11	45.0	29.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
12	44.0	29.0	-	-	-	-	0.0	43.0	29.0	-	-	-	-	0.0
13	44.0	28.0	-	-	-	-	0.0	44.0	31.0	-	-	-	-	0.0
14	44.0	29.0	-	-	-	-	0.0	44.0	31.0	-	-	-	-	0.0
15	44.0	29.0	-	-	-	-	0.0	42.0	31.0	-	-	-	-	0.0
16	45.0	28.0	-	-	-	-	0.0	42.0	30.0	-	-	-	-	0.0
17	45.0	28.0	-	-	-	-	0.0	40.0	30.0	-	-	-	-	0.0
18	43.0	28.0	-	-	-	-	0.0	36.0	28.0	-	-	-	-	0.0
19	44.0	29.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	11.4
20	44.0	29.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
21	45.0	30.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
22	48.0	30.0	-	-	-	-	0.0	42.0	35.0	-	-	-	-	0.0
23	46.0	29.0	-	-	-	-	0.0	43.0	38.0	-	-	-	-	0.0
24	40.0	29.0	-	-	-	-	0.0	45.0	38.0	-	-	-	-	0.0
25	45.0	28.0	-	-	-	-	0.0	45.0	39.0	-	-	-	-	0.0
26	39.0	28.0	-	-	-	-	0.0	45.0	35.0	-	-	-	-	0.0
27	45.0	29.0	-	-	-	-	0.0	44.0	33.0	-	-	-	-	0.0
28	45.0	29.0	-	-	-	-	0.0	43.0	32.0	-	-	-	-	7.6
29	46.0	29.0	-	-	-	-	0.0	43.0	31.0	-	-	-	-	0.0
30	46.0	29.0	-	-	-	-	0.0	43.0	31.0	-	-	-	-	0.0
31								42.0	30.0	-	-	-	-	0.0
Max.	48.0	30.0					0.0	48.0	39.0					13.6
Min.	38.0	28.0					0.0	33.0	26.0					0.0
Total							0.0							45.1
Ava.	43.6	28.7					0.0	42.1	30.2					1.5

SITE : Damercherla CODE : AKF00A7
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	32.0	-	6.00	10.50	-	0.0	37.0	29.5	-	2.00	12.30	-	0.0
2	42.0	33.0	-	2.00	13.50	-	0.0	37.5	29.5	-	4.00	11.20	-	0.0
3	43.0	33.0	-	2.00	15.00	-	0.0	39.0	29.0	-	8.00	14.00	-	0.0
4	42.0	34.0	-	2.00	13.00	-	0.0	39.5	30.0	-	8.00	1.00	-	0.0
5	39.0	30.0	-	2.00	11.70	-	0.0	39.0	32.0	-	6.00	16.80	-	0.0
6	34.0	30.0	-	2.00	11.00	-	0.0	39.5	31.0	-	6.00	15.50	-	0.0
7	32.0	30.0	-	6.00	9.50	-	0.0	39.0	31.0	-	6.00	14.00	-	0.0
8	34.0	30.0	-	6.00	10.00	-	0.0	37.0	31.0	-	8.00	13.10	-	0.0
9	34.0	28.0	-	2.00	27.00	-	27.0	36.0	31.5	-	4.00	13.00	-	0.0
10	39.0	30.0	-	6.00	16.00	-	0.0	37.0	32.0	-	4.00	13.20	-	0.0
11	36.0	34.0	-	6.00	16.00	-	0.0	37.5	30.0	-	4.00	9.50	-	5.0
12	32.0	28.0	-	4.00	8.50	-	64.5	38.0	31.0	-	4.00	15.00	-	0.0
13	35.5	29.0	-	2.00	4.00	-	0.0	38.0	32.0	-	2.00	13.50	-	0.0
14	34.0	28.5	-	0.00	0.60	-	34.6	37.0	30.0	-	2.00	12.00	-	0.0
15	32.5	27.0	-	4.00	1.00	-	9.0	36.0	29.0	-	4.00	11.00	-	0.0
16	31.5	27.0	-	2.00	5.00	-	22.0	37.0	29.5	-	4.00	11.50	-	0.0
17	32.0	27.5	-	2.00	0.00	-	4.0	38.0	30.0	-	4.00	15.00	-	0.0
18	31.0	25.0	-	0.00	0.00	-	6.0	36.0	31.0	-	4.00	14.50	-	0.0
19	28.0	26.0	-	2.00	24.00	-	24.0	36.5	30.5	-	4.00	13.50	-	0.0
20	29.0	25.0	-	2.00	4.00	-	20.0	36.0	31.0	-	2.00	13.00	-	0.0
21	28.0	25.0	-	2.00	2.00	-	5.0	35.0	30.0	-	4.00	12.50	-	0.0
22	31.0	29.0	-	2.00	6.20	-	0.0	34.0	29.0	-	4.00	12.00	-	0.0
23	34.0	29.0	-	0.00	7.30	-	0.0	34.0	28.0	-	4.00	11.50	-	0.0
24	36.0	30.0	-	0.00	8.90	-	0.0	36.0	30.0	-	2.00	9.00	-	56.0
25	35.0	31.0	-	4.00	8.00	-	0.0	37.0	31.0	-	4.00	12.00	-	0.0
26	36.0	30.0	-	4.00	9.10	-	0.0	36.0	30.0	-	4.00	11.50	-	0.0
27	35.0	29.5	-	4.00	9.10	-	0.0	38.0	30.0	-	4.00	13.00	-	0.0
28	34.0	29.0	-	2.00	9.70	-	0.0	38.0	30.0	-	2.00	13.50	-	0.0
29	34.0	30.0	-	4.00	10.20	-	0.0	40.0	31.0	-	4.00	15.00	-	0.0
30	35.0	30.0	-	4.00	11.40	-	0.0	39.0	31.0	-	4.00	13.50	-	0.0
31								38.0	30.0	-	4.00	11.50	-	0.0
Max.	43.0	34.0					64.5	40.0	32.0					56.0
Min.	28.0	25.0					0.0	34.0	28.0					0.0
Total							216.1							61.0
Ava.	34.6	29.3					7.2	37.3	30.3					2.0

Note : "-" Denotes not applicable.

SITE : Damercherla **CODE :** AKF00A7
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	29.0	-	6.00	13.00	-	0.0	35.0	29.0	-	4.00	11.00	-	0.0
2	32.5	28.0	-	4.00	14.00	-	0.0	36.0	30.0	-	2.00	12.50	-	0.0
3	33.0	27.0	-	4.00	1.00	-	8.0	37.0	31.0	-	2.00	14.50	-	0.0
4	34.0	28.0	-	4.00	7.50	-	4.0	36.0	30.0	-	2.00	15.00	-	0.0
5	35.0	29.0	-	2.00	12.00	-	0.0	35.0	30.0	-	4.00	13.50	-	0.0
6	34.0	30.0	-	4.00	0.50	-	8.0	35.0	29.0	-	2.00	11.50	-	0.0
7	33.0	27.0	-	2.00	8.00	-	17.0	34.0	27.0	-	2.00	2.00	-	6.0
8	34.0	28.5	-	2.00	13.00	-	0.0	34.0	26.5	-	2.00	11.00	-	0.0
9	34.0	29.0	-	4.00	12.00	-	0.0	35.0	27.0	-	2.00	12.50	-	0.0
10	33.0	29.0	-	6.00	13.00	-	43.0	35.0	28.0	-	2.00	13.00	-	0.0
11	33.0	29.0	-	4.00	6.00	-	2.0	34.0	29.0	-	2.00	13.00	-	0.0
12	32.0	28.0	-	4.00	21.00	-	24.0	34.5	28.0	-	2.00	12.50	-	0.0
13	33.0	27.0	-	2.00	12.50	-	0.0	34.0	26.0	-	0.00	16.00	-	18.0
14	35.0	29.5	-	2.00	10.00	-	0.0	35.0	27.0	-	2.00	11.00	-	0.0
15	36.0	29.0	-	6.00	13.80	-	0.0	34.0	27.0	-	4.00	11.50	-	0.0
16	36.0	28.5	-	6.00	14.00	-	0.0	34.0	27.0	-	4.00	10.00	-	0.0
17	35.0	28.5	-	6.00	15.00	-	0.0	33.0	28.0	-	2.00	10.00	-	0.0
18	36.0	27.5	-	4.00	3.00	-	18.0	33.5	27.0	-	2.00	10.00	-	0.0
19	37.0	29.0	-	2.00	11.00	-	0.0	34.0	28.5	-	2.00	10.50	-	0.0
20	35.5	24.0	-	4.00	48.00	-	73.0	34.0	29.0	-	0.00	11.00	-	0.0
21	34.0	28.0	-	4.00	5.00	-	0.0	33.5	28.0	-	0.00	12.00	-	0.0
22	34.5	27.5	-	2.00	21.00	-	32.0	35.0	29.0	-	2.00	13.00	-	0.0
23	35.0	28.0	-	4.00	6.00	-	0.0	36.0	30.0	-	2.00	14.00	-	0.0
24	35.0	29.0	-	4.00	9.50	-	0.0	36.0	31.0	-	2.00	14.50	-	0.0
25	36.0	30.0	-	4.00	11.00	-	0.0	36.5	32.5	-	2.00	16.00	-	0.0
26	35.0	29.0	-	4.00	10.00	-	0.0	38.0	32.0	-	2.00	17.00	-	0.0
27	33.0	28.0	-	4.00	9.50	-	0.0	37.5	30.0	-	2.00	16.00	-	0.0
28	34.0	27.0	-	4.00	22.00	-	31.0	36.5	30.0	-	0.00	17.00	-	0.0
29	34.5	28.5	-	4.00	9.50	-	0.0	35.0	30.5	-	2.00	16.00	-	0.0
30	34.0	29.0	-	4.00	9.00	-	0.0	34.0	29.0	-	0.00	12.00	-	18.0
31	34.0	28.0	-	6.00	9.00	-	0.0							
Max.	37.0	30.0					73.0	38.0	32.5					18.0
Min.	32.0	24.0					0.0	33.0	26.0					0.0
Total							260.0							42.0
Ava.	34.3	28.3					8.4	35.0	28.9					1.4

SITE : Damercherla **CODE :** AKF00A7
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	28.0	-	0.00	18.00	-	54.0	35.0	26.0	-	2.00	12.00	-	0.0
2	33.0	28.0	-	0.00	10.00	-	0.0	34.0	26.0	-	2.00	12.00	-	0.0
3	34.0	29.0	-	2.00	12.00	-	0.0	35.0	27.0	-	2.00	14.00	-	0.0
4	35.0	30.0	-	2.00	12.00	-	0.0	36.0	28.0	-	2.00	14.00	-	0.0
5	36.0	29.0	-	2.00	13.50	-	0.0	36.0	29.0	-	2.00	12.00	-	0.0
6	36.0	30.0	-	2.00	13.00	-	0.0	36.0	28.0	-	2.00	13.00	-	0.0
7	36.0	31.0	-	0.00	13.50	-	0.0	37.0	28.0	-	2.00	15.50	-	0.0
8	35.0	29.0	-	2.00	12.00	-	0.0	36.0	29.0	-	4.00	17.00	-	0.0
9	36.0	29.0	-	2.00	14.00	-	0.0	34.0	28.0	-	4.00	14.00	-	0.0
10	35.0	30.5	-	0.00	14.00	-	0.0	34.5	25.0	-	4.00	10.50	-	0.0
11	36.0	29.5	-	2.00	14.00	-	0.0	35.0	25.0	-	2.00	14.00	-	0.0
12	35.0	29.0	-	2.00	13.00	-	0.0	36.0	26.0	-	4.00	17.00	-	0.0
13	36.0	29.0	-	2.00	13.00	-	0.0	35.0	25.0	-	4.00	16.00	-	0.0
14	36.0	30.0	-	2.00	14.50	-	0.0	36.0	25.0	-	4.00	15.00	-	0.0
15	36.0	29.0	-	2.00	14.00	-	0.0	33.0	25.0	-	4.00	13.00	-	0.0
16	35.0	30.0	-	2.00	12.00	-	0.0	26.0	24.0	-	4.00	12.50	-	0.0
17	35.0	29.0	-	2.00	13.00	-	0.0	27.0	21.0	-	2.00	0.00	-	10.0
18	34.0	29.0	-	2.00	12.50	-	0.0	28.0	23.0	-	4.00	0.00	-	0.0
19	34.0	28.0	-	2.00	12.00	-	0.0	28.0	25.0	-	4.00	8.00	-	0.0
20	35.0	28.0	-	2.00	11.00	-	0.0	27.0	23.0	-	2.00	9.00	-	0.0
21	36.0	28.5	-	2.00	16.00	-	0.0	28.0	25.0	-	2.00	11.00	-	0.0
22	36.5	29.0	-	2.00	18.00	-	0.0	30.0	26.0	-	2.00	12.00	-	0.0
23	37.0	29.0	-	0.00	17.00	-	0.0	32.0	27.0	-	2.00	1.50	-	0.0
24	36.5	30.0	-	4.00	17.00	-	0.0	30.0	26.0	-	2.00	12.00	-	0.0
25	36.0	29.5	-	2.00	15.00	-	0.0	30.5	25.0	-	2.00	13.00	-	0.0
26	35.0	29.0	-	2.00	15.00	-	0.0	31.0	25.5	-	2.00	14.00	-	0.0
27	35.0	28.0	-	2.00	13.00	-	0.0	32.0	25.0	-	2.00	13.50	-	0.0
28	34.0	27.0	-	2.00	13.00	-	0.0	33.0	24.0	-	2.00	12.00	-	0.0
29	34.0	28.0	-	2.00	14.00	-	0.0	34.0	24.5	-	2.00	11.00	-	0.0
30	35.0	28.5	-	2.00	15.00	-	0.0	32.0	25.0	-	2.00	11.00	-	0.0
31	34.0	29.0	-	2.00	14.00	-	0.0							
Max.	37.0	31.0					54.0	37.0	29.0					10.0
Min.	31.0	27.0					0.0	26.0	21.0					0.0
Total							54.0							10.0
Ava.	35.1	29.0					1.7	32.6	25.6					0.3

SITE : Damercherla **CODE :** AKF00A7
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	25.0	-	2.00	7.00	-	0.0	34.0	23.0	-	2.00	7.00	-	0.0
2	29.0	26.0	-	4.00	12.00	-	0.0	35.0	22.0	-	4.00	8.00	-	0.0
3	30.0	26.0	-	2.00	11.50	-	0.0	35.0	22.0	-	2.00	7.00	-	0.0
4	29.0	23.0	-	2.00	12.00	-	0.0	34.0	21.5	-	2.00	8.00	-	0.0
5	30.0	24.0	-	2.00	12.50	-	0.0	35.0	22.0	-	2.00	7.00	-	0.0
6	34.0	23.0	-	2.00	12.00	-	0.0	36.0	23.0	-	2.00	9.00	-	0.0
7	33.0	24.0	-	4.00	13.00	-	0.0	35.0	23.0	-	2.00	9.00	-	0.0
8	32.0	22.5	-	2.00	10.00	-	0.0	34.0	33.5	-	2.00	7.00	-	0.0
9	30.0	22.0	-	2.00	8.50	-	0.0	34.5	22.0	-	2.00	8.00	-	0.0
10	29.0	22.0	-	2.00	6.00	-	0.0	35.0	21.0	-	2.00	7.00	-	0.0
11	29.5	23.0	-	2.00	6.00	-	0.0	34.0	22.0	-	2.00	7.00	-	0.0
12	30.0	22.0	-	2.00	6.00	-	0.0	33.0	21.5	-	2.00	6.00	-	0.0
13	31.5	21.0	-	4.00	7.00	-	0.0	32.0	21.0	-	2.00	8.00	-	0.0
14	30.0	22.0	-	2.00	6.00	-	0.0	34.0	22.0	-	4.00	10.00	-	0.0
15	32.0	21.0	-	2.00	7.00	-	0.0	34.5	21.5	-	4.00	14.00	-	0.0
16	31.0	20.0	-	2.00	6.00	-	0.0	34.0	22.0	-	6.00	16.00	-	0.0
17	32.0	21.0	-	2.00	7.00	-	0.0	34.5	23.0	-	4.00	17.00	-	0.0
18	32.0	22.0	-	2.00	8.00	-	0.0	34.0	24.0	-	6.00	18.00	-	0.0
19	34.0	24.0	-	4.00	8.00	-	0.0	35.0	25.0	-	2.00	19.00	-	0.0
20	33.0	25.0	-	2.00	10.00	-	0.0	33.0	25.0	-	2.00	17.00	-	0.0
21	34.0	24.0	-	6.00	9.00	-	0.0	36.0	27.0	-	4.00	17.00	-	0.0
22	34.0	25.0	-	4.00	9.00	-	0.0	37.0	27.0	-	2.00	15.00	-	0.0
23	35.0	26.0	-	2.00	7.00	-	0.0	36.0	28.0	-	2.00	13.00	-	0.0
24	33.5	24.0	-	0.00	8.00	-	0.0	37.0	27.0	-	2.00	14.50	-	0.0
25	35.0	22.0	-	8.00	7.00	-	0.0	38.0	28.0	-	2.00	15.00	-	0.0
26	32.0	15.0	-	2.00	6.00	-	0.0	38.0	28.0	-	4.00	16.00	-	0.0
27	31.0	16.0	-	2.00	7.00	-	0.0	37.0	29.0	-	2.00	15.00	-	0.0
28	32.0	17.0	-	0.00	8.00	-	0.0	38.0	28.0	-	2.00	14.50	-	0.0
29	33.0	19.0	-	2.00	7.00	-	0.0	38.0	28.5	-	2.00	15.00	-	0.0
30	34.0	20.0	-	2.00	8.00	-	0.0	38.0	29.0	-	2.00	18.00	-	0.0
31	21.0	17.0	-	2.00	7.00	-	0.0	37.0	28.5	-	2.00	19.00	-	0.0
Max.	35.0	26.0					0.0	38.0	33.5					0.0
Min.	21.0	15.0					0.0	32.0	21.0					0.0
Total							0.0							0.0
Ava.	31.5	22.0					0.0	35.3	24.8					0.0

SITE : Damercherla CODE : AKF00A7
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.0	28.0	-	2.00	15.00	-	0.0	34.5	24.0	-	4.00	16.00	-	0.0
2	38.0	27.0	-	4.00	16.50	-	0.0	35.0	24.5	-	4.00	17.50	-	0.0
3	36.0	29.0	-	2.00	15.00	-	0.0	35.0	23.0	-	2.00	16.00	-	0.0
4	36.0	29.0	-	2.00	18.00	-	0.0	36.0	24.0	-	2.00	18.00	-	0.0
5	37.0	28.0	-	6.00	20.00	-	0.0	35.0	24.0	-	4.00	18.00	-	0.0
6	38.0	29.0	-	4.00	21.00	-	0.0	36.0	23.0	-	6.00	20.00	-	0.0
7	39.5	30.0	-	6.00	21.00	-	0.0	35.0	24.0	-	6.00	19.50	-	0.0
8	39.0	31.5	-	6.00	19.00	-	0.0	36.0	25.0	-	4.00	20.50	-	0.0
9	39.0	32.0	-	4.00	19.00	-	0.0	36.0	26.0	-	6.00	23.00	-	0.0
10	42.0	32.0	-	4.00	20.00	-	0.0	37.0	25.5	-	4.00	23.00	-	0.0
11	42.0	33.0	-	2.00	20.00	-	0.0	36.0	26.0	-	2.00	20.00	-	0.0
12	41.5	33.0	-	2.00	19.00	-	0.0	35.0	26.0	-	4.00	18.00	-	0.0
13	41.0	32.0	-	2.00	19.00	-	0.0	34.5	26.5	-	4.00	18.50	-	0.0
14	40.0	31.0	-	2.00	21.00	-	0.0	35.0	27.0	-	6.00	17.00	-	0.0
15	40.0	30.0	-	4.00	19.00	-	0.0	34.0	26.0	-	4.00	19.00	-	0.0
16	41.0	29.0	-	2.00	19.00	-	0.0	36.0	27.0	-	6.00	20.00	-	0.0
17	41.0	31.0	-	2.00	20.00	-	0.0	37.0	28.0	-	4.00	22.50	-	0.0
18	40.5	30.0	-	2.00	20.00	-	0.0	36.0	27.0	-	4.00	26.00	-	0.0
19	41.0	32.0	-	4.00	20.50	-	0.0	36.0	26.0	-	2.00	28.00	-	0.0
20	41.0	31.0	-	2.00	23.00	-	0.0	36.0	25.0	-	2.00	27.00	-	0.0
21	32.5	23.0	-	4.00	24.00	-	0.0	36.0	25.0	-	2.00	30.00	-	0.0
22	32.0	22.0	-	4.00	25.00	-	0.0	36.0	24.0	-	6.00	32.00	-	0.0
23	33.0	24.0	-	4.00	23.50	-	0.0	37.0	25.0	-	4.00	31.00	-	0.0
24	34.0	22.0	-	4.00	22.00	-	0.0	38.0	28.0	-	4.00	31.50	-	0.0
25	34.0	23.0	-	4.00	20.00	-	0.0	39.0	28.0	-	4.00	29.00	-	0.0
26	33.5	24.0	-	4.00	8.00	-	0.0	38.0	27.0	-	4.00	27.00	-	0.0
27	34.0	25.0	-	4.00	19.00	-	0.0	38.0	27.0	-	4.00	27.00	-	0.0
28	35.0	25.5	-	4.00	18.00	-	0.0	38.0	28.0	-	4.00	29.00	-	0.0
29	34.0	24.0	-	4.00	18.00	-	0.0	37.0	27.0	-	4.00	28.00	-	0.0
								38.0	28.0	-	2.00	30.00	-	0.0
								37.0	27.0	-	4.00	29.50	-	0.0
Max.	42.0	33.0					0.0	39.0	28.0					0.0
Min.	32.0	22.0					0.0	34.0	23.0					0.0
Total							0.0							0.0
Ava.	37.7	28.3					0.0	36.2	25.9					0.0

SITE : Damercherla **CODE :** AKF00A7
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	29.0	-	4.00	29.00	-	0.0	45.0	36.0	-	4.00	45.00	-	0.0
2	41.0	30.0	-	6.00	33.50	-	0.0	46.0	32.0	-	4.00	44.00	-	0.0
3	40.5	31.0	-	2.00	34.00	-	0.0	45.0	31.0	-	4.00	43.00	-	0.0
4	42.0	32.0	-	2.00	36.00	-	0.0	45.0	31.0	-	6.00	45.00	-	0.0
5	41.5	33.0	-	2.00	38.00	-	0.0	41.0	29.0	-	4.00	17.00	-	19.0
6	42.0	34.0	-	4.00	40.00	-	0.0	36.0	28.0	-	2.00	22.00	-	26.0
7	41.0	34.5	-	4.00	40.00	-	0.0	39.0	28.0	-	4.00	33.00	-	0.0
8	42.0	33.5	-	2.00	42.50	-	0.0	40.0	29.0	-	2.00	39.00	-	0.0
9	41.0	34.0	-	2.00	42.50	-	0.0	42.0	34.0	-	2.00	43.00	-	0.0
10	41.5	33.0	-	4.00	41.50	-	0.0	42.0	33.0	-	2.00	41.00	-	0.0
11	41.0	33.0	-	2.00	41.50	-	0.0	42.5	35.0	-	2.00	43.00	-	0.0
12	43.0	33.5	-	4.00	42.50	-	0.0	43.0	33.0	-	2.00	42.50	-	0.0
13	43.0	34.0	-	6.00	40.00	-	0.0	44.0	34.0	-	2.00	45.00	-	0.0
14	44.0	32.0	-	4.00	42.00	-	0.0	43.5	35.0	-	2.00	45.00	-	0.0
15	43.0	32.0	-	6.00	46.00	-	0.0	44.0	34.0	-	2.00	44.00	-	0.0
16	42.5	31.0	-	4.00	43.00	-	0.0	42.0	35.0	-	2.00	49.00	-	0.0
17	43.0	30.0	-	6.00	44.60	-	0.0	40.0	34.0	-	2.00	42.00	-	0.0
18	43.5	30.0	-	4.00	44.00	-	0.0	40.0	32.0	-	2.00	38.00	-	0.4
19	43.0	30.5	-	2.00	40.00	-	0.0	37.0	30.0	-	2.00	25.60	-	0.0
20	43.0	30.0	-	2.00	40.20	-	0.0	38.0	28.0	-	4.00	29.00	-	0.0
21	43.5	31.0	-	2.00	38.00	-	0.0	37.0	29.0	-	4.00	33.00	-	0.0
22	44.0	32.0	-	4.00	41.00	-	0.0	42.0	28.0	-	4.00	35.00	-	0.0
23	44.0	33.0	-	2.00	45.00	-	0.0	44.0	34.0	-	6.00	44.00	-	0.0
24	44.5	33.5	-	2.00	47.00	-	0.0	44.5	37.0	-	4.00	48.00	-	0.0
25	45.0	34.0	-	2.00	47.00	-	0.0	44.5	35.0	-	4.00	54.00	-	0.0
26	44.0	35.0	-	2.00	49.00	-	0.0	44.5	36.0	-	2.00	58.00	-	0.0
27	45.5	33.0	-	4.00	50.00	-	0.0	44.0	35.0	-	4.00	57.00	-	0.0
28	45.5	33.5	-	2.00	50.00	-	0.0	43.0	33.0	-	2.00	53.00	-	0.0
29	46.0	34.0	-	4.00	50.00	-	0.0	43.0	32.0	-	4.00	53.00	-	0.0
30	46.0	36.0	-	2.00	55.00	-	0.0	44.0	33.0	-	4.00	54.00	-	0.0
31								44.0	33.0	-	6.00	57.00	-	0.0
Max.	46.0	36.0					0.0	46.0	37.0					26.0
Min.	40.5	29.0					0.0	36.0	28.0					0.0
Total							0.0							45.4
Ava.	43.1	32.5					0.0	42.2	32.5					1.5

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	28.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
2	40.0	28.0	-	-	-	-	0.0	34.0	22.5	-	-	-	-	0.0
3	41.0	29.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	3.9
4	41.0	28.0	-	-	-	-	0.0	35.5	24.0	-	-	-	-	0.0
5	40.0	29.0	-	-	-	-	6.0	36.0	24.5	-	-	-	-	0.0
6	39.0	28.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
7	38.0	27.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
8	38.0	27.0	-	-	-	-	0.0	35.0	24.5	-	-	-	-	0.0
9	36.0	25.0	-	-	-	-	10.5	34.0	24.0	-	-	-	-	0.0
10	39.0	27.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
11	40.0	28.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
12	38.0	26.0	-	-	-	-	2.3	35.5	24.0	-	-	-	-	0.0
13	38.0	26.0	-	-	-	-	6.9	36.0	24.0	-	-	-	-	0.0
14	36.0	25.0	-	-	-	-	11.0	35.0	23.5	-	-	-	-	0.0
15	34.0	24.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	5.3
16	33.0	23.5	-	-	-	-	0.0	34.5	23.0	-	-	-	-	0.0
17	32.0	23.0	-	-	-	-	3.9	35.0	24.0	-	-	-	-	0.0
18	31.0	22.0	-	-	-	-	1.7	34.5	23.0	-	-	-	-	0.0
19	31.0	23.0	-	-	-	-	2.5	34.0	22.0	-	-	-	-	0.0
20	30.0	22.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
21	30.0	21.0	-	-	-	-	2.6	33.0	22.5	-	-	-	-	0.0
22	30.0	20.0	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
23	32.0	22.0	-	-	-	-	0.0	32.5	20.0	-	-	-	-	3.7
24	33.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
25	34.0	23.0	-	-	-	-	0.0	34.5	23.5	-	-	-	-	0.0
26	34.0	23.5	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
27	35.0	34.0	-	-	-	-	0.0	34.5	21.0	-	-	-	-	0.0
28	36.0	24.5	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
29	35.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
30	36.0	23.5	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
31								34.0	23.0	-	-	-	-	0.0
Max.	41.0	34.0					11.0	36.0	25.0					5.3
Min.	30.0	20.0					0.0	32.5	20.0					0.0
Total							47.4							12.9
Ava.	35.7	25.3					1.6	34.5	23.1					0.4

Note : "-" Denotes not applicable.

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	22.0	-	-	-	-	10.8	29.0	19.0	-	-	-	-	0.0
2	32.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
3	32.0	20.0	-	-	-	-	0.0	33.5	23.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	5.6	34.0	23.5	-	-	-	-	0.0
5	33.0	22.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
6	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
7	31.0	21.0	-	-	-	-	29.2	30.0	21.0	-	-	-	-	20.4
8	30.0	22.0	-	-	-	-	4.8	30.0	20.0	-	-	-	-	78.8
9	31.0	20.0	-	-	-	-	0.0	31.0	21.5	-	-	-	-	0.0
10	31.0	20.0	-	-	-	-	0.0	31.5	22.0	-	-	-	-	0.0
11	31.0	20.0	-	-	-	-	7.2	32.0	22.5	-	-	-	-	0.0
12	30.0	20.5	-	-	-	-	11.0	31.0	22.0	-	-	-	-	13.0
13	31.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
14	34.0	22.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
15	33.0	21.0	-	-	-	-	0.0	30.0	19.5	-	-	-	-	25.2
16	32.0	20.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	13.6
17	32.5	21.0	-	-	-	-	0.0	29.5	20.0	-	-	-	-	0.0
18	30.0	19.0	-	-	-	-	12.8	30.0	20.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
20	30.0	19.0	-	-	-	-	42.8	32.5	23.0	-	-	-	-	0.0
21	30.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
22	29.0	19.0	-	-	-	-	16.0	33.0	22.0	-	-	-	-	0.0
23	29.5	20.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
24	32.0	22.0	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
25	33.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
26	32.0	23.0	-	-	-	-	6.8	33.0	21.0	-	-	-	-	0.0
27	30.0	20.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	32.0
28	29.0	19.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	29.0	21.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
30	28.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
31	30.0	20.0	-	-	-	-	0.0							
Max.	34.0	23.0					42.8	35.0	23.5					78.8
Min.	28.0	19.0					0.0	29.0	19.0					0.0
Total							147.0							183.0
Ava.	31.1	20.7					4.7	31.7	21.2					6.1

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	21.0	-	-	-	-	16.0	33.5	21.0	-	-	-	-	0.0
2	32.0	21.0	-	-	-	-	8.0	34.0	22.0	-	-	-	-	0.0
3	32.5	21.5	-	-	-	-	0.0	33.5	22.5	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	34.0	21.5	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
6	32.0	21.0	-	-	-	-	0.0	32.5	21.0	-	-	-	-	0.0
7	34.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
8	33.5	22.5	-	-	-	-	0.0	32.0	21.5	-	-	-	-	0.0
9	33.0	22.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
10	33.5	23.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
11	30.0	20.0	-	-	-	-	0.0	30.5	19.0	-	-	-	-	0.0
12	32.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
13	33.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
14	34.0	22.5	-	-	-	-	0.0	31.5	20.5	-	-	-	-	0.0
15	34.5	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
16	32.0	21.0	-	-	-	-	0.0	29.5	18.5	-	-	-	-	0.0
17	30.0	20.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	7.2
18	31.0	21.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
19	33.0	21.5	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
20	33.0	22.0	-	-	-	-	0.0	29.5	18.5	-	-	-	-	0.0
21	33.5	22.5	-	-	-	-	0.0	30.0	19.5	-	-	-	-	0.0
22	34.0	23.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
23	33.0	23.5	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
24	33.5	22.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
25	34.0	22.5	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
26	33.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
27	33.5	23.0	-	-	-	-	0.0	29.5	19.5	-	-	-	-	0.0
28	32.0	23.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
29	34.0	23.5	-	-	-	-	0.0	30.0	19.5	-	-	-	-	0.0
30	33.5	22.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
31	33.0	21.0	-	-	-	-	0.0							
Max.	34.5	23.5					16.0	34.0	22.5					7.2
Min.	30.0	20.0					0.0	29.0	18.0					0.0
Total							24.0							7.2
Ava.	32.7	21.9					0.8	31.0	20.0					0.2

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	19.5	-	-	-	-	0.0	28.5	18.0	-	-	-	-	0.0
2	29.0	18.0	-	-	-	-	0.0	29.5	19.0	-	-	-	-	0.0
3	31.0	19.5	-	-	-	-	0.0	30.0	19.5	-	-	-	-	0.0
4	31.5	20.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
5	30.0	19.0	-	-	-	-	0.0	31.0	19.5	-	-	-	-	0.0
6	29.0	18.5	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
7	29.5	19.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
8	30.0	19.5	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
9	28.5	18.0	-	-	-	-	0.0	31.5	20.5	-	-	-	-	0.0
10	30.0	18.5	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
11	30.5	19.0	-	-	-	-	0.0	31.5	20.0	-	-	-	-	0.0
12	31.0	20.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
13	31.0	21.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
14	31.0	21.0	-	-	-	-	0.0	31.5	21.5	-	-	-	-	0.0
15	31.0	20.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
16	30.0	19.5	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
17	32.0	20.0	-	-	-	-	0.0	33.0	22.5	-	-	-	-	0.0
18	30.5	19.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
19	30.0	19.5	-	-	-	-	0.0	28.5	18.0	-	-	-	-	0.0
20	31.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.3
21	31.0	19.5	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
22	31.0	20.0	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
23	32.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
24	30.0	20.0	-	-	-	-	0.0	30.5	19.5	-	-	-	-	0.0
25	31.0	18.5	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
26	29.0	19.0	-	-	-	-	0.0	29.5	18.5	-	-	-	-	0.0
27	29.5	20.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
28	30.0	19.5	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
29	30.5	19.0	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
30	31.0	19.5	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
31	30.0	18.0	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
Max.	32.0	21.0					0.0	33.0	22.5	-	-	-	-	0.3
Min.	28.5	18.0					0.0	28.5	18.0					0.0
Total							0.0							0.3
Ava.	30.4	19.3					0.0	31.0	20.2					0.0

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	21.5	-	-	-	-	0.0	32.5	22.5	-	-	-	-	0.0
2	31.5	21.0	-	-	-	-	0.0	33.5	23.0	-	-	-	-	0.0
3	32.0	22.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
4	33.0	22.5	-	-	-	-	0.0	34.5	24.0	-	-	-	-	0.0
5	32.0	22.0	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
6	31.5	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
7	32.0	21.5	-	-	-	-	0.0	33.5	23.5	-	-	-	-	0.0
8	30.0	19.5	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
9	30.5	20.0	-	-	-	-	0.0	33.5	23.5	-	-	-	-	0.0
10	31.0	20.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
11	32.0	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
12	30.5	20.0	-	-	-	-	0.0	33.0	23.5	-	-	-	-	0.0
13	31.0	20.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
14	31.5	20.5	-	-	-	-	0.0	32.5	22.5	-	-	-	-	0.0
15	32.0	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
16	32.5	21.5	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
17	32.0	21.0	-	-	-	-	0.0	35.0	24.5	-	-	-	-	0.0
18	32.5	21.5	-	-	-	-	0.0	34.5	23.5	-	-	-	-	0.0
19	33.0	22.5	-	-	-	-	0.0	35.5	24.5	-	-	-	-	0.0
20	33.5	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
21	32.5	22.5	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
22	33.0	23.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
23	32.5	23.0	-	-	-	-	0.0	36.5	25.5	-	-	-	-	0.0
24	33.5	22.5	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
25	33.0	23.0	-	-	-	-	0.0	36.0	23.5	-	-	-	-	0.0
26	32.5	22.5	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
27	32.0	22.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
28	32.5	22.5	-	-	-	-	0.0	38.0	24.5	-	-	-	-	0.0
29	33.0	23.0	-	-	-	-	0.0	37.5	23.5	-	-	-	-	0.0
								37.0	23.0	-	-	-	-	0.0
								38.0	24.0	-	-	-	-	0.0
Max.	33.5	23.0					0.0	38.0	25.5					0.0
Min.	30.0	19.5					0.0	32.5	22.5					0.0
Total							0.0							0.0
Ava.	32.1	21.6					0.0	34.9	23.7					0.0

SITE : Halia **CODE :** AKH00G2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.5	24.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
2	38.0	23.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
3	39.0	24.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
4	40.0	24.5	-	-	-	-	0.0	42.0	27.5	-	-	-	-	39.6
5	41.0	25.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	4.0
6	42.0	26.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	28.0
7	40.0	25.0	-	-	-	-	0.0	41.5	27.5	-	-	-	-	0.0
8	41.0	25.5	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
9	40.0	26.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
10	39.0	24.5	-	-	-	-	0.0	41.0	29.0	-	-	-	-	26.0
11	40.0	25.0	-	-	-	-	0.0	41.5	27.5	-	-	-	-	0.0
12	40.5	25.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
13	40.0	24.5	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
14	42.0	25.0	-	-	-	-	0.0	43.0	30.0	-	-	-	-	0.0
15	43.0	26.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
16	41.0	25.5	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
17	42.0	25.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
18	40.0	25.5	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
19	40.0	26.5	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
20	43.0	27.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
21	44.0	27.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
22	45.0	28.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
23	45.0	27.0	-	-	-	-	0.0	43.0	29.5	-	-	-	-	0.0
24	43.0	28.0	-	-	-	-	0.0	43.5	30.0	-	-	-	-	0.0
25	42.0	27.5	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
26	43.0	28.5	-	-	-	-	0.0	43.0	33.0	-	-	-	-	0.0
27	44.0	29.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
28	43.5	28.0	-	-	-	-	0.0	43.0	28.5	-	-	-	-	0.0
29	44.0	29.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	10.0
30	43.5	28.5	-	-	-	-	0.0	42.5	28.5	-	-	-	-	0.0
31								41.0	29.0	-	-	-	-	0.0
Max.	45.0	29.0					0.0	44.0	33.0					39.6
Min.	37.5	23.0					0.0	35.0	25.0					0.0
Total							0.0							107.6
Ava.	41.5	26.1					0.0	41.5	28.1					3.5

SITE : N.S.Dam **CODE :** NS DAM
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.2
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	62.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	7.6	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	24.2	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	38.4	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	1.2	-	-	-	-	-	-	8.8
16	-	-	-	-	-	-	6.2	-	-	-	-	-	-	4.2
17	-	-	-	-	-	-	4.6	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	22.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	4.4	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	7.6	-	-	-	-	-	-	1.2
22	-	-	-	-	-	-	4.8	-	-	-	-	-	-	0.8
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.0
25	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	32.0
Max.	0.0	0.0					62.0	0.0	0.0					32.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							187.2							52.0
Ava.	0.0	0.0					6.2	0.0	0.0					1.7

Note : "-" Denotes not applicable.

SITE : N.S.Dam

CODE : NS DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	11.4	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	4.4	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	18.0
5	-	-	-	-	-	-	3.4	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	7.8	-	-	-	-	-	-	8.6
7	-	-	-	-	-	-	1.8	-	-	-	-	-	-	3.2
8	-	-	-	-	-	-	29.2	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	16.4	-	-	-	-	-	-	4.8
10	-	-	-	-	-	-	15.8	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.8
12	-	-	-	-	-	-	10.0	-	-	-	-	-	-	33.4
13	-	-	-	-	-	-	0.6	-	-	-	-	-	-	7.8
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	21.0
16	-	-	-	-	-	-	4.4	-	-	-	-	-	-	0.2
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	32.8	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	37.8	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	8.2	-	-	-	-	-	-	6.6
22	-	-	-	-	-	-	6.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	1.8	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	3.6	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	14.0
30	-	-	-	-	-	-	13.2	-	-	-	-	-	-	1.2
31	-	-	-	-	-	-	0.1							
Max.	0.0	0.0					37.8	0.0	0.0					33.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							208.7							138.6
Ava.	0.0	0.0					6.7	0.0	0.0					4.6

SITE : N.S.Dam

CODE : NS DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	38.6	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	25.6
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	9.4
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					38.6	0.0	0.0					25.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							39.2							36.0
Ava.	0.0	0.0					1.3	0.0	0.0					1.2

SITE : N.S.Dam

CODE : NS DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : N.S.Dam

CODE : NS DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : N.S.Dam

CODE : NS DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	18.2
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	16.8
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.8
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	7.8
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					18.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							57.0
Ava.	0.0	0.0					0.0	0.0	0.0					1.8

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	16.2	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	31.8	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	72.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	1.8	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	2.1	-	-	-	-	-	-	1.0
22	-	-	-	-	-	-	7.6	-	-	-	-	-	-	1.2
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.2
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					31.8	0.0	0.0					72.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							62.6							89.0
Ava.	0.0	0.0					2.1	0.0	0.0					2.9

Note : "-" Denotes not applicable.

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	8.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	30.4	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	32.8
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	43.0
12	-	-	-	-	-	-	18.2	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	2.8	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.2
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.2
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	15.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	11.2	-	-	-	-	-	-	2.0
21	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	1.2	-	-	-	-	-	-	9.8
28	-	-	-	-	-	-	9.2	-	-	-	-	-	-	1.2
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	14.8
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					30.4	0.0	0.0					43.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							109.4							118.0
Ava.	0.0	0.0					3.5	0.0	0.0					3.9

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	12.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
5	-	-	-	-	-	-	27.6	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	18.4	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	2.4	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	14.2
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	15.4
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					27.6	0.0	0.0					15.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							61.4							48.0
Ava.	0.0	0.0					2.0	0.0	0.0					1.6

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	2.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.2
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					2.0	0.0	0.0					1.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							4.6							1.8
Ava.	0.0	0.0					0.1	0.0	0.0					0.1

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : SriSailam

CODE : SRISAILAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	16.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	11.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.8
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	29.6
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	50.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	20.0
Max.	0.0	0.0					0.0	0.0	0.0					50.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							135.0
Ava.	0.0	0.0					0.0	0.0	0.0					4.4

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	38.0	25.0	-	-	-	-	0.2	32.0	26.0	-	-	-	-	0.0
2	39.0	27.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
3	38.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
4	39.0	25.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
5	39.0	26.0	-	-	-	-	0.6	35.0	27.0	-	-	-	-	0.0
6	40.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
7	38.0	25.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	0.0
8	37.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
9	34.0	24.0	-	-	-	-	40.6	35.0	26.0	-	-	-	-	0.0
10	35.0	27.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
11	36.0	28.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
12	33.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
13	33.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
14	34.0	26.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
15	34.0	24.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	19.0
16	35.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
17	33.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
18	34.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
19	35.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
20	32.0	24.0	-	-	-	-	4.2	35.0	26.0	-	-	-	-	0.0
21	31.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
22	34.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	19.4
23	34.0	26.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.5
24	34.0	26.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
25	32.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
26	32.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
27	34.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
28	34.0	27.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
29	33.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
30	33.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
31								36.0	25.0	-	-	-	-	0.0
Max.	40.0	28.0					40.6	36.0	27.0					19.4
Min.	31.0	24.0					0.0	31.0	23.0					0.0
Total							45.6							38.9
Ava.	34.9	25.5					1.5	33.8	25.5					1.3

Note : "-" Denotes not applicable.

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	25.0	-	-	-	-	14.4	34.0	25.0	-	-	-	-	0.0
2	36.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
3	34.0	25.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
4	35.0	26.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
5	34.0	26.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	18.4
6	35.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
7	34.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	11.0
8	32.0	23.0	-	-	-	-	3.4	31.0	25.0	-	-	-	-	56.8
9	35.0	24.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
10	33.0	24.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
11	32.0	23.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
12	32.0	23.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
13	32.0	23.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
14	33.0	24.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
15	33.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	17.4
16	33.0	25.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
17	32.0	24.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
18	34.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	12.0
19	33.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
20	32.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
21	31.0	22.0	-	-	-	-	20.2	34.0	25.0	-	-	-	-	0.0
22	32.0	23.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
23	33.0	24.0	-	-	-	-	1.8	34.0	26.0	-	-	-	-	0.0
24	32.0	25.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
25	34.0	26.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.8
27	32.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
28	32.0	23.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
29	33.0	24.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
30	32.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
31	33.0	24.0	-	-	-	-	0.0							
Max.	36.0	26.0					20.2	37.0	26.0					56.8
Min.	31.0	22.0					0.0	31.0	23.0					0.0
Total							39.8							116.4
Ava.	33.0	24.3					1.3	33.5	25.1					3.9

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	24.0	-	-	-	-	0.6	32.0	24.0	-	-	-	-	0.0
2	32.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
3	33.0	25.0	-	-	-	-	10.4	32.0	25.0	-	-	-	-	0.0
4	32.0	24.0	-	-	-	-	0.5	32.0	24.0	-	-	-	-	0.0
5	33.0	26.0	-	-	-	-	0.8	31.0	24.0	-	-	-	-	0.0
6	34.0	25.0	-	-	-	-	0.8	32.0	25.0	-	-	-	-	0.0
7	34.0	26.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
8	35.0	25.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
9	34.0	26.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
10	35.0	25.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
11	32.0	26.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
12	33.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
13	33.0	26.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
14	34.0	26.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
15	35.0	26.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
16	34.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
17	33.0	26.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.8
18	34.0	26.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
19	35.0	26.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
20	34.0	26.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
21	33.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
22	34.0	26.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
23	34.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
24	34.0	25.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
25	34.0	26.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
27	34.0	25.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
28	35.0	24.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
29	33.0	25.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
30	31.0	25.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.7
31	32.0	25.0	-	-	-	-	0.0							
Max.	35.0	26.0					10.4	34.0	26.0					0.8
Min.	31.0	24.0					0.0	30.0	22.0					0.0
Total							13.1							1.5
Ava.	33.5	25.3					0.4	31.7	24.1					0.1

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	23.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
2	32.0	24.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	0.0
3	31.0	25.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
4	31.0	22.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
5	32.0	23.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
6	31.0	22.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
7	31.0	22.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	0.0
8	31.0	23.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
9	31.0	23.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
10	32.0	22.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
11	32.0	22.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
12	31.0	23.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
13	31.0	23.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
14	33.0	23.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
15	34.0	19.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
16	33.0	20.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
17	32.0	20.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
18	33.0	21.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.0
20	32.0	22.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.3
21	32.0	23.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
22	33.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
23	32.0	23.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
24	32.0	23.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
25	31.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
26	31.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
27	31.0	19.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
28	30.0	17.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
29	30.0	15.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
30	32.0	16.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
31	31.0	16.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
Max.	34.0	25.0					0.0	33.0	21.0					0.3
Min.	30.0	15.0					0.0	28.0	16.0					0.0
Total							0.0							0.3
Ava.	31.7	21.3					0.0	31.7	18.6					0.0

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
2	36.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
3	35.0	23.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
4	36.0	23.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
5	36.0	23.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
6	34.0	22.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
7	35.0	20.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
8	35.0	19.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
9	36.0	21.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
10	34.0	19.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
11	33.0	22.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
12	36.0	22.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
13	35.0	24.0	-	-	-	-	0.0	41.0	24.0	-	-	-	-	0.0
14	36.0	23.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
15	35.0	24.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
16	35.0	21.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
17	36.0	20.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
18	35.0	23.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
19	36.0	22.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
20	37.0	20.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
21	38.0	21.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
22	39.0	22.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
23	39.0	22.0	-	-	-	-	0.0	43.0	26.0	-	-	-	-	0.0
24	39.0	22.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
25	38.0	24.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
26	35.0	25.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
27	36.0	23.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
28	35.0	24.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
29	36.0	23.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
								39.0	26.0	-	-	-	-	0.0
								40.0	26.0	-	-	-	-	0.0
Max.	39.0	25.0					0.0	43.0	26.0					0.0
Min.	33.0	19.0					0.0	34.0	22.0					0.0
Total							0.0							0.0
Ava.	35.9	22.2					0.0	39.7	24.6					0.0

SITE : Bawapuram

CODE : AKL00B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	25.0	-	-	-	-	0.0	44.0	30.0	-	-	-	-	0.0
2	42.0	26.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
3	42.0	27.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
4	42.0	28.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.1
5	43.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.6
6	43.0	25.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
7	43.0	26.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
8	42.0	27.0	-	-	-	-	0.0	41.0	24.0	-	-	-	-	30.0
9	43.0	27.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
10	41.0	27.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
11	42.0	26.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
12	43.0	26.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
13	42.0	25.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
14	43.0	25.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
15	43.0	26.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
16	43.0	29.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
17	42.0	28.0	-	-	-	-	0.0	38.0	28.0	-	-	-	-	0.0
18	43.0	28.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
19	43.0	28.0	-	-	-	-	0.0	38.0	28.0	-	-	-	-	0.0
20	44.0	29.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	0.0
21	43.0	28.0	-	-	-	-	0.0	38.0	28.0	-	-	-	-	0.0
22	45.0	29.0	-	-	-	-	0.0	42.0	27.0	-	-	-	-	0.0
23	45.0	27.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
24	44.0	27.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
25	45.0	26.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.2
26	44.0	28.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
27	44.0	29.0	-	-	-	-	0.0	40.0	30.0	-	-	-	-	0.0
28	43.0	30.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
29	43.0	29.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	21.4
30	43.0	29.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
31								40.0	28.0	-	-	-	-	0.0
Max.	45.0	30.0					0.0	44.0	30.0					30.0
Min.	41.0	25.0					0.0	35.0	24.0					0.0
Total							0.0							52.3
Ava.	43.0	27.2					0.0	40.1	27.4					1.7

SITE : Mantralayam

CODE : AKL00F2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	21.0	-	0.00	7.20	-	45.0	38.0	27.0	-	0.00	2.90	-	0.0
2	35.0	21.0	-	0.00	5.90	-	0.0	37.0	25.0	-	0.00	4.00	-	0.0
3	39.0	21.0	-	0.00	5.90	-	0.0	37.0	26.0	-	0.00	3.00	-	1.2
4	40.0	22.0	-	0.00	5.70	-	0.0	38.0	25.0	-	0.00	3.20	-	0.0
5	41.0	21.0	-	0.00	5.30	-	1.0	38.0	25.0	-	0.00	3.70	-	0.0
6	38.0	21.0	-	0.00	5.50	-	0.0	39.0	26.0	-	0.00	3.60	-	0.0
7	38.0	22.0	-	0.00	5.70	-	0.0	39.0	26.0	-	0.00	3.60	-	0.0
8	39.0	22.0	-	0.00	4.90	-	11.4	38.0	26.0	-	0.00	1.50	-	0.0
9	38.0	22.0	-	0.00	5.10	-	0.0	37.0	26.0	-	0.00	1.10	-	21.5
10	38.0	22.0	-	0.00	5.30	-	0.0	37.0	26.0	-	0.00	2.30	-	0.0
11	41.0	22.0	-	0.00	5.20	-	0.0	35.0	26.0	-	0.00	2.40	-	0.0
12	40.0	22.0	-	0.00	5.40	-	0.0	36.0	26.0	-	0.00	2.40	-	0.0
13	39.0	23.0	-	0.00	5.30	-	0.0	38.0	26.0	-	0.00	2.80	-	0.0
14	39.0	24.0	-	0.00	5.50	-	0.0	39.0	25.0	-	0.00	2.90	-	0.0
15	36.0	20.0	-	0.00	4.80	-	3.1	39.0	25.0	-	0.00	0.90	-	10.1
16	34.0	25.0	-	0.00	4.80	-	3.0	35.0	25.0	-	0.00	2.60	-	0.0
17	34.0	25.0	-	0.00	4.80	-	0.0	37.0	26.0	-	0.00	2.80	-	0.0
18	35.0	25.0	-	0.00	4.70	-	0.0	37.0	25.0	-	0.00	2.00	-	2.2
19	33.0	25.0	-	0.00	4.70	-	0.0	36.0	26.0	-	0.00	2.40	-	0.0
20	34.0	26.0	-	0.00	4.00	-	0.0	35.0	25.0	-	0.00	2.60	-	0.0
21	33.0	26.0	-	0.00	3.30	-	6.8	36.0	25.0	-	0.00	2.40	-	0.0
22	35.0	24.0	-	0.00	2.20	-	0.0	36.0	26.0	-	0.00	2.40	-	0.0
23	35.0	25.0	-	0.00	3.30	-	0.0	38.0	25.0	-	0.00	2.20	-	4.2
24	36.0	24.0	-	0.00	2.90	-	0.0	36.0	26.0	-	0.00	2.10	-	0.0
25	36.0	24.0	-	0.00	3.20	-	0.0	37.0	26.0	-	0.00	2.50	-	0.0
26	36.0	25.0	-	0.00	2.20	-	1.8	37.0	25.0	-	0.00	1.10	-	2.4
27	37.0	25.0	-	0.00	2.30	-	0.0	36.0	23.0	-	0.00	2.60	-	16.6
28	38.0	26.0	-	0.00	2.60	-	0.0	36.0	23.0	-	0.00	3.00	-	0.0
29	38.0	27.0	-	0.00	2.70	-	0.0	36.0	24.0	-	0.00	2.20	-	0.5
30	38.0	26.0	-	0.00	2.80	-	0.0	37.0	23.0	-	0.00	2.10	-	0.0
31								36.0	24.0		0.00	2.10		16.5
Max.	41.0	27.0					45.0	39.0	27.0					21.5
Min.	33.0	20.0					0.0	35.0	23.0					0.0
Total							72.1							75.2
Ava.	37.1	23.5					2.4	37.0	25.3					2.4

Note : "-" Denotes not applicable.

SITE : Mantralayam

CODE : AKL00F2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	24.0	-	0.00	3.50	-	1.2	35.0	24.0	-	0.00	2.50	-	0.0
2	37.0	24.0	-	0.00	5.00	-	0.0	36.0	25.0	-	0.00	3.00	-	0.0
3	36.0	23.0	-	0.00	2.00	-	0.0	37.0	25.0	-	0.00	3.50	-	0.0
4	35.0	24.0	-	0.00	2.90	-	0.0	39.0	24.0	-	0.00	3.00	-	0.0
5	38.0	24.0	-	0.00	2.00	-	0.0	35.0	24.0	-	0.00	0.00	-	0.0
6	36.0	25.0	-	0.00	3.20	-	0.0	36.0	25.0	-	0.00	2.00	-	0.0
7	34.0	25.0	-	0.00	3.30	-	0.0	27.0	23.0	-	0.00	0.00	-	52.8
8	34.0	24.0	-	0.00	5.60	-	18.0	27.0	24.0	-	0.00	2.00	-	0.0
9	35.0	24.0	-	0.00	2.00	-	0.0	31.0	24.0	-	0.00	0.00	-	21.0
10	36.0	24.0	-	0.00	2.20	-	0.0	29.0	23.0	-	0.00	0.00	-	16.6
11	35.0	24.0	-	0.00	2.00	-	0.0	33.0	23.0	-	0.00	2.00	-	5.5
12	34.0	23.0	-	0.00	1.00	-	6.6	34.0	24.0	-	0.00	2.00	-	0.0
13	35.0	23.0	-	0.00	1.80	-	0.0	33.0	25.0	-	0.00	2.00	-	0.0
14	37.0	24.0	-	0.00	1.90	-	0.0	32.0	25.0	-	0.00	0.00	-	3.2
15	36.0	24.0	-	0.00	2.50	-	0.0	32.0	23.0	-	0.00	0.00	-	9.8
16	37.0	24.0	-	0.00	3.00	-	1.2	33.0	24.0	-	0.00	1.50	-	0.0
17	36.0	25.0	-	0.00	2.50	-	0.0	33.0	24.0	-	0.00	2.00	-	0.0
18	37.0	25.0	-	0.00	2.00	-	0.0	35.0	24.0	-	0.00	2.00	-	0.0
19	37.0	25.0	-	0.00	2.50	-	0.0	34.0	25.0	-	0.00	2.50	-	0.0
20	34.0	23.0	-	0.00	1.00	-	6.4	34.0	24.0	-	0.00	2.00	-	0.0
21	32.0	22.0	-	0.00	1.00	-	29.4	34.0	24.0	-	0.00	3.00	-	0.0
22	34.0	23.0	-	0.00	1.00	-	0.0	34.0	24.0	-	0.00	2.60	-	0.0
23	34.0	23.0	-	0.00	2.00	-	1.0	36.0	24.0	-	0.00	2.50	-	0.0
24	31.0	24.0	-	0.00	2.50	-	0.0	38.0	24.0	-	0.00	3.10	-	0.0
25	35.0	25.0	-	0.00	2.00	-	15.0	38.0	26.0	-	0.00	3.50	-	0.0
26	32.0	23.0	-	0.00	2.00	-	0.0	33.0	23.0	-	0.00	2.50	-	3.0
27	34.0	24.0	-	0.00	2.00	-	74.6	35.0	24.0	-	0.00	2.00	-	0.7
28	34.0	23.0	-	0.00	2.00	-	0.0	35.0	25.0	-	0.00	2.50	-	0.0
29	33.0	24.0	-	0.00	2.00	-	0.0	34.0	25.0	-	0.00	2.00	-	0.0
30	34.0	23.0	-	0.00	2.00	-	0.4	33.0	25.0	-	0.00	2.50	-	0.0
31	35.0	23.0	-	0.00	2.50	-	0.0							
Max.	38.0	25.0					74.6	39.0	26.0					52.8
Min.	31.0	22.0					0.0	27.0	23.0					0.0
Total							153.8							112.6
Ava.	34.9	23.8					5.0	33.8	24.2					3.8

SITE : Mantralayam

CODE : AKL00F2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	24.0	-	0.00	2.00	-	1.5	34.0	24.0	-	0.00	2.80	-	0.0
2	34.0	25.0	-	0.00	2.00	-	0.0	33.0	24.0	-	0.00	2.80	-	0.0
3	35.0	25.0	-	0.00	2.00	-	0.4	35.0	24.0	-	0.00	2.50	-	0.0
4	34.0	23.0	-	0.00	2.00	-	5.4	35.0	24.0	-	0.00	3.00	-	0.0
5	32.0	25.0	-	0.00	2.00	-	10.0	35.0	24.0	-	0.00	2.50	-	0.0
6	33.0	25.0	-	0.00	2.00	-	0.0	35.0	24.0	-	0.00	3.00	-	0.0
7	35.0	24.0	-	0.00	2.00	-	0.0	34.0	23.0	-	0.00	3.00	-	0.0
8	34.0	24.0	-	0.00	2.00	-	0.0	34.0	23.0	-	0.00	3.20	-	0.0
9	35.0	24.0	-	0.00	2.00	-	0.0	33.0	23.0	-	0.00	2.80	-	0.0
10	35.0	24.0	-	0.00	2.00	-	0.0	32.0	23.0	-	3.00	2.70	-	0.0
11	34.0	24.0	-	0.00	2.00	-	0.0	33.0	23.0	-	0.13	2.70	-	0.0
12	36.0	24.0	-	0.00	2.00	-	0.0	34.0	23.0	-	20.00	3.10	-	0.0
13	35.0	24.0	-	0.00	2.00	-	0.0	33.0	23.0	-	24.00	3.10	-	0.0
14	36.0	24.0	-	0.00	2.00	-	0.0	33.0	23.0	-	28.00	2.70	-	0.0
15	38.0	24.0	-	0.00	2.00	-	0.0	31.0	22.0	-	29.00	2.50	-	0.0
16	36.0	24.0	-	0.00	2.00	-	0.0	32.0	22.0	-	30.00	2.20	-	0.0
17	35.0	25.0	-	0.00	2.00	-	0.0	31.0	22.0	-	32.00	2.40	-	0.8
18	35.0	24.0	-	0.00	2.00	-	0.0	31.0	22.0	-	32.00	1.90	-	0.0
19	36.0	24.0	-	0.00	2.00	-	0.0	31.0	22.0	-	35.00	2.50	-	0.0
20	35.0	24.0	-	0.00	2.00	-	0.0	31.0	22.0	-	37.00	2.80	-	0.0
21	35.0	24.0	-	0.00	2.00	-	0.0	30.0	22.0	-	49.00	3.00	-	0.0
22	36.0	25.0	-	0.00	2.00	-	0.0	32.0	22.0	-	68.00	2.70	-	0.0
23	36.0	24.0	-	0.00	2.00	-	0.0	32.0	23.0	-	83.00	3.00	-	0.0
24	35.0	25.0	-	0.00	2.00	-	0.0	33.0	22.0	-	93.00	3.00	-	0.0
25	35.0	24.0	-	0.00	2.00	-	0.0	32.0	22.0	-	103.00	2.50	-	0.0
26	34.0	25.0	-	0.00	2.00	-	0.0	32.0	22.0	-	110.00	2.50	-	0.0
27	34.0	24.0	-	0.00	2.00	-	0.0	33.0	22.0	-	123.00	2.60	-	0.0
28	34.0	24.0	-	0.00	2.00	-	0.0	32.0	22.0	-	130.00	2.30	-	0.0
29	34.0	24.0	-	0.00	2.00	-	0.0	32.0	22.0	-	170.00	2.60	-	0.0
30	35.0	24.0	-	0.00	2.00	-	0.0	31.0	22.0	-	0.00	2.70	-	6.2
31	34.0	24.0	-	0.00	2.00	-	0.0							
Max.	38.0	25.0					10.0	35.0	24.0					6.2
Min.	32.0	23.0					0.0	30.0	22.0					0.0
Total							17.3							7.0
Ava.	34.7	24.2					0.6	32.6	22.7					0.2

SITE : Mantralayam CODE : AKL00F2 SITE :
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16 MEASU
 DAILY OBSERVED DATA : DAILY O
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL TEMPEF

DATE	December 2015							January 2016							DATE
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	
1	32.0	19.0	-	-	24.00	-	0.0	32.0	16.0	-	1.00	2.20	-	0.0	1
2	29.0	19.0	-	-	23.00	-	0.0	32.0	16.0	-	1.00	2.20	-	0.0	2
3	32.0	22.0	-	-	23.00	-	1.0	30.0	14.0	-	0.00	2.20	-	0.0	3
4	32.0	22.0	-	-	24.00	-	0.0	32.0	16.0	-	1.00	2.10	-	0.0	4
5	32.0	19.0	-	-	23.00	-	0.0	32.0	17.0	-	1.00	2.20	-	0.0	5
6	31.0	19.0	-	-	22.00	-	0.0	31.0	17.0	-	1.00	2.20	-	0.0	6
7	31.0	18.0	-	-	23.00	-	0.0	31.0	16.0	-	1.00	2.10	-	0.0	7
8	30.0	18.0	-	-	24.00	-	0.0	31.0	16.0	-	1.00	2.10	-	0.0	8
9	32.0	18.0	-	-	23.00	-	0.0	30.0	15.0	-	1.00	2.10	-	0.0	9
10	32.0	19.0	-	-	24.00	-	0.0	31.0	15.0	-	1.00	2.00	-	0.0	10
11	33.0	20.0	-	-	24.00	-	0.0	31.0	13.0	-	1.00	1.80	-	0.0	11
12	34.0	22.0	-	-	24.00	-	0.0	30.0	14.0	-	0.00	1.90	-	0.0	12
13	34.0	22.0	-	-	27.00	-	0.0	32.0	16.0	-	0.00	1.90	-	0.0	13
14	33.0	21.0	-	-	24.00	-	0.0	31.0	16.0	-	1.00	1.70	-	0.0	14
15	33.0	18.0	-	-	23.00	-	0.0	30.0	17.0	-	1.00	1.80	-	0.0	15
16	33.0	17.0	-	-	23.00	-	0.0	30.0	17.0	-	1.00	1.70	-	0.0	16
17	32.0	16.0	-	-	23.00	-	0.0	31.0	16.0	-	1.00	1.70	-	0.0	17
18	33.0	19.0	-	-	24.00	-	0.0	31.0	17.0	-	1.00	1.80	-	0.0	18
19	32.0	19.0	-	-	23.00	-	0.0	26.0	19.0	-	1.00	1.60	-	1.0	19
20	33.0	19.0	-	-	23.00	-	0.0	29.0	18.0	-	0.00	1.50	-	0.2	20
21	33.0	21.0	-	-	23.00	-	0.0	31.0	19.0	-	0.00	1.70	-	0.0	21
22	34.0	20.0	-	-	24.00	-	0.0	32.0	19.0	-	0.00	1.70	-	0.0	22
23	32.0	20.0	-	-	23.00	-	0.0	32.0	19.0	-	1.00	1.80	-	0.0	23
24	32.0	20.0	-	-	23.00	-	0.0	32.0	19.0	-	0.00	1.90	-	0.0	24
25	31.0	21.0	-	-	24.00	-	0.0	32.0	20.0	-	0.00	2.10	-	0.0	25
26	30.0	20.0	-	-	23.00	-	0.0	33.0	21.0	-	0.00	2.00	-	0.0	26
27	30.0	21.0	-	-	24.00	-	0.0	34.0	21.0	-	1.00	2.20	-	0.0	27
28	30.0	17.0	-	-	23.00	-	0.0	36.0	21.0	-	1.00	2.20	-	0.0	28
29	32.0	15.0	-	-	24.00	-	0.0	35.0	17.0	-	1.00	2.40	-	0.0	29
30	32.0	15.0	-	-	24.00	-	0.0	35.0	19.0	-	1.00	2.30	-	0.0	
31	32.0	15.0	-	-	23.00	-	0.0	36.0	19.0	-	1.00	2.30	-	0.0	
Max.	34.0	22.0					1.0	36.0	21.0					1.0	Max.
Min.	29.0	15.0					0.0	26.0	13.0					0.0	Min.
Total							1.0							1.2	Total
Ava.	32.0	19.1					0.0	31.6	17.3					0.0	Ava.

Mantralayam

CODE :

AKL00F2

RING AUTHORITY : CWC

WATER-YEAR :

2015-16

OBSERVED DATA :

TEMPERATURE, WIND DIRECTION, WIND VELOCITY, EVAPORATION, HUMIDITY AND RAINFALL

February 2016							March 2016						
ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
38.0	17.0	-	1.00	2.20	-	0.0	35.0	23.0	-	1.00	4.50	-	0.0
37.0	17.0	-	1.00	2.30	-	0.0	34.0	24.0	-	1.00	4.50	-	0.0
37.0	17.0	-	1.00	2.30	-	0.0	35.0	23.0	-	1.00	4.60	-	0.0
37.0	17.0	-	1.00	2.40	-	0.0	37.0	28.0	-	1.00	4.40	-	0.0
36.0	19.0	-	1.00	2.70	-	0.0	38.0	22.0	-	1.00	4.60	-	0.0
37.0	19.0	-	1.00	3.80	-	0.0	40.0	23.0	-	1.00	4.50	-	0.0
37.0	19.0	-	1.00	3.60	-	0.0	38.0	23.0	-	1.00	5.10	-	0.0
36.0	20.0	-	1.00	3.50	-	0.0	39.0	22.0	-	1.00	5.30	-	0.0
36.0	20.0	-	1.00	3.70	-	0.0	41.0	22.0	-	1.00	5.20	-	0.0
37.0	20.5	-	1.00	3.90	-	0.0	41.0	24.0	-	1.00	4.90	-	0.0
36.0	20.0	-	1.00	4.10	-	0.0	41.0	23.0	-	1.00	4.60	-	0.0
37.0	21.0	-	1.00	4.20	-	0.0	41.0	24.0	-	1.00	4.90	-	0.0
37.0	24.0	-	1.00	4.20	-	0.0	41.0	24.0	-	1.00	5.00	-	0.0
36.0	24.0	-	1.00	4.30	-	0.0	40.0	24.0	-	1.00	5.20	-	0.0
36.0	20.0	-	1.00	4.10	-	0.0	41.0	25.0	-	1.00	5.10	-	0.0
36.0	20.0	-	2.00	4.20	-	0.0	41.0	24.0	-	1.00	5.00	-	0.0
36.0	18.0	-	2.00	4.10	-	0.0	41.0	25.0	-	1.00	5.30	-	0.0
36.0	17.0	-	2.00	4.10	-	0.0	42.0	25.0	-	1.00	5.30	-	0.0
37.0	17.0	-	2.00	4.10	-	0.0	43.0	27.0	-	1.00	5.00	-	0.0
38.0	20.0	-	1.00	4.40	-	0.0	43.0	27.0	-	1.00	4.70	-	0.0
38.0	21.0	-	1.00	4.60	-	0.0	43.0	29.0	-	1.00	5.00	-	0.0
40.0	21.0	-	1.00	4.40	-	0.0	44.0	25.0	-	1.00	4.00	-	0.0
40.0	23.0	-	1.00	4.70	-	0.0	43.0	24.0	-	1.00	4.60	-	0.0
39.0	22.0	-	1.00	4.60	-	0.0	42.0	27.0	-	1.00	5.00	-	0.0
39.0	24.0	-	1.00	4.60	-	0.0	42.0	28.0	-	2.00	5.20	-	0.0
38.0	25.0	-	1.00	4.60	-	0.0	42.0	26.0	-	1.00	5.20	-	0.0
37.0	24.0	-	2.00	4.90	-	0.0	42.0	25.0	-	1.00	5.30	-	0.0
36.0	24.0	-	1.00	4.50	-	0.0	40.0	26.0	-	1.00	5.40	-	0.0
36.0	23.0	-	1.00	4.90	-	0.0	41.0	26.0	-	2.00	5.50	-	0.0
							42.0	27.0	-	1.00	5.50	-	0.0
							42.0	27.0	-	1.00	5.30	-	0.0
40.0	25.0					0.0	44.0	29.0					0.0
36.0	17.0					0.0	34.0	22.0					0.0
						0.0							0.0
37.1	20.5					0.0	40.5	24.9					0.0

SITE : Mantralayam

CODE : AKL00F2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	27.0	-	-	-	-	0.0	45.0	30.0	-	1.00	6.30	-	0.0
2	43.0	26.0	-	-	-	-	0.0	43.0	27.0	-	2.00	5.50	-	4.5
3	43.0	27.0	-	-	-	-	0.0	42.5	26.0	-	1.00	5.10	-	0.0
4	44.0	27.0	-	-	-	-	0.0	42.0	28.0	-	1.00	5.40	-	0.0
5	43.0	27.0	-	-	-	-	0.0	42.0	27.0	-	2.00	5.50	-	0.0
6	42.0	25.0	-	-	-	-	0.0	42.0	27.0	-	1.00	4.40	-	0.0
7	43.0	25.0	-	-	-	-	0.0	41.5	26.0	-	1.00	4.40	-	0.0
8	42.0	25.0	-	-	-	-	0.0	39.5	28.0	-	1.00	4.20	-	15.0
9	42.0	24.0	-	-	-	-	0.0	41.0	25.0	-	1.00	4.40	-	0.0
10	42.0	27.0	-	-	-	-	0.0	40.0	29.0	-	1.00	5.00	-	0.0
11	43.0	27.0	-	-	-	-	0.0	42.0	27.0	-	2.00	4.90	-	0.0
12	44.5	27.0	-	-	-	-	0.0	43.0	28.0	-	1.00	5.30	-	0.0
13	45.5	27.0	-	-	-	-	0.0	43.0	28.0	-	1.00	5.60	-	0.0
14	44.5	31.0	-	-	-	-	0.0	44.0	28.0	-	1.00	5.90	-	0.0
15	44.0	29.0	-	-	-	-	0.0	42.0	29.0	-	1.00	5.80	-	0.0
16	44.5	31.0	-	-	-	-	0.0	42.0	30.0	-	1.00	5.90	-	0.0
17	44.5	30.0	-	-	-	-	0.0	39.0	30.0	-	1.00	6.00	-	0.0
18	43.0	31.0	-	-	-	-	0.0	39.0	29.0	-	1.00	5.50	-	0.0
19	43.0	29.0	-	-	-	-	0.0	38.0	28.0	-	1.00	5.30	-	0.0
20	44.5	27.0	-	-	-	-	0.0	34.0	27.0	-	1.00	3.50	-	15.7
21	45.5	27.0	-	-	-	-	0.0	41.0	26.0	-	3.00	2.60	-	0.0
22	45.0	29.0	-	-	-	-	0.0	41.0	28.0	-	4.00	5.50	-	0.0
23	44.0	30.0	-	-	-	-	0.0	42.0	27.0	-	3.00	5.90	-	0.0
24	45.5	29.0	-	-	-	-	0.0	42.0	28.0	-	4.00	6.00	-	0.0
25	46.0	28.0	-	-	-	-	0.0	41.0	29.0	-	4.00	6.10	-	0.0
26	46.0	27.0	-	-	-	-	0.0	42.0	29.0	-	4.00	6.10	-	0.0
27	44.5	29.0	-	-	-	-	0.0	42.0	30.0	-	3.00	7.00	-	0.0
28	44.5	30.5	-	-	-	-	0.0	42.0	29.0	-	4.00	7.00	-	0.0
29	44.0	29.0	-	-	-	-	0.0	37.0	22.0	-	4.00	8.00	-	81.0
30	45.0	29.0	-	-	-	-	0.0	40.0	24.0	-	2.00	5.50	-	0.0
31								39.0	28.0	-	1.00	5.30	-	0.0
Max.	46.0	31.0					0.0	45.0	30.0					81.0
Min.	42.0	24.0					0.0	34.0	22.0					0.0
Total							0.0							116.2
Ava.	43.9	27.9					0.0	41.1	27.6					3.7

SITE : T-Ramapuram

CODE : AKL50A6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.0	22.0	-	-	-	-	38.6	37.0	22.0	-	-	-	-	0.0
2	39.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
3	43.0	25.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
4	45.0	27.0	-	-	-	-	0.0	45.0	27.0	-	-	-	-	0.0
5	43.0	27.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
6	44.0	27.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
7	42.0	25.0	-	-	-	-	15.4	42.0	25.0	-	-	-	-	0.0
8	40.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	39.0
9	38.0	26.0	-	-	-	-	0.8	38.0	26.0	-	-	-	-	0.0
10	42.0	25.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
11	43.0	26.0	-	-	-	-	0.0	43.0	26.0	-	-	-	-	1.0
12	41.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
13	41.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
14	38.0	26.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
15	38.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
16	36.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	16.2
17	37.0	25.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
18	36.0	26.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
19	35.0	25.0	-	-	-	-	2.6	35.0	24.0	-	-	-	-	0.0
20	34.0	23.0	-	-	-	-	1.2	34.0	24.0	-	-	-	-	1.2
21	34.0	24.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
22	32.0	25.0	-	-	-	-	1.4	32.0	24.0	-	-	-	-	0.0
23	38.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	8.2
24	38.0	26.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
25	37.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
26	37.0	26.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
27	39.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.8
28	40.0	25.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
29	42.0	25.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
30	40.0	24.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
31								39.0	23.0	-	-	-	-	9.2
Max.	45.0	27.0					38.6	45.0	27.0					39.0
Min.	32.0	22.0					0.0	32.0	22.0					0.0
Total							60.0							75.6
Ava.	39.0	25.3					2.0	39.0	25.0					2.4

Note : "-" Denotes not applicable.

SITE : T-Ramapuram

CODE : AKL50A6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.0	23.0	-	-	-	-	25.0	37.0	24.0	-	-	-	-	0.0
2	37.0	23.0	-	-	-	-	0.8	41.0	24.0	-	-	-	-	0.0
3	38.0	25.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
4	37.0	24.0	-	-	-	-	0.0	43.0	26.0	-	-	-	-	0.0
5	37.0	24.0	-	-	-	-	0.2	38.0	24.0	-	-	-	-	32.0
6	36.0	22.0	-	-	-	-	7.4	40.0	26.0	-	-	-	-	0.0
7	37.0	24.0	-	-	-	-	0.6	33.0	23.0	-	-	-	-	73.4
8	37.0	24.0	-	-	-	-	3.2	37.0	25.0	-	-	-	-	0.0
9	37.0	24.0	-	-	-	-	2.2	35.0	24.0	-	-	-	-	32.0
10	37.0	24.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	20.2
11	37.0	24.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	16.6
12	33.0	24.0	-	-	-	-	12.8	33.0	24.0	-	-	-	-	0.4
13	35.0	23.0	-	-	-	-	12.8	36.0	24.0	-	-	-	-	0.0
14	36.0	23.0	-	-	-	-	0.8	35.0	23.0	-	-	-	-	0.0
15	39.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	2.2
16	38.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	35.4
17	39.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	82.0
18	42.0	26.0	-	-	-	-	0.0	27.0	24.0	-	-	-	-	2.2
19	41.0	25.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
20	37.0	26.0	-	-	-	-	0.0	30.0	24.0	-	-	-	-	0.0
21	36.0	25.0	-	-	-	-	3.8	36.0	23.0	-	-	-	-	0.0
22	37.0	24.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
23	36.0	26.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
24	37.0	24.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
25	40.0	24.0	-	-	-	-	0.6	40.0	27.0	-	-	-	-	0.0
26	33.0	24.0	-	-	-	-	1.4	33.0	25.0	-	-	-	-	4.4
27	37.0	24.0	-	-	-	-	3.2	39.0	25.0	-	-	-	-	0.0
28	35.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
29	37.0	24.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
30	38.0	24.0	-	-	-	-	4.8	36.0	24.0	-	-	-	-	0.0
31	37.0	24.0	-	-	-	-	0.0							
Max.	42.0	26.0					25.0	43.0	27.0					82.0
Min.	33.0	22.0					0.0	27.0	23.0					0.0
Total							79.6							300.8
Ava.	37.1	24.2					2.6	36.2	24.2					10.0

SITE : T-Ramapuram

CODE : AKL50A6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	25.0	-	-	-	-	7.6	36.0	24.0	-	-	-	-	0.0
2	40.0	25.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
3	41.0	25.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
4	36.0	23.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
5	34.0	23.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
6	35.0	23.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
7	37.0	23.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
8	39.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
9	41.0	25.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
10	39.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
11	37.0	26.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
12	40.0	25.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
13	40.0	25.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
14	42.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
15	40.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
16	40.0	25.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
17	36.0	24.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
18	38.0	24.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
19	37.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
20	37.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
21	37.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
22	38.0	22.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
23	37.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
24	37.0	20.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
25	37.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
26	36.0	23.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
27	37.0	21.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
28	37.0	21.0	-	-	-	-	1.2	35.0	19.0	-	-	-	-	0.0
29	37.0	23.0	-	-	-	-	21.2	34.0	19.0	-	-	-	-	0.0
30	37.0	23.0	-	-	-	-	9.0	32.0	22.0	-	-	-	-	2.6
31	33.0	24.0	-	-	-	-	0.0							
Max.	42.0	26.0					21.2	40.0	24.0					2.6
Min.	33.0	20.0					0.0	29.0	19.0					0.0
Total							39.0							2.6
Ava.	37.7	23.3					1.3	34.4	22.0					0.1

SITE : T-Ramapuram **CODE :** AKL50A6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	22.0	-	-	-	-	0.0	34.0	15.0	-	-	-	-	0.0
2	31.0	22.0	-	-	-	-	0.0	35.0	15.0	-	-	-	-	0.0
3	34.0	21.0	-	-	-	-	0.0	36.0	15.0	-	-	-	-	0.0
4	34.0	21.0	-	-	-	-	0.0	35.0	15.0	-	-	-	-	0.0
5	33.0	18.0	-	-	-	-	0.0	34.0	16.0	-	-	-	-	0.0
6	33.0	18.0	-	-	-	-	0.0	34.0	14.0	-	-	-	-	0.0
7	33.0	18.0	-	-	-	-	0.0	34.0	16.0	-	-	-	-	0.0
8	34.0	18.0	-	-	-	-	0.0	34.0	14.0	-	-	-	-	0.0
9	34.0	17.0	-	-	-	-	0.0	34.0	14.0	-	-	-	-	0.0
10	33.0	20.0	-	-	-	-	0.0	33.0	13.0	-	-	-	-	0.0
11	37.0	20.0	-	-	-	-	0.0	34.0	13.0	-	-	-	-	0.0
12	40.0	22.0	-	-	-	-	0.0	34.0	13.0	-	-	-	-	0.0
13	39.0	22.0	-	-	-	-	0.0	35.0	14.0	-	-	-	-	0.0
14	39.0	19.0	-	-	-	-	0.0	36.0	15.0	-	-	-	-	0.0
15	37.0	17.0	-	-	-	-	0.0	34.0	16.0	-	-	-	-	0.0
16	37.0	16.0	-	-	-	-	0.0	34.0	16.0	-	-	-	-	0.0
17	37.0	16.0	-	-	-	-	0.0	34.0	17.0	-	-	-	-	0.0
18	35.0	17.0	-	-	-	-	0.0	36.0	17.0	-	-	-	-	0.0
19	35.0	18.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
20	36.0	19.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	1.2
21	35.0	22.0	-	-	-	-	0.0	34.0	17.0	-	-	-	-	0.0
22	36.0	20.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
23	37.0	19.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
24	38.0	19.0	-	-	-	-	0.0	34.0	17.0	-	-	-	-	0.0
25	32.0	20.0	-	-	-	-	0.0	35.0	19.0	-	-	-	-	0.0
26	35.0	16.0	-	-	-	-	1.6	37.0	18.0	-	-	-	-	0.0
27	33.0	16.0	-	-	-	-	0.0	38.0	19.0	-	-	-	-	0.0
28	32.0	15.0	-	-	-	-	7.0	35.0	19.0	-	-	-	-	0.0
29	34.0	15.0	-	-	-	-	0.0	37.0	16.0	-	-	-	-	0.0
30	34.0	15.0	-	-	-	-	0.0	37.0	19.0	-	-	-	-	0.0
31	35.0	15.0	-	-	-	-	0.0	36.0	17.0	-	-	-	-	0.0
Max.	40.0	22.0					7.0	38.0	21.0					1.2
Min.	31.0	15.0					0.0	30.0	13.0					0.0
Total							8.6							1.2
Ava.	35.0	18.5					0.3	34.7	16.5					0.0

SITE : T-Ramapuram

CODE : AKL50A6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	16.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
2	40.0	16.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
3	40.0	16.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
4	39.0	16.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
5	37.0	18.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
6	38.0	17.0	-	-	-	-	0.0	41.0	22.0	-	-	-	-	0.0
7	37.0	20.0	-	-	-	-	0.0	41.0	23.0	-	-	-	-	0.0
8	37.0	20.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
9	40.0	21.0	-	-	-	-	0.0	41.0	22.0	-	-	-	-	0.0
10	40.0	21.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
11	39.0	23.0	-	-	-	-	0.0	44.0	25.0	-	-	-	-	0.0
12	40.0	22.0	-	-	-	-	0.0	44.0	25.0	-	-	-	-	0.0
13	40.0	23.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
14	40.0	22.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
15	39.0	20.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
16	39.0	19.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
17	37.0	21.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
18	37.0	20.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
19	37.0	21.0	-	-	-	-	0.0	45.0	25.0	-	-	-	-	0.0
20	42.0	20.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	0.0
21	40.0	20.0	-	-	-	-	0.0	44.0	25.0	-	-	-	-	0.0
22	43.0	20.0	-	-	-	-	0.0	45.0	22.0	-	-	-	-	0.0
23	42.0	19.0	-	-	-	-	0.0	46.0	23.0	-	-	-	-	0.0
24	42.0	22.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
25	42.0	23.0	-	-	-	-	0.0	45.0	25.0	-	-	-	-	0.0
26	41.0	25.0	-	-	-	-	0.0	45.0	26.0	-	-	-	-	0.0
27	40.0	24.0	-	-	-	-	0.0	45.0	26.0	-	-	-	-	0.0
28	39.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
29	40.0	23.0	-	-	-	-	0.0	44.0	25.0	-	-	-	-	0.0
								45.0	26.0	-	-	-	-	0.0
								45.0	27.0	-	-	-	-	0.0
Max.	43.0	25.0					0.0	46.0	27.0					0.0
Min.	37.0	16.0					0.0	36.0	22.0					0.0
Total							0.0							0.0
Ava.	39.6	20.4					0.0	42.9	24.1					0.0

SITE : T-Ramapuram

CODE : AKL50A6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	46.0	24.0	-	-	-	-	0.0	48.0	30.0	-	-	-	-	0.0
2	47.0	25.0	-	-	-	-	0.0	48.0	29.0	-	-	-	-	0.0
3	45.0	26.0	-	-	-	-	0.0	48.0	29.0	-	-	-	-	0.0
4	46.0	27.0	-	-	-	-	0.0	45.0	30.0	-	-	-	-	0.0
5	45.0	27.0	-	-	-	-	0.0	46.0	27.0	-	-	-	-	0.0
6	45.0	27.0	-	-	-	-	0.0	43.0	26.0	-	-	-	-	0.0
7	45.0	25.0	-	-	-	-	0.0	46.0	26.0	-	-	-	-	0.0
8	46.0	26.0	-	-	-	-	0.0	44.0	24.0	-	-	-	-	3.2
9	47.0	26.0	-	-	-	-	0.0	48.0	25.0	-	-	-	-	0.0
10	47.0	28.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	0.0
11	45.0	28.0	-	-	-	-	0.0	47.0	26.0	-	-	-	-	0.0
12	47.0	29.0	-	-	-	-	0.0	46.0	28.0	-	-	-	-	0.0
13	47.0	26.0	-	-	-	-	0.0	48.0	27.0	-	-	-	-	0.0
14	47.0	29.0	-	-	-	-	0.0	47.0	29.0	-	-	-	-	0.0
15	46.0	29.0	-	-	-	-	0.0	46.0	28.0	-	-	-	-	0.0
16	46.0	31.0	-	-	-	-	0.0	46.0	30.0	-	-	-	-	0.0
17	47.0	30.0	-	-	-	-	0.6	44.0	30.0	-	-	-	-	0.0
18	47.0	28.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
19	46.0	27.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
20	46.0	29.0	-	-	-	-	0.0	34.0	27.0	-	-	-	-	20.6
21	47.0	28.0	-	-	-	-	0.0	43.0	26.0	-	-	-	-	0.0
22	47.0	29.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
23	47.0	29.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
24	47.0	27.0	-	-	-	-	0.0	45.0	27.0	-	-	-	-	0.0
25	47.0	27.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
26	48.0	26.0	-	-	-	-	0.0	45.0	27.0	-	-	-	-	0.0
27	48.0	28.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	0.0
28	48.0	29.0	-	-	-	-	0.0	45.0	28.0	-	-	-	-	0.0
29	48.0	29.0	-	-	-	-	0.0	42.0	23.0	-	-	-	-	2.6
30	49.0	29.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
31								44.0	27.0	-	-	-	-	0.0
Max.	49.0	31.0					0.6	48.0	30.0					20.6
Min.	45.0	24.0					0.0	34.0	23.0					0.0
Total							0.6							26.4
Ava.	46.6	27.6					0.0	44.5	27.2					0.9

SITE : Kellodu **CODE :** AKL50T9
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	23.0	-	4.00	-	4.00	0.0	31.0	22.0	-	10.00	-	76.00	0.0
2	33.0	19.0	-	6.00	-	4.00	44.0	31.0	20.0	-	14.00	-	76.00	0.0
3	33.0	20.0	-	4.00	-	4.00	0.0	32.0	20.0	-	12.00	-	76.00	0.0
4	34.0	20.0	-	4.00	-	4.00	0.0	30.0	20.0	-	12.00	-	76.00	0.0
5	34.0	20.0	-	2.00	-	6.00	0.0	32.0	20.0	-	12.00	-	76.00	0.0
6	31.0	22.0	-	2.00	-	4.00	0.0	32.0	20.0	-	10.00	-	69.00	0.0
7	33.0	22.0	-	8.00	-	4.00	11.6	32.0	22.0	-	12.00	-	69.00	0.0
8	33.0	22.0	-	6.00	-	2.00	0.0	32.0	22.0	-	8.00	-	69.00	0.0
9	34.0	23.0	-	4.00	-	2.00	0.0	32.0	22.0	-	10.00	-	69.00	0.0
10	33.0	23.0	-	8.00	-	4.00	0.0	30.0	22.0	-	8.00	-	76.00	0.0
11	34.0	22.0	-	4.00	-	6.00	28.0	30.0	22.0	-	10.00	-	76.00	0.0
12	32.0	22.0	-	4.00	-	4.00	0.0	30.0	22.0	-	10.00	-	76.00	0.0
13	30.0	22.0	-	4.00	-	4.00	0.0	31.0	22.0	-	10.00	-	76.00	0.0
14	30.0	22.0	-	6.00	-	4.00	0.0	32.0	21.0	-	8.00	-	92.00	0.0
15	30.0	22.0	-	6.00	-	4.00	0.0	32.0	22.0	-	10.00	-	92.00	0.0
16	28.0	20.0	-	6.00	-	2.00	0.0	33.0	22.0	-	8.00	-	92.00	0.0
17	30.0	20.0	-	6.00	-	4.00	0.0	31.0	23.0	-	6.00	-	92.00	0.0
18	28.0	22.0	-	6.00	-	6.00	0.0	31.0	22.0	-	8.00	-	92.00	0.0
19	28.0	20.0	-	4.00	-	12.00	0.6	25.0	22.0	-	6.00	-	76.00	0.0
20	28.0	22.0	-	4.00	-	6.00	0.0	25.0	22.0	-	6.00	-	76.00	0.0
21	29.0	22.0	-	6.00	-	8.00	1.4	25.0	23.0	-	8.00	-	76.00	0.0
22	29.0	22.0	-	4.00	-	6.00	0.0	25.0	22.0	-	6.00	-	76.00	0.0
23	29.0	22.0	-	2.00	-	4.00	0.0	25.0	22.0	-	4.00	-	76.00	0.0
24	30.0	22.0	-	4.00	-	12.00	0.0	29.0	23.0	-	6.00	-	69.00	0.0
25	31.0	22.0	-	6.00	-	10.00	0.0	30.0	22.0	-	12.00	-	68.00	0.0
26	31.0	22.0	-	6.00	-	6.00	0.0	29.0	22.0	-	6.00	-	83.00	0.0
27	31.0	22.0	-	6.00	-	10.00	0.0	28.0	22.0	-	8.00	-	91.00	0.0
28	31.0	22.0	-	8.00	-	10.00	0.0	28.0	22.0	-	6.00	-	91.00	0.0
29	31.0	23.0	-	6.00	-	2.00	0.0	29.0	21.0	-	4.00	-	91.00	0.0
30	31.0	20.0	-	8.00	-	6.00	0.0	31.0	22.0	-	6.00	-	83.00	0.0
31								29.0	22.0	-	6.00	-	83.00	0.0
Max.	34.0	23.0					44.0	33.0	23.0					0.0
Min.	28.0	19.0					0.0	25.0	20.0					0.0
Total							85.6							0.0
Ava.	31.1	21.6					2.9	29.7	21.7					0.0

Note : "-" Denotes not applicable.

SITE : Kellodu **CODE :** AKL50T9
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	22.0	-	6.00	-	91.00	0.0	31.0	22.0	-	6.00	-	91.00	0.0
2	30.0	22.0	-	8.00	-	91.00	0.0	31.0	20.0	-	4.00	-	83.00	0.0
3	30.0	22.0	-	12.00	-	91.00	0.0	30.0	19.0	-	2.00	-	83.00	0.0
4	30.0	22.0	-	8.00	-	83.00	0.0	32.0	20.0	-	2.00	-	84.00	0.0
5	30.0	21.0	-	10.00	-	83.00	0.0	33.0	23.0	-	2.00	-	83.00	0.0
6	30.0	21.0	-	10.00	-	76.00	0.0	30.0	22.0	-	2.00	-	83.00	12.0
7	30.0	22.0	-	12.00	-	84.00	0.0	31.0	22.0	-	2.00	-	75.00	18.0
8	30.0	22.0	-	8.00	-	76.00	0.0	30.0	22.0	-	2.00	-	83.00	14.0
9	30.0	23.0	-	12.00	-	76.00	0.0	30.0	22.0	-	2.00	-	83.00	10.0
10	30.0	23.0	-	10.00	-	76.00	0.0	30.0	21.0	-	2.00	-	91.00	0.0
11	30.0	22.0	-	12.00	-	76.00	0.0	30.0	21.0	-	2.00	-	91.00	0.0
12	30.0	22.0	-	6.00	-	83.00	0.0	31.0	21.0	-	4.00	-	83.00	0.0
13	27.0	23.0	-	6.00	-	83.00	0.0	30.0	21.0	-	8.00	-	83.00	0.0
14	28.0	22.0	-	8.00	-	83.00	0.0	30.0	21.0	-	6.00	-	91.00	0.0
15	30.0	22.0	-	6.00	-	84.00	0.0	30.0	21.0	-	12.00	-	91.00	0.0
16	31.0	21.0	-	8.00	-	84.00	0.0	30.0	21.0	-	8.00	-	91.00	0.0
17	32.0	21.0	-	6.00	-	84.00	0.0	28.0	21.0	-	8.00	-	70.00	0.0
18	33.0	21.0	-	8.00	-	83.00	0.0	29.0	20.0	-	8.00	-	70.00	0.0
19	28.0	22.0	-	6.00	-	83.00	0.0	27.0	20.0	-	4.00	-	84.00	0.0
20	33.0	21.0	-	4.00	-	84.00	0.0	31.0	20.0	-	4.00	-	84.00	0.0
21	33.0	22.0	-	4.00	-	84.00	0.0	30.0	20.0	-	4.00	-	84.00	0.0
22	33.0	22.0	-	6.00	-	91.00	0.0	29.0	19.0	-	4.00	-	76.00	0.0
23	32.0	22.0	-	4.00	-	83.00	4.4	30.0	19.0	-	2.00	-	83.00	0.0
24	28.0	22.0	-	8.00	-	76.00	0.0	31.0	15.0	-	2.00	-	91.00	0.0
25	30.0	21.0	-	8.00	-	69.00	0.0	32.0	19.0	-	2.00	-	91.00	0.0
26	30.0	20.0	-	6.00	-	91.00	0.0	34.0	19.0	-	2.00	-	91.00	60.0
27	30.0	20.0	-	4.00	-	91.00	0.0	34.0	19.0	-	2.00	-	91.00	0.0
28	29.0	22.0	-	12.00	-	75.00	7.6	31.0	21.0	-	2.00	-	75.00	2.0
29	30.0	20.0	-	4.00	-	83.00	0.0	30.0	22.0	-	2.00	-	91.00	13.2
30	28.0	20.0	-	6.00	-	76.00	0.0	31.0	21.0	-	2.00	-	84.00	2.2
31	30.0	22.0	-	4.00	-	76.00	0.0							
Max.	33.0	23.0					7.6	34.0	23.0					60.0
Min.	27.0	20.0					0.0	27.0	15.0					0.0
Total							12.0							131.4
Ava.	30.1	21.6					0.4	30.5	20.5					4.4

SITE : Kellodu CODE : AKL50T9
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	22.0	-	4.00	-	91.00	0.0	34.0	22.0	-	2.00	-	77.00	0.0
2	30.0	21.0	-	2.00	-	91.00	56.6	34.0	22.0	-	4.00	-	92.00	0.0
3	31.0	21.0	-	2.00	-	76.00	3.2	29.0	19.0	-	2.00	-	92.00	37.0
4	31.0	22.0	-	2.00	-	76.00	0.0	30.0	20.0	-	2.00	-	83.00	73.6
5	31.0	22.0	-	2.00	-	91.00	0.0	30.0	19.0	-	2.00	-	84.00	0.0
6	32.0	22.0	-	4.00	-	83.00	36.6	31.0	22.0	-	2.00	-	91.00	0.0
7	32.0	20.0	-	2.00	-	83.00	0.0	31.0	20.0	-	2.00	-	91.00	0.0
8	32.0	20.0	-	2.00	-	83.00	0.0	31.0	19.0	-	2.00	-	76.00	0.0
9	32.0	20.0	-	2.00	-	83.00	0.0	31.0	20.0	-	2.00	-	76.00	0.0
10	32.0	20.0	-	2.00	-	83.00	0.0	31.0	20.0	-	2.00	-	91.00	0.0
11	32.0	20.0	-	2.00	-	91.00	0.0	31.0	21.0	-	2.00	-	91.00	0.0
12	34.0	19.0	-	2.00	-	91.00	0.0	29.0	18.0	-	2.00	-	83.00	0.0
13	34.0	19.0	-	2.00	-	91.00	0.0	29.0	20.0	-	2.00	-	90.00	0.0
14	34.0	19.0	-	2.00	-	91.00	0.0	28.0	18.0	-	2.00	-	74.00	42.0
15	34.0	19.0	-	2.00	-	53.00	0.0	28.0	18.0	-	2.00	-	75.00	0.0
16	33.0	18.0	-	2.00	-	76.00	0.0	29.0	19.0	-	2.00	-	91.00	0.0
17	33.0	20.0	-	2.00	-	69.00	0.0	23.0	18.0	-	2.00	-	91.00	0.0
18	33.0	20.0	-	2.00	-	69.00	0.0	27.0	18.0	-	2.00	-	91.00	0.0
19	33.0	21.0	-	2.00	-	70.00	0.0	27.0	19.0	-	2.00	-	83.00	0.0
20	32.0	20.0	-	2.00	-	69.00	0.0	28.0	19.0	-	2.00	-	91.00	0.0
21	32.0	20.0	-	2.00	-	84.00	0.0	29.0	18.0	-	2.00	-	84.00	0.0
22	31.0	20.0	-	2.00	-	84.00	0.0	28.0	21.0	-	2.00	-	83.00	0.0
23	33.0	20.0	-	2.00	-	83.00	0.0	27.0	20.0	-	2.00	-	91.00	19.2
24	33.0	19.0	-	2.00	-	83.00	0.0	27.0	20.0	-	2.00	-	91.00	0.0
25	33.0	19.0	-	2.00	-	83.00	0.0	27.0	21.0	-	2.00	-	91.00	4.0
26	34.0	19.0	-	2.00	-	83.00	0.0	29.0	18.0	-	2.00	-	90.00	0.0
27	34.0	19.0	-	2.00	-	83.00	0.0	30.0	16.0	-	2.00	-	83.00	0.0
28	33.0	19.0	-	2.00	-	83.00	0.0	31.0	19.0	-	2.00	-	91.00	0.0
29	34.0	19.0	-	2.00	-	91.00	0.0	30.0	16.0	-	2.00	-	75.00	0.0
30	34.0	21.0	-	2.00	-	84.00	0.0	31.0	16.0	-	2.00	-	91.00	0.0
31	34.0	22.0	-	2.00	-	84.00	0.0							
Max.	34.0	22.0					56.6	34.0	22.0					73.6
Min.	30.0	18.0					0.0	23.0	16.0					0.0
Total							96.4							175.8
Ava.	32.6	20.1					3.1	29.3	19.2					5.9

SITE : Kellodu **CODE :** AKL50T9
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	21.0	-	2.00	-	91.00	9.8	33.0	11.0	-	2.00	-	78.00	0.0
2	28.0	21.0	-	2.00	-	91.00	0.0	33.0	11.0	-	2.00	-	89.00	0.0
3	28.0	21.0	-	2.00	-	91.00	0.0	33.0	11.0	-	2.00	-	89.00	0.0
4	26.0	20.0	-	2.00	-	91.00	7.4	32.0	11.0	-	2.00	-	90.00	0.0
5	30.0	20.0	-	2.00	-	91.00	0.0	32.0	11.0	-	4.00	-	90.00	0.0
6	30.0	20.0	-	2.00	-	75.00	0.0	32.0	11.0	-	4.00	-	90.00	0.0
7	30.0	19.0	-	2.00	-	91.00	0.0	32.0	11.0	-	4.00	-	90.00	0.0
8	31.0	19.0	-	2.00	-	90.00	0.0	32.0	11.0	-	2.00	-	90.00	0.0
9	31.0	18.0	-	2.00	-	90.00	0.0	32.0	10.0	-	2.00	-	90.00	0.0
10	30.0	18.0	-	2.00	-	84.00	0.0	32.0	10.0	-	2.00	-	90.00	0.0
11	30.0	22.0	-	2.00	-	91.00	0.0	32.0	10.0	-	4.00	-	90.00	0.0
12	32.0	19.0	-	2.00	-	91.00	0.0	32.0	11.0	-	2.00	-	90.00	0.0
13	32.0	20.0	-	2.00	-	91.00	0.0	32.0	11.0	-	2.00	-	90.00	0.0
14	33.0	20.0	-	2.00	-	91.00	0.0	32.0	11.0	-	2.00	-	90.00	0.0
15	33.0	18.0	-	2.00	-	91.00	0.0	33.0	11.0	-	2.00	-	81.00	0.0
16	33.0	18.0	-	2.00	-	91.00	0.0	33.0	11.0	-	2.00	-	81.00	0.0
17	33.0	19.0	-	2.00	-	91.00	0.0	33.0	12.0	-	2.00	-	78.00	0.0
18	33.0	18.0	-	2.00	-	89.00	0.0	32.0	12.0	-	2.00	-	78.00	0.0
19	33.0	15.0	-	2.00	-	90.00	0.0	31.0	15.0	-	2.00	-	74.00	0.0
20	33.0	16.0	-	2.00	-	91.00	0.0	28.0	19.0	-	4.00	-	91.00	0.0
21	33.0	17.0	-	2.00	-	90.00	0.0	29.0	19.0	-	2.00	-	91.00	0.0
22	33.0	18.0	-	2.00	-	90.00	0.0	30.0	19.0	-	2.00	-	91.00	0.0
23	33.0	18.0	-	2.00	-	90.00	0.0	30.0	19.0	-	2.00	-	91.00	0.0
24	33.0	15.0	-	2.00	-	90.00	0.0	31.0	19.0	-	2.00	-	90.00	0.0
25	33.0	15.0	-	2.00	-	90.00	0.0	31.0	18.0	-	2.00	-	90.00	0.0
26	31.0	15.0	-	2.00	-	90.00	0.0	33.0	18.0	-	4.00	-	90.00	0.0
27	31.0	18.0	-	2.00	-	90.00	0.0	33.0	17.0	-	2.00	-	90.00	0.0
28	31.0	18.0	-	2.00	-	90.00	0.0	34.0	15.0	-	2.00	-	90.00	0.0
29	32.0	16.0	-	2.00	-	90.00	0.0	34.0	15.0	-	2.00	-	90.00	0.0
30	33.0	12.0	-	2.00	-	79.00	0.0	34.0	15.0	-	2.00	-	90.00	0.0
31	34.0	12.0	-	2.00	-	79.00	0.0	34.0	15.0	-	4.00	-	90.00	0.0
Max.	34.0	22.0					9.8	34.0	19.0					0.0
Min.	26.0	12.0					0.0	28.0	10.0					0.0
Total							17.2							0.0
Ava.	31.4	17.9					0.6	32.1	13.5					0.0

SITE : Kellodu **CODE :** AKL50T9
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	15.0	-	2.00	-	89.00	0.0	36.0	22.0	-	2.00	-	84.00	0.0
2	35.0	14.0	-	2.00	-	89.00	0.0	36.0	22.0	-	2.00	-	84.00	0.0
3	35.0	14.0	-	2.00	-	69.00	0.0	36.0	22.0	-	4.00	-	84.00	0.0
4	36.0	13.0	-	2.00	-	64.00	0.0	37.0	23.0	-	4.00	-	84.00	0.0
5	34.0	14.0	-	2.00	-	66.00	0.0	37.0	23.0	-	4.00	-	84.00	0.0
6	35.0	14.0	-	2.00	-	67.00	0.0	37.0	22.0	-	4.00	-	84.00	0.0
7	34.0	15.0	-	2.00	-	87.00	0.0	37.0	22.0	-	4.00	-	77.00	0.0
8	35.0	14.0	-	2.00	-	87.00	0.0	38.0	23.0	-	4.00	-	77.00	0.0
9	36.0	15.0	-	2.00	-	75.00	0.0	38.0	23.0	-	4.00	-	77.00	0.0
10	35.0	14.0	-	2.00	-	83.00	0.0	38.0	23.0	-	6.00	-	84.00	0.0
11	35.0	14.0	-	2.00	-	83.00	0.0	38.0	23.0	-	6.00	-	84.00	0.0
12	34.0	14.0	-	2.00	-	91.00	0.0	38.0	23.0	-	6.00	-	84.00	0.0
13	34.0	14.0	-	2.00	-	82.00	0.0	38.0	23.0	-	6.00	-	77.00	0.0
14	34.0	14.0	-	2.00	-	82.00	0.0	39.0	23.0	-	4.00	-	77.00	0.0
15	34.0	16.0	-	2.00	-	82.00	0.0	38.0	23.0	-	4.00	-	75.00	0.0
16	34.0	16.0	-	2.00	-	82.00	0.0	38.0	22.0	-	4.00	-	75.00	0.0
17	35.0	17.0	-	2.00	-	73.00	0.0	38.0	22.0	-	4.00	-	75.00	0.0
18	35.0	16.0	-	4.00	-	81.00	0.0	38.0	22.0	-	6.00	-	75.00	0.0
19	35.0	18.0	-	2.00	-	81.00	0.0	38.0	22.0	-	6.00	-	83.00	0.0
20	35.0	19.0	-	4.00	-	74.00	0.0	38.0	22.0	-	4.00	-	91.00	0.0
21	36.0	18.0	-	2.00	-	70.00	0.0	38.0	22.0	-	4.00	-	91.00	0.0
22	36.0	19.0	-	2.00	-	67.00	0.0	38.0	21.0	-	6.00	-	91.00	0.0
23	36.0	18.0	-	2.00	-	74.00	0.0	38.0	21.0	-	4.00	-	91.00	0.0
24	35.0	19.0	-	2.00	-	59.00	0.0	38.0	20.0	-	8.00	-	91.00	0.0
25	36.0	19.0	-	2.00	-	59.00	0.0	38.0	20.0	-	6.00	-	91.00	0.0
26	37.0	20.0	-	4.00	-	91.00	0.0	38.0	19.0	-	6.00	-	91.00	0.0
27	36.0	22.0	-	6.00	-	84.00	0.0	38.0	19.0	-	4.00	-	91.00	0.0
28	36.0	19.0	-	4.00	-	84.00	0.0	40.0	19.0	-	2.00	-	92.00	0.0
29	36.0	20.0	-	2.00	-	84.00	0.0	39.0	19.0	-	4.00	-	84.00	0.0
								40.0	22.0	-	2.00	-	92.00	0.0
								40.0	20.0	-	2.00	-	92.00	0.0
Max.	37.0	22.0					0.0	40.0	23.0					0.0
Min.	34.0	13.0					0.0	36.0	19.0					0.0
Total							0.0							0.0
Ava.	35.2	16.3					0.0	37.9	21.7					0.0

SITE : Kellodu **CODE :** AKL50T9
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	20.0	-	4.00	-	92.00	0.0	40.0	24.0	-	4.00	-	70.00	0.0
2	40.0	21.0	-	2.00	-	92.00	0.0	40.0	25.0	-	4.00	-	70.00	0.0
3	39.0	22.0	-	2.00	-	92.00	0.0	40.0	26.0	-	4.00	-	70.00	0.0
4	40.0	21.0	-	2.00	-	84.00	0.0	40.0	25.0	-	4.00	-	70.00	0.0
5	41.0	22.0	-	2.00	-	84.00	0.0	40.0	24.0	-	6.00	-	70.00	0.0
6	40.0	21.0	-	8.00	-	84.00	0.0	40.0	24.0	-	4.00	-	77.00	0.0
7	40.0	21.0	-	6.00	-	84.00	0.0	40.0	24.0	-	4.00	-	77.00	0.0
8	40.0	21.0	-	6.00	-	84.00	0.0	39.0	24.0	-	2.00	-	77.00	0.0
9	40.0	22.0	-	8.00	-	84.00	0.0	39.0	24.0	-	2.00	-	84.00	0.0
10	40.0	23.0	-	6.00	-	84.00	0.0	38.0	23.0	-	4.00	-	84.00	0.0
11	40.0	23.0	-	8.00	-	84.00	0.0	38.0	23.0	-	6.00	-	76.00	0.0
12	40.0	23.0	-	6.00	-	92.00	0.0	37.0	23.0	-	4.00	-	76.00	0.0
13	40.0	23.0	-	8.00	-	92.00	0.0	37.0	23.0	-	4.00	-	76.00	0.0
14	40.0	24.0	-	8.00	-	92.00	0.0	37.0	22.0	-	4.00	-	84.00	0.0
15	40.0	24.0	-	6.00	-	92.00	0.0	37.0	25.0	-	4.00	-	76.00	0.0
16	40.0	24.0	-	6.00	-	84.00	0.0	37.0	25.0	-	2.00	-	92.00	9.4
17	40.0	24.0	-	4.00	-	84.00	0.0	37.0	23.0	-	4.00	-	77.00	0.0
18	40.0	24.0	-	8.00	-	84.00	0.0	33.0	26.0	-	6.00	-	76.00	0.0
19	40.0	24.0	-	8.00	-	92.00	0.0	32.0	22.0	-	12.00	-	77.00	3.4
20	40.0	24.0	-	10.00	-	84.00	0.0	32.0	24.0	-	6.00	-	77.00	0.0
21	40.0	24.0	-	10.00	-	92.00	0.0	32.0	24.0	-	8.00	-	77.00	0.0
22	40.0	24.0	-	12.00	-	92.00	0.0	32.0	24.0	-	6.00	-	77.00	0.0
23	37.0	24.0	-	8.00	-	84.00	0.0	32.0	24.0	-	4.00	-	77.00	0.0
24	39.0	23.0	-	4.00	-	84.00	0.0	32.0	24.0	-	12.00	-	77.00	0.0
25	40.0	23.0	-	6.00	-	84.00	0.0	32.0	24.0	-	10.00	-	77.00	0.0
26	40.0	23.0	-	4.00	-	84.00	0.0	32.0	24.0	-	6.00	-	77.00	0.0
27	40.0	23.0	-	6.00	-	84.00	0.0	32.0	24.0	-	10.00	-	77.00	0.0
28	40.0	24.0	-	8.00	-	84.00	0.0	32.0	24.0	-	10.00	-	76.00	0.0
29	40.0	24.0	-	8.00	-	84.00	0.0	31.0	23.0	-	2.00	-	84.00	0.0
30	40.0	24.0	-	6.00	-	92.00	0.0	31.0	20.0	-	6.00	-	76.00	31.4
31								35.0	23.0	-	6.00	-	76.00	0.0
Max.	41.0	24.0					0.0	40.0	26.0					31.4
Min.	37.0	20.0					0.0	31.0	20.0					0.0
Total							0.0							44.2
Ava.	39.9	22.9					0.0	35.7	23.8					1.4

SITE : Hoovinahole **CODE :** HOOVINAHOLE
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	15.0	-	2.00	-	76.00	8.0	30.0	13.0	-	2.00	-	84.00	0.0
2	34.0	16.0	-	2.00	-	76.00	0.0	31.0	14.0	-	2.00	-	76.00	0.0
3	35.0	14.0	-	0.00	-	84.00	0.0	31.0	14.0	-	2.00	-	84.00	0.0
4	33.0	15.0	-	0.00	-	69.00	0.0	32.0	15.0	-	2.00	-	76.00	0.0
5	32.0	14.0	-	0.00	-	83.00	0.0	32.0	15.0	-	2.00	-	92.00	0.0
6	31.0	15.0	-	0.00	-	83.00	0.0	32.0	16.0	-	2.00	-	92.00	0.0
7	32.0	14.0	-	0.00	-	91.00	0.0	32.0	15.0	-	2.00	-	76.00	0.0
8	30.0	15.0	-	0.00	-	84.00	0.0	31.0	14.0	-	2.00	-	84.00	0.0
9	29.0	14.0	-	0.00	-	83.00	0.0	32.0	15.0	-	2.00	-	76.00	0.0
10	28.0	13.0	-	2.00	-	76.00	0.0	33.0	15.0	-	2.00	-	77.00	0.0
11	30.0	15.0	-	2.00	-	69.00	0.0	32.0	14.0	-	2.00	-	76.00	0.0
12	31.0	14.0	-	0.00	-	76.00	0.0	33.0	15.0	-	2.00	-	77.00	0.0
13	30.0	15.0	-	0.00	-	83.00	0.0	32.0	14.0	-	2.00	-	77.00	0.0
14	31.0	13.0	-	0.00	-	76.00	0.0	32.0	14.0	-	2.00	-	76.00	0.0
15	28.0	14.0	-	2.00	-	83.00	0.0	31.0	15.0	-	2.00	-	70.00	0.0
16	29.0	15.0	-	0.00	-	76.00	0.0	32.0	14.0	-	2.00	-	76.00	0.0
17	28.0	14.0	-	2.00	-	76.00	0.0	31.0	15.0	-	2.00	-	76.00	0.0
18	27.0	14.0	-	2.00	-	68.00	0.0	30.0	14.0	-	2.00	-	76.00	0.0
19	27.0	13.0	-	0.00	-	83.00	0.0	32.0	16.0	-	2.00	-	84.00	0.0
20	28.0	14.0	-	0.00	-	84.00	0.0	31.0	15.0	-	2.00	-	83.00	20.0
21	29.0	15.0	-	0.00	-	69.00	0.0	31.0	15.0	-	2.00	-	76.00	0.0
22	28.0	14.0	-	0.00	-	83.00	0.0	31.0	14.0	-	0.00	-	83.00	0.0
23	27.0	13.0	-	2.00	-	76.00	0.0	31.0	14.0	-	0.00	-	83.00	0.0
24	30.0	14.0	-	0.00	-	84.00	0.0	32.0	15.0	-	0.00	-	83.00	0.6
25	28.0	15.0	-	2.00	-	69.00	0.0	30.0	14.0	-	2.00	-	83.00	0.0
26	28.0	13.0	-	2.00	-	68.00	0.0	32.0	14.0	-	2.00	-	82.00	0.5
27	28.0	14.0	-	0.00	-	84.00	0.0	32.0	15.0	-	2.00	-	75.00	0.0
28	27.0	14.0	-	0.00	-	84.00	0.0	31.0	14.0	-	2.00	-	83.00	0.0
29	28.0	13.0	-	2.00	-	69.00	0.0	31.0	15.0	-	2.00	-	75.00	0.0
30	30.0	14.0	-	0.00	-	77.00	0.0	32.0	14.0	-	2.00	-	68.00	0.0
31								32.0	15.0	-	0.00	-	75.00	0.0
Max.	35.0	16.0					8.0	33.0	16.0					20.0
Min.	27.0	13.0					0.0	30.0	13.0					0.0
Total							8.0							21.1
Ava.	29.6	14.2					0.3	31.5	14.5					0.7

Note : "-" Denotes not applicable.

SITE : Hoovinahole **CODE :** HOOVINAHOLE
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	19.0	14.0	-	0.00	-	76.00	0.0	31.0	19.0	-	0.00	-	83.00	0.0
2	32.0	15.0	-	0.00	-	83.00	0.0	32.0	20.0	-	1.00	-	83.00	0.0
3	32.0	15.0	-	0.00	-	83.00	0.0	33.0	20.0	-	0.00	-	91.00	0.0
4	33.0	16.0	-	0.00	-	76.00	0.0	33.0	22.0	-	1.00	-	84.00	3.4
5	33.0	15.0	-	0.00	-	69.00	0.0	33.0	21.0	-	1.00	-	63.00	27.0
6	32.0	14.0	-	0.00	-	69.00	0.0	32.0	21.0	-	0.00	-	91.00	22.0
7	31.0	15.0	-	0.00	-	68.00	0.0	28.0	22.0	-	0.00	-	91.00	19.0
8	32.0	15.0	-	0.00	-	61.00	0.0	31.0	22.0	-	0.00	-	96.00	0.0
9	31.0	15.0	-	0.00	-	69.00	18.0	31.0	22.0	-	0.00	-	96.00	0.0
10	32.0	14.0	-	2.00	-	68.00	12.0	29.0	22.0	-	1.00	-	83.00	0.0
11	32.0	20.0	-	0.00	-	69.00	0.0	28.0	21.0	-	0.00	-	91.00	2.4
12	32.0	18.0	-	0.00	-	56.00	0.0	30.0	21.0	-	0.00	-	83.00	0.0
13	33.0	20.0	-	0.00	-	69.00	0.0	30.0	21.0	-	1.00	-	83.00	0.0
14	32.0	19.0	-	0.00	-	69.00	0.0	29.0	22.0	-	1.00	-	84.00	0.0
15	33.0	18.0	-	0.00	-	70.00	0.0	29.0	22.0	-	1.00	-	76.00	0.0
16	32.0	19.0	-	0.00	-	73.00	16.2	28.0	23.0	-	1.00	-	83.00	0.0
17	33.0	20.0	-	0.00	-	70.00	0.0	28.0	22.0	-	1.00	-	84.00	0.0
18	34.0	20.0	-	0.00	-	63.00	0.0	28.0	21.0	-	0.00	-	84.00	0.0
19	33.0	21.0	-	0.00	-	70.00	0.0	30.0	20.0	-	0.00	-	91.00	0.0
20	32.0	20.0	-	0.00	-	76.00	18.6	30.0	21.0	-	0.00	-	84.00	0.0
21	32.0	21.0	-	0.00	-	84.00	20.0	32.0	21.0	-	0.00	-	83.00	0.0
22	33.0	20.0	-	0.00	-	84.00	10.0	33.0	19.0	-	0.00	-	83.00	0.0
23	32.0	19.0	-	0.00	-	84.00	0.0	32.0	20.0	-	0.00	-	91.00	0.0
24	31.0	18.0	-	0.00	-	76.00	0.0	34.5	22.5	-	0.00	-	80.00	0.0
25	32.0	19.0	-	0.00	-	68.00	0.0	32.5	20.5	-	0.00	-	91.00	35.2
26	32.0	20.0	-	0.00	-	76.00	0.0	30.0	20.5	-	0.00	-	95.00	26.4
27	31.0	19.0	-	0.00	-	69.00	0.0	32.0	21.0	-	0.00	-	96.00	39.8
28	31.0	18.0	-	0.00	-	76.00	0.0	31.5	20.5	-	0.00	-	96.00	23.8
29	32.0	18.0	-	0.00	-	83.00	0.0	31.5	21.0	-	0.00	-	92.00	0.0
30	32.0	19.0	-	0.00	-	84.00	0.0	30.5	22.0	-	0.00	-	92.00	0.0
31	31.0	20.0	-	0.00	-	83.00	0.0							
Max.	34.0	21.0					20.0	34.5	23.0					39.8
Min.	19.0	14.0					0.0	28.0	19.0					0.0
Total							94.8							199.0
Ava.	31.7	17.9					3.1	30.8	21.1					6.6

SITE : Hoovinahole CODE : HOOVINAHOLE
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	22.0	-	0.00	-	96.00	3.4	33.0	21.0	-	0.00	-	84.00	0.0
2	32.0	21.5	-	0.00	-	96.00	17.6	32.0	21.0	-	0.00	-	84.00	0.0
3	30.5	22.0	-	0.00	-	92.00	13.4	32.0	20.0	-	0.00	-	84.00	21.8
4	30.5	22.0	-	0.00	-	92.00	0.0	30.0	21.0	-	0.00	-	84.00	40.0
5	31.0	20.5	-	0.00	-	96.00	43.0	31.0	22.0	-	0.00	-	88.00	0.0
6	32.0	20.5	-	0.00	-	83.00	0.0	31.0	20.0	-	0.00	-	91.00	0.0
7	32.0	21.0	-	0.00	-	84.00	20.0	30.0	20.0	-	0.00	-	83.00	0.0
8	32.0	20.0	-	0.00	-	91.00	0.0	30.0	19.0	-	0.00	-	91.00	0.0
9	31.0	21.0	-	0.00	-	83.00	0.0	25.0	19.5	-	0.00	-	83.00	0.0
10	32.0	20.0	-	0.00	-	84.00	0.0	23.0	19.0	-	1.00	-	91.00	3.6
11	32.0	22.0	-	0.00	-	76.00	0.0	24.0	20.0	-	1.00	-	95.00	4.6
12	33.0	21.0	-	0.00	-	76.00	0.0	27.0	21.0	-	0.00	-	91.00	0.0
13	33.0	23.0	-	0.00	-	76.00	0.0	29.0	19.5	-	0.00	-	91.00	0.0
14	32.0	22.0	-	0.00	-	84.00	0.0	27.0	16.0	-	0.00	-	95.00	0.0
15	32.0	22.0	-	0.00	-	76.00	0.0	24.0	18.0	-	0.00	-	91.00	0.0
16	33.0	21.0	-	0.00	-	76.00	0.0	20.0	18.0	-	0.00	-	91.00	0.0
17	31.0	22.0	-	0.00	-	69.00	0.0	25.0	18.0	-	0.00	-	91.00	0.0
18	32.0	21.0	-	0.00	-	76.00	0.0	23.0	18.0	-	0.00	-	95.00	0.0
19	32.0	21.5	-	0.00	-	84.00	0.0	24.0	19.0	-	1.00	-	91.00	0.0
20	33.0	22.0	-	0.00	-	85.00	0.0	27.0	20.5	-	0.00	-	91.00	2.2
21	34.0	20.0	-	0.00	-	91.00	0.0	27.0	21.0	-	0.00	-	91.00	6.4
22	32.5	18.0	-	0.00	-	83.00	0.0	27.0	21.0	-	0.00	-	91.00	3.4
23	32.0	18.0	-	0.00	-	82.00	0.0	27.0	21.0	-	0.00	-	91.00	2.4
24	33.0	16.0	-	0.00	-	91.00	0.0	27.0	20.0	-	0.00	-	91.00	1.0
25	32.5	15.0	-	0.00	-	75.00	0.0	28.0	19.0	-	0.00	-	91.00	0.0
26	32.0	17.5	-	0.00	-	87.00	0.0	30.0	19.0	-	0.00	-	91.00	0.0
27	32.0	18.5	-	0.00	-	83.00	0.0	29.0	19.0	-	0.00	-	91.00	0.0
28	33.0	18.0	-	0.00	-	87.00	0.0	29.0	18.0	-	0.00	-	92.00	0.0
29	33.5	22.0	-	0.00	-	84.00	0.0	28.0	19.0	-	0.00	-	83.00	0.0
30	33.0	21.0	-	0.00	-	84.00	0.0	28.0	19.0	-	0.00	-	91.00	0.0
31	33.0	20.0	-	0.00	-	84.00	0.0							
Max.	34.0	23.0					43.0	33.0	22.0					40.0
Min.	30.5	15.0					0.0	20.0	16.0					0.0
Total							97.4							85.4
Ava.	32.2	20.4					3.1	27.6	19.6					2.8

SITE : Hoovinahole

CODE : HOOVINAHOLE

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	27.0	18.0	-	0.00	-	83.00	0.0	29.5	11.0	-	0.00	-	89.00	0.0
2	27.0	18.0	-	0.00	-	91.00	0.8	31.0	9.0	-	0.00	-	79.00	0.0
3	29.0	18.0	-	0.00	-	82.00	0.0	32.0	9.0	-	0.00	-	78.00	0.0
4	29.0	19.0	-	0.00	-	83.00	0.0	31.0	10.0	-	0.00	-	79.00	0.0
5	29.0	18.0	-	0.00	-	82.00	0.0	30.0	10.0	-	0.00	-	80.00	0.0
6	29.0	18.0	-	0.00	-	75.00	0.0	31.0	11.0	-	0.00	-	78.00	0.0
7	30.0	19.0	-	0.00	-	83.00	0.0	30.5	12.0	-	0.00	-	80.00	0.0
8	30.0	19.0	-	0.00	-	75.00	0.0	30.5	13.0	-	0.00	-	80.00	0.0
9	29.0	18.0	-	0.00	-	76.00	0.0	30.5	13.0	-	0.00	-	89.00	0.0
10	31.0	18.0	-	0.00	-	62.00	0.0	30.0	12.0	-	0.00	-	62.00	0.0
11	32.0	17.0	-	0.00	-	69.00	0.0	29.0	12.0	-	0.00	-	80.00	0.0
12	33.0	19.0	-	0.00	-	83.00	0.0	29.0	11.0	-	0.00	-	70.00	0.0
13	33.0	20.0	-	0.00	-	83.00	0.0	30.5	11.0	-	0.00	-	61.00	0.0
14	33.0	17.0	-	0.00	-	82.00	0.0	30.5	12.0	-	0.00	-	62.00	0.0
15	33.0	16.0	-	0.00	-	75.00	0.0	30.0	11.0	-	0.00	-	90.00	0.0
16	33.0	16.0	-	0.00	-	81.00	0.0	30.5	11.0	-	0.00	-	71.00	0.0
17	32.0	15.0	-	0.00	-	74.00	0.0	30.0	12.0	-	0.00	-	72.00	0.0
18	32.0	15.0	-	0.00	-	80.00	0.0	30.5	12.0	-	0.00	-	80.00	0.0
19	32.0	15.0	-	0.00	-	80.00	0.0	30.0	11.0	-	0.00	-	71.00	0.0
20	33.0	15.0	-	1.00	-	91.00	0.0	30.5	12.0	-	0.00	-	80.00	8.0
21	32.0	17.0	-	0.00	-	91.00	0.0	31.0	12.0	-	0.00	-	72.00	0.0
22	33.0	16.0	-	0.00	-	82.00	0.0	29.0	17.0	-	0.00	-	91.00	0.0
23	32.0	14.0	-	0.00	-	90.00	0.0	28.0	16.5	-	0.00	-	95.00	0.0
24	32.0	14.0	-	0.00	-	82.00	0.0	31.5	16.0	-	0.00	-	95.00	0.0
25	31.0	14.0	-	0.00	-	80.00	0.0	32.0	17.0	-	0.00	-	91.00	0.0
26	30.0	18.0	-	0.00	-	91.00	0.0	33.0	17.5	-	0.00	-	91.00	0.0
27	29.0	15.0	-	0.00	-	81.00	0.0	33.0	17.0	-	1.00	-	73.00	0.0
28	30.0	14.0	-	0.00	-	90.00	0.0	34.0	15.5	-	0.00	-	91.00	0.0
29	31.0	11.0	-	0.00	-	89.00	0.0	33.5	14.0	-	0.00	-	85.00	0.0
30	32.0	10.0	-	0.00	-	79.00	0.0	33.0	13.0	-	0.00	-	85.00	0.0
31	31.0	9.0	-	0.00	-	78.00	0.0	33.0	11.5	-	0.00	-	89.00	0.0
Max.	33.0	20.0					0.8	34.0	17.5					8.0
Min.	27.0	9.0					0.0	28.0	9.0					0.0
Total							0.8							8.0
Ava.	30.9	16.1					0.0	30.9	12.6					0.3

SITE : Hoovinahole

CODE : HOOVINAHOLE

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	9.0	-	0.00	-	69.00	0.0	35.0	17.0	-	1.00	-	75.00	0.0
2	35.0	10.0	-	0.00	-	69.00	0.0	34.0	19.0	-	0.00	-	68.00	0.0
3	35.5	11.0	-	0.00	-	62.00	0.0	35.0	18.0	-	0.00	-	68.00	0.0
4	34.0	12.5	-	0.00	-	75.00	0.0	36.0	17.0	-	0.00	-	73.00	0.0
5	33.5	12.0	-	0.00	-	71.00	0.0	36.0	16.0	-	0.00	-	61.00	0.0
6	33.0	12.0	-	0.00	-	71.00	0.0	36.5	15.0	-	1.00	-	90.00	0.0
7	32.5	15.0	-	0.00	-	81.00	0.0	37.0	17.0	-	0.00	-	67.00	0.0
8	34.0	17.0	-	0.00	-	82.00	0.0	37.5	17.0	-	0.00	-	60.00	0.0
9	35.0	16.5	-	0.00	-	81.00	0.0	37.5	17.0	-	0.00	-	65.00	0.0
10	34.5	17.0	-	0.00	-	66.00	0.0	38.5	19.0	-	0.00	-	55.00	0.0
11	34.0	17.0	-	0.00	-	68.00	0.0	37.5	18.0	-	0.00	-	91.00	0.0
12	34.0	18.0	-	0.00	-	75.00	0.0	38.5	18.0	-	0.00	-	68.00	0.0
13	33.0	19.0	-	0.00	-	83.00	0.0	38.0	23.0	-	1.00	-	83.00	0.0
14	34.0	17.5	-	0.00	-	74.00	0.0	38.0	23.0	-	1.00	-	63.00	0.0
15	34.5	14.0	-	0.00	-	64.00	0.0	38.5	21.0	-	0.00	-	62.00	0.0
16	35.0	15.0	-	0.00	-	73.00	0.0	38.0	18.0	-	0.00	-	53.00	0.0
17	36.0	15.0	-	0.00	-	90.00	0.0	38.0	21.0	-	0.00	-	62.00	0.0
18	36.0	15.0	-	0.00	-	91.00	0.0	39.0	21.0	-	0.00	-	61.00	0.0
19	35.0	15.0	-	0.00	-	91.00	0.0	38.0	22.0	-	0.00	-	57.00	0.0
20	36.0	14.0	-	0.00	-	91.00	0.0	39.0	23.0	-	0.00	-	84.00	0.0
21	35.0	15.0	-	1.00	-	83.00	0.0	38.0	23.0	-	0.00	-	69.00	0.0
22	36.0	14.0	-	0.00	-	75.00	0.0	38.0	22.0	-	0.00	-	75.00	0.0
23	36.0	15.0	-	0.00	-	90.00	0.0	39.0	22.0	-	0.00	-	76.00	0.0
24	37.0	15.0	-	0.00	-	83.00	0.0	39.0	23.0	-	0.00	-	76.00	0.0
25	37.0	16.0	-	0.00	-	84.00	0.0	39.0	23.0	-	0.00	-	76.00	0.0
26	38.0	16.0	-	0.00	-	76.00	0.0	38.0	23.0	-	0.00	-	84.00	0.0
27	38.0	16.0	-	0.00	-	76.00	0.0	39.0	22.0	-	0.00	-	76.00	0.0
28	35.0	18.0	-	0.00	-	68.00	0.0	39.0	23.0	-	0.00	-	84.00	0.0
29	35.5	18.0	-	0.00	-	68.00	0.0	39.0	23.0	-	0.00	-	76.00	0.0
								39.0	19.0	-	0.00	-	70.00	0.0
								39.5	23.0	-	0.00	-	70.00	0.0
Max.	38.0	19.0					0.0	39.5	23.0					0.0
Min.	32.5	9.0					0.0	34.0	15.0					0.0
Total							0.0							0.0
Ava.	35.0	15.0					0.0	37.8	20.2					0.0

SITE : Hoovinahole **CODE :** HOOVINAHOLE
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	24.0	-	0.00	-	77.00	0.0	40.5	24.0	-	0.00	-	59.00	0.0
2	39.5	22.0	-	0.00	-	77.00	0.0	40.0	24.0	-	0.00	-	58.00	1.0
3	40.0	23.0	-	0.00	-	77.00	0.0	39.5	25.0	-	1.00	-	59.00	0.6
4	40.0	24.0	-	1.00	-	77.00	0.0	37.5	23.0	-	0.00	-	84.00	2.4
5	39.0	22.0	-	0.00	-	77.00	0.0	39.0	23.0	-	0.00	-	70.00	0.0
6	38.5	23.0	-	1.00	-	77.00	0.0	38.0	24.0	-	1.00	-	64.00	0.0
7	39.5	23.0	-	0.00	-	66.00	0.0	38.5	22.0	-	1.00	-	84.00	0.0
8	40.0	25.0	-	0.00	-	64.00	0.0	37.0	24.0	-	0.00	-	70.00	0.0
9	39.0	25.0	-	1.00	-	70.00	0.0	40.0	23.0	-	0.00	-	66.00	0.0
10	39.0	25.0	-	1.00	-	60.00	0.0	37.5	25.0	-	0.00	-	59.00	0.0
11	40.0	25.0	-	1.00	-	70.00	0.0	38.0	25.0	-	0.00	-	57.00	0.0
12	40.0	25.0	-	0.00	-	70.00	0.0	38.5	25.0	-	1.00	-	61.00	0.0
13	40.0	26.0	-	0.00	-	77.00	0.0	38.0	22.0	-	0.00	-	70.00	0.0
14	39.0	25.0	-	0.00	-	84.00	0.0	39.0	23.0	-	0.00	-	59.00	0.0
15	39.0	25.0	-	0.00	-	84.00	0.0	39.0	22.0	-	0.00	-	88.00	12.0
16	40.0	26.0	-	0.00	-	92.00	0.0	39.0	23.0	-	0.00	-	84.00	0.0
17	39.0	25.0	-	0.00	-	77.00	0.0	39.0	22.0	-	0.00	-	91.00	0.0
18	40.0	25.0	-	1.00	-	77.00	0.0	38.0	22.0	-	2.00	-	83.00	0.0
19	39.0	26.0	-	0.00	-	70.00	0.0	37.0	21.0	-	2.00	-	83.00	0.0
20	40.0	27.0	-	0.00	-	84.00	0.0	38.0	20.0	-	2.00	-	83.00	3.0
21	39.0	26.0	-	0.00	-	70.00	0.0	39.0	19.0	-	2.00	-	91.00	0.0
22	39.0	26.0	-	0.00	-	53.00	0.0	38.0	20.0	-	2.00	-	76.00	0.0
23	40.0	27.0	-	0.00	-	58.00	0.0	39.0	19.0	-	1.00	-	69.00	0.0
24	41.0	27.0	-	0.00	-	59.00	0.0	39.5	20.0	-	1.00	-	92.00	0.0
25	41.0	23.0	-	0.00	-	57.00	0.0	37.0	25.0	-	2.00	-	64.00	0.0
26	41.0	24.0	-	0.00	-	58.00	0.0	38.0	22.5	-	1.00	-	70.00	0.0
27	41.0	24.0	-	1.00	-	48.00	0.0	37.0	24.0	-	1.00	-	70.00	0.0
28	41.0	24.0	-	0.00	-	71.00	0.0	37.0	25.0	-	1.00	-	64.00	0.0
29	41.0	24.0	-	1.00	-	58.00	0.0	33.0	21.0	-	1.00	-	91.00	45.2
30	41.0	23.0	-	1.00	-	52.00	0.0	36.0	23.0	-	0.00	-	83.00	0.0
31								37.0	24.0	-	2.00	-	76.00	0.0
Max.	41.0	27.0					0.0	40.5	25.0					45.2
Min.	38.5	22.0					0.0	33.0	19.0					0.0
Total							0.0							64.2
Ava.	39.8	24.6					0.0	38.1	22.7					2.1

SITE : Marol **CODE :** AKLA0C4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	38.0	15.0	NE	0.00	1.00	91.00	1.4	26.0	19.5	SW	0.00	1.00	91.00	0.0
2	39.5	15.0	NE	0.00	0.60	87.00	0.0	27.5	20.0	SW	0.00	1.20	91.00	0.0
3	28.5	15.5	NE	0.00	0.90	91.00	0.0	27.5	20.5	SW	0.00	0.80	91.00	0.0
4	30.5	14.5	NE	0.00	0.90	88.00	0.0	28.5	21.0	SW	0.00	1.00	92.00	0.0
5	29.5	15.0	NE	0.00	0.90	92.00	1.2	28.0	20.5	SW	2.00	1.60	91.00	0.0
6	28.5	15.5	NE	0.00	1.30	92.00	0.0	26.0	20.0	SW	0.00	1.40	91.00	0.0
7	38.5	16.5	NE	0.00	1.20	92.00	0.0	27.0	20.5	SW	0.00	1.20	91.00	0.0
8	39.0	15.0	NE	0.00	1.00	92.00	0.0	26.0	21.0	SW	2.00	1.70	92.00	0.0
9	36.5	16.5	NE	0.00	1.00	92.00	0.0	26.0	20.0	SW	2.00	1.40	91.00	0.0
10	37.0	14.5	NE	0.00	0.50	91.00	0.0	27.5	20.5	SW	0.00	1.20	91.00	0.0
11	28.0	14.5	NE	0.00	1.00	92.00	0.0	26.0	20.0	SW	0.00	1.50	91.00	0.0
12	27.0	14.5	NE	0.00	0.90	91.00	0.0	27.0	20.0	SW	0.00	1.00	87.00	0.0
13	27.0	15.0	NE	0.00	1.20	91.00	0.0	27.5	20.5	SW	0.00	1.20	91.00	0.0
14	26.5	14.0	NE	0.00	0.70	91.00	0.0	28.0	21.0	SW	0.00	1.40	91.00	0.0
15	27.0	13.0	NE	0.00	0.90	91.00	1.8	27.0	20.5	SW	0.00	1.60	91.00	0.0
16	27.5	13.0	NE	0.00	0.50	91.00	0.0	27.5	19.5	SW	0.00	1.30	91.00	0.0
17	25.0	12.0	NE	0.00	0.50	91.00	0.0	27.0	19.5	SW	0.00	1.80	91.00	0.0
18	25.0	12.5	NE	0.00	0.60	91.00	0.0	27.0	19.0	SW	0.00	0.80	91.00	4.4
19	25.5	11.0	NE	0.00	0.30	91.00	1.8	25.0	19.0	SW	0.00	1.00	91.00	0.0
20	25.0	11.0	NE	0.00	0.30	91.00	4.4	26.5	18.5	SW	0.00	3.60	91.00	7.2
21	25.0	10.0	NE	0.00	0.20	91.00	1.6	26.5	19.0	SW	0.00	1.00	91.00	0.0
22	25.0	10.0	NE	0.00	10.00	91.00	10.2	26.5	19.0	SW	0.00	0.40	87.00	0.0
23	26.5	11.0	NE	0.00	0.30	91.00	3.4	26.0	18.5	SW	0.00	0.60	93.00	0.0
24	26.5	11.5	NE	0.00	0.30	91.00	4.2	25.0	18.0	SW	0.00	0.20	91.00	0.0
25	26.5	11.5	NE	0.00	0.30	87.00	0.0	26.0	18.5	SW	0.00	1.60	87.00	0.0
26	27.0	12.0	NE	0.00	0.70	92.00	5.8	26.5	19.0	SW	0.00	1.20	91.00	0.0
27	27.5	10.0	NE	0.00	0.30	91.00	2.8	26.0	18.5	SW	0.00	0.50	87.00	0.0
28	28.0	11.0	NE	0.00	0.40	91.00	0.0	26.5	18.5	SW	0.00	0.60	87.00	0.0
29	28.5	10.5	NE	0.00	0.60	91.00	0.0	26.5	19.0	SW	0.00	0.40	91.00	0.0
30	28.5	10.0	NE	0.00	0.70	91.00	0.0	26.5	18.0	SW	0.00	0.60	87.00	0.0
31								25.0	19.5	SW	0.00	0.50	96.00	0.0
Max.	39.5	16.5					10.2	28.5	21.0					7.2
Min.	25.0	10.0					0.0	25.0	18.0					0.0
Total							38.6							11.6
Ava.	29.3	13.0					1.3	26.6	19.6					0.4

Note : "-" Denotes not applicable.

SITE : Marol **CODE :** AKLA0C4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	25.0	19.5	SW	0.00	0.30	96.00	0.0	28.5	18.5	SW	0.00	0.30	87.00	0.0
2	26.0	19.0	SW	0.00	1.00	96.00	0.0	28.5	18.0	SW	0.00	0.30	96.00	0.0
3	30.0	18.5	SW	0.00	0.80	96.00	0.0	29.0	18.5	SW	0.00	2.40	91.00	0.0
4	26.0	19.0	SW	0.00	1.50	91.00	0.0	30.0	19.0	SW	0.00	2.20	96.00	0.0
5	26.0	19.0	SW	0.20	1.20	96.00	0.0	28.5	18.5	SW	0.00	1.80	96.00	0.0
6	25.0	19.5	SW	0.20	1.50	96.00	0.0	29.5	18.5	SW	0.00	2.80	100.00	5.4
7	25.0	19.5	SW	0.00	0.60	96.00	0.0	29.0	19.0	SW	0.00	2.20	100.00	4.4
8	25.0	19.0	SW	0.20	2.20	96.00	4.4	28.5	19.0	SW	0.00	1.80	91.00	0.0
9	24.5	18.5	SW	0.00	1.60	91.00	0.0	28.5	18.5	SW	0.00	2.00	95.00	4.0
10	25.5	19.0	SW	0.20	1.20	91.00	0.0	26.0	18.5	SW	0.00	1.60	95.00	0.0
11	24.0	19.0	SW	0.00	1.80	96.00	2.4	26.5	18.0	SW	0.00	2.80	95.00	5.8
12	24.0	19.0	SW	0.20	1.40	100.00	2.2	29.0	18.5	SW	0.00	1.00	96.00	0.0
13	25.0	18.5	SW	0.00	0.40	100.00	0.6	26.5	18.5	SW	0.00	0.60	96.00	0.0
14	26.5	19.0	SW	0.00	2.00	96.00	3.8	26.0	19.0	SW	0.00	0.60	96.00	0.0
15	26.5	19.0	SW	0.20	0.80	100.00	1.6	26.0	18.0	SW	0.00	0.00	96.00	1.0
16	26.5	18.5	SW	0.00	0.60	96.00	0.0	26.0	18.5	SW	0.00	1.40	91.00	0.0
17	27.0	18.5	SW	0.00	0.80	100.00	0.0	29.0	19.0	SW	0.00	0.80	96.00	0.0
18	28.0	19.0	SW	0.00	1.20	96.00	0.0	30.0	19.0	SW	0.00	1.00	96.00	0.0
19	28.0	19.5	SW	0.00	0.20	100.00	0.4	30.5	19.0	SW	0.00	1.20	96.00	0.0
20	27.5	20.0	SW	0.00	1.40	100.00	0.0	29.5	19.0	SW	0.00	0.80	91.00	0.0
21	28.5	19.5	SW	0.00	1.60	96.00	0.0	29.5	18.5	SW	0.00	1.00	91.00	0.0
22	27.0	19.0	SW	0.00	0.80	100.00	3.2	32.0	18.5	SW	0.00	1.00	96.00	0.0
23	27.0	19.0	SW	0.00	1.20	91.00	0.0	32.0	18.5	SW	0.00	0.80	91.00	0.0
24	27.5	18.5	SW	0.00	1.40	96.00	0.0	32.0	19.0	SW	0.00	1.20	91.00	0.0
25	28.0	19.0	SW	0.00	0.80	91.00	0.0	32.0	20.0	SW	0.00	2.80	92.00	0.0
26	26.0	19.0	SW	0.00	1.00	91.00	0.0	31.5	19.5	SW	0.00	1.40	91.00	0.0
27	27.0	18.5	SW	0.00	1.20	96.00	0.8	27.0	20.0	SW	0.00	1.60	92.00	0.0
28	26.0	18.5	SW	0.00	0.60	91.00	0.0	27.0	19.5	SW	0.00	3.00	91.00	21.0
29	27.5	19.0	SW	0.00	0.80	96.00	0.0	27.0	19.0	SW	0.00	0.60	96.00	0.0
30	28.5	19.0	SW	0.00	1.30	96.00	0.0	27.0	19.5	SW	0.00	4.00	92.00	0.0
31	28.5	24.5	SW	0.00	1.60	100.00	0.0							
Max.	30.0	24.5					4.4	32.0	20.0					21.0
Min.	24.0	18.5					0.0	26.0	18.0					0.0
Total							19.4							41.6
Ava.	26.5	19.2					0.6	28.7	18.8					1.4

SITE : Marol **CODE :** AKLA0C4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	27.0	19.0	SW	0.00	0.60	92.00	0.0	30.5	19.0	NE	0.00	0.90	90.00	0.0
2	26.5	18.5	SW	0.00	4.00	96.00	44.0	30.0	18.0	NE	0.00	0.80	90.00	0.0
3	28.5	18.5	SW	0.00	0.60	100.00	0.0	31.0	18.0	NE	0.00	1.20	87.00	0.0
4	26.5	19.0	SW	0.00	0.40	96.00	1.0	28.5	18.5	NE	0.00	1.40	91.00	0.0
5	26.5	19.5	SW	0.00	4.20	92.00	16.2	31.5	18.5	NE	0.00	1.00	91.00	0.0
6	27.5	19.5	SW	0.00	0.20	92.00	0.0	29.0	18.0	NE	0.00	1.60	90.00	0.0
7	25.0	20.0	SW	0.00	3.20	92.00	15.8	29.0	18.0	NE	0.00	1.40	91.00	0.0
8	25.5	19.0	SW	0.00	0.80	96.00	1.2	29.0	18.5	NE	0.00	1.20	91.00	0.0
9	25.5	19.5	SW	0.00	0.80	92.00	0.0	29.0	18.0	NE	0.00	0.90	87.00	0.0
10	28.5	19.0	SW	0.00	0.60	91.00	0.0	29.0	17.5	NE	0.00	0.80	89.00	0.0
11	29.5	19.0	SW	0.00	0.80	91.00	0.0	28.0	17.0	NE	0.00	0.90	83.00	0.0
12	29.5	18.5	SW	0.00	0.40	87.00	7.2	27.0	17.5	NE	0.00	0.60	92.00	0.0
13	30.0	18.5	SW	0.00	0.60	100.00	0.0	27.0	17.0	NE	0.00	0.50	83.00	0.0
14	30.0	19.0	SW	0.00	0.40	91.00	0.0	30.0	17.0	NE	0.00	0.40	82.00	0.0
15	30.0	18.5	SW	0.00	0.80	91.00	0.0	30.0	17.0	NE	0.00	0.60	95.00	0.0
16	31.5	18.5	SW	0.00	0.70	91.00	0.0	27.0	18.0	NE	0.00	0.70	87.00	0.0
17	31.5	19.0	SW	0.00	1.40	92.00	0.0	29.0	18.0	NE	0.00	0.50	91.00	0.0
18	29.0	19.5	SW	0.00	1.60	92.00	0.0	28.5	17.5	NE	0.00	0.50	91.00	0.0
19	31.0	20.0	NE	0.00	1.80	92.00	0.0	27.0	17.0	NE	0.00	0.50	83.00	0.0
20	31.0	19.5	NE	0.00	0.80	92.00	0.0	27.0	17.0	NE	0.00	0.50	91.00	0.0
21	31.5	19.0	NE	0.00	1.00	92.00	0.0	27.5	17.0	NE	0.00	0.50	83.00	0.0
22	30.5	18.5	NE	0.00	0.90	92.00	0.0	29.0	18.0	NE	0.00	0.80	88.00	0.0
23	31.5	18.5	NE	0.00	1.20	92.00	0.0	27.0	17.0	NE	0.00	0.90	83.00	6.2
24	30.5	18.0	NE	0.00	0.80	80.00	0.0	29.0	17.0	NE	0.00	0.50	91.00	0.0
25	29.5	19.0	NE	0.00	1.00	92.00	0.0	30.0	16.5	NE	0.00	0.70	91.00	0.0
26	30.0	19.0	NE	0.00	1.40	92.00	0.0	30.0	16.0	NE	0.00	0.60	91.00	0.0
27	30.0	18.5	NE	0.00	1.20	92.00	0.0	30.0	16.0	NE	0.00	0.60	87.00	0.0
28	30.5	17.0	NE	0.00	1.00	92.00	0.0	30.5	16.0	NE	0.00	0.80	91.00	0.0
29	30.5	19.5	NE	0.00	1.00	92.00	0.0	30.5	16.0	NE	0.00	0.80	91.00	0.0
30	30.5	19.0	NE	0.00	2.00	92.00	5.0	30.5	16.5	NE	0.00	0.70	87.00	0.0
31	30.0	18.5	NE	0.00	0.80	92.00	0.0							
Max.	31.5	20.0					44.0	31.5	19.0					6.2
Min.	25.0	17.0					0.0	27.0	16.0					0.0
Total							90.4							6.2
Ava.	29.2	18.9					2.9	29.0	17.4					0.2

SITE : Marol **CODE :** AKLA0C4 **SITE :**
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16 **MEASU**
DAILY OBSERVED DATA : **DAILY C**
TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL **TEMPEF**

DATE	December 2015							January 2016							DATE
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	
1	30.0	17.0	NE	0.00	0.50	91.00	0.0	29.0	12.0	NE	0.00	0.70	95.00	0.0	1
2	28.0	17.0	NE	0.00	0.50	91.00	0.0	31.5	11.5	NE	0.00	0.60	89.00	0.0	2
3	29.0	16.5	NE	0.00	0.80	91.00	0.0	32.0	11.0	NE	0.00	0.80	89.00	0.0	3
4	30.0	16.0	NE	0.00	0.80	91.00	0.0	32.0	11.5	NE	0.00	1.00	90.00	0.0	4
5	30.0	16.0	NE	0.00	0.70	86.00	0.0	29.5	12.0	NE	0.00	1.40	90.00	0.0	5
6	30.5	15.0	NE	0.00	0.60	90.00	0.0	29.5	11.5	NE	0.00	1.00	89.00	0.0	6
7	30.0	16.0	NE	0.00	0.80	91.00	0.0	29.5	12.0	NE	0.00	1.20	85.00	0.0	7
8	30.0	14.0	NE	0.00	0.50	91.00	0.0	29.0	11.5	NE	0.00	1.10	90.00	0.0	8
9	30.5	14.0	NE	0.00	0.50	82.00	0.0	28.5	11.0	NE	0.00	1.60	89.00	0.0	9
10	31.0	16.0	NE	0.00	0.90	83.00	0.0	30.0	11.5	NE	0.00	1.10	89.00	0.0	10
11	31.0	17.0	NE	0.00	0.90	91.00	0.0	30.0	11.0	NE	0.00	1.00	89.00	0.0	11
12	31.5	17.0	NE	0.00	1.00	92.00	0.0	29.0	10.5	NE	0.00	1.40	89.00	0.0	12
13	31.5	18.0	NE	0.00	1.00	87.00	0.0	30.0	10.0	NE	0.00	1.60	89.00	0.0	13
14	31.5	15.0	NE	0.00	0.50	91.00	0.0	30.0	11.0	NE	0.00	1.20	90.00	0.0	14
15	32.0	16.0	NE	0.00	1.00	91.00	0.0	29.0	11.0	NE	0.00	1.70	90.00	0.0	15
16	32.0	14.0	NE	0.00	0.50	82.00	0.0	29.0	11.0	NE	0.00	1.70	90.00	0.0	16
17	33.0	14.0	NE	0.00	0.50	91.00	0.0	28.5	11.5	NE	0.00	1.00	85.00	0.0	17
18	33.0	14.0	NE	0.00	0.50	91.00	0.0	28.0	11.5	NE	0.00	1.80	89.00	0.0	18
19	33.0	14.0	NE	0.00	0.50	91.00	0.0	27.0	10.0	NE	0.00	1.20	86.00	0.0	19
20	33.5	14.0	NE	0.00	0.70	91.00	0.0	30.0	10.5	NE	0.00	1.60	91.00	0.0	20
21	33.5	16.0	NE	0.00	1.10	91.00	0.0	31.0	10.5	NE	0.00	1.40	90.00	0.0	21
22	33.5	16.5	NE	0.00	1.20	91.00	0.0	30.0	11.0	NE	0.00	1.20	91.00	0.0	22
23	33.5	16.0	NE	0.00	1.20	91.00	0.0	28.5	12.0	NE	0.00	1.80	91.00	0.0	23
24	33.5	14.0	NE	0.00	1.40	91.00	0.0	29.0	12.0	NE	0.00	1.70	91.00	0.0	24
25	34.0	14.0	NE	0.00	1.20	91.00	0.0	30.0	11.5	NE	0.00	1.30	91.00	0.0	25
26	33.5	13.0	NE	0.00	0.60	81.00	0.0	31.0	11.0	NE	0.00	1.10	90.00	0.0	26
27	32.0	13.0	NE	0.00	0.90	91.00	0.0	31.0	10.5	NE	0.00	1.40	90.00	0.0	27
28	30.0	13.0	NE	0.00	0.70	91.00	0.0	31.0	10.0	NE	0.00	1.60	90.00	0.0	28
29	32.0	13.0	NE	0.00	0.70	85.00	0.0	31.0	10.0	NE	0.00	1.30	91.00	0.0	29
30	35.0	12.5	NE	0.00	0.50	90.00	0.0	31.5	11.0	NE	0.00	1.80	91.00	0.0	
31	30.0	12.5	NE	0.00	0.60	90.00	0.0	32.0	12.5	NE	0.00	1.60	86.00	0.0	
Max.	35.0	18.0					0.0	32.0	12.5					0.0	Max.
Min.	28.0	12.5					0.0	27.0	10.0					0.0	Min.
Total							0.0							0.0	Total
Ava.	31.7	15.0					0.0	29.9	11.1					0.0	Ava.

Marol

CODE :

AKLA0C4

RING AUTHORITY : CWC

WATER-YEAR :

2015-16

OBSERVED DATA :

TEMPERATURE, WIND DIRECTION, WIND VELOCITY, EVAPORATION, HUMIDITY AND RAINFALL

February 2016							March 2016						
ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
30.5	10.5	NE	0.00	1.60	89.00	0.0	37.0	13.0	NE	0.00	2.10	87.00	0.0
31.0	10.0	NE	0.00	1.50	92.00	0.0	37.0	13.5	NE	0.00	1.90	87.00	0.0
31.5	10.5	NE	0.00	1.80	90.00	0.0	37.5	13.5	NE	0.00	2.00	91.00	0.0
31.0	10.0	NE	0.00	1.20	90.00	0.0	38.0	14.0	NE	0.00	2.40	92.00	0.0
31.0	10.0	NE	0.00	1.40	90.00	0.0	38.0	14.5	NE	0.00	2.20	92.00	0.0
31.0	10.5	NE	0.00	1.50	95.00	0.0	38.0	14.0	NE	0.00	2.60	91.00	0.0
30.5	11.0	NE	0.00	1.70	91.00	0.0	38.5	14.0	NE	0.00	2.50	91.00	0.0
31.0	11.5	NE	0.00	2.00	91.00	0.0	38.0	14.5	NE	0.00	2.30	91.00	0.0
32.0	12.0	NE	0.00	1.80	91.00	0.0	38.5	15.0	NE	0.00	2.50	92.00	0.0
32.0	12.5	NE	0.00	1.70	91.00	0.0	39.0	15.0	NE	0.00	2.60	92.00	0.0
31.5	12.5	NE	0.00	1.40	91.00	0.0	39.0	15.0	NE	0.00	2.60	88.00	0.0
31.5	12.5	NE	0.00	1.60	91.00	0.0	39.0	15.5	NE	0.00	2.80	92.00	0.0
32.0	12.0	NE	0.00	1.50	91.00	0.0	38.5	15.0	NE	2.00	3.00	91.00	0.0
31.5	11.5	NE	0.00	1.70	86.00	0.0	38.5	15.0	NE	0.00	2.60	92.00	0.0
31.5	12.0	NE	0.00	1.80	91.00	0.0	38.0	14.5	NE	0.00	2.80	91.00	0.0
32.5	12.5	NE	0.00	1.90	91.00	0.0	38.0	14.5	NE	2.00	3.00	91.00	0.0
32.5	12.0	NE	0.00	1.70	91.00	0.0	38.5	14.5	NE	0.00	2.70	92.00	0.0
32.0	12.5	NE	0.00	1.80	91.00	0.0	39.0	15.0	NE	0.00	2.80	92.00	0.0
34.0	13.0	NE	0.00	2.00	91.00	0.0	39.0	15.0	NE	0.00	3.10	92.00	0.0
34.0	13.0	NE	0.00	2.60	91.00	0.0	39.5	15.0	NE	0.00	3.20	92.00	0.0
34.5	13.0	NE	0.00	2.40	91.00	0.0	40.0	15.0	NE	0.00	3.00	91.00	0.0
36.0	12.5	NE	0.00	2.00	91.00	0.0	40.0	16.0	NE	0.00	3.40	92.00	0.0
38.0	13.0	NE	0.00	2.10	91.00	0.0	40.5	15.5	NE	0.00	3.00	92.00	0.0
38.0	12.5	NE	2.00	1.90	91.00	0.0	40.5	16.0	NE	0.00	3.00	92.00	0.0
38.0	12.0	NE	0.00	2.10	91.00	0.0	40.0	15.5	NE	0.00	3.20	92.00	0.0
38.0	12.0	NE	0.00	2.40	91.00	0.0	40.0	15.0	NE	0.00	3.00	91.00	0.0
38.0	13.0	NE	0.00	2.60	91.00	0.0	40.5	15.5	NE	0.00	3.20	92.00	0.0
38.5	13.0	NE	0.00	2.40	91.00	0.0	40.5	15.5	NE	0.00	3.30	92.00	0.0
38.0	13.0	NE	0.00	2.30	91.00	0.0	40.0	16.0	NE	0.00	3.40	92.00	0.0
							38.5	16.0	NE	0.00	3.20	92.00	0.0
							38.5	16.0	NE	0.00	3.10	92.00	0.0
38.5	13.0					0.0	40.5	16.0					0.0
30.5	10.0					0.0	37.0	13.0					0.0
						0.0							0.0
33.5	11.9					0.0	38.9	14.9					0.0

SITE : Marol CODE : AKLA0C4
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	16.5	NE	0.00	3.10	92.00	0.0	41.5	18.0	NE	0.00	2.90	84.00	0.0
2	39.0	16.5	NE	0.00	3.20	92.00	0.0	41.5	18.5	NE	0.00	3.00	92.00	0.0
3	39.5	16.0	NE	0.00	3.20	92.00	0.0	42.0	17.5	NE	0.00	3.00	84.00	0.0
4	40.0	16.5	NE	0.00	3.20	92.00	0.0	42.0	17.0	NE	0.00	2.80	92.00	0.0
5	40.0	16.5	NE	0.00	3.30	88.00	0.0	42.0	17.0	NE	0.00	2.80	84.00	0.0
6	38.5	17.0	NE	0.00	3.60	92.00	0.0	41.0	18.0	NE	0.00	2.80	88.00	0.0
7	39.5	17.0	NE	0.00	3.40	92.00	0.0	41.0	18.0	NE	0.00	3.00	88.00	0.0
8	39.5	17.0	NE	0.00	3.60	92.00	0.0	41.0	17.5	NE	0.00	2.90	84.00	0.0
9	40.0	17.0	NE	0.00	3.20	92.00	0.0	41.0	17.0	NE	0.00	3.10	84.00	0.0
10	39.0	17.0	NE	0.00	3.30	92.00	0.0	41.5	18.0	NE	0.00	3.10	84.00	0.0
11	40.0	17.5	NE	0.00	3.30	92.00	0.0	41.5	17.5	NE	0.00	0.80	84.00	7.2
12	40.0	17.5	NE	0.00	3.40	92.00	0.0	42.5	16.5	NE	0.00	2.30	92.00	0.0
13	40.5	17.0	NE	0.00	3.20	92.00	0.0	42.0	16.0	NE	0.00	7.00	92.00	6.4
14	40.5	17.5	NE	0.00	3.30	92.00	0.0	42.0	16.0	NE	0.00	2.90	84.00	1.2
15	41.0	17.0	NE	0.00	3.30	88.00	0.0	42.5	16.0	NE	0.00	2.90	88.00	0.0
16	41.0	17.5	NE	0.00	3.30	88.00	0.0	42.5	16.5	NE	0.00	3.00	92.00	0.0
17	41.5	17.0	NE	0.00	3.20	92.00	0.0	42.0	17.0	NE	0.00	3.00	84.00	0.0
18	41.5	16.5	NE	0.00	3.10	92.00	0.0	41.0	16.0	NE	0.00	2.50	91.00	3.2
19	42.0	16.5	NE	0.00	3.00	92.00	0.0	38.0	15.0	NE	0.00	0.30	92.00	2.2
20	42.0	17.5	NE	0.00	3.20	92.00	0.0	38.0	15.0	NE	0.00	7.00	84.00	47.4
21	42.0	18.0	NE	0.00	3.20	92.00	0.0	37.0	15.0	NE	0.00	0.80	88.00	0.0
22	42.0	18.0	NE	0.00	3.20	92.00	0.0	39.0	15.0	NE	0.00	0.90	88.00	0.0
23	42.0	18.0	NE	0.00	3.30	92.00	0.0	39.5	16.0	NE	0.00	0.80	84.00	0.0
24	41.5	18.0	NE	0.00	3.30	92.00	0.0	39.5	16.5	NE	0.00	2.50	84.00	0.0
25	41.0	17.5	NE	0.00	3.10	92.00	0.0	38.5	15.0	NE	0.00	2.40	84.00	0.0
26	42.0	17.0	NE	0.00	3.10	92.00	0.0	39.5	16.0	NE	0.00	2.60	92.00	0.0
27	42.0	18.0	NE	0.00	3.10	88.00	0.0	38.0	15.0	NE	0.00	2.00	84.00	0.0
28	42.0	18.5	NE	0.00	3.10	88.00	0.0	38.5	16.5	NE	0.00	3.00	84.00	0.0
29	42.0	18.5	NE	0.00	3.10	88.00	0.0	38.5	17.0	NE	0.00	3.00	92.00	0.0
30	41.5	17.0	NE	0.00	3.00	92.00	0.0	39.0	17.0	NE	0.00	3.20	92.00	0.0
31								40.0	17.5	NE	0.00	3.80	88.00	0.0
Max.	42.0	18.5					0.0	42.5	18.5					47.4
Min.	38.5	16.0					0.0	37.0	15.0					0.0
Total							0.0							67.6
Ava.	40.7	17.2					0.0	40.4	16.6					2.2

SITE : Harlahalli **CODE :** AKL00S8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	18.0	NE	2.00	1.00	91.00	1.4	31.5	18.0	SW	4.00	2.00	91.00	0.0
2	34.0	19.0	NE	0.00	1.50	91.00	0.0	31.5	19.0	SW	2.00	2.30	92.00	0.0
3	35.0	17.5	NE	0.00	1.80	92.00	0.0	31.5	19.5	SW	2.00	2.20	96.00	0.0
4	34.0	18.0	NE	0.00	1.80	92.00	0.0	32.0	19.0	SW	4.00	2.30	92.00	0.0
5	34.5	19.5	NE	0.00	1.00	92.00	1.4	31.5	18.5	SW	4.00	2.20	87.00	0.0
6	35.0	20.5	NE	0.00	1.60	96.00	0.0	32.0	19.0	SW	2.00	2.40	88.00	0.0
7	36.0	20.0	NE	2.00	2.00	92.00	0.0	32.0	18.5	SW	2.00	2.40	88.00	0.0
8	35.5	20.5	SW	2.00	1.80	92.00	0.0	32.0	18.0	SW	2.00	2.20	88.00	0.0
9	34.0	19.0	SW	2.00	1.60	91.00	0.0	31.0	18.5	SW	2.00	2.20	91.00	0.0
10	35.5	20.0	SW	2.00	2.00	92.00	0.0	32.0	18.0	SW	2.00	1.20	92.00	0.8
11	36.0	20.5	SW	2.00	2.00	92.00	0.0	32.0	18.5	SW	4.00	2.00	96.00	0.0
12	34.5	19.0	SW	2.00	1.80	87.00	0.0	32.0	18.5	SW	2.00	2.20	92.00	0.0
13	34.0	19.5	SW	2.00	1.60	91.00	0.0	32.0	19.0	SW	2.00	2.40	88.00	0.0
14	32.5	19.0	SW	4.00	1.60	92.00	0.0	32.5	19.5	SW	2.00	2.40	84.00	0.0
15	32.5	17.0	SW	0.00	1.10	87.00	0.8	32.5	19.5	SW	2.00	2.30	84.00	0.0
16	33.0	17.5	SW	0.00	1.80	91.00	0.0	30.0	19.0	SW	4.00	2.20	88.00	0.0
17	33.0	17.0	SW	0.00	1.70	91.00	0.0	31.0	19.0	SW	2.00	2.20	91.00	0.0
18	32.5	18.0	SW	0.00	2.00	87.00	0.0	30.5	19.5	SW	4.00	2.00	96.00	2.6
19	32.5	16.5	SW	2.00	2.50	#####	5.2	30.0	19.0	SW	2.00	2.00	92.00	0.0
20	32.5	16.5	SW	4.00	1.50	#####	2.6	30.0	18.0	SW	2.00	11.00	92.00	0.0
21	32.5	18.0	SW	6.00	2.00	96.00	3.4	31.0	18.0	SW	2.00	2.00	91.00	0.0
22	28.5	18.5	SW	4.00	1.30	92.00	0.6	31.5	19.0	SW	4.00	2.20	92.00	0.0
23	28.5	19.0	SW	4.00	2.00	92.00	0.0	30.0	18.0	SW	2.00	2.00	91.00	0.0
24	28.5	19.5	SW	4.00	1.50	92.00	0.6	30.5	18.5	SW	2.00	2.20	87.00	0.0
25	28.5	19.5	SW	4.00	1.00	96.00	1.2	31.0	18.0	SW	4.00	2.10	91.00	0.0
26	30.0	19.0	SW	4.00	1.50	96.00	0.6	30.0	18.5	SW	4.00	2.20	91.00	0.0
27	31.0	19.0	SW	4.00	0.40	92.00	2.4	29.0	17.5	SW	4.00	2.00	91.00	0.0
28	31.0	19.5	SW	4.00	2.00	92.00	0.0	30.0	18.0	SW	4.00	2.10	91.00	0.0
29	32.5	19.5	SW	2.00	2.20	96.00	0.0	32.0	19.0	SW	4.00	2.20	92.00	0.0
30	32.5	19.0	SW	4.00	2.00	96.00	0.0	31.0	19.5	SW	4.00	2.20	92.00	0.0
31								32.0	19.5	SW	2.00	1.20	92.00	0.0
Max.	36.0	20.5					5.2	32.5	19.5					2.6
Min.	28.5	16.5					0.0	29.0	17.5					0.0
Total							20.2							3.4
Ava.	32.8	18.8					0.7	31.2	18.7					0.1

Note : "-" Denotes not applicable.

SITE : Harlahalli

CODE : AKL00S8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.5	18.5	SW	4.00	1.40	96.00	1.6	31.0	18.5	SW	2.00	1.80	91.00	0.0
2	32.5	18.0	SW	0.00	1.80	91.00	0.0	32.0	18.0	SW	2.00	1.80	91.00	0.0
3	32.0	18.5	SW	4.00	1.80	91.00	0.0	32.0	19.0	SW	2.00	2.00	91.00	0.0
4	32.5	18.5	SW	4.00	1.90	96.00	0.0	32.0	18.5	SW	0.00	1.00	92.00	1.2
5	30.0	18.0	SW	2.00	1.80	96.00	0.0	32.5	17.5	SW	0.00	1.50	91.00	0.0
6	30.5	19.0	SW	4.00	2.00	88.00	0.8	33.0	18.5	SW	4.00	1.80	87.00	0.0
7	31.0	19.5	SW	4.00	1.80	88.00	0.0	31.5	18.0	SW	0.00	1.50	96.00	3.4
8	31.0	19.0	SW	4.00	1.60	92.00	1.2	30.0	19.0	SW	4.00	1.80	92.00	0.0
9	29.5	19.5	SW	2.00	1.80	92.00	0.0	30.0	19.5	SW	0.00	0.90	91.00	0.6
10	29.5	18.5	SW	4.00	2.00	96.00	0.0	31.0	19.0	SW	2.00	1.80	91.00	0.0
11	30.0	18.0	SW	4.00	1.60	91.00	0.6	30.0	18.5	SW	0.00	2.00	83.00	2.2
12	29.0	18.5	SW	4.00	1.80	91.00	0.0	31.0	18.0	SW	2.00	1.80	83.00	0.0
13	29.0	17.5	SW	4.00	1.00	96.00	1.4	30.5	19.0	SW	0.00	2.00	87.00	0.0
14	30.0	19.0	SW	2.00	1.60	92.00	0.8	31.0	19.0	SW	2.00	1.80	83.00	0.0
15	31.0	19.5	SW	4.00	1.80	91.00	0.0	31.5	18.0	SW	0.00	1.40	91.00	0.6
16	30.5	19.0	SW	4.00	2.00	92.00	0.0	31.5	19.0	SW	2.00	1.80	83.00	0.0
17	32.0	19.5	SW	0.00	2.10	92.00	0.0	30.5	18.0	SW	4.00	1.50	91.00	0.0
18	32.5	19.0	SW	2.00	2.00	91.00	0.0	31.0	18.5	SW	2.00	1.80	83.00	0.0
19	34.0	19.0	SW	0.00	2.10	92.00	0.0	31.5	17.5	SW	0.00	1.50	91.00	0.0
20	30.0	18.5	SW	2.00	2.00	92.00	3.2	31.0	18.0	SW	0.00	1.80	91.00	0.0
21	32.0	19.5	SW	2.00	1.80	92.00	0.0	31.5	17.5	SW	2.00	1.40	87.00	0.0
22	33.0	18.5	SW	4.00	2.20	91.00	5.6	33.0	16.5	SW	0.00	1.50	91.00	0.0
23	33.5	18.0	SW	4.00	2.00	92.00	0.0	33.0	17.0	SW	0.00	1.80	91.00	0.0
24	32.0	18.5	SW	2.00	1.80	87.00	0.0	33.5	18.0	SW	0.00	2.00	91.00	0.0
25	32.0	19.0	SW	4.00	1.90	88.00	0.0	34.0	20.5	SW	2.00	2.00	88.00	0.0
26	31.0	18.5	SW	4.00	1.80	91.00	0.0	33.0	17.5	SW	0.00	1.80	91.00	0.0
27	32.0	18.0	SW	4.00	1.80	87.00	0.6	32.0	19.0	SW	0.00	2.00	92.00	0.0
28	31.5	18.5	SW	4.00	1.70	91.00	0.0	32.0	16.5	SW	0.00	1.80	91.00	3.2
29	32.0	18.0	SW	2.00	1.80	92.00	0.0	31.0	16.0	SW	0.00	1.50	91.00	0.0
30	32.0	18.5	SW	4.00	2.00	91.00	0.0	32.0	20.0	SW	2.00	1.80	92.00	0.0
31	31.0	19.0	SW	2.00	2.10	92.00	0.0							
Max.	34.0	19.5					5.6	34.0	20.5					3.4
Min.	29.0	17.5					0.0	30.0	16.0					0.0
Total							15.8							11.2
Ava.	31.3	18.7					0.5	31.7	18.3					0.4

SITE : Harlahalli CODE : AKL00S8
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.5	20.5	SW	2.00	2.00	92.00	0.0	32.0	18.0	NE	0.00	1.60	92.00	0.0
2	31.0	16.5	SW	0.00	46.00	91.00	50.8	31.0	18.5	NE	2.00	1.50	91.00	0.0
3	30.0	18.0	SW	0.00	1.00	91.00	0.4	32.0	19.0	NE	0.00	1.80	92.00	0.0
4	31.0	18.0	SW	0.00	1.60	91.00	0.8	31.0	18.5	NE	0.00	1.80	96.00	0.0
5	30.0	18.0	SW	0.00	30.00	87.00	27.4	30.0	19.0	NE	0.00	1.60	88.00	0.0
6	30.5	20.0	SW	4.00	2.00	88.00	0.0	30.0	18.5	NE	0.00	1.80	96.00	0.0
7	30.0	18.0	SW	0.00	16.00	88.00	14.4	29.5	19.0	NE	0.00	1.60	91.00	0.0
8	30.5	19.5	SW	4.00	1.80	84.00	0.0	29.5	18.5	NE	4.00	1.80	92.00	0.0
9	30.0	20.0	SW	0.00	2.00	84.00	0.8	29.0	19.0	NE	0.00	1.60	91.00	0.0
10	30.5	19.0	SW	2.00	1.80	91.00	0.0	28.5	18.0	NE	2.00	1.60	91.00	0.0
11	31.5	18.5	SW	4.00	1.80	91.00	0.0	29.0	18.5	NE	0.00	1.80	92.00	0.0
12	31.5	19.0	SW	2.00	1.60	91.00	0.0	28.0	18.0	NE	2.00	1.60	91.00	0.0
13	32.0	19.5	SW	0.00	1.80	92.00	0.0	28.0	17.5	NE	0.00	2.50	91.00	2.6
14	31.0	18.0	SW	0.00	1.60	91.00	0.0	28.5	18.0	NE	0.00	1.80	91.00	0.0
15	31.0	18.5	SW	2.00	1.60	87.00	0.0	28.5	17.5	NE	0.00	1.60	91.00	0.0
16	31.5	18.0	SW	2.00	1.60	87.00	0.0	27.0	17.0	NE	0.00	1.70	91.00	0.0
17	31.5	18.5	SW	2.00	1.60	87.00	0.0	28.5	17.5	NE	0.00	1.60	91.00	0.0
18	31.0	18.0	SW	0.00	1.60	91.00	0.0	28.0	18.0	NE	4.00	1.70	87.00	0.0
19	31.5	20.0	NE	2.00	1.80	92.00	0.0	28.5	18.5	NE	4.00	1.80	91.00	0.0
20	31.0	19.5	NE	2.00	2.00	88.00	0.0	29.0	18.5	NE	4.00	1.80	91.00	0.0
21	30.5	18.0	NE	0.00	1.60	83.00	0.0	28.0	16.5	NE	4.00	1.50	91.00	0.0
22	32.0	18.5	NE	0.00	1.80	84.00	0.0	28.5	16.0	NE	4.00	1.60	91.00	0.0
23	31.0	19.0	NE	2.00	1.80	83.00	0.0	28.0	16.5	NE	2.00	1.50	91.00	0.0
24	31.5	18.0	NE	0.00	1.60	87.00	0.0	28.5	17.0	NE	4.00	1.60	91.00	0.0
25	32.0	17.0	NE	0.00	1.60	96.00	0.0	29.0	18.0	NE	0.00	1.80	92.00	0.0
26	31.5	16.0	NE	2.00	1.80	87.00	0.0	28.5	17.0	NE	2.00	1.60	91.00	0.0
27	31.0	17.0	NE	2.00	1.60	91.00	0.0	32.0	16.0	NE	0.00	1.50	91.00	0.0
28	31.0	17.5	NE	0.00	1.60	91.00	0.0	32.0	17.0	NE	2.00	1.70	91.00	0.0
29	31.5	18.0	NE	0.00	1.80	87.00	0.0	31.0	16.5	NE	0.00	1.60	83.00	0.0
30	31.5	19.0	NE	0.00	11.00	88.00	14.4	32.0	17.0	NE	4.00	1.60	87.00	0.0
31	31.0	18.5	NE	0.00	1.60	91.00	0.0							
Max.	32.0	20.5					50.8	32.0	19.0					2.6
Min.	30.0	16.0					0.0	27.0	16.0					0.0
Total							109.0							2.6
Ava.	31.0	18.4					3.5	29.4	17.8					0.1

SITE : Harlahalli **CODE :** AKL00S8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	17.5	NE	2.00	1.80	87.00	0.0	30.5	18.0	NE	0.00	1.80	72.00	0.0
2	31.0	18.0	NE	2.00	1.80	88.00	0.0	30.0	14.0	NE	0.00	1.80	89.00	0.0
3	32.5	17.5	NE	0.00	1.80	87.00	0.0	30.5	14.5	NE	0.00	1.60	89.00	0.0
4	32.5	16.5	NE	2.00	1.60	87.00	0.0	30.5	15.0	NE	0.00	1.80	89.00	0.0
5	33.0	17.0	NE	0.00	1.80	88.00	0.0	30.5	16.0	NE	0.00	1.80	90.00	0.0
6	32.5	18.0	NE	0.00	1.80	75.00	0.0	30.0	14.5	NE	0.00	1.60	71.00	0.0
7	30.5	19.0	NE	2.00	1.60	75.00	0.0	30.5	16.0	NE	0.00	1.60	80.00	0.0
8	30.5	19.5	NE	2.00	1.80	74.00	0.0	30.5	16.5	NE	0.00	1.80	80.00	0.0
9	30.0	20.0	NE	0.00	2.00	86.00	0.0	30.0	15.5	NE	0.00	1.60	70.00	0.0
10	30.0	21.0	NE	0.00	1.80	81.00	0.0	30.5	14.0	NE	0.00	1.60	79.00	0.0
11	30.5	22.0	NE	0.00	2.00	83.00	0.0	30.5	13.0	NE	0.00	1.40	67.00	0.0
12	31.0	22.0	NE	0.00	1.80	87.00	0.0	30.5	13.5	NE	0.00	1.60	67.00	0.0
13	31.0	22.5	NE	2.00	2.00	87.00	0.0	31.0	14.0	NE	0.00	1.60	78.00	0.0
14	30.5	23.0	NE	0.00	1.80	87.00	0.0	31.0	14.5	NE	0.00	1.80	78.00	0.0
15	30.0	20.0	NE	0.00	1.80	91.00	0.0	31.5	15.0	NE	0.00	1.80	79.00	0.0
16	30.5	21.0	NE	0.00	1.60	91.00	0.0	31.0	16.0	NE	0.00	1.80	80.00	0.0
17	30.5	19.5	NE	0.00	1.60	95.00	0.0	31.5	15.5	NE	0.00	1.80	75.00	0.0
18	30.5	20.0	NE	0.00	1.80	91.00	0.0	31.0	16.0	NE	0.00	1.80	84.00	0.0
19	30.5	20.0	NE	0.00	1.80	91.00	0.0	30.0	17.0	NE	0.00	1.80	85.00	0.0
20	30.0	19.0	NE	0.00	1.60	91.00	0.0	30.0	18.0	NE	0.00	1.00	91.00	0.6
21	30.0	20.0	NE	0.00	1.80	95.00	0.0	31.0	18.5	NE	0.00	1.80	86.00	0.0
22	30.5	21.0	NE	0.00	2.00	95.00	0.0	31.5	19.0	NE	0.00	1.70	86.00	0.0
23	31.0	19.0	NE	0.00	1.80	91.00	0.0	30.5	20.0	NE	4.00	1.80	87.00	0.0
24	30.5	18.0	NE	0.00	1.60	86.00	0.0	31.0	20.5	NE	0.00	1.80	86.00	0.0
25	31.0	19.0	NE	0.00	1.80	91.00	0.0	31.5	20.0	NE	0.00	1.70	86.00	0.0
26	30.5	19.0	NE	2.00	1.80	86.00	0.0	33.5	20.5	NE	0.00	1.80	82.00	0.0
27	30.0	19.5	NE	4.00	1.60	91.00	0.0	32.0	17.0	NE	0.00	1.60	83.00	0.0
28	30.0	19.0	NE	4.00	1.60	90.00	0.0	34.0	17.0	NE	0.00	1.80	78.00	0.0
29	30.0	16.0	NE	0.00	1.60	90.00	0.0	33.0	15.5	NE	0.00	1.60	72.00	0.0
30	30.0	14.0	NE	0.00	1.50	78.00	0.0	34.0	16.0	NE	0.00	1.80	80.00	0.0
31	30.0	16.0	NE	0.00	1.60	70.00	0.0	33.0	16.0	NE	4.00	1.60	80.00	0.0
Max.	33.0	23.0					0.0	34.0	20.5					0.6
Min.	30.0	14.0					0.0	30.0	13.0					0.0
Total							0.0							0.6
Ava.	30.7	19.1					0.0	31.2	16.3					0.0

SITE : Harlahalli **CODE :** AKL00S8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.5	14.0	NE	0.00	1.60	78.00	0.0	34.0	22.5	NE	2.00	1.80	83.00	0.0
2	31.0	15.0	NE	0.00	1.60	79.00	0.0	32.5	23.0	NE	0.00	2.00	88.00	0.0
3	33.0	16.0	NE	0.00	1.70	80.00	0.0	33.0	22.0	NE	2.00	1.80	83.00	0.0
4	35.0	16.0	NE	0.00	1.60	85.00	0.0	33.5	22.5	NE	0.00	1.80	88.00	0.0
5	33.0	17.0	NE	0.00	1.70	90.00	0.0	33.0	22.0	NE	2.00	1.80	83.00	0.0
6	32.0	16.0	NE	0.00	1.50	80.00	0.0	34.0	22.5	NE	0.00	2.00	87.00	0.0
7	33.0	17.0	NE	0.00	1.70	77.00	0.0	35.0	22.0	NE	0.00	2.20	83.00	0.0
8	33.0	17.5	NE	0.00	1.80	86.00	0.0	38.0	23.0	NE	0.00	2.20	88.00	0.0
9	34.0	18.5	NE	0.00	1.80	86.00	0.0	40.0	22.5	NE	0.00	2.00	83.00	0.0
10	35.0	19.5	NE	0.00	2.00	82.00	0.0	39.0	23.0	NE	0.00	2.20	88.00	0.0
11	33.0	20.0	NE	0.00	1.80	86.00	0.0	39.0	23.0	NE	0.00	2.00	84.00	0.0
12	34.0	19.5	NE	0.00	1.70	91.00	0.0	38.0	22.5	NE	0.00	2.00	83.00	0.0
13	34.5	18.5	NE	0.00	1.60	81.00	0.0	39.0	23.0	NE	0.00	2.20	88.00	0.0
14	35.0	18.5	NE	0.00	1.80	90.00	0.0	38.0	22.0	NE	0.00	2.20	83.00	0.0
15	35.0	17.5	NE	0.00	1.60	90.00	0.0	37.0	21.0	NE	0.00	2.00	83.00	0.0
16	35.5	18.0	NE	0.00	1.80	91.00	0.0	36.0	20.5	NE	0.00	2.00	87.00	0.0
17	35.0	19.0	NE	0.00	1.70	91.00	0.0	37.0	21.0	NE	0.00	2.20	91.00	0.0
18	34.0	20.0	NE	4.00	1.80	91.00	0.0	36.5	21.5	NE	0.00	2.00	91.00	0.0
19	35.0	21.0	NE	0.00	2.00	91.00	0.0	39.0	22.5	NE	0.00	2.20	87.00	0.0
20	35.0	20.5	NE	0.00	1.80	82.00	0.0	39.5	21.5	NE	0.00	2.00	80.00	0.0
21	36.0	19.0	NE	0.00	1.70	86.00	0.0	39.0	23.0	NE	0.00	2.20	84.00	0.0
22	38.0	18.5	NE	0.00	1.80	91.00	0.0	39.5	24.0	NE	0.00	2.40	92.00	0.0
23	39.0	19.5	NE	0.00	1.70	91.00	0.0	39.0	22.0	NE	0.00	2.00	91.00	0.0
24	39.0	20.5	NE	2.00	1.80	91.00	0.0	40.0	22.5	NE	0.00	2.20	87.00	0.0
25	39.0	20.0	NE	0.00	1.70	87.00	0.0	39.0	22.0	NE	0.00	2.20	87.00	0.0
26	40.0	21.0	NE	0.00	1.80	87.00	0.0	38.0	23.0	NE	0.00	2.40	91.00	0.0
27	38.0	22.5	NE	2.00	2.00	87.00	0.0	39.0	22.5	NE	0.00	2.20	91.00	0.0
28	35.0	22.0	NE	0.00	1.90	87.00	0.0	39.0	23.0	NE	0.00	2.20	91.00	0.0
29	35.0	21.5	NE	0.00	2.00	87.00	0.0	37.0	23.5	NE	0.00	2.40	92.00	0.0
								36.0	24.0	NE	0.00	2.40	92.00	0.0
								38.0	23.5	NE	0.00	2.40	92.00	0.0
Max.	40.0	22.5					0.0	40.0	24.0					0.0
Min.	30.5	14.0					0.0	32.5	20.5					0.0
Total							0.0							0.0
Ava.	35.0	18.7					0.0	37.2	22.5					0.0

SITE : Harlahalli **CODE :** AKL00S8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	23.0	NE	0.00	2.00	91.00	0.0	42.0	28.0	NE	0.00	2.60	85.00	0.0
2	39.5	24.0	NE	0.00	2.20	92.00	0.0	42.5	28.0	NE	4.00	2.40	85.00	0.0
3	40.0	23.0	NE	0.00	2.00	91.00	0.0	42.0	28.5	NE	0.00	2.40	85.00	0.0
4	39.0	24.0	NE	0.00	2.20	92.00	0.0	42.5	27.5	NE	0.00	2.20	85.00	0.0
5	39.5	24.0	NE	0.00	2.00	92.00	0.0	42.0	26.5	NE	0.00	2.20	85.00	0.0
6	38.0	23.5	NE	0.00	1.20	91.00	1.0	41.5	27.0	NE	0.00	2.20	85.00	0.0
7	39.5	23.0	NE	0.00	1.80	91.00	0.0	41.0	27.5	NE	0.00	2.40	89.00	0.0
8	38.0	24.0	NE	0.00	2.00	91.00	0.0	40.0	28.0	NE	2.00	2.40	85.00	0.0
9	39.0	24.0	NE	0.00	2.20	92.00	0.0	40.0	27.0	NE	0.00	2.20	92.00	0.0
10	40.0	25.0	NE	0.00	2.40	92.00	0.0	41.0	27.5	NE	0.00	2.40	81.00	0.0
11	39.5	25.5	NE	0.00	2.40	92.00	0.0	40.0	25.0	NE	2.00	3.60	92.00	5.8
12	41.0	25.0	NE	0.00	2.20	92.00	0.0	38.5	24.5	NE	0.00	2.20	92.00	0.0
13	40.5	25.5	NE	2.00	2.20	92.00	0.0	37.0	24.0	NE	0.00	4.80	92.00	12.8
14	40.5	25.0	NE	0.00	2.00	92.00	0.0	37.5	24.5	NE	0.00	4.00	92.00	49.0
15	40.0	24.0	NE	0.00	2.00	92.00	0.0	37.5	24.0	NE	0.00	2.00	96.00	0.0
16	40.5	25.0	NE	0.00	2.00	92.00	0.0	37.5	24.0	NE	0.00	2.00	92.00	0.0
17	40.5	25.5	NE	0.00	2.20	92.00	0.0	38.0	24.5	NE	0.00	2.00	92.00	0.0
18	41.0	25.5	NE	0.00	2.20	88.00	0.0	36.0	24.0	NE	2.00	2.10	88.00	0.0
19	41.0	26.0	NE	0.00	2.20	84.00	0.0	33.0	24.0	NE	2.00	1.40	92.00	3.4
20	41.0	26.0	NE	2.00	2.00	85.00	0.0	32.0	24.5	NE	2.00	4.40	88.00	31.4
21	41.0	25.5	NE	2.00	2.00	88.00	0.0	34.0	24.0	NE	2.00	2.00	88.00	0.0
22	40.0	26.0	NE	2.00	2.20	84.00	0.0	36.0	24.5	NE	2.00	2.10	92.00	0.0
23	40.0	26.5	NE	0.00	2.40	85.00	0.0	36.0	24.0	NE	2.00	2.00	92.00	0.0
24	39.5	26.5	NE	2.00	2.40	85.00	0.0	37.0	24.0	NE	2.00	2.00	92.00	0.0
25	40.0	26.5	NE	2.00	2.40	81.00	0.0	37.5	25.0	NE	2.00	2.10	92.00	0.0
26	40.5	26.5	NE	0.00	2.40	81.00	0.0	38.0	25.0	NE	2.00	2.00	88.00	0.0
27	42.0	27.0	NE	0.00	2.40	88.00	0.0	38.5	25.0	NE	2.00	2.10	88.00	0.0
28	41.0	28.0	NE	0.00	2.60	40.00	0.0	36.0	24.5	NE	2.00	2.00	88.00	0.0
29	41.0	27.5	NE	0.00	2.60	40.00	0.0	36.5	24.0	NE	2.00	2.00	88.00	0.0
30	41.5	28.0	NE	0.00	2.60	40.00	0.0	36.0	23.5	NE	0.00	2.10	88.00	0.0
31								35.0	24.0	NE	2.00	4.80	88.00	0.0
Max.	42.0	28.0					1.0	42.5	28.5					49.0
Min.	38.0	23.0					0.0	32.0	23.5					0.0
Total							1.0							102.4
Ava.	40.1	25.3					0.0	38.1	25.4					3.3

SITE : Byladahalli

CODE : AKLB0D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	21.0	S	0.00	1.30	-	10.0	29.0	21.5	S	0.00	1.40	-	0.0
2	32.5	21.0	WSW	0.00	1.20	-	0.0	30.0	21.5	S	0.00	1.40	-	0.8
3	31.5	21.0	ENE	0.00	1.30	-	0.0	29.5	21.0	S	0.00	1.40	-	0.0
4	32.5	23.0	W	0.00	1.40	-	0.0	31.0	21.5	S	0.00	1.40	-	0.0
5	31.0	22.0	SW	0.00	1.00	-	12.8	31.5	22.0	S	0.00	1.40	-	0.0
6	34.0	22.5	W	0.00	1.20	-	0.0	30.5	21.5	S	0.00	1.40	-	0.0
7	32.5	22.0	SW	0.20	1.30	-	0.0	30.0	21.5	S	0.00	1.40	-	0.0
8	32.0	22.0	W	0.00	1.30	-	0.0	29.5	22.0	S	0.00	1.40	-	0.6
9	31.0	22.0	SE	0.00	1.40	-	0.0	29.0	22.5	S	0.00	1.40	-	0.0
10	31.0	22.5	W	0.00	1.20	-	0.0	28.0	22.0	S	0.00	1.40	-	0.4
11	33.0	21.5	SW	0.00	1.30	-	0.0	28.5	21.5	S	0.00	1.40	-	0.0
12	30.5	22.0	W	0.00	1.40	-	0.0	29.0	21.0	S	0.00	1.40	-	0.0
13	29.0	22.0	S	0.00	1.30	-	0.0	31.5	21.5	S	0.00	1.40	-	0.0
14	28.0	21.0	W	0.00	1.20	-	0.0	32.0	21.5	S	0.00	1.40	-	0.0
15	27.5	20.0	SW	0.00	1.30	-	10.8	31.5	22.0	S	0.00	1.40	-	0.0
16	30.0	21.5	S	0.00	1.10	-	0.0	30.5	22.0	S	0.00	1.40	-	0.0
17	28.5	21.0	SE	0.00	1.30	-	0.0	31.0	22.0	S	0.00	1.40	-	0.2
18	27.0	20.0	N	0.00	1.00	-	0.4	31.0	22.5	S	0.00	1.40	-	0.0
19	28.0	21.0	W	0.00	1.00	-	2.0	29.0	21.5	S	0.00	1.40	-	0.6
20	26.5	20.0	N	0.00	1.00	-	8.8	27.5	21.5	S	0.00	1.40	-	6.4
21	25.5	20.0	SSW	0.20	1.00	-	2.8	28.5	21.0	S	0.00	1.40	-	0.0
22	27.0	21.0	SE	0.20	0.60	-	2.8	28.0	22.0	S	0.00	1.40	-	0.0
23	27.5	22.0	W	0.20	1.10	-	0.8	28.5	22.0	S	0.00	1.40	-	0.0
24	28.0	23.0	W	0.20	1.10	-	0.6	27.5	21.5	S	0.00	1.40	-	0.8
25	25.0	22.0	S	0.20	1.80	-	2.2	28.5	21.5	S	0.00	1.40	-	0.0
26	28.0	22.0	N	0.00	1.10	-	1.6	28.0	21.5	S	0.00	1.40	-	0.0
27	27.5	22.5	SW	0.00	1.10	-	3.2	28.0	21.0	S	0.00	1.40	-	3.0
28	28.0	23.0	E	0.00	1.20	-	0.0	28.5	21.5	S	0.00	1.40	-	2.2
29	29.5	22.5	SW	0.00	1.30	-	0.0	29.5	21.0	S	0.00	1.40	-	0.0
30	30.5	22.0	SW	0.00	1.40	-	0.0	29.0	21.0	S	0.00	1.40	-	0.0
31								28.0	21.0	S	0.00	1.40	-	0.0
Max.	34.0	23.0					12.8	32.0	22.5					6.4
Min.	25.0	20.0					0.0	27.5	21.0					0.0
Total							58.8							15.0
Ava.	29.4	21.6					2.0	29.4	21.6					0.5

Note : "-" Denotes not applicable.

SITE : Byladahalli **CODE :** AKLB0D3
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.5	21.5	SW	0.00	1.20	-	0.6	30.0	21.5	S	0.00	1.40	-	0.0
2	28.5	21.0	SW	0.20	1.30	-	0.0	30.0	21.0	W	0.00	1.40	-	0.0
3	29.0	21.0	W	0.00	1.40	-	0.0	31.0	21.0	W	0.00	1.30	-	0.0
4	28.0	21.0	W	0.00	1.40	-	0.0	31.0	22.0	S	0.00	1.30	-	6.2
5	27.5	20.5	W	0.00	1.20	-	1.0	29.0	21.5	W	0.00	1.30	-	0.0
6	28.0	21.0	W	0.00	1.30	-	0.0	30.0	21.5	W	0.00	1.40	-	0.0
7	28.0	22.0	W	0.00	1.40	-	0.0	30.0	22.0	W	0.00	1.00	-	11.0
8	28.0	22.0	W	0.00	1.30	-	1.2	29.5	21.0	W	0.00	1.20	-	6.4
9	27.0	21.5	W	0.00	1.30	-	1.4	28.5	21.0	W	0.00	1.10	-	0.0
10	26.5	21.5	W	0.00	1.20	-	0.0	29.5	21.5	W	0.00	1.20	-	0.0
11	27.5	21.5	W	0.00	1.20	-	1.4	28.0	20.5	W	0.00	1.20	-	7.4
12	26.5	21.0	W	0.00	1.00	-	0.0	29.5	20.5	W	0.00	1.10	-	0.0
13	26.5	21.5	W	0.00	1.10	-	0.0	29.0	20.0	W	0.00	1.20	-	0.0
14	27.5	21.0	W	0.00	1.30	-	0.0	29.0	20.0	W	0.00	1.30	-	0.0
15	28.0	21.0	W	0.00	1.40	-	0.0	27.5	20.0	W	0.00	1.00	-	1.6
16	28.0	21.5	S	0.00	1.30	-	0.0	26.5	21.0	W	0.00	1.20	-	0.0
17	30.0	21.5	W	0.00	1.40	-	0.0	26.5	21.0	W	0.20	1.20	-	1.0
18	31.0	22.0	SW	0.00	1.40	-	0.0	26.5	21.5	S	0.00	1.00	-	0.0
19	31.0	22.5	SW	0.00	1.40	-	14.2	27.5	20.0	W	0.00	1.10	-	0.0
20	29.0	22.5	SW	0.00	1.20	-	14.6	28.0	20.5	W	0.00	1.20	-	0.0
21	29.0	22.0	SW	0.00	1.20	-	0.0	29.0	21.0	W	0.00	1.20	-	0.0
22	28.5	21.5	W	0.00	1.00	-	1.2	29.5	20.0	W	0.00	1.20	-	0.0
23	29.0	21.5	SW	0.00	1.20	-	0.0	30.5	19.0	W	0.00	1.10	-	0.0
24	29.5	21.5	SW	0.00	1.30	-	0.0	31.5	20.0	W	0.00	1.20	-	0.0
25	30.0	21.0	W	0.00	1.30	-	0.0	31.5	20.5	W	0.00	1.20	-	9.2
26	29.0	20.5	W	0.00	1.20	-	0.0	30.0	21.0	S	0.00	1.10	-	3.8
27	30.0	21.0	W	0.00	1.20	-	0.4	31.0	21.0	S	0.00	1.20	-	0.0
28	29.0	21.0	W	0.00	1.30	-	0.0	31.0	20.5	W	0.00	1.30	-	8.4
29	28.5	21.5	W	0.00	1.30	-	0.0	31.0	20.0	N	0.00	1.10	-	0.0
30	29.0	21.5	SW	0.00	1.30	-	0.2	30.0	21.0	W	0.00	1.20	-	0.0
31	29.5	22.5	SW	0.00	1.30	-	0.0							
Max.	31.0	22.5					14.6	31.5	22.0					11.0
Min.	26.5	20.5					0.0	26.5	19.0					0.0
Total							36.2							55.0
Ava.	28.5	21.4					1.2	29.4	20.8					1.8

SITE : Byladahalli **CODE :** AKLB0D3
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	21.0	N	0.00	1.20	-	0.6	31.0	20.0	E	0.00	1.00	-	0.0
2	28.5	20.0	N	0.00	1.10	-	24.4	31.5	20.5	E	0.00	1.10	-	0.0
3	30.0	21.5	N	0.00	1.20	-	0.0	31.0	20.0	E	0.00	1.10	-	0.0
4	29.5	21.0	NE	0.00	1.30	-	0.0	29.5	20.0	E	0.00	1.20	-	30.8
5	29.5	21.5	W	0.00	1.20	-	33.0	30.0	21.0	E	0.00	1.00	-	0.0
6	28.5	21.0	W	0.00	1.00	-	13.0	29.5	22.0	E	0.00	1.30	-	0.0
7	28.5	22.5	S	0.00	1.10	-	0.0	29.5	21.0	E	0.00	1.20	-	0.0
8	30.0	22.5	S	0.00	1.20	-	0.2	29.5	19.5	E	0.00	1.00	-	0.0
9	30.5	21.5	S	0.00	1.20	-	0.0	30.5	18.5	E	0.00	1.00	-	0.0
10	31.0	21.0	S	0.00	1.30	-	0.0	27.5	19.0	E	0.00	0.90	-	0.0
11	31.5	21.0	W	0.00	1.20	-	0.0	26.5	19.0	E	0.00	1.00	-	0.0
12	31.5	21.5	S	0.00	1.20	-	0.0	26.0	19.5	E	0.00	1.00	-	0.0
13	32.0	22.0	W	0.00	1.30	-	0.0	26.0	18.5	E	0.00	1.00	-	0.0
14	31.5	20.5	S	0.00	1.10	-	0.0	25.5	19.0	E	0.00	1.10	-	0.0
15	32.0	19.0	W	0.00	1.20	-	0.0	25.5	19.5	E	0.00	1.00	-	0.0
16	31.0	19.5	W	0.00	1.30	-	0.0	26.5	19.0	E	0.00	1.00	-	0.0
17	31.0	20.5	W	0.00	1.40	-	0.0	27.0	18.5	E	0.00	1.10	-	0.0
18	31.0	20.5	W	0.00	1.20	-	0.0	27.0	17.5	E	0.00	1.10	-	0.0
19	31.0	19.5	W	0.00	1.30	-	0.0	26.5	18.5	E	0.00	1.00	-	0.0
20	31.5	20.5	S	0.00	1.20	-	0.0	27.5	19.0	E	0.00	1.00	-	0.0
21	31.5	20.0	W	0.00	1.30	-	0.0	27.0	19.5	E	0.00	1.00	-	0.6
22	32.0	19.0	W	0.00	1.20	-	0.0	26.5	19.5	E	0.00	1.10	-	0.0
23	32.5	18.0	S	0.00	1.30	-	0.0	26.5	20.0	E	0.00	1.20	-	8.6
24	32.0	17.0	S	0.00	1.20	-	0.0	26.0	20.5	E	0.00	1.10	-	0.2
25	31.5	16.5	S	0.00	1.20	-	0.0	26.0	19.5	E	0.00	1.20	-	0.0
26	30.5	16.5	S	0.00	1.30	-	0.0	27.0	19.5	E	0.00	1.20	-	0.0
27	30.0	17.0	S	0.00	1.30	-	0.0	28.0	20.0	E	0.00	1.20	-	0.0
28	31.0	17.5	S	0.00	1.20	-	0.0	29.0	19.5	E	0.00	1.10	-	0.0
29	32.0	18.5	S	0.00	1.30	-	0.0	29.5	18.5	E	0.00	1.10	-	0.0
30	31.5	19.5	S	0.00	1.10	-	1.4	28.5	17.5	E	0.00	1.10	-	0.0
31	31.5	20.0	S	0.00	1.10	-	0.0							
Max.	32.5	22.5					33.0	31.5	22.0					30.8
Min.	28.5	16.5					0.0	25.5	17.5					0.0
Total							72.6							40.2
Ava.	30.8	19.9					2.3	27.9	19.5					1.3

SITE : Byladahalli CODE : AKLB0D3
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	18.0	S	0.00	1.10	-	0.0	30.0	12.5	E	0.00	1.10	-	0.0
2	27.5	18.5	S	0.00	1.20	-	0.0	29.5	12.0	E	0.00	1.20	-	0.0
3	27.0	18.5	S	0.00	1.10	-	0.0	29.0	11.0	E	0.00	1.10	-	0.0
4	27.5	17.5	E	0.00	1.20	-	0.0	30.0	11.5	E	0.00	1.30	-	0.0
5	28.0	16.5	S	0.00	1.20	-	0.0	29.0	12.0	E	0.00	1.00	-	0.0
6	29.0	15.5	S	0.00	1.30	-	0.0	28.5	12.0	E	0.00	1.30	-	0.0
7	30.0	15.0	E	0.00	1.30	-	0.0	28.0	12.5	S	0.00	1.10	-	0.0
8	29.5	15.5	E	0.00	1.20	-	0.0	28.5	13.0	E	0.00	1.20	-	0.0
9	30.0	16.5	S	0.00	1.10	-	0.0	29.0	12.0	E	0.00	1.30	-	0.0
10	31.0	16.0	S	0.00	1.20	-	0.0	30.0	11.5	E	0.00	1.20	-	0.0
11	31.0	16.5	E	0.00	1.10	-	0.0	29.5	11.0	E	0.00	1.10	-	0.0
12	32.0	17.5	E	0.00	1.20	-	0.0	29.5	11.0	ESE	0.00	1.20	-	0.0
13	32.5	18.0	E	0.00	1.30	-	0.0	30.0	11.5	E	0.00	1.30	-	0.0
14	32.0	18.0	ESE	0.00	1.20	-	0.0	30.5	12.0	E	0.00	1.20	-	0.0
15	32.0	19.0	S	0.00	1.30	-	0.0	30.5	12.5	E	0.00	1.00	-	0.0
16	32.5	17.5	S	0.00	1.40	-	0.0	30.0	13.0	E	0.00	1.10	-	0.0
17	32.0	18.0	S	0.00	1.40	-	0.0	30.0	13.0	S	0.00	1.00	-	0.0
18	32.5	17.0	S	0.00	1.20	-	0.0	29.0	13.5	E	0.00	1.10	-	0.0
19	32.5	16.5	S	0.00	1.30	-	0.0	28.0	15.0	E	0.00	1.00	-	0.0
20	32.5	17.0	E	0.00	1.40	-	0.0	28.5	16.0	S	0.00	1.40	-	0.6
21	32.0	17.5	S	0.00	1.30	-	0.0	30.0	16.0	ESE	0.00	1.00	-	0.0
22	32.0	16.5	S	0.00	1.40	-	0.0	30.5	17.5	S	0.00	1.10	-	0.0
23	32.0	16.0	S	0.00	1.30	-	0.0	29.0	17.5	E	0.00	1.20	-	0.0
24	32.0	15.5	S	0.00	1.20	-	0.0	30.0	17.0	E	0.00	1.20	-	0.0
25	32.5	15.5	S	0.00	1.30	-	0.0	31.5	18.5	S	0.00	1.30	-	0.0
26	32.5	24.5	S	0.00	1.40	-	0.0	31.5	18.0	E	0.00	1.20	-	0.0
27	31.0	25.5	S	0.00	1.30	-	0.0	32.0	18.0	S	0.00	1.30	-	0.0
28	31.5	25.0	E	0.00	1.20	-	0.0	30.0	18.5	E	0.00	1.20	-	0.0
29	31.0	25.0	S	0.00	1.30	-	0.0	31.5	17.5	E	0.00	1.10	-	0.0
30	31.5	25.0	E	0.00	1.20	-	0.0	32.0	16.5	E	0.00	1.20	-	0.0
31	30.5	13.0	E	0.00	1.00	-	0.0	32.0	15.5	E	0.00	1.00	-	0.0
Max.	32.5	25.5					0.0	32.0	18.5					0.6
Min.	27.0	13.0					0.0	28.0	11.0					0.0
Total							0.0							0.6
Ava.	30.9	18.1					0.0	29.9	14.2					0.0

SITE : Byladahalli CODE : AKLB0D3
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	13.5	E	0.00	1.00	-	0.0	35.0	21.0	WSW	0.00	1.60	-	0.0
2	33.5	12.5	ESE	0.00	1.00	-	0.0	34.5	22.5	W	0.00	1.50	-	0.0
3	30.0	11.0	SSE	0.00	0.90	-	0.0	34.0	22.0	S	0.00	1.40	-	0.0
4	30.5	12.0	SSE	0.00	1.00	-	0.0	34.0	22.5	SSE	0.00	1.50	-	0.0
5	31.0	12.5	S	0.00	1.10	-	0.0	33.5	22.5	SSW	0.00	1.40	-	0.0
6	31.5	12.0	SW	0.00	1.00	-	0.0	34.0	22.0	WSW	0.00	1.30	-	0.0
7	32.0	12.5	E	0.00	1.10	-	0.0	33.0	22.5	SSW	0.00	1.40	-	0.0
8	32.5	13.0	S	0.00	1.20	-	0.0	33.5	22.5	SW	0.00	1.50	-	0.0
9	33.0	14.5	SE	0.00	1.10	-	0.0	34.0	22.0	SSE	0.00	1.60	-	0.0
10	33.5	14.0	ESE	0.00	1.20	-	0.0	34.5	21.0	NNE	0.00	1.60	-	0.0
11	33.0	15.0	E	0.00	1.20	-	0.0	34.5	21.0	E	0.00	1.50	-	0.0
12	32.0	15.5	SSE	0.00	1.30	-	0.0	35.0	21.0	S	0.00	1.50	-	0.0
13	33.5	16.0	E	0.00	1.20	-	0.0	35.0	21.0	SE	0.00	1.40	-	0.0
14	33.5	16.5	SSE	0.00	1.30	-	0.0	36.0	21.0	SSE	0.00	1.40	-	0.0
15	34.0	17.0	SW	0.00	1.40	-	0.0	36.5	21.0	SW	0.00	1.30	-	0.0
16	33.5	17.5	E	0.00	1.40	-	0.0	35.0	19.0	NE	0.00	1.20	-	0.0
17	32.5	18.0	SE	0.00	1.50	-	0.0	35.5	19.0	WSW	0.00	1.20	-	0.0
18	33.5	19.0	SSW	0.00	1.50	-	0.0	36.5	20.0	SE	0.00	1.30	-	0.0
19	34.0	19.5	SSE	0.00	1.40	-	0.0	36.0	21.0	NNE	0.00	1.40	-	0.0
20	34.0	19.5	SW	0.00	1.50	-	0.0	36.5	21.0	SW	0.00	1.40	-	0.0
21	34.5	21.0	WSW	0.00	1.50	-	0.0	37.0	22.0	SSW	0.00	1.50	-	0.0
22	35.0	20.5	SW	0.00	1.60	-	0.0	37.5	22.5	NW	0.00	1.40	-	0.0
23	35.5	20.0	NE	0.00	1.70	-	0.0	38.0	22.0	SSW	0.00	1.50	-	0.0
24	36.0	20.5	WSW	0.00	1.60	-	0.0	38.5	22.5	W	0.00	1.40	-	0.0
25	36.0	21.0	WNW	0.00	1.70	-	0.0	38.5	22.0	SSW	0.00	1.50	-	0.0
26	36.0	21.5	SW	0.00	1.70	-	0.0	39.0	21.0	W	0.00	1.40	-	0.0
27	35.5	21.5	WSW	0.00	1.80	-	0.0	38.5	21.5	SSW	0.00	1.50	-	0.0
28	35.0	21.0	NW	0.00	1.70	-	0.0	38.0	22.0	W	0.00	1.50	-	0.0
29	34.5	20.5	NNW	0.00	1.60	-	0.0	38.0	22.0	WNW	0.00	1.40	-	0.0
								38.0	22.5	WNW	0.00	1.40	-	0.0
								38.5	23.0	WNW	0.00	1.50	-	0.0
Max.	36.0	21.5					0.0	39.0	23.0					0.0
Min.	30.0	11.0					0.0	33.0	19.0					0.0
Total							0.0							0.0
Ava.	33.5	16.8					0.0	36.0	21.6					0.0

SITE : Byladahalli

CODE : AKLB0D3

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.5	23.5	SSW	0.00	1.10	-	0.0	40.0	24.5	S	0.00	1.50	-	0.0
2	38.0	23.0	W	0.00	1.30	-	0.0	40.0	24.0	SW	0.00	1.40	-	0.0
3	38.0	24.0	WNW	0.00	1.40	-	0.0	39.5	24.0	S	0.00	1.50	-	0.0
4	38.5	23.5	NW	0.00	1.50	-	0.0	39.0	24.0	SSW	0.00	1.30	-	5.2
5	39.0	23.5	SSW	0.00	1.50	-	0.0	38.5	23.5	SSW	0.00	1.30	-	0.0
6	39.0	24.0	W	0.00	1.60	-	0.0	39.5	23.5	NE	0.00	1.20	-	0.0
7	39.0	24.0	SW	0.00	1.60	-	0.0	38.5	24.0	SW	0.00	1.40	-	0.0
8	39.5	24.5	SSW	0.00	1.60	-	0.0	39.0	23.0	W	0.00	1.20	-	0.0
9	39.0	24.0	WSW	0.00	1.50	-	0.0	38.5	22.5	W	0.00	1.40	-	0.0
10	39.5	24.5	W	0.00	1.60	-	0.0	39.0	23.5	S	0.00	1.30	-	0.0
11	39.5	24.5	WSW	0.00	1.50	-	0.0	38.5	24.0	SW	0.00	1.40	-	0.0
12	39.0	24.0	SSW	0.00	1.60	-	0.0	39.0	24.0	W	0.00	1.30	-	0.0
13	38.5	24.5	SSW	0.00	1.50	-	0.0	39.5	24.0	SW	0.00	1.40	-	0.0
14	39.0	24.0	W	0.00	1.60	-	0.0	39.5	23.5	W	0.00	1.10	-	8.6
15	39.5	24.0	NNE	0.00	1.70	-	0.0	38.5	23.5	W	0.20	1.40	-	12.2
16	39.5	24.5	SW	0.00	1.60	-	0.0	38.5	23.5	S	0.00	1.00	-	0.0
17	39.0	24.0	SSW	0.00	1.50	-	0.0	36.5	22.5	W	0.00	1.20	-	28.8
18	39.5	23.5	SSW	0.00	1.40	-	0.0	34.5	22.5	ESE	0.00	1.30	-	0.8
19	38.5	24.0	NNW	0.00	1.50	-	0.0	35.5	23.5	E	0.00	1.00	-	0.0
20	39.0	24.5	SW	0.00	1.40	-	0.0	34.0	22.0	ESE	0.00	1.20	-	13.4
21	38.5	24.0	SSW	0.00	1.50	-	0.0	35.0	22.5	SE	0.00	1.20	-	0.0
22	39.0	23.5	W	0.00	1.40	-	0.0	35.5	22.5	SSE	0.00	1.30	-	0.0
23	38.5	24.0	NNW	0.00	1.30	-	0.0	35.5	23.0	SSE	0.00	1.20	-	0.0
24	39.0	23.5	SW	0.00	1.30	-	0.0	36.5	24.0	NNE	0.00	1.30	-	0.0
25	39.0	23.0	NW	0.00	1.20	-	0.0	36.0	24.0	W	0.00	1.10	-	0.0
26	39.5	23.5	SW	0.00	1.30	-	0.0	36.5	24.5	W	0.00	1.30	-	0.0
27	39.5	24.0	SW	0.00	1.40	-	0.0	36.0	24.0	SW	0.00	1.30	-	0.0
28	39.5	23.5	W	0.00	1.30	-	0.0	36.5	24.0	SW	0.00	1.10	-	0.0
29	38.5	24.0	W	0.00	1.40	-	0.0	36.5	24.5	SSW	0.00	1.20	-	0.0
30	39.5	24.0	SW	0.00	1.60	-	0.0	37.0	23.5	SSW	0.00	1.30	-	0.0
31								37.0	23.0	SW	0.00	1.00	-	3.6
Max.	39.5	24.5					0.0	40.0	24.5					28.8
Min.	37.5	23.0					0.0	34.0	22.0					0.0
Total							0.0							72.6
Ava.	39.0	23.9					0.0	37.5	23.5					2.3

SITE : Kuppelur **CODE :** AKLC0B8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	25.0	-	4.00	2.40	-	0.0	29.0	24.5	-	4.00	1.60	-	0.0
2	32.0	24.5	-	6.00	2.20	-	0.0	28.5	24.0	-	2.00	1.80	-	0.0
3	32.5	24.0	-	2.00	2.20	-	0.0	30.0	24.0	-	0.00	1.60	-	0.0
4	32.5	24.5	-	0.00	2.00	-	0.0	31.0	24.5	-	4.00	1.60	-	0.0
5	33.0	25.0	-	2.00	1.40	-	57.4	31.5	25.0	-	2.00	1.80	-	0.0
6	35.5	25.5	-	4.00	1.40	-	6.0	31.5	25.5	-	4.00	2.00	-	0.0
7	33.0	25.5	-	4.00	2.00	-	0.0	30.5	25.5	-	4.00	2.00	-	0.0
8	31.0	25.0	-	0.00	2.20	-	0.0	29.5	24.5	-	4.00	1.80	-	0.0
9	29.5	25.0	-	4.00	2.20	-	0.0	29.0	25.0	-	2.00	1.60	-	0.0
10	31.0	24.5	-	4.00	2.00	-	0.0	28.5	24.5	-	4.00	1.40	-	0.0
11	31.5	25.0	-	4.00	2.00	-	0.0	28.5	24.5	-	4.00	1.00	-	0.0
12	31.0	25.0	-	8.00	2.20	-	0.0	28.0	24.0	-	4.00	1.20	-	0.0
13	28.5	24.0	-	2.00	2.00	-	0.0	27.5	24.5	-	4.00	1.20	-	0.0
14	27.0	24.5	-	8.00	2.00	-	0.0	28.0	25.0	-	4.00	1.40	-	0.0
15	27.0	23.5	-	2.00	1.40	-	9.4	28.5	25.5	-	4.00	1.60	-	0.0
16	26.5	24.0	-	4.00	1.80	-	0.0	29.5	25.5	-	6.00	1.60	-	0.0
17	26.0	24.0	-	4.00	2.00	-	0.0	29.0	25.0	-	8.00	1.80	-	0.0
18	25.0	22.5	-	2.00	1.00	-	3.0	30.0	24.5	-	4.00	1.40	-	3.0
19	25.0	21.5	-	4.00	1.60	-	0.0	29.0	25.0	-	4.00	0.60	-	4.2
20	25.5	21.0	-	6.00	1.80	-	0.0	29.5	24.5	-	2.00	0.80	-	5.8
21	26.0	21.5	-	8.00	1.00	-	5.4	30.0	25.0	-	4.00	1.40	-	0.0
22	27.0	22.0	-	6.00	2.00	-	0.0	29.0	25.0	-	2.00	1.00	-	27.0
23	29.0	23.0	-	10.00	1.60	-	0.0	29.5	24.5	-	4.00	1.00	-	0.0
24	29.5	22.5	-	6.00	0.80	-	1.2	28.0	24.5	-	4.00	1.20	-	0.0
25	27.0	23.0	-	8.00	1.40	-	0.0	29.0	25.0	-	4.00	1.20	-	0.0
26	28.0	23.0	-	10.00	1.40	-	0.0	30.0	25.0	-	6.00	1.00	-	0.0
27	30.0	23.0	-	8.00	1.60	-	0.0	29.5	25.0	-	6.00	1.20	-	0.0
28	30.5	23.0	-	10.00	1.40	-	0.0	30.0	25.0	-	2.00	6.80	-	3.8
29	31.5	22.0	-	4.00	1.40	-	0.0	30.5	25.5	-	2.00	1.40	-	0.0
30	30.5	22.0	-	4.00	1.60	-	0.0	31.0	24.0	-	2.00	1.20	-	0.0
31								30.5	24.5	-	4.00	1.40	-	0.0
Max.	35.5	25.5					57.4	31.5	25.5					27.0
Min.	25.0	21.0					0.0	27.5	24.0					0.0
Total							82.4							43.8
Ava.	29.5	23.6					2.7	29.5	24.8					1.4

Note : "-" Denotes not applicable.

SITE : Kuppelur

CODE : AKLC08

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.5	24.0	-	2.00	1.40	-	0.0	31.0	25.0	-	2.00	1.60	-	0.0
2	29.0	24.0	-	2.00	1.20	-	0.0	31.5	25.5	-	2.00	1.40	-	0.0
3	28.5	24.5	-	2.00	1.40	-	0.0	31.0	25.0	-	2.00	1.20	-	0.0
4	29.5	24.5	-	6.00	1.40	-	0.0	32.0	25.5	-	2.00	1.20	-	0.0
5	30.0	24.0	-	4.00	0.80	-	1.4	31.0	26.0	-	2.00	1.40	-	0.0
6	30.5	24.0	-	8.00	1.40	-	0.0	30.0	24.5	-	2.00	1.40	-	0.0
7	30.5	24.5	-	6.00	1.20	-	0.0	29.5	23.5	-	2.00	1.00	-	26.0
8	29.5	25.0	-	6.00	1.00	-	0.0	30.0	23.0	-	2.00	1.00	-	4.0
9	29.5	24.0	-	4.00	1.20	-	6.0	30.5	24.5	-	2.00	1.60	-	0.0
10	29.0	24.5	-	4.00	1.20	-	0.0	30.0	24.5	-	2.00	1.60	-	0.0
11	28.5	24.5	-	4.00	1.20	-	0.0	30.0	23.5	-	2.00	1.00	-	4.0
12	28.0	24.0	-	4.00	1.00	-	0.0	30.5	24.0	-	2.00	1.40	-	0.0
13	28.5	24.0	-	2.00	1.00	-	0.0	30.0	24.0	-	2.00	1.40	-	0.0
14	29.5	25.0	-	2.00	1.40	-	0.0	31.0	24.5	-	1.00	1.00	-	6.0
15	29.0	25.0	-	6.00	1.60	-	0.0	30.0	24.5	-	2.00	1.80	-	0.0
16	29.5	25.5	-	2.00	1.60	-	0.0	29.5	25.0	-	6.00	2.00	-	0.0
17	29.0	25.5	-	4.00	1.80	-	0.0	28.5	25.0	-	6.00	1.80	-	0.0
18	29.5	26.0	-	2.00	1.00	-	0.0	28.0	25.0	-	2.00	1.80	-	0.0
19	30.0	26.5	-	4.00	1.00	-	3.0	29.5	24.0	-	6.00	1.60	-	0.0
20	29.5	25.5	-	2.00	1.60	-	0.0	29.0	24.5	-	4.00	1.80	-	0.0
21	29.0	25.5	-	2.00	1.40	-	0.0	30.5	24.0	-	4.00	2.00	-	0.0
22	29.5	24.5	-	4.00	0.80	-	1.0	31.5	24.5	-	4.00	2.00	-	0.0
23	29.5	24.0	-	4.00	0.80	-	3.8	33.0	25.0	-	4.00	2.00	-	0.0
24	29.0	24.5	-	2.00	1.40	-	0.0	34.0	25.0	-	2.00	2.20	-	0.0
25	29.5	24.5	-	4.00	1.20	-	0.0	35.0	25.5	-	2.00	2.20	-	0.0
26	29.0	25.0	-	2.00	1.40	-	0.0	35.0	25.0	-	0.00	2.40	-	0.0
27	29.0	24.0	-	2.00	1.20	-	0.0	36.0	25.5	-	2.00	2.00	-	0.0
28	29.0	24.5	-	2.00	1.40	-	0.0	35.5	24.0	-	2.00	1.00	-	4.0
29	30.0	25.0	-	2.00	1.40	-	0.0	35.0	25.0	-	2.00	1.40	-	0.0
30	30.0	25.0	-	2.00	1.60	-	0.0	35.5	25.5	-	2.00	1.80	-	0.0
31	29.5	25.5	-	2.00	1.60	-	0.0							
Max.	30.5	26.5					6.0	36.0	26.0					26.0
Min.	28.0	24.0					0.0	28.0	23.0					0.0
Total							15.2							44.0
Ava.	29.3	24.7					0.5	31.5	24.7					1.5

SITE : Kuppelur

CODE : AKLC0B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.5	26.0	-	4.00	1.00	-	2.0	30.0	23.5	-	2.00	2.00	-	0.0
2	33.0	24.5	-	0.00	1.00	-	5.0	29.5	24.0	-	2.00	2.00	-	0.0
3	32.5	25.0	-	2.00	2.00	-	0.0	28.5	24.0	-	2.00	1.80	-	0.0
4	31.5	25.0	-	2.00	2.00	-	0.0	28.0	24.5	-	0.00	0.60	-	25.6
5	32.5	24.5	-	2.00	0.60	-	85.2	29.0	24.0	-	2.00	1.60	-	0.0
6	33.0	24.0	-	2.00	1.80	-	10.4	30.0	24.0	-	2.00	1.60	-	0.0
7	32.0	24.5	-	2.00	2.20	-	0.0	29.5	23.0	-	0.00	1.80	-	0.0
8	31.0	25.0	-	2.00	2.00	-	0.0	30.0	23.0	-	2.00	1.60	-	0.0
9	31.5	25.0	-	2.00	2.40	-	0.0	29.5	22.5	-	0.00	1.60	-	0.0
10	31.0	24.0	-	4.00	2.00	-	0.0	29.0	22.5	-	0.00	1.40	-	0.0
11	31.5	24.5	-	2.00	2.20	-	0.0	28.0	23.0	-	2.00	1.80	-	0.0
12	30.5	24.0	-	0.00	2.00	-	0.0	28.0	23.0	-	4.00	2.00	-	0.0
13	29.5	24.5	-	0.00	2.20	-	0.0	28.0	22.5	-	2.00	1.80	-	0.0
14	29.0	24.0	-	0.00	2.00	-	0.0	27.5	22.0	-	2.00	1.60	-	0.0
15	30.0	23.0	-	0.00	2.00	-	0.0	27.0	22.0	-	0.00	1.60	-	0.0
16	30.0	23.0	-	0.00	2.20	-	0.0	27.0	21.5	-	0.00	1.40	-	0.0
17	30.5	23.5	-	0.00	2.00	-	0.0	28.0	22.5	-	4.00	1.60	-	0.0
18	31.0	23.5	-	0.00	2.00	-	0.0	28.0	22.0	-	4.00	1.40	-	0.0
19	31.0	24.0	-	0.00	1.80	-	0.0	27.0	22.0	-	4.00	1.60	-	0.0
20	30.5	24.0	-	0.00	2.00	-	0.0	28.0	23.0	-	4.00	1.20	-	0.0
21	30.0	23.0	-	0.00	1.80	-	0.0	28.0	22.0	-	2.00	1.00	-	0.0
22	30.5	23.0	-	0.00	2.00	-	0.0	27.5	23.0	-	4.00	1.20	-	0.0
23	30.0	22.5	-	0.00	2.00	-	0.0	28.0	23.0	-	4.00	1.20	-	0.0
24	29.5	22.0	-	0.00	1.80	-	0.0	28.0	23.5	-	2.00	1.40	-	0.0
25	29.5	22.5	-	0.00	2.00	-	0.0	27.5	23.0	-	0.00	1.20	-	0.0
26	30.0	22.5	-	0.00	1.80	-	0.0	28.5	22.0	-	2.00	1.00	-	0.0
27	29.5	22.0	-	0.00	2.00	-	0.0	29.0	22.5	-	0.00	1.00	-	0.0
28	29.0	22.5	-	0.00	2.00	-	0.0	29.0	22.0	-	0.00	1.20	-	0.0
29	30.0	22.5	-	0.00	1.80	-	0.0	28.5	22.0	-	0.00	1.00	-	0.0
30	30.0	23.5	-	0.00	1.40	-	5.4	28.0	23.0	-	0.00	0.80	-	1.2
31	30.0	23.5	-	0.00	1.80	-	0.0							
Max.	33.0	26.0					85.2	30.0	24.5					25.6
Min.	29.0	22.0					0.0	27.0	21.5					0.0
Total							108.0							26.8
Ava.	30.7	23.7					3.5	28.4	22.8					0.9

SITE : Kuppelur **CODE :** AKLC0B8
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	24.0	-	6.00	1.40	-	0.0	26.5	16.0	-	4.00	2.00	-	0.0
2	27.5	24.5	-	6.00	1.60	-	0.0	26.5	16.0	-	0.00	1.80	-	0.0
3	27.0	24.0	-	6.00	1.80	-	0.0	27.0	15.5	-	0.00	1.80	-	0.0
4	27.5	22.0	-	4.00	1.60	-	0.0	27.5	15.5	-	2.00	1.80	-	0.0
5	26.5	20.0	-	2.00	1.60	-	0.0	27.0	16.0	-	0.00	1.60	-	0.0
6	27.5	19.0	-	2.00	1.40	-	0.0	27.5	16.0	-	0.00	1.40	-	0.0
7	27.5	20.0	-	2.00	1.60	-	0.0	27.0	16.5	-	0.00	1.60	-	0.0
8	28.0	19.5	-	2.00	1.40	-	0.0	27.5	16.5	-	0.00	1.60	-	0.0
9	29.0	20.0	-	2.00	1.60	-	0.0	27.5	16.0	-	0.00	1.40	-	0.0
10	29.0	21.0	-	2.00	1.60	-	0.0	27.5	15.0	-	0.00	1.80	-	0.0
11	30.0	22.0	-	2.00	1.80	-	0.0	26.5	15.0	-	0.00	1.80	-	0.0
12	31.0	22.0	-	0.00	1.80	-	0.0	27.0	15.5	-	0.00	1.40	-	0.0
13	32.0	22.5	-	0.00	1.60	-	0.0	27.5	16.0	-	0.00	1.60	-	0.0
14	33.0	23.0	-	0.00	1.60	-	0.0	27.5	16.5	-	0.00	1.60	-	0.0
15	33.0	23.5	-	0.00	1.80	-	0.0	27.5	16.5	-	2.00	1.40	-	0.0
16	32.5	23.5	-	0.00	1.80	-	0.0	28.0	17.0	-	0.00	1.60	-	0.0
17	32.5	23.0	-	0.00	1.60	-	0.0	28.5	17.0	-	0.00	1.60	-	0.0
18	32.5	22.5	-	0.00	1.80	-	0.0	27.5	17.5	-	0.00	1.80	-	0.0
19	31.5	22.5	-	0.00	1.80	-	0.0	26.5	17.5	-	0.00	1.60	-	0.0
20	30.5	22.0	-	0.00	1.60	-	0.0	28.0	18.0	-	0.00	1.80	-	0.0
21	30.5	21.0	-	2.00	1.60	-	0.0	29.0	18.5	-	0.00	1.80	-	0.0
22	31.0	21.5	-	0.00	1.80	-	0.0	30.0	19.0	-	0.00	1.60	-	0.0
23	31.0	20.0	-	0.00	2.00	-	0.0	29.5	20.0	-	2.00	1.80	-	0.0
24	31.5	20.0	-	4.00	1.60	-	0.0	30.0	20.0	-	2.00	1.80	-	0.0
25	31.5	19.5	-	10.00	1.80	-	0.0	31.0	20.5	-	2.00	1.60	-	0.0
26	29.0	19.5	-	0.00	1.40	-	0.0	31.5	20.5	-	0.00	1.40	-	0.0
27	28.5	19.0	-	4.00	1.80	-	0.0	31.5	20.0	-	0.00	1.40	-	0.0
28	26.5	18.0	-	4.00	2.00	-	0.0	32.0	21.0	-	0.00	1.60	-	0.0
29	27.5	18.0	-	4.00	1.40	-	0.0	32.0	21.0	-	0.00	1.60	-	0.0
30	27.5	17.5	-	0.00	2.00	-	0.0	31.0	21.5	-	0.00	1.80	-	0.0
31	27.0	17.0	-	0.00	2.00	-	0.0	31.5	21.5	-	0.00	1.80	-	0.0
Max.	33.0	24.5					0.0	32.0	21.5					0.0
Min.	26.5	17.0					0.0	26.5	15.0					0.0
Total							0.0							0.0
Ava.	29.6	21.0					0.0	28.5	17.7					0.0

SITE : Kuppelur

CODE : AKLC088

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	29.5	-	4.00	1.60	-	0.0	33.5	24.5	-	0.00	2.40	-	0.0
2	31.5	19.0	-	0.00	1.80	-	0.0	32.5	24.0	-	0.00	2.60	-	0.0
3	32.5	18.0	-	0.00	1.60	-	0.0	31.5	23.0	-	2.00	2.60	-	0.0
4	33.0	18.0	-	0.00	1.60	-	0.0	32.0	23.5	-	0.00	2.40	-	0.0
5	32.5	19.0	-	0.00	1.80	-	0.0	33.0	23.5	-	0.00	2.40	-	0.0
6	33.0	20.0	-	0.00	1.60	-	0.0	32.5	23.0	-	0.00	2.20	-	0.0
7	33.0	20.0	-	4.00	1.80	-	0.0	32.5	23.0	-	0.00	2.20	-	0.0
8	33.5	21.0	-	0.00	2.00	-	0.0	33.5	23.5	-	0.00	2.40	-	0.0
9	33.5	21.5	-	0.00	2.00	-	0.0	34.0	24.0	-	0.00	2.00	-	0.0
10	33.5	21.5	-	0.00	1.80	-	0.0	35.0	25.0	-	0.00	2.40	-	0.0
11	33.0	21.0	-	0.00	1.80	-	0.0	35.0	25.0	-	0.00	2.60	-	0.0
12	33.5	21.0	-	0.00	2.00	-	0.0	35.0	25.0	-	0.00	2.60	-	0.0
13	33.0	20.5	-	0.00	2.00	-	0.0	35.0	25.0	-	0.00	2.60	-	0.0
14	33.5	20.0	-	0.00	2.00	-	0.0	35.5	25.5	-	0.00	2.60	-	0.0
15	33.0	20.0	-	0.00	1.60	-	0.0	35.0	25.0	-	0.00	2.40	-	0.0
16	33.5	20.0	-	0.00	2.00	-	0.0	35.5	24.0	-	2.00	2.60	-	0.0
17	34.0	20.5	-	0.00	2.20	-	0.0	36.0	24.5	-	0.00	2.60	-	0.0
18	33.5	21.0	-	0.00	2.40	-	0.0	37.0	24.0	-	0.00	2.80	-	0.0
19	33.5	21.5	-	0.00	2.60	-	0.0	36.5	24.5	-	0.00	2.80	-	0.0
20	33.0	21.0	-	0.00	2.60	-	0.0	37.0	24.5	-	0.00	2.80	-	0.0
21	33.5	21.5	-	0.00	2.20	-	0.0	37.0	24.5	-	0.00	2.80	-	0.0
22	33.5	21.5	-	0.00	2.00	-	0.0	37.0	25.0	-	2.00	3.00	-	0.0
23	33.0	22.0	-	0.00	2.00	-	0.0	37.0	25.0	-	0.00	3.00	-	0.0
24	33.5	22.5	-	0.00	2.60	-	0.0	37.0	25.0	-	0.00	3.00	-	0.0
25	33.5	22.5	-	2.00	2.20	-	0.0	37.5	25.0	-	2.00	3.20	-	0.0
26	34.0	22.0	-	0.00	2.20	-	0.0	38.0	24.5	-	2.00	3.40	-	0.0
27	35.0	22.5	-	0.00	2.40	-	0.0	38.0	25.0	-	0.00	3.00	-	0.0
28	34.5	23.0	-	2.00	2.60	-	0.0	38.0	25.0	-	0.00	3.40	-	0.0
29	34.0	22.5	-	0.00	2.40	-	0.0	38.0	25.0	-	0.00	3.40	-	0.0
								38.5	25.0	-	0.00	3.00	-	0.0
								39.0	25.5	-	0.00	2.80	-	0.0
Max.	35.0	29.5					0.0	39.0	25.5					0.0
Min.	31.5	18.0					0.0	31.5	23.0					0.0
Total							0.0							0.0
Ava.	33.3	21.2					0.0	35.6	24.5					0.0

SITE : Kuppelur

CODE : AKLC0B8

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	25.5	-	2.00	2.60	-	0.0	41.0	27.0	-	6.00	3.00	-	0.0
2	39.5	26.5	-	2.00	2.60	-	0.0	41.5	27.5	-	2.00	3.20	-	0.0
3	39.5	27.0	-	0.00	3.00	-	0.0	41.5	27.5	-	2.00	3.40	-	0.0
4	40.0	26.5	-	0.00	3.00	-	0.0	40.0	26.5	-	2.00	3.00	-	0.0
5	40.0	27.0	-	0.00	2.80	-	0.0	40.0	26.5	-	2.00	3.20	-	0.0
6	39.5	27.0	-	0.00	3.00	-	0.0	40.0	26.5	-	4.00	3.60	-	0.0
7	40.0	25.5	-	2.00	2.80	-	0.0	40.0	26.0	-	4.00	4.00	-	0.0
8	41.0	26.5	-	2.00	3.00	-	0.0	40.5	26.0	-	4.00	4.00	-	0.0
9	40.0	26.0	-	2.00	2.80	-	0.0	41.0	26.5	-	4.00	4.20	-	0.0
10	40.0	26.0	-	2.00	2.80	-	0.0	41.0	26.5	-	2.00	4.00	-	0.0
11	40.5	26.5	-	0.00	2.60	-	0.0	39.5	27.0	-	2.00	3.80	-	0.0
12	41.0	25.5	-	2.00	2.80	-	0.0	38.0	26.5	-	6.00	3.60	-	0.0
13	41.5	26.5	-	2.00	3.00	-	0.0	39.0	26.5	-	4.00	3.20	-	0.0
14	41.0	26.5	-	2.00	3.00	-	0.0	40.5	27.0	-	4.00	2.00	-	15.0
15	41.5	27.0	-	2.00	3.20	-	0.0	39.0	27.0	-	2.00	0.80	-	2.0
16	41.5	26.5	-	4.00	3.00	-	0.0	40.5	26.5	-	2.00	1.80	-	7.0
17	42.5	27.0	-	2.00	3.20	-	0.0	38.0	26.5	-	2.00	1.40	-	2.2
18	43.0	27.0	-	2.00	3.20	-	0.0	37.0	25.5	-	4.00	1.20	-	1.0
19	43.0	26.5	-	2.00	3.00	-	0.0	37.0	25.5	-	12.00	1.80	-	0.0
20	42.0	27.0	-	2.00	3.20	-	0.0	36.0	26.0	-	12.00	2.40	-	4.4
21	41.0	27.5	-	2.00	3.60	-	0.0	37.0	26.0	-	6.00	2.20	-	0.0
22	40.0	26.5	-	2.00	3.80	-	0.0	37.5	26.0	-	4.00	4.00	-	0.0
23	39.0	26.0	-	2.00	3.60	-	0.0	39.0	26.0	-	6.00	3.20	-	0.0
24	38.5	26.5	-	2.00	4.00	-	0.0	38.5	26.0	-	8.00	4.00	-	0.0
25	39.0	26.0	-	2.00	3.80	-	0.0	38.0	26.5	-	8.00	4.00	-	0.0
26	40.0	26.0	-	0.00	4.00	-	0.0	38.0	26.5	-	6.00	4.20	-	0.0
27	40.0	26.5	-	0.00	3.60	-	0.0	38.0	27.0	-	6.00	3.60	-	0.0
28	41.0	27.5	-	0.00	3.80	-	0.0	37.5	26.5	-	6.00	3.80	-	0.0
29	41.0	27.5	-	0.00	3.40	-	0.0	37.0	26.0	-	4.00	3.60	-	0.0
30	40.5	27.0	-	0.00	3.20	-	0.0	36.0	26.0	-	6.00	3.80	-	0.0
31								37.0	25.5	-	6.00	2.00	-	0.0
Max.	43.0	27.5					0.0	41.5	27.5					15.0
Min.	38.5	25.5					0.0	36.0	25.5					0.0
Total							0.0							31.6
Ava.	40.6	26.6					0.0	38.9	26.4					1.0

SITE : Honnali **CODE :** AKL00X6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	22.0	E	2.00	6.40	91.00	4.4	30.0	21.0	S	6.00	1.60	84.00	0.0
2	29.0	22.0	E	2.00	1.80	88.00	0.0	28.0	22.0	S	2.00	2.00	91.00	0.0
3	31.0	15.0	E	2.00	1.40	91.00	0.0	28.0	21.5	S	2.00	1.00	87.00	0.0
4	30.0	17.0	E	2.00	1.00	91.00	0.0	29.0	21.5	S	4.00	2.00	91.00	0.0
5	31.0	20.5	E	2.00	66.20	91.00	60.6	30.0	22.0	S	6.00	2.50	92.00	0.0
6	31.0	21.5	E	2.00	1.80	92.00	0.0	29.0	22.0	S	4.00	2.00	92.00	0.0
7	30.0	22.0	E	2.00	1.50	92.00	0.0	27.5	22.0	S	4.00	2.00	92.00	0.0
8	29.0	20.0	E	2.00	1.00	88.00	0.0	28.5	22.0	S	4.00	1.70	84.00	0.0
9	29.0	20.0	E	2.00	1.50	87.00	0.0	27.0	22.0	S	4.00	1.30	88.00	0.0
10	29.0	19.0	E	2.00	2.00	80.00	0.0	29.0	21.0	S	4.00	2.40	91.00	1.4
11	31.0	23.0	E	2.00	1.80	84.00	0.0	29.0	22.5	S	4.00	0.30	88.00	0.0
12	31.0	22.0	E	2.00	2.00	88.00	0.0	31.0	22.0	S	6.00	0.50	92.00	0.0
13	31.0	22.0	E	2.00	2.00	88.00	0.0	32.0	22.0	S	2.00	2.00	84.00	0.0
14	30.0	22.0	E	2.00	1.50	88.00	0.0	33.0	23.0	S	4.00	2.30	88.00	0.0
15	27.0	20.0	E	4.00	2.70	91.00	1.8	29.0	22.0	S	2.00	2.40	88.00	0.0
16	29.0	23.0	E	2.00	0.80	83.00	0.0	29.5	22.0	S	4.00	1.20	88.00	0.0
17	25.0	15.0	S	6.00	11.20	91.00	6.2	30.0	22.5	S	4.00	1.00	80.00	0.0
18	22.0	20.0	S	6.00	11.40	83.00	10.4	29.0	22.0	S	4.00	7.00	80.00	4.0
19	24.0	20.5	S	4.00	6.00	91.00	4.0	28.0	22.0	S	4.00	1.50	88.00	0.0
20	22.0	20.0	S	6.00	4.00	91.00	2.0	27.0	21.0	S	4.00	7.90	91.00	4.8
21	23.0	21.0	S	4.00	1.50	88.00	0.0	29.0	20.0	S	4.00	1.00	91.00	0.0
22	27.0	21.0	S	8.00	2.90	84.00	1.2	27.0	21.0	S	2.00	1.20	91.00	0.0
23	28.0	21.5	S	8.00	4.00	84.00	2.0	29.0	20.5	S	2.00	1.00	91.00	0.0
24	27.5	20.5	S	6.00	3.40	88.00	1.8	29.5	20.5	S	4.00	0.50	91.00	0.0
25	28.0	21.0	S	4.00	9.30	84.00	5.8	30.0	21.0	S	2.00	0.80	91.00	0.0
26	28.0	21.0	S	4.00	8.10	88.00	4.8	28.5	20.0	S	4.00	0.60	91.00	0.0
27	28.0	21.0	S	4.00	1.60	84.00	0.0	27.5	19.0	S	2.00	5.70	91.00	3.0
28	28.0	21.5	S	6.00	2.00	88.00	0.0	27.5	19.0	S	2.00	2.80	87.00	1.4
29	29.0	21.5	S	4.00	1.00	88.00	0.0	30.0	20.0	S	2.00	2.00	83.00	0.0
30	29.5	21.0	S	4.00	1.30	84.00	0.0	29.0	20.0	S	4.00	2.00	75.00	0.0
31								29.0	20.0	S	2.00	0.70	75.00	0.0
Max.	31.0	23.0					60.6	33.0	23.0					4.8
Min.	22.0	15.0					0.0	27.0	19.0					0.0
Total							105.0							14.6
Ava.	28.2	20.6					3.5	29.0	21.3					0.5

Note : "-" Denotes not applicable.

SITE : Honnali

CODE : AKL00X6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	20.5	S	2.00	2.00	87.00	0.0	30.0	20.0	S	4.00	2.00	88.00	0.0
2	29.0	21.0	S	2.00	2.00	80.00	0.0	31.0	20.0	S	4.00	2.50	87.00	0.0
3	30.0	20.0	S	4.00	1.80	87.00	0.0	32.0	20.0	S	2.00	1.50	91.00	0.0
4	28.5	20.5	S	4.00	1.90	87.00	0.0	32.5	20.0	S	2.00	2.00	87.00	0.0
5	29.0	20.0	S	4.00	10.20	91.00	5.2	33.0	22.0	S	2.00	2.30	87.00	1.8
6	29.5	19.0	S	4.00	3.20	87.00	2.2	32.5	21.0	S	2.00	2.00	87.00	0.0
7	30.0	19.0	S	4.00	0.90	87.00	0.0	24.0	21.0	S	2.00	14.00	96.00	12.8
8	29.0	20.5	S	2.00	1.70	87.00	0.0	26.0	21.0	S	2.00	13.10	91.00	12.0
9	27.5	21.5	S	4.00	4.10	87.00	3.0	27.0	20.5	S	2.00	1.20	91.00	0.0
10	28.0	20.0	S	2.00	1.00	91.00	0.0	27.0	20.5	S	2.00	1.10	87.00	0.0
11	30.0	20.0	S	4.00	1.80	91.00	0.0	28.0	21.0	S	2.00	11.50	91.00	5.8
12	26.0	21.0	S	4.00	2.00	83.00	0.0	28.0	21.0	S	2.00	1.60	83.00	0.0
13	26.0	20.0	S	4.00	3.20	87.00	2.2	26.0	22.0	S	2.00	1.60	91.00	0.0
14	28.0	20.5	S	4.00	1.20	87.00	0.0	25.0	22.0	S	4.00	1.50	83.00	0.0
15	30.0	20.0	S	2.00	1.80	91.00	0.0	26.0	22.0	S	4.00	1.30	87.00	0.0
16	30.0	21.0	S	4.00	1.70	84.00	0.0	26.0	21.5	S	4.00	1.70	79.00	0.0
17	31.0	22.5	S	2.00	3.00	88.00	0.0	26.5	22.0	S	2.00	1.60	83.00	0.0
18	31.0	22.5	S	2.00	2.00	91.00	0.0	26.0	21.0	S	4.00	1.10	91.00	0.0
19	32.0	21.5	S	2.00	3.20	88.00	2.2	29.0	20.5	S	2.00	1.00	91.00	0.0
20	33.0	21.5	S	2.00	2.00	92.00	0.0	26.5	20.5	S	2.00	1.50	87.00	0.0
21	27.0	22.0	S	2.00	3.00	87.00	0.0	27.0	22.0	S	2.00	1.60	91.00	0.0
22	28.0	21.0	S	2.00	1.00	91.00	0.0	31.0	19.5	S	2.00	1.30	91.00	0.0
23	30.0	20.5	S	2.00	1.00	83.00	0.0	31.5	20.0	S	2.00	2.50	91.00	0.0
24	30.0	20.5	S	2.00	1.50	87.00	0.0	32.0	20.5	S	2.00	2.40	87.00	0.0
25	29.5	20.0	S	2.00	1.40	83.00	0.0	30.0	22.0	S	2.00	2.00	92.00	0.0
26	27.0	22.0	S	2.00	2.00	83.00	0.0	29.0	23.0	S	2.00	1.30	91.00	0.0
27	28.0	21.0	S	2.00	5.60	91.00	2.6	29.0	23.0	S	4.00	1.00	88.00	0.0
28	29.0	21.0	S	2.00	2.00	87.00	0.0	29.0	21.0	S	2.00	15.50	91.00	14.2
29	29.0	21.0	S	2.00	2.00	83.00	0.0	30.0	22.0	S	2.00	2.00	91.00	0.0
30	30.0	20.5	S	4.00	6.00	84.00	3.6	28.0	21.5	S	2.00	1.70	84.00	0.0
31	29.0	21.0	S	2.00	2.00	87.00	0.0							
Max.	33.0	22.5					5.2	33.0	23.0					14.2
Min.	26.0	19.0					0.0	24.0	19.5					0.0
Total							21.0							46.6
Ava.	29.2	20.7					0.7	28.6	21.1					1.6

SITE : Honnali **CODE :** AKL00X6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	22.0	E	2.00	5.70	91.00	4.0	30.0	21.0	E	2.00	2.00	83.00	0.0
2	27.5	22.0	E	2.00	14.70	91.00	13.6	31.0	20.0	E	2.00	1.30	87.00	0.0
3	31.0	21.5	E	2.00	1.20	91.00	0.0	30.0	20.0	E	2.00	1.00	91.00	0.0
4	29.0	22.0	E	2.00	2.00	91.00	0.0	30.0	19.0	E	2.00	12.00	91.00	11.0
5	30.0	20.0	E	2.00	38.10	91.00	34.8	31.0	20.0	E	2.00	4.00	92.00	2.6
6	27.0	20.0	E	4.00	1.00	91.00	0.0	29.0	20.0	E	2.00	1.20	91.00	0.0
7	28.0	21.0	E	2.00	1.00	96.00	0.0	30.0	19.0	E	2.00	1.50	91.00	0.0
8	28.0	21.0	E	4.00	0.70	91.00	0.0	31.0	18.0	E	2.00	1.40	91.00	0.0
9	29.0	21.5	E	4.00	1.60	91.00	0.0	30.0	19.0	E	2.00	1.50	91.00	0.0
10	30.0	21.0	E	4.00	1.50	79.00	0.0	29.0	18.0	E	2.00	1.40	95.00	0.0
11	29.0	21.5	E	2.00	2.00	91.00	0.0	29.0	18.0	E	2.00	1.00	91.00	0.0
12	29.5	21.0	E	2.00	1.00	96.00	0.0	30.0	19.0	E	2.00	1.00	87.00	0.0
13	30.0	21.5	E	2.00	1.50	92.00	0.0	29.0	19.0	E	2.00	1.50	91.00	0.0
14	30.0	20.0	E	2.00	1.10	87.00	0.0	29.0	18.0	E	2.00	1.30	91.00	0.0
15	30.5	20.0	E	2.00	1.00	91.00	0.0	28.0	17.5	E	2.00	1.40	90.00	0.0
16	30.5	19.0	E	2.00	1.50	91.00	0.0	29.0	18.0	E	2.00	1.20	91.00	0.0
17	30.0	22.0	E	2.00	1.20	91.00	0.0	28.0	17.0	E	2.00	1.30	90.00	0.0
18	29.0	20.0	E	2.00	1.80	91.00	0.0	27.0	18.0	E	2.00	1.00	91.00	0.0
19	31.0	20.0	E	2.00	2.00	91.00	0.0	26.0	17.0	E	2.00	1.20	79.00	0.0
20	32.0	21.0	E	2.00	2.00	91.00	0.0	27.0	17.0	E	2.00	1.30	87.00	0.0
21	32.0	19.5	E	2.00	3.00	91.00	0.0	28.0	18.0	E	2.00	1.40	83.00	0.0
22	31.0	20.0	E	2.00	1.00	91.00	0.0	29.0	17.0	E	2.00	14.72	83.00	13.6
23	32.0	18.0	E	2.00	2.00	82.00	0.0	26.0	16.5	E	2.00	15.30	91.00	14.0
24	31.5	17.5	E	2.00	2.00	91.00	0.0	29.0	16.0	E	2.00	1.00	91.00	0.0
25	31.0	17.0	E	2.00	2.00	91.00	0.0	30.0	17.0	E	2.00	1.20	91.00	0.0
26	31.0	17.0	E	2.00	2.00	91.00	0.0	28.5	16.0	E	2.00	1.10	91.00	0.0
27	31.0	16.5	E	2.00	1.90	95.00	0.0	29.0	15.0	E	2.00	1.00	91.00	0.0
28	31.0	16.5	E	2.00	1.80	91.00	0.0	29.0	16.0	E	2.00	1.10	86.00	0.0
29	31.5	21.5	E	2.00	2.00	91.00	0.0	28.0	16.0	E	2.00	1.20	85.00	0.0
30	32.0	21.0	E	2.00	4.10	87.00	3.0	28.0	16.0	E	2.00	1.20	90.00	0.0
31	30.0	21.5	E	2.00	2.50	96.00	0.0							
Max.	32.0	22.0					34.8	31.0	21.0					14.0
Min.	27.0	16.5					0.0	26.0	15.0					0.0
Total							55.4							41.2
Ava.	30.1	20.1					1.8	28.9	17.9					1.4

SITE : Honnali **CODE :** AKL00X6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	27.0	17.0	E	2.00	1.10	85.00	0.0	25.5	17.0	E	2.00	2.00	76.00	0.0
2	27.5	18.5	E	2.00	1.00	82.00	0.0	25.5	16.0	E	2.00	2.20	89.00	0.0
3	26.0	20.0	E	2.00	1.70	87.00	0.0	27.0	16.5	E	2.00	2.50	71.00	0.0
4	27.0	19.5	E	2.00	1.60	91.00	0.0	26.0	16.0	E	2.00	2.00	79.00	0.0
5	28.0	20.0	E	2.00	2.00	90.00	0.0	26.0	15.0	E	2.00	2.00	78.00	0.0
6	28.0	20.0	E	2.00	1.40	90.00	0.0	26.0	15.0	E	2.00	2.00	78.00	0.0
7	29.0	19.0	E	2.00	2.00	82.00	0.0	27.0	15.0	E	2.00	1.70	78.00	0.0
8	28.0	18.5	E	2.00	1.90	91.00	0.0	27.0	15.0	E	2.00	1.60	84.00	0.0
9	28.0	19.0	E	2.00	2.00	82.00	0.0	26.0	15.5	E	2.00	1.80	78.00	0.0
10	31.0	19.0	E	2.00	0.90	74.00	0.0	26.0	15.0	E	2.00	1.50	89.00	0.0
11	31.0	20.0	E	2.00	2.00	82.00	0.0	25.0	14.5	E	2.00	1.80	89.00	0.0
12	31.0	21.0	E	2.00	2.00	91.00	0.0	26.0	13.0	E	2.00	2.00	73.00	0.0
13	32.0	21.5	E	2.00	1.80	83.00	0.0	26.0	13.0	E	2.00	2.00	78.00	0.0
14	32.0	21.5	E	2.00	1.80	91.00	0.0	27.0	15.0	E	2.00	1.70	89.00	0.0
15	33.0	21.0	E	2.00	2.00	91.00	0.0	27.0	15.0	E	2.00	2.00	84.00	0.0
16	32.5	21.0	E	2.00	2.00	95.00	0.0	27.0	18.0	E	2.00	1.50	80.00	0.0
17	29.0	21.0	E	2.00	1.80	87.00	0.0	28.0	18.0	E	2.00	1.30	75.00	0.0
18	29.0	20.0	E	2.00	3.00	91.00	0.0	26.0	18.0	E	2.00	1.70	89.00	0.0
19	29.0	20.0	E	2.00	2.00	91.00	0.0	20.0	18.0	E	2.00	1.20	89.00	0.0
20	28.0	20.0	E	2.00	1.60	91.00	0.0	25.0	17.5	E	2.00	0.70	89.00	0.0
21	28.0	19.0	E	2.00	2.00	86.00	0.0	28.0	18.5	E	2.00	1.30	86.00	0.0
22	28.0	20.0	E	2.00	2.00	87.00	0.0	28.0	18.0	E	2.00	2.00	90.00	0.0
23	27.5	19.0	E	2.00	1.20	91.00	0.0	28.0	18.0	E	2.00	2.00	90.00	0.0
24	27.5	19.0	E	2.00	1.00	90.00	0.0	27.5	18.0	E	2.00	1.20	90.00	0.0
25	27.0	19.0	E	2.00	1.40	90.00	0.0	28.5	19.0	E	2.00	1.20	86.00	0.0
26	27.0	20.0	E	2.00	2.00	91.00	0.0	30.0	19.0	E	2.00	1.30	86.00	0.0
27	27.0	20.0	E	2.00	2.00	86.00	0.0	30.0	18.0	E	2.00	1.80	71.00	0.0
28	26.5	18.5	E	2.00	1.50	86.00	0.0	30.0	16.0	E	2.00	2.00	90.00	0.0
29	27.0	19.0	E	2.00	1.80	85.00	0.0	29.5	16.0	E	2.00	2.30	90.00	0.0
30	26.0	18.0	E	2.00	2.00	76.00	0.0	30.0	16.5	E	2.00	2.50	90.00	0.0
31	25.5	17.0	E	2.00	2.00	75.00	0.0	30.0	16.0	E	2.00	2.30	95.00	0.0
Max.	33.0	21.5					0.0	30.0	19.0					0.0
Min.	25.5	17.0					0.0	20.0	13.0					0.0
Total							0.0							0.0
Ava.	28.5	19.5					0.0	27.0	16.4					0.0

SITE : Honnali **CODE :** AKL00X6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	15.0	E	2.00	3.00	78.00	0.0	33.0	21.5	E	2.00	2.50	83.00	0.0
2	29.5	14.0	E	2.00	2.50	89.00	0.0	32.5	21.0	E	2.00	2.20	87.00	0.0
3	29.5	14.0	E	2.00	2.50	78.00	0.0	33.0	20.0	E	2.00	2.00	87.00	0.0
4	29.5	15.0	E	2.00	2.40	89.00	0.0	33.0	20.0	E	2.00	2.50	87.00	0.0
5	30.0	16.0	E	2.00	2.00	89.00	0.0	34.0	20.5	E	2.00	3.00	87.00	0.0
6	30.0	18.0	E	2.00	2.20	91.00	0.0	34.0	21.0	E	2.00	3.00	91.00	0.0
7	29.0	20.0	E	2.00	2.00	91.00	0.0	34.0	22.0	E	2.00	2.50	91.00	0.0
8	31.0	21.0	E	2.00	2.00	91.00	0.0	33.0	22.0	E	2.00	2.30	91.00	0.0
9	31.0	21.0	E	2.00	2.00	82.00	0.0	33.0	22.0	E	2.00	2.50	87.00	0.0
10	31.0	22.0	E	2.00	2.20	91.00	0.0	33.0	22.0	E	2.00	2.50	91.00	0.0
11	30.5	22.0	E	2.00	2.50	91.00	0.0	33.0	21.0	E	2.00	2.20	91.00	0.0
12	30.0	22.0	E	2.00	2.50	86.00	0.0	35.0	21.0	E	2.00	2.50	91.00	0.0
13	30.0	21.0	E	2.00	2.50	91.00	0.0	35.0	21.5	E	2.00	2.50	91.00	0.0
14	30.0	20.0	E	2.00	2.00	91.00	0.0	35.0	21.5	E	2.00	3.00	91.00	0.0
15	31.0	20.0	E	2.00	2.20	91.00	0.0	35.0	22.0	E	4.00	3.00	83.00	0.0
16	32.0	19.5	E	2.00	2.00	95.00	0.0	35.0	22.0	E	2.00	2.50	82.00	0.0
17	32.5	19.5	E	2.00	1.60	91.00	0.0	34.0	22.0	E	2.00	2.50	82.00	0.0
18	32.5	21.0	E	2.00	2.00	82.00	0.0	34.0	22.0	E	2.00	3.00	82.00	0.0
19	32.5	21.0	E	2.00	2.50	82.00	0.0	34.0	22.0	E	2.00	3.00	91.00	0.0
20	33.0	22.0	E	2.00	3.00	91.00	0.0	35.0	22.5	E	2.00	3.00	91.00	0.0
21	33.0	22.0	E	2.00	2.00	91.00	0.0	35.5	22.0	E	2.00	3.00	87.00	0.0
22	32.0	22.0	E	2.00	2.00	91.00	0.0	35.0	23.0	E	2.00	3.10	87.00	0.0
23	34.0	21.0	E	2.00	2.00	91.00	0.0	34.0	22.0	E	2.00	3.00	87.00	0.0
24	34.0	21.0	E	2.00	2.50	83.00	0.0	33.5	21.0	E	2.00	2.50	87.00	0.0
25	34.0	21.0	E	2.00	3.00	83.00	0.0	33.0	20.0	E	2.00	2.60	87.00	0.0
26	34.0	20.5	E	2.00	3.00	82.00	0.0	33.5	21.0	E	2.00	2.70	91.00	0.0
27	33.0	20.5	E	2.00	2.50	87.00	0.0	34.0	21.0	E	2.00	2.50	91.00	0.0
28	33.0	20.5	E	2.00	2.60	91.00	0.0	34.5	21.5	E	2.00	2.60	91.00	0.0
29	33.0	21.0	E	2.00	2.50	87.00	0.0	33.0	20.0	E	2.00	2.40	91.00	0.0
								34.0	20.0	E	2.00	2.30	95.00	0.0
								33.0	20.0	E	2.00	2.10	91.00	0.0
Max.	34.0	22.0					0.0	35.5	23.0					0.0
Min.	29.0	14.0					0.0	32.5	20.0					0.0
Total							0.0							0.0
Ava.	31.5	19.8					0.0	33.9	21.3					0.0

SITE : Honnali **CODE :** AKL00X6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	21.0	E	2.00	2.40	87.00	0.0	30.0	21.0	E	2.00	3.50	91.00	0.0
2	32.5	20.0	E	2.00	2.60	91.00	0.0	29.0	20.0	E	2.00	3.00	86.00	0.0
3	31.5	20.0	E	2.00	2.50	87.00	0.0	29.0	19.0	E	2.00	3.20	74.00	0.0
4	31.0	20.5	E	2.00	2.80	95.00	0.0	28.5	18.0	E	2.00	2.50	81.00	0.0
5	31.0	20.0	E	2.00	2.70	95.00	0.0	28.0	19.5	E	2.00	3.00	82.00	0.0
6	30.5	20.5	E	2.00	2.80	95.00	0.0	29.0	19.0	E	2.00	2.70	91.00	0.0
7	31.0	20.0	E	2.00	3.00	95.00	0.0	30.0	18.0	E	2.00	2.90	91.00	0.0
8	31.5	20.0	E	2.00	3.30	91.00	0.0	31.0	19.0	E	2.00	3.00	90.00	0.0
9	31.0	21.0	E	2.00	3.00	91.00	0.0	30.0	19.5	E	2.00	2.80	91.00	0.0
10	32.0	20.0	E	2.00	3.20	95.00	0.0	31.0	20.0	E	2.00	3.00	91.00	0.0
11	32.5	19.0	E	2.00	3.00	91.00	0.0	29.0	18.0	E	2.00	2.70	90.00	0.0
12	32.0	19.0	E	2.00	3.20	91.00	0.0	29.0	17.0	E	2.00	2.50	90.00	0.0
13	33.0	20.0	E	2.00	3.00	91.00	0.0	30.0	19.0	E	2.00	2.60	90.00	0.0
14	32.5	20.0	E	2.00	3.50	91.00	0.0	29.0	18.0	E	2.00	2.80	90.00	0.0
15	32.0	21.0	E	2.00	3.00	91.00	0.0	28.0	17.0	E	2.00	3.00	90.00	0.0
16	31.5	21.0	E	2.00	2.50	91.00	0.0	26.0	16.0	E	2.00	21.00	80.00	11.0
17	31.0	20.0	E	2.00	2.00	95.00	0.0	28.0	16.0	E	2.00	27.60	81.00	22.0
18	30.5	20.0	E	2.00	2.80	95.00	0.0	28.0	17.0	E	2.00	2.50	72.00	0.0
19	31.0	21.0	E	2.00	3.00	95.00	0.0	28.0	16.0	E	2.00	2.20	80.00	0.0
20	31.5	20.5	E	2.00	2.50	91.00	0.0	27.5	16.0	E	2.00	4.60	80.00	2.6
21	31.0	21.0	E	2.00	2.70	91.00	0.0	27.5	16.0	E	2.00	2.50	86.00	0.0
22	31.0	20.5	E	2.00	3.00	95.00	0.0	27.0	16.0	S	2.00	2.50	86.00	0.0
23	30.5	20.0	E	2.00	3.20	91.00	0.0	27.0	17.0	S	2.00	3.00	82.00	0.0
24	31.0	20.0	E	2.00	3.40	95.00	0.0	28.0	20.0	S	2.00	3.00	84.00	0.0
25	30.0	20.0	E	2.00	3.80	95.00	0.0	28.0	18.0	S	2.00	3.20	83.00	0.0
26	30.0	20.0	E	2.00	3.60	91.00	0.0	28.0	22.0	S	2.00	3.00	88.00	0.0
27	31.0	21.0	E	2.00	3.80	91.00	0.0	28.5	22.0	S	2.00	3.00	84.00	0.0
28	31.5	20.0	E	2.00	3.50	95.00	0.0	30.0	22.0	S	2.00	3.20	84.00	0.0
29	31.5	21.0	E	2.00	3.00	91.00	0.0	30.0	20.0	S	2.00	3.00	76.00	0.0
30	31.0	20.0	E	2.00	3.60	91.00	0.0	28.0	20.0	S	2.00	3.00	84.00	0.0
31								26.0	20.0	S	2.00	2.00	84.00	0.0
Max.	33.0	21.0					0.0	31.0	22.0					22.0
Min.	30.0	19.0					0.0	26.0	16.0					0.0
Total							0.0							35.6
Ava.	31.4	20.3					0.0	28.6	18.6					1.1

SITE : Shimoga CODE : AKLD0C6
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.5	21.5	W	0.00	-	95.00	10.8	27.0	24.0	SW	0.00	-	91.00	0.0
2	31.0	23.5	W	0.00	-	92.00	0.0	26.5	23.0	SW	0.00	-	95.00	0.0
3	31.5	23.5	W	0.20	-	91.00	4.4	26.0	23.5	SW	0.00	-	91.00	0.0
4	31.0	25.0	SW	0.00	-	92.00	0.0	27.5	23.5	SW	0.00	-	96.00	0.0
5	33.0	24.5	SW	0.00	-	96.00	26.8	29.5	23.5	SW	0.00	-	91.00	0.0
6	32.5	25.0	SW	0.00	-	92.00	0.0	29.0	24.5	SW	0.00	-	91.00	0.0
7	33.5	26.0	SW	0.00	-	77.00	0.0	28.5	23.0	SW	0.20	-	91.00	0.0
8	32.0	25.0	SW	0.00	-	84.00	0.0	27.5	23.5	SW	0.00	-	91.00	0.0
9	32.5	24.5	SW	0.00	-	78.00	0.4	27.0	23.5	SW	0.00	-	92.00	0.0
10	31.5	23.5	SW	0.00	-	84.00	0.4	27.0	23.5	SW	0.00	-	91.00	4.8
11	29.0	23.5	SW	0.00	-	91.00	0.0	27.0	24.5	SW	0.00	-	87.00	0.4
12	29.5	23.5	SW	0.00	-	88.00	0.0	27.0	24.5	SW	0.00	-	88.00	0.0
13	29.0	23.0	SW	0.00	-	96.00	0.0	28.0	23.5	SW	0.00	-	91.00	0.0
14	27.5	23.5	W	0.00	-	92.00	1.2	28.5	23.5	SW	0.00	-	87.00	0.0
15	26.0	22.0	SW	0.00	-	95.00	4.0	28.0	24.0	SW	0.00	-	91.00	0.0
16	28.5	23.0	S	0.00	-	91.00	0.0	26.0	23.0	SW	0.00	-	91.00	0.0
17	26.5	23.0	S	0.00	-	87.00	0.0	26.5	23.0	SW	0.00	-	87.00	0.2
18	26.0	23.0	S	0.00	-	87.00	1.6	26.0	23.5	SW	0.00	-	87.00	0.8
19	24.5	23.0	S	0.00	-	91.00	3.8	25.0	23.0	SW	0.00	-	95.00	1.0
20	24.5	23.5	SW	0.00	-	91.00	2.0	26.0	21.5	SW	0.00	-	91.00	2.4
21	24.5	24.0	SW	0.00	-	91.00	12.6	26.5	23.0	SW	0.00	-	91.00	0.4
22	26.0	23.0	SW	0.00	-	91.00	2.6	26.0	23.5	SW	0.00	-	96.00	0.0
23	26.0	23.5	SW	0.00	-	87.00	19.4	27.0	23.5	SW	0.00	-	91.00	1.2
24	25.0	23.0	SW	0.20	-	96.00	5.4	26.5	22.5	SW	0.00	-	91.00	0.0
25	24.5	23.0	SW	0.00	-	96.00	14.4	27.5	23.0	SW	0.00	-	91.00	0.0
26	27.0	23.5	SW	0.00	-	96.00	4.2	27.0	23.0	SW	0.00	-	96.00	0.4
27	27.5	25.0	SW	0.00	-	91.00	1.2	26.0	23.0	SW	0.00	-	91.00	2.6
28	27.5	24.5	SW	0.00	-	91.00	0.0	26.5	22.5	SW	0.00	-	95.00	0.8
29	28.0	25.0	SW	0.00	-	96.00	0.0	26.0	23.0	S	0.00	-	91.00	0.2
30	29.0	23.5	SW	0.00	-	91.00	0.0	26.5	23.0	S	0.00	-	91.00	0.0
31								25.5	23.5	S	0.00	-	91.00	1.4
Max.	33.5	26.0					26.8	29.5	24.5					4.8
Min.	24.5	21.5					0.0	25.0	21.5					0.0
Total							115.2							16.6
Ava.	28.5	23.7					3.8	26.9	23.3					0.5

Note : "-" Denotes not applicable.

SITE : Shimoga

CODE : AKLD0C6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	26.0	23.0	W	0.00	-	95.00	1.8	27.5	22.5	SW	0.00	-	91.00	0.0
2	27.0	23.5	S	0.00	-	91.00	0.0	29.5	22.5	SW	0.00	-	95.00	0.0
3	26.0	24.0	S	0.00	-	91.00	0.0	31.5	23.0	SW	0.00	-	91.00	0.0
4	26.5	24.0	S	0.00	-	95.00	0.0	32.5	23.0	SW	0.00	-	91.00	0.0
5	27.0	23.5	S	0.00	-	95.00	2.4	32.0	25.0	SW	0.00	-	88.00	0.0
6	26.0	22.5	S	0.00	-	95.00	8.8	32.0	23.0	SW	0.00	-	96.00	4.8
7	27.0	23.0	SE	0.00	-	96.00	0.6	32.0	23.5	S	0.00	-	96.00	4.8
8	27.5	24.0	SE	0.00	-	95.00	0.0	32.5	23.0	SE	0.00	-	91.00	9.6
9	27.0	23.5	SE	0.00	-	91.00	0.8	32.5	22.5	SE	0.00	-	95.00	0.0
10	26.5	23.5	SE	0.00	-	91.00	0.0	31.5	23.0	SE	0.00	-	91.00	0.0
11	27.0	24.0	S	0.00	-	91.00	0.0	31.5	23.0	S	0.00	-	87.00	1.8
12	27.5	24.0	SW	0.00	-	91.00	0.0	32.0	23.0	SW	0.00	-	91.00	0.0
13	27.5	23.5	SW	0.00	-	91.00	4.6	31.5	22.0	SW	0.00	-	91.00	0.0
14	27.0	24.0	W	0.00	-	96.00	0.0	31.0	23.0	SW	0.00	-	91.00	0.0
15	28.0	23.5	W	0.00	-	96.00	0.0	31.0	22.0	SW	0.00	-	91.00	0.0
16	28.0	23.5	S	0.00	-	91.00	0.0	29.5	22.5	SW	0.00	-	91.00	1.0
17	28.0	24.0	SW	0.00	-	91.00	0.0	28.0	22.5	SW	0.00	-	96.00	0.0
18	30.0	24.0	SW	0.00	-	96.00	0.0	26.5	22.5	SW	0.00	-	96.00	0.0
19	31.5	24.0	N	0.00	-	96.00	3.6	28.0	23.0	SW	0.00	-	91.00	0.0
20	31.5	24.0	E	0.00	-	87.00	0.0	27.5	23.0	SW	0.00	-	95.00	0.0
21	31.0	24.0	E	0.00	-	88.00	0.0	29.0	22.5	SW	0.00	-	95.00	0.0
22	30.5	23.5	SE	0.00	-	96.00	0.0	30.0	22.0	SW	0.00	-	95.00	0.0
23	28.0	23.5	SE	0.00	-	96.00	3.6	31.5	22.5	SW	0.00	-	96.00	0.0
24	28.5	23.0	S	0.00	-	91.00	0.0	32.0	23.0	SW	0.00	-	91.00	0.0
25	28.5	24.0	S	0.00	-	87.00	0.0	32.0	23.5	SW	0.00	-	91.00	2.0
26	27.0	23.5	W	0.00	-	91.00	0.0	32.0	23.0	SW	0.00	-	87.00	0.0
27	27.0	23.0	W	0.00	-	96.00	5.8	32.5	23.5	SW	0.00	-	91.00	8.2
28	29.0	22.0	W	0.00	-	91.00	0.0	31.5	23.0	SW	0.00	-	96.00	13.0
29	29.0	24.0	SW	0.00	-	91.00	0.0	32.0	23.0	SW	0.00	-	87.00	0.0
30	28.0	23.5	SW	0.00	-	96.00	0.0	31.5	24.0	E	0.00	-	88.00	0.0
31	29.0	23.5	SW	0.00	-	91.00	0.0							
Max.	31.5	24.0					8.8	32.5	25.0					13.0
Min.	26.0	22.0					0.0	26.5	22.0					0.0
Total							32.0							45.2
Ava.	28.0	23.6					1.0	30.8	22.9					1.5

SITE : Shimoga CODE : AKLD0C6
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	23.5	E	0.00	-	91.00	26.2	31.0	22.0	SW	0.00	-	91.00	0.0
2	30.5	23.0	W	0.00	-	87.00	2.6	31.0	22.0	SW	0.00	-	91.00	1.4
3	30.0	24.0	W	0.00	-	96.00	0.0	31.0	22.0	SW	0.00	-	95.00	44.4
4	29.5	23.5	E	0.00	-	96.00	0.0	30.5	23.0	SW	0.00	-	95.00	0.0
5	29.0	24.0	W	0.00	-	96.00	9.6	30.5	24.0	SW	0.00	-	96.00	0.0
6	29.5	22.5	E	0.00	-	91.00	0.0	30.5	22.5	SW	0.00	-	95.00	0.0
7	30.0	24.0	N	0.00	-	96.00	1.4	31.0	21.0	SW	0.00	-	95.00	0.0
8	30.0	24.0	N	0.00	-	91.00	0.0	30.5	21.0	SW	0.00	-	95.00	0.0
9	29.5	24.0	N	0.00	-	60.00	0.0	30.5	21.0	SW	0.00	-	95.00	0.0
10	30.0	23.5	SW	0.00	-	95.00	0.0	30.0	21.5	SW	0.00	-	87.00	0.0
11	30.0	23.5	SW	0.00	-	96.00	0.0	27.5	21.0	SW	0.00	-	87.00	0.0
12	30.5	24.0	SW	0.00	-	96.00	0.0	28.5	21.0	SW	0.00	-	91.00	0.0
13	32.0	24.0	SW	0.00	-	96.00	0.0	30.5	21.5	SW	0.00	-	91.00	0.0
14	32.0	24.0	SW	0.00	-	87.00	0.0	29.5	20.0	SW	0.00	-	90.00	0.0
15	32.0	20.5	SW	0.00	-	86.00	0.0	29.0	19.5	SW	0.00	-	86.00	0.0
16	31.5	21.5	SW	0.00	-	86.00	0.0	28.5	20.0	SW	0.00	-	81.00	0.0
17	31.0	23.5	SW	0.00	-	96.00	0.0	29.0	20.0	SW	0.00	-	81.00	0.0
18	31.5	23.5	SW	0.00	-	91.00	0.0	28.5	20.0	SW	0.00	-	91.00	0.0
19	31.5	23.0	SW	0.00	-	91.00	0.0	28.5	20.5	SW	0.00	-	91.00	0.0
20	31.0	23.0	SW	0.00	-	91.00	0.0	29.0	21.0	SW	0.00	-	91.00	1.0
21	32.5	22.5	SW	0.00	-	95.00	0.0	28.0	22.0	SW	0.00	-	95.00	2.2
22	32.0	23.0	SW	0.00	-	91.00	0.0	28.5	22.0	SW	0.00	-	91.00	0.6
23	32.5	21.5	SW	0.00	-	95.00	0.0	28.0	22.5	SW	0.00	-	95.00	1.6
24	32.5	20.0	SW	0.00	-	95.00	0.0	28.5	22.5	SW	0.00	-	91.00	1.6
25	32.0	20.0	SW	0.00	-	90.00	0.0	29.5	21.5	SW	0.00	-	91.00	0.0
26	32.5	21.0	SW	0.00	-	91.00	0.0	29.5	17.0	SW	0.00	-	85.00	0.0
27	32.0	22.0	SW	0.00	-	87.00	0.0	30.0	19.0	SW	0.00	-	91.00	0.0
28	33.0	23.0	SW	0.00	-	91.00	0.0	29.5	19.0	SW	0.00	-	95.00	0.0
29	33.0	24.0	SW	0.00	-	91.00	0.0	30.0	19.0	SW	0.00	-	81.00	0.0
30	32.0	24.0	SW	0.00	-	91.00	0.0	29.5	19.5	W	0.00	-	91.00	0.6
31	31.0	24.5	SW	0.00	-	83.00	0.0							
Max.	33.0	24.5					26.2	31.0	24.0					44.4
Min.	29.0	20.0					0.0	27.5	17.0					0.0
Total							39.8							53.4
Ava.	31.2	23.0					1.3	29.5	21.0					1.8

SITE : Shimoga CODE : AKLD0C6
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.5	22.5	SW	0.00	-	91.00	0.0	29.5	17.0	E	0.00	-	85.00	0.0
2	29.5	22.0	SW	0.00	-	91.00	0.0	29.5	14.5	E	0.00	-	89.00	0.0
3	28.0	21.5	SW	0.00	-	91.00	0.0	29.0	15.0	E	0.00	-	89.00	0.0
4	29.5	20.0	SW	0.00	-	86.00	0.0	29.5	15.0	E	0.00	-	89.00	0.0
5	30.0	18.0	SW	0.00	-	81.00	0.0	29.0	16.0	E	0.00	-	89.00	0.0
6	29.5	20.0	SW	0.00	-	91.00	0.0	28.0	16.0	E	0.00	-	89.00	0.0
7	30.0	20.0	SW	0.00	-	91.00	0.0	28.0	15.0	E	0.00	-	89.00	0.0
8	29.0	20.0	SW	0.00	-	95.00	0.0	28.5	17.0	E	0.00	-	89.00	0.0
9	28.0	20.0	SW	0.00	-	95.00	0.0	28.5	15.0	E	0.00	-	84.00	0.0
10	31.0	20.0	SW	0.00	-	95.00	0.0	27.5	14.5	E	0.00	-	89.00	0.0
11	29.5	21.0	SW	0.20	-	87.00	0.0	28.0	14.5	E	0.00	-	84.00	0.0
12	29.5	20.5	SW	0.00	-	95.00	0.0	29.0	15.0	E	0.00	-	84.00	0.0
13	30.0	21.0	SW	0.00	-	91.00	0.0	29.0	15.0	E	0.00	-	84.00	0.0
14	29.5	22.5	SW	0.00	-	96.00	0.0	28.5	16.0	E	0.00	-	90.00	0.0
15	29.0	23.0	SW	0.00	-	91.00	0.0	28.5	15.5	E	0.00	-	90.00	0.0
16	30.0	23.5	SW	0.00	-	91.00	0.0	28.5	16.5	E	0.00	-	90.00	0.0
17	29.5	23.0	SW	0.00	-	82.00	0.0	28.0	15.5	E	0.00	-	95.00	0.0
18	29.5	21.0	SW	0.00	-	95.00	0.0	29.0	16.0	E	0.00	-	90.00	0.0
19	29.0	20.5	SW	0.00	-	95.00	0.0	26.5	15.5	E	0.00	-	91.00	0.0
20	29.5	20.5	SW	0.00	-	95.00	0.0	28.0	17.5	E	0.00	-	91.00	0.6
21	29.5	21.5	SW	0.00	-	95.00	0.0	30.0	17.0	E	0.00	-	86.00	0.0
22	29.5	21.5	SW	0.00	-	95.00	0.0	29.5	17.5	E	0.00	-	95.00	0.0
23	29.0	19.5	SW	0.00	-	95.00	0.0	29.5	19.5	E	0.00	-	95.00	0.0
24	29.5	19.5	SW	0.00	-	95.00	0.0	30.0	20.0	E	0.00	-	91.00	0.0
25	30.5	18.5	SW	0.00	-	90.00	0.0	30.0	20.5	E	0.00	-	95.00	0.0
26	29.0	17.5	SW	0.00	-	90.00	0.0	30.5	20.5	E	0.00	-	90.00	0.0
27	29.5	17.5	SW	0.00	-	90.00	0.0	30.5	18.0	E	0.00	-	90.00	0.0
28	29.0	17.0	SW	0.00	-	86.00	0.0	31.5	18.5	E	0.00	-	86.00	0.0
29	29.5	16.5	E	0.00	-	84.00	0.0	31.5	19.5	E	0.00	-	90.00	0.0
30	31.0	15.5	E	0.00	-	89.00	0.0	31.5	18.5	E	0.00	-	95.00	0.0
31	30.5	16.0	E	0.00	-	89.00	0.0	32.0	18.0	E	0.00	-	90.00	0.0
Max.	31.0	23.5					0.0	32.0	20.5					0.6
Min.	28.0	15.5					0.0	26.5	14.5					0.0
Total							0.0							0.6
Ava.	29.5	20.0					0.0	29.2	16.8					0.0

SITE : Shimoga

CODE : AKLD0C6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.5	16.0	E	0.00	-	94.00	0.0	33.5	22.0	W	0.00	-	83.00	0.0
2	32.0	16.5	E	0.00	-	89.00	0.0	32.5	22.5	W	0.00	-	96.00	0.0
3	32.5	16.5	E	0.00	-	89.00	0.0	32.0	21.5	W	0.00	-	91.00	0.0
4	32.0	16.5	E	0.00	-	95.00	0.0	35.0	22.0	W	0.00	-	91.00	0.0
5	31.0	18.5	E	0.00	-	95.00	0.0	34.5	21.0	W	0.00	-	0.00	0.0
6	31.0	19.5	E	0.00	-	82.00	0.0	35.0	23.0	W	0.00	-	96.00	0.0
7	30.5	19.5	E	0.00	-	87.00	0.0	35.0	23.0	W	0.00	-	96.00	0.0
8	31.0	20.5	E	0.00	-	86.00	0.0	35.0	23.5	W	0.00	-	96.00	0.0
9	31.0	21.5	E	0.00	-	78.00	0.0	35.5	24.0	W	0.00	-	96.00	0.0
10	32.0	21.5	E	0.00	-	95.00	0.0	36.5	24.0	W	0.00	-	96.00	0.0
11	31.5	22.0	E	0.00	-	78.00	0.0	36.5	23.5	S	0.00	-	91.00	0.0
12	31.5	21.0	E	0.00	-	86.00	0.0	36.0	23.5	S	0.00	-	91.00	0.0
13	30.5	22.0	E	0.00	-	95.00	0.0	36.0	23.5	S	0.00	-	96.00	0.0
14	32.0	20.0	E	0.00	-	95.00	0.0	36.0	23.0	S	0.00	-	91.00	0.0
15	32.0	19.5	E	0.00	-	95.00	0.0	36.0	22.5	S	0.00	-	83.00	0.0
16	32.0	20.0	E	0.00	-	95.00	0.0	36.0	21.5	S	0.00	-	86.00	0.0
17	32.5	20.0	E	0.00	-	95.00	0.0	35.5	22.5	SE	0.00	-	95.00	0.0
18	32.5	20.5	E	0.00	-	79.00	0.0	36.5	21.0	SE	0.00	-	87.00	0.0
19	33.0	20.0	E	0.00	-	0.00	0.0	37.0	23.5	E	0.00	-	96.00	0.0
20	33.0	22.0	E	0.00	-	91.00	0.0	37.5	24.0	E	0.00	-	0.00	0.0
21	34.0	22.0	E	0.00	-	87.00	0.0	38.0	24.5	E	0.00	-	96.00	0.0
22	34.0	22.5	E	0.00	-	96.00	0.0	38.0	24.5	E	0.00	-	96.00	0.0
23	34.5	21.5	E	0.00	-	0.00	0.0	37.0	23.5	E	0.00	-	96.00	0.0
24	32.5	24.0	E	0.00	-	96.00	0.0	36.5	25.0	E	0.00	-	88.00	0.0
25	34.0	22.0	E	0.00	-	95.00	0.0	37.0	25.5	E	0.00	-	92.00	0.0
26	34.5	22.0	E	0.00	-	95.00	0.0	37.5	23.0	W	0.00	-	92.00	0.0
27	34.5	22.0	E	0.00	-	96.00	0.0	37.0	22.5	W	0.00	-	87.00	0.0
28	34.0	22.5	E	0.00	-	96.00	0.0	37.0	22.5	W	0.00	-	96.00	0.0
29	33.5	22.5	E	0.00	-	91.00	0.0	36.0	23.0	E	0.00	-	91.00	0.0
								36.0	23.5	E	0.00	-	96.00	0.0
								36.5	24.0	E	0.00	-	96.00	0.0
Max.	34.5	24.0					0.0	38.0	25.5					0.0
Min.	30.5	16.0					0.0	32.0	21.0					0.0
Total							0.0							0.0
Ava.	32.5	20.5					0.0	35.9	23.1					0.0

SITE : Shimoga

CODE : AKLD0C6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.5	25.0	W	0.00	-	92.00	0.0	38.0	26.0	W	0.00	-	92.00	0.0
2	37.0	25.0	W	0.00	-	92.00	0.0	37.5	25.5	W	0.00	-	84.00	0.0
3	36.5	25.0	W	0.00	-	92.00	0.0	38.0	25.5	E	0.00	-	92.00	22.2
4	37.5	24.0	W	0.00	-	91.00	0.0	35.0	22.0	E	0.00	-	92.00	0.0
5	36.0	25.5	W	0.00	-	92.00	0.0	36.0	25.0	E	0.00	-	96.00	0.0
6	35.0	24.5	S	0.00	-	96.00	0.0	36.0	24.0	E	0.00	-	80.00	0.0
7	36.0	24.0	S	0.00	-	92.00	0.0	37.0	24.0	E	0.00	-	96.00	0.0
8	36.5	24.0	S	0.00	-	92.00	0.0	36.0	24.0	E	0.00	-	91.00	0.0
9	36.5	24.5	S	0.00	-	88.00	0.0	37.0	24.5	E	0.00	-	96.00	0.0
10	37.0	25.0	S	0.00	-	92.00	0.0	37.5	25.5	E	0.00	-	88.00	0.0
11	37.0	25.0	S	0.00	-	88.00	0.0	38.0	25.0	E	0.00	-	88.00	4.6
12	37.5	25.5	S	0.00	-	96.00	0.0	37.5	24.5	E	0.00	-	88.00	2.4
13	37.5	25.5	S	0.00	-	92.00	0.0	36.0	24.0	E	0.00	-	64.00	0.0
14	38.5	24.5	S	0.00	-	92.00	0.0	36.5	25.5	W	0.00	-	84.00	0.0
15	38.5	25.0	S	0.00	-	88.00	0.0	36.0	24.5	W	0.00	-	70.00	0.0
16	38.0	26.0	S	0.00	-	88.00	0.0	35.5	24.5	W	0.00	-	84.00	35.2
17	38.5	25.5	S	0.00	-	84.00	0.0	34.0	23.5	E	0.00	-	87.00	0.4
18	38.5	24.5	S	0.00	-	92.00	0.0	32.0	24.0	E	0.00	-	96.00	0.0
19	39.0	25.5	S	0.00	-	88.00	0.0	32.0	25.0	E	0.00	-	88.00	0.0
20	39.5	26.0	S	0.00	-	88.00	0.0	30.5	25.0	E	0.00	-	88.00	0.0
21	41.0	26.0	W	0.00	-	88.00	0.0	32.5	24.5	E	0.00	-	81.00	0.0
22	36.0	24.5	W	0.00	-	88.00	0.0	34.0	24.5	E	0.00	-	92.00	0.0
23	37.0	24.0	W	0.00	-	96.00	0.0	34.0	25.0	E	0.00	-	91.00	0.0
24	36.5	24.0	W	0.00	-	96.00	0.0	34.0	24.5	E	0.00	-	91.00	0.0
25	38.0	23.0	W	0.00	-	96.00	0.0	34.0	25.5	E	0.00	-	91.00	0.0
26	38.0	23.0	E	0.00	-	91.00	0.0	33.0	24.5	E	0.00	-	77.00	0.0
27	38.5	24.0	E	0.00	-	88.00	0.0	33.5	24.0	E	0.00	-	84.00	0.0
28	38.0	25.0	E	0.00	-	96.00	0.0	34.0	25.5	E	0.00	-	85.00	0.0
29	38.0	25.0	E	0.00	-	96.00	0.0	33.0	25.0	W	0.00	-	84.00	0.0
30	38.0	25.5	E	0.00	-	92.00	0.0	34.5	24.5	W	0.00	-	88.00	0.0
31								33.5	23.0	W	0.00	-	88.00	3.4
Max.	41.0	26.0					0.0	38.0	26.0					35.2
Min.	35.0	23.0					0.0	30.5	22.0					0.0
Total							0.0							68.2
Ava.	37.5	24.8					0.0	35.0	24.6					2.2

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	25.6	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.3
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.8
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.5
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	13.8	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	34.1	-	-	-	-	-	-	5.6
18	-	-	-	-	-	-	0.8	-	-	-	-	-	-	8.8
19	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	15.6	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	2.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					34.1	0.0	0.0					8.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							98.2							19.0
Ava.	0.0	0.0					3.3	0.0	0.0					0.6

Note : "-" Denotes not applicable.

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	18.1	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	5.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	34.3
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	38.6
8	-	-	-	-	-	-	26.1	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	13.5	-	-	-	-	-	-	16.5
10	-	-	-	-	-	-	2.1	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	9.4	-	-	-	-	-	-	12.4
12	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	12.2	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.6
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	8.9
17	-	-	-	-	-	-	11.4	-	-	-	-	-	-	28.5
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	24.9
19	-	-	-	-	-	-	0.6	-	-	-	-	-	-	12.9
20	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	12.6	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	3.1	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	6.2	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	2.6	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	31.2
27	-	-	-	-	-	-	10.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	3.6	-	-	-	-	-	-	6.9
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					26.1	0.0	0.0					38.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							143.8							219.7
Ava.	0.0	0.0					4.6	0.0	0.0					7.3

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	3.1	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	6.8	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.6	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	24.5	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.4
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.8
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.4
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					24.5	0.0	0.0					3.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							36.4							7.6
Ava.	0.0	0.0					1.2	0.0	0.0					0.3

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.6
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.3
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					2.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							2.9
Ava.	0.0	0.0					0.0	0.0	0.0					0.1

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : TB Dam

CODE : TB DAM

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	14.3
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	16.5
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	7.2
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.6
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	28.8
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.6
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					3.8	0.0	0.0					28.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							3.8							70.0
Ava.	0.0	0.0					0.1	0.0	0.0					2.3

SITE : Oolenur **CODE :** AKL00K1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	21.0	-	-	-	-	16.8	32.0	22.0	-	-	-	-	0.0
2	34.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
3	34.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
4	34.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
5	34.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
6	34.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
7	34.0	23.0	-	-	-	-	2.4	34.0	23.0	-	-	-	-	0.0
8	34.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
9	34.0	21.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
10	34.0	21.0	-	-	-	-	3.8	31.0	23.0	-	-	-	-	4.6
11	34.0	22.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
12	33.0	21.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
13	34.0	21.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
14	33.0	22.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
15	30.0	20.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	5.8
16	30.0	20.0	-	-	-	-	11.4	34.0	24.0	-	-	-	-	0.0
17	30.0	20.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
18	30.0	20.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
19	28.0	20.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
20	30.0	20.0	-	-	-	-	1.8	34.0	24.0	-	-	-	-	2.4
21	30.0	20.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
22	30.0	20.0	-	-	-	-	1.8	31.0	22.0	-	-	-	-	0.0
23	29.0	21.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
24	30.0	20.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
25	29.0	21.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
26	30.0	20.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	1.2
27	30.0	20.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
28	32.0	20.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
29	31.0	20.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
30	32.0	20.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	4.4
31								32.0	23.0	-	-	-	-	0.0
Max.	34.0	23.0					16.8	34.0	24.0					5.8
Min.	28.0	20.0					0.0	30.0	20.0					0.0
Total							38.0							18.4
Ava.	31.8	21.0					1.3	32.8	23.2					0.6

Note : "-" Denotes not applicable.

SITE : Oolenur **CODE :** AKL00K1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	23.0	-	-	-	-	3.6	33.0	25.0	-	-	-	-	0.0
2	33.0	23.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
3	34.0	23.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
4	33.0	24.0	-	-	-	-	5.2	34.0	24.0	-	-	-	-	0.0
5	31.0	22.0	-	-	-	-	3.2	34.0	24.0	-	-	-	-	4.8
6	33.0	23.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
7	32.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	16.4
8	32.0	21.0	-	-	-	-	1.2	31.0	25.0	-	-	-	-	0.0
9	33.0	23.0	-	-	-	-	8.4	33.0	24.0	-	-	-	-	38.6
10	32.0	22.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	3.4
11	32.0	22.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	4.8
12	31.0	22.0	-	-	-	-	5.8	32.0	23.0	-	-	-	-	0.0
13	31.0	24.0	-	-	-	-	7.2	33.0	23.0	-	-	-	-	0.0
14	33.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
15	33.0	22.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	4.6
16	33.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	10.4
17	34.0	23.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
18	34.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	20.6
19	34.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
20	30.0	22.0	-	-	-	-	0.0	30.0	24.0	-	-	-	-	1.2
21	31.0	23.0	-	-	-	-	1.2	32.0	24.0	-	-	-	-	0.0
22	31.0	22.0	-	-	-	-	1.8	33.0	24.0	-	-	-	-	0.0
23	32.0	21.0	-	-	-	-	18.2	33.0	25.0	-	-	-	-	0.0
24	33.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
25	32.0	23.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
26	30.0	21.0	-	-	-	-	0.1	32.0	24.0	-	-	-	-	4.4
27	33.0	22.0	-	-	-	-	7.8	33.0	24.0	-	-	-	-	0.0
28	32.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
29	31.0	23.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
30	33.0	22.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
31	33.0	23.0	-	-	-	-	0.0							
Max.	34.0	24.0					18.2	34.0	25.0					38.6
Min.	30.0	21.0					0.0	30.0	22.0					0.0
Total							63.7							109.2
Ava.	32.3	22.5					2.1	32.5	23.9					3.6

SITE : Oolenur **CODE :** AKL00K1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	22.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
2	32.0	23.0	-	-	-	-	6.8	30.0	20.0	-	-	-	-	0.0
3	33.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
4	33.0	22.0	-	-	-	-	29.8	33.0	23.0	-	-	-	-	0.0
5	33.0	24.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
6	31.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	16.6	34.0	24.0	-	-	-	-	0.0
8	30.0	23.0	-	-	-	-	2.8	31.0	23.0	-	-	-	-	0.0
9	33.0	24.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
10	33.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
11	33.0	21.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
12	32.0	21.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
13	33.0	23.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
14	33.0	24.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
15	33.0	23.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
16	34.0	24.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
17	33.0	21.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
18	33.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
20	33.0	24.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
21	34.0	23.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	3.8
22	34.0	24.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
23	34.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
24	34.0	24.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
25	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
26	34.0	24.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
27	33.0	23.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
28	34.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	33.0	23.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
30	33.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
31	33.0	22.0	-	-	-	-	0.0							
Max.	34.0	24.0					29.8	34.0	24.0					3.8
Min.	30.0	21.0					0.0	29.0	19.0					0.0
Total							56.0							3.8
Ava.	32.9	23.0					1.8	31.0	21.2					0.1

SITE : Oolenur

CODE : AKL00K1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	20.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
2	30.0	19.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
3	31.0	20.0	-	-	-	-	2.8	33.0	24.0	-	-	-	-	0.0
4	32.0	19.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
5	33.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
6	34.0	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
7	34.0	22.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
8	34.0	20.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
9	32.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
10	33.0	19.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
11	34.0	22.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
12	34.0	21.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
13	33.0	22.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
14	34.0	21.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
15	34.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
16	34.0	23.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
17	34.0	23.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
18	35.0	23.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
19	34.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	1.2
20	34.0	21.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
21	34.0	19.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
22	35.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
23	33.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
24	34.0	23.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
25	34.0	21.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
26	35.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
27	34.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
28	34.0	20.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	34.0	19.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
30	33.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
31	34.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
Max.	35.0	23.0					2.8	33.0	24.0					1.2
Min.	30.0	19.0					0.0	31.0	20.0					0.0
Total							2.8							1.2
Ava.	33.5	21.1					0.1	32.6	21.2					0.0

SITE : Oolenur

CODE : AKL00K1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	21.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
2	33.0	22.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
3	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
4	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
5	33.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
6	32.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
8	32.0	24.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
9	32.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
10	33.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
11	33.0	22.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
12	33.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
13	32.0	22.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
14	32.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
15	32.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
16	33.0	22.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
17	32.0	22.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
18	33.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
20	33.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
21	33.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
22	33.0	22.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
23	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
24	33.0	21.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
25	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
26	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
27	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
28	33.0	22.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
29	32.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
								35.0	22.0	-	-	-	-	0.0
								35.0	23.0	-	-	-	-	0.0
Max.	33.0	24.0					0.0	36.0	24.0					0.0
Min.	32.0	21.0					0.0	31.0	21.0					0.0
Total							0.0							0.0
Ava.	32.7	22.4					0.0	33.8	22.2					0.0

SITE : Oolenur

CODE : AKL00K1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	22.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
2	36.0	22.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
3	36.0	23.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	2.8
4	37.0	22.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
5	37.0	22.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	3.2
6	37.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
7	37.0	22.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
8	37.0	22.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
9	37.0	22.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
10	37.0	21.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
11	37.0	21.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
12	38.0	22.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
13	38.0	22.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	1.8
14	38.0	23.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	2.2
15	38.0	23.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	1.8
16	38.0	23.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
17	38.0	24.0	-	-	-	-	2.2	39.0	24.0	-	-	-	-	0.0
18	38.0	24.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
19	38.0	24.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
20	39.0	24.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	21.2
21	39.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
22	39.0	26.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
23	39.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
24	39.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
25	39.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
26	39.0	26.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
27	39.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
28	39.0	26.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
29	39.0	26.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
30	39.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
31								36.0	23.0	-	-	-	-	33.0
Max.	39.0	26.0					2.2	39.0	26.0					33.0
Min.	36.0	21.0					0.0	33.0	20.0					0.0
Total							2.2							66.0
Ava.	37.9	23.5					0.1	37.5	24.3					2.1

SITE : Yadgir

CODE : AKP00B6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	23.0	-	-	-	-	0.4	36.0	24.0	-	-	-	-	0.0
2	41.0	23.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	7.0
3	41.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	1.0
4	39.0	21.0	-	-	-	-	10.0	36.0	25.0	-	-	-	-	0.0
5	39.0	21.0	-	-	-	-	4.0	35.0	24.0	-	-	-	-	0.0
6	39.0	21.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
7	38.0	20.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
8	38.0	20.0	-	-	-	-	7.8	36.0	24.0	-	-	-	-	0.0
9	35.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	4.0
10	35.0	19.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
11	34.0	19.0	-	-	-	-	2.8	36.0	25.0	-	-	-	-	0.0
12	33.0	19.0	-	-	-	-	1.0	36.0	25.0	-	-	-	-	2.0
13	32.0	19.0	-	-	-	-	1.0	36.0	24.0	-	-	-	-	0.0
14	32.0	19.0	-	-	-	-	11.0	35.0	24.0	-	-	-	-	5.4
15	32.0	19.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	72.7
16	30.0	20.0	-	-	-	-	2.0	35.0	24.0	-	-	-	-	0.0
17	30.0	19.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
18	30.0	18.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	6.4
19	30.0	18.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
20	31.0	19.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
21	31.0	21.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	3.6
22	32.0	21.0	-	-	-	-	14.6	34.0	23.0	-	-	-	-	0.0
23	33.0	21.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
24	33.0	21.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
25	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
26	34.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
27	34.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	3.6
28	34.0	23.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
29	34.0	21.0	-	-	-	-	8.6	34.0	23.0	-	-	-	-	0.0
30	35.0	24.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
31								34.0	23.0	-	-	-	-	0.0
Max.	42.0	24.0					14.6	36.0	25.0					72.7
Min.	30.0	18.0					0.0	33.0	22.0					0.0
Total							63.2							105.7
Ava.	34.5	20.6					2.1	34.9	23.8					3.4

Note : "-" Denotes not applicable.

SITE : Yadgir CODE : AKP00B6
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	23.0	-	-	-	-	21.0	34.0	23.0	-	-	-	-	0.0
2	35.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
3	35.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
4	34.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
5	34.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
6	34.0	23.0	-	-	-	-	2.0	35.0	22.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	3.6	35.0	22.0	-	-	-	-	5.6
8	33.0	23.0	-	-	-	-	37.2	35.0	22.0	-	-	-	-	1.2
9	34.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	13.0
10	34.0	23.0	-	-	-	-	1.6	33.0	22.0	-	-	-	-	17.8
11	35.0	23.0	-	-	-	-	6.2	33.0	22.0	-	-	-	-	24.0
12	34.0	23.0	-	-	-	-	12.0	33.0	22.0	-	-	-	-	8.0
13	33.0	23.0	-	-	-	-	2.0	32.0	21.0	-	-	-	-	0.0
14	33.0	24.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	7.6
15	34.0	22.0	-	-	-	-	12.4	32.0	21.0	-	-	-	-	34.8
16	33.0	23.0	-	-	-	-	41.6	33.0	21.0	-	-	-	-	21.0
17	34.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
18	33.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
19	34.0	25.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
20	33.0	23.0	-	-	-	-	11.6	34.0	23.0	-	-	-	-	0.0
21	33.0	22.0	-	-	-	-	2.0	34.0	23.0	-	-	-	-	0.0
22	33.0	22.0	-	-	-	-	7.0	34.0	23.0	-	-	-	-	0.0
23	33.0	22.0	-	-	-	-	2.4	33.0	23.0	-	-	-	-	0.0
24	34.0	22.0	-	-	-	-	0.4	33.0	23.0	-	-	-	-	0.0
25	35.0	23.0	-	-	-	-	3.0	35.0	22.0	-	-	-	-	0.0
26	34.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	11.6
27	34.0	23.0	-	-	-	-	0.4	34.0	23.0	-	-	-	-	20.0
28	34.0	23.0	-	-	-	-	5.2	35.0	23.0	-	-	-	-	0.0
29	33.0	23.0	-	-	-	-	3.8	33.0	23.0	-	-	-	-	0.0
30	34.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
31	34.0	22.0	-	-	-	-	4.2							
Max.	35.0	25.0					41.6	35.0	24.0					34.8
Min.	33.0	22.0					0.0	32.0	21.0					0.0
Total							179.6							164.6
Ava.	33.8	22.8					5.8	33.7	22.4					5.5

SITE : Yadgir **CODE :** AKP00B6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	24.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
2	35.0	24.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
3	33.0	22.0	-	-	-	-	16.4	35.0	22.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
5	33.0	22.0	-	-	-	-	51.0	32.0	22.0	-	-	-	-	0.0
6	34.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
8	34.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
9	34.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
10	35.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
11	35.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
12	34.0	22.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
13	35.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
14	35.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
15	34.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
16	35.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
17	33.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
18	33.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
19	33.0	22.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
20	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
21	34.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
22	33.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
23	33.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
24	34.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
25	34.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
26	34.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
27	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
28	34.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	34.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
30	35.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
31	35.0	23.0	-	-	-	-	0.0							
Max.	35.0	24.0					51.0	36.0	24.0					0.0
Min.	32.0	21.0					0.0	32.0	22.0					0.0
Total							67.4							0.0
Ava.	33.9	22.5					2.2	33.9	22.9					0.0

SITE : Yadgir

CODE : AKP00B6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
2	28.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
3	29.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
4	29.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
5	29.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
6	28.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
7	29.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
8	28.0	19.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
9	29.0	18.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
10	28.0	18.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
11	29.0	18.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
12	28.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
13	28.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
14	28.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
15	29.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
16	28.0	18.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
17	28.0	18.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	29.0	19.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
19	29.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
20	28.0	18.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
21	29.0	19.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
22	30.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
23	30.0	19.0	-	-	-	-	0.0	30.0	18.0	-	-	-	-	0.0
24	33.0	22.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
25	34.0	23.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
26	34.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
27	29.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
28	29.0	18.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
29	29.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
30	28.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
31	29.0	19.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
Max.	34.0	23.0					0.0	31.0	20.0					0.0
Min.	28.0	18.0					0.0	28.0	18.0					0.0
Total							0.0							0.0
Ava.	29.2	18.9					0.0	29.8	19.0					0.0

SITE : Yadgir **CODE :** AKP00B6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	20.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
2	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
3	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
4	32.0	22.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
5	32.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
6	32.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
8	33.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
9	33.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
10	33.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
11	32.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
12	32.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
13	31.0	20.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
14	31.0	20.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
15	31.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
16	31.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
17	32.0	23.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
18	33.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
20	33.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
21	33.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
22	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
23	33.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
24	32.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
25	32.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
26	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
27	32.0	23.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
28	32.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
29	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
								33.0	22.0	-	-	-	-	0.0
								33.0	23.0	-	-	-	-	0.0
Max.	33.0	23.0					0.0	36.0	24.0					0.0
Min.	31.0	20.0					0.0	31.0	21.0					0.0
Total							0.0							0.0
Ava.	32.2	22.2					0.0	33.7	22.8					0.0

SITE : Yadgir CODE : AKP00B6
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	25.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
2	39.0	24.0	-	-	-	-	0.0	43.0	23.0	-	-	-	-	0.0
3	40.0	23.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
4	40.0	25.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	3.0
5	39.0	24.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
6	39.0	24.0	-	-	-	-	0.0	40.0	20.0	-	-	-	-	1.0
7	40.0	24.0	-	-	-	-	0.0	40.0	20.0	-	-	-	-	1.6
8	40.0	25.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
9	40.0	24.0	-	-	-	-	0.0	41.0	20.0	-	-	-	-	0.0
10	39.0	22.0	-	-	-	-	0.0	40.0	20.0	-	-	-	-	5.1
11	41.0	24.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
12	39.0	24.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
13	40.0	23.0	-	-	-	-	0.0	43.0	23.0	-	-	-	-	0.0
14	39.0	23.0	-	-	-	-	0.0	43.0	23.0	-	-	-	-	0.0
15	40.0	23.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
16	40.0	23.0	-	-	-	-	0.0	43.0	23.0	-	-	-	-	0.0
17	39.0	22.0	-	-	-	-	0.0	42.0	21.0	-	-	-	-	0.0
18	41.0	24.0	-	-	-	-	0.0	42.0	21.0	-	-	-	-	0.0
19	39.0	22.0	-	-	-	-	0.0	41.0	21.0	-	-	-	-	4.4
20	40.0	24.0	-	-	-	-	0.0	40.0	20.0	-	-	-	-	0.0
21	38.0	22.0	-	-	-	-	0.0	41.0	22.0	-	-	-	-	0.0
22	39.0	25.0	-	-	-	-	0.0	42.0	22.0	-	-	-	-	0.0
23	40.0	24.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
24	39.0	24.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
25	40.0	24.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
26	41.0	24.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
27	41.0	24.0	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
28	41.0	25.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
29	42.0	25.0	-	-	-	-	0.0	44.0	24.0	-	-	-	-	0.0
30	42.0	24.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
31								43.0	22.0	-	-	-	-	0.0
Max.	42.0	25.0					0.0	44.0	25.0					5.1
Min.	38.0	22.0					0.0	40.0	20.0					0.0
Total							0.0							15.1
Ava.	39.9	23.8					0.0	42.1	22.5					0.5

SITE : Malkhed **CODE :** AKP10E1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	28.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
2	42.0	28.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
3	41.0	27.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
4	39.0	26.0	-	-	-	-	3.4	36.0	26.0	-	-	-	-	0.0
5	39.0	27.0	-	-	-	-	1.0	36.0	25.0	-	-	-	-	0.0
6	38.0	26.0	-	-	-	-	2.0	36.0	26.0	-	-	-	-	0.0
7	38.0	27.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
8	36.0	25.0	-	-	-	-	1.0	34.0	24.0	-	-	-	-	0.0
9	37.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
10	39.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
11	38.0	25.0	-	-	-	-	7.0	37.0	26.0	-	-	-	-	0.0
12	37.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
13	37.0	26.0	-	-	-	-	45.6	36.0	25.0	-	-	-	-	0.0
14	35.0	24.0	-	-	-	-	36.2	37.0	26.0	-	-	-	-	0.4
15	34.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	76.4
16	33.0	22.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	7.0
17	32.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
18	30.0	20.0	-	-	-	-	11.2	36.0	25.0	-	-	-	-	0.0
19	32.0	20.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.8
20	30.0	21.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
21	30.0	20.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	1.2
22	29.0	20.0	-	-	-	-	27.4	34.0	24.0	-	-	-	-	0.6
23	32.0	20.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
24	30.0	21.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
25	29.0	19.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
26	32.0	20.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
27	32.0	21.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
28	39.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
29	34.0	22.0	-	-	-	-	2.8	35.0	25.0	-	-	-	-	0.0
30	35.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
31								35.0	26.0	-	-	-	-	0.0
Max.	42.0	28.0					45.6	37.0	26.0					76.4
Min.	29.0	19.0					0.0	33.0	23.0					0.0
Total							137.6							86.4
Ava.	35.0	23.3					4.6	35.3	24.9					2.8

Note : "-" Denotes not applicable.

SITE : Malkhed

CODE : AKP10E1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	26.0	-	-	-	-	8.8	29.0	26.0	-	-	-	-	0.8
2	33.0	25.0	-	-	-	-	1.5	28.0	25.0	-	-	-	-	0.0
3	34.0	26.0	-	-	-	-	0.0	30.0	25.0	-	-	-	-	0.0
4	31.0	25.0	-	-	-	-	0.0	31.0	26.0	-	-	-	-	0.0
5	30.0	24.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	41.4
6	30.0	25.0	-	-	-	-	5.1	32.0	25.0	-	-	-	-	0.0
7	32.0	24.0	-	-	-	-	1.8	32.0	26.0	-	-	-	-	0.0
8	33.0	25.0	-	-	-	-	35.0	31.0	26.0	-	-	-	-	2.2
9	33.0	25.0	-	-	-	-	2.4	31.0	25.0	-	-	-	-	0.0
10	33.0	26.0	-	-	-	-	4.2	30.0	26.0	-	-	-	-	7.8
11	32.0	25.0	-	-	-	-	6.0	30.0	26.0	-	-	-	-	5.8
12	31.0	24.5	-	-	-	-	16.6	31.0	25.0	-	-	-	-	18.2
13	30.0	25.0	-	-	-	-	0.0	31.0	26.0	-	-	-	-	3.2
14	30.0	26.0	-	-	-	-	0.0	30.0	26.0	-	-	-	-	36.0
15	30.0	25.0	-	-	-	-	8.8	29.0	25.0	-	-	-	-	34.2
16	29.0	24.0	-	-	-	-	8.6	29.0	25.0	-	-	-	-	5.0
17	30.0	25.0	-	-	-	-	0.0	29.0	26.0	-	-	-	-	1.4
18	31.0	26.0	-	-	-	-	0.0	30.0	26.0	-	-	-	-	0.4
19	32.0	26.5	-	-	-	-	0.0	30.0	25.0	-	-	-	-	10.2
20	34.0	28.0	-	-	-	-	10.8	31.0	26.0	-	-	-	-	0.0
21	33.0	27.0	-	-	-	-	6.2	31.0	26.0	-	-	-	-	0.0
22	31.0	26.0	-	-	-	-	14.4	31.0	27.0	-	-	-	-	0.0
23	32.0	27.0	-	-	-	-	0.0	31.0	26.0	-	-	-	-	0.0
24	31.0	26.0	-	-	-	-	0.0	29.0	26.0	-	-	-	-	0.0
25	32.0	26.0	-	-	-	-	3.6	30.0	26.0	-	-	-	-	12.6
26	32.0	26.0	-	-	-	-	0.0	31.0	26.5	-	-	-	-	26.8
27	32.0	27.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
28	33.0	26.0	-	-	-	-	1.1	30.0	26.0	-	-	-	-	0.0
29	32.0	27.0	-	-	-	-	1.4	30.0	26.0	-	-	-	-	0.0
30	31.0	26.0	-	-	-	-	0.0	31.0	27.0	-	-	-	-	0.0
31	30.0	25.0	-	-	-	-	3.8							
Max.	34.0	28.0					35.0	33.0	27.0					41.4
Min.	29.0	24.0					0.0	28.0	25.0					0.0
Total							140.1							206.0
Ava.	31.6	25.6					4.5	30.4	25.8					6.9

SITE : Malkhed

CODE : AKP10E1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	27.0	-	-	-	-	0.0	34.0	25.5	-	-	-	-	0.0
2	30.0	26.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
3	32.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
4	32.0	26.0	-	-	-	-	1.4	33.0	26.0	-	-	-	-	0.0
5	31.0	25.0	-	-	-	-	19.0	33.0	26.0	-	-	-	-	0.0
6	32.0	26.0	-	-	-	-	0.0	34.0	25.5	-	-	-	-	0.0
7	33.0	26.0	-	-	-	-	0.0	34.0	25.5	-	-	-	-	0.0
8	32.0	26.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
9	31.5	26.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
10	30.0	27.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
11	31.0	26.5	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
12	32.0	27.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
13	30.0	26.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
14	30.0	26.0	-	-	-	-	0.0	31.0	22.5	-	-	-	-	0.0
15	30.0	25.0	-	-	-	-	0.0	31.0	22.5	-	-	-	-	0.0
16	31.0	26.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
17	32.0	27.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
18	33.0	27.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
19	33.0	26.0	-	-	-	-	0.0	32.5	21.5	-	-	-	-	0.0
20	34.0	26.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
21	32.0	27.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
22	31.0	26.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
23	31.0	26.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
24	32.0	26.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
25	33.0	27.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
26	32.0	27.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
27	33.0	27.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
28	32.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
29	31.0	24.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
30	33.0	26.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
31	33.0	26.0	-	-	-	-	0.0							
Max.	34.0	27.0					19.0	34.0	26.0					0.0
Min.	30.0	24.0					0.0	31.0	21.0					0.0
Total							20.4							0.0
Ava.	31.8	26.1					0.7	32.4	23.2					0.0

SITE : Malkhed **CODE :** AKP10E1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	23.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
2	32.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
3	32.0	22.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
4	31.0	21.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
5	31.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
6	32.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
7	31.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
8	30.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
9	29.0	22.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
10	30.0	21.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
11	30.0	20.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
12	31.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
13	32.0	22.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
14	31.0	20.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
15	30.0	20.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
16	31.0	20.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
17	30.0	20.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
18	31.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
19	30.0	20.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
20	31.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
21	32.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
22	31.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
23	32.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
24	32.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
25	31.0	20.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
26	30.0	20.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
27	29.0	19.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
28	28.0	18.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
29	28.0	21.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
30	29.0	20.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
31	30.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
Max.	33.0	23.0					0.0	34.0	23.0					0.0
Min.	28.0	18.0					0.0	30.0	20.0					0.0
Total							0.0							0.0
Ava.	30.6	21.0					0.0	32.2	21.8					0.0

SITE : Malkhed

CODE : AKP10E1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	20.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
2	32.0	21.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
3	33.0	22.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	10.0
4	33.0	21.5	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
5	33.0	22.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
6	34.0	22.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
8	33.0	21.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
9	32.0	22.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
10	34.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
11	34.0	24.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
12	33.0	23.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
13	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
14	32.0	23.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
15	33.0	23.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
17	33.0	23.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
18	32.0	23.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
20	34.0	24.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
21	34.0	24.0	-	-	-	-	0.0	39.0	27.0	-	-	-	-	0.0
22	32.0	23.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
23	33.0	23.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
24	34.0	24.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
25	33.0	24.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
26	32.0	24.0	-	-	-	-	0.0	39.0	26.5	-	-	-	-	0.0
27	33.0	24.5	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
28	34.0	24.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
29	34.0	23.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
								40.0	27.0	-	-	-	-	0.0
								40.0	27.0	-	-	-	-	6.0
Max.	34.0	24.5					0.0	40.0	28.0					10.0
Min.	31.0	20.0					0.0	31.0	24.0					0.0
Total							0.0							16.0
Ava.	32.9	22.8					0.0	37.1	26.2					0.5

SITE : Malkhed

CODE : AKP10E1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	28.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
2	39.0	27.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
3	39.0	27.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
4	40.0	28.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
5	39.0	27.5	-	-	-	-	0.0	39.0	28.0	-	-	-	-	2.0
6	38.0	27.0	-	-	-	-	0.9	39.0	27.0	-	-	-	-	0.0
7	40.0	28.0	-	-	-	-	0.0	39.0	29.0	-	-	-	-	23.0
8	38.0	27.5	-	-	-	-	0.0	39.0	29.0	-	-	-	-	0.0
9	39.0	28.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	0.0
10	40.0	28.0	-	-	-	-	0.0	40.0	29.0	-	-	-	-	8.4
11	40.0	28.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	5.6
12	40.0	28.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
13	40.0	28.0	-	-	-	-	0.0	39.0	27.0	-	-	-	-	0.0
14	39.0	28.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	1.4
15	39.0	28.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
16	40.0	28.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
17	39.0	27.5	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
18	39.0	27.0	-	-	-	-	0.0	43.0	29.0	-	-	-	-	0.0
19	40.0	28.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
20	39.0	28.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
21	39.0	27.5	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.2
22	40.0	28.0	-	-	-	-	0.0	37.0	28.0	-	-	-	-	0.0
23	40.0	28.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
24	41.0	29.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
25	39.0	27.0	-	-	-	-	0.0	39.0	29.0	-	-	-	-	0.0
26	39.0	28.0	-	-	-	-	0.0	40.0	30.0	-	-	-	-	0.0
27	40.0	28.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	0.0
28	39.0	28.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
29	40.0	28.5	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
30	38.0	28.0	-	-	-	-	1.2	40.0	27.0	-	-	-	-	0.0
31								41.0	27.0	-	-	-	-	0.0
Max.	41.0	29.0					1.2	43.0	30.0					23.0
Min.	38.0	27.0					0.0	36.0	26.0					0.0
Total							2.1							40.6
Ava.	39.4	27.8					0.1	39.7	28.3					1.3

SITE : Jewangi **CODE :** AKP10M5
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	28.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
2	43.0	27.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
3	40.0	27.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
4	38.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
5	37.0	27.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
6	36.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
7	35.0	24.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
8	33.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
9	36.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
10	37.0	26.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
11	36.0	23.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
12	35.0	23.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
13	34.0	22.0	-	-	-	-	8.6	36.0	24.0	-	-	-	-	0.0
14	32.0	21.0	-	-	-	-	11.4	36.0	26.0	-	-	-	-	0.0
15	31.0	20.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	27.6
16	30.0	22.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
17	31.0	23.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
18	30.0	23.0	-	-	-	-	13.4	35.0	26.0	-	-	-	-	0.0
19	30.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	5.4
20	28.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	11.4
21	26.0	23.0	-	-	-	-	39.6	34.0	24.0	-	-	-	-	0.0
22	29.0	22.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
23	32.0	23.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
24	32.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
25	33.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
26	32.0	24.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
27	33.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
28	33.0	24.0	-	-	-	-	4.2	34.0	25.0	-	-	-	-	0.0
29	35.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
30	35.0	25.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
31								35.0	26.0	-	-	-	-	0.0
Max.	43.0	28.0					39.6	37.0	26.0					27.6
Min.	26.0	20.0					0.0	32.0	24.0					0.0
Total							77.2							44.4
Ava.	33.8	23.9					2.6	34.7	25.0					1.4

Note : "-" Denotes not applicable.

SITE : Jewangi

CODE : AKP10M5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
2	34.0	25.0	-	-	-	-	6.8	31.0	22.0	-	-	-	-	0.0
3	34.0	25.0	-	-	-	-	4.8	32.0	23.0	-	-	-	-	0.0
4	33.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
5	33.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	2.8
6	33.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
7	34.0	23.0	-	-	-	-	8.4	34.0	23.0	-	-	-	-	0.0
8	34.0	24.0	-	-	-	-	17.0	34.0	24.0	-	-	-	-	4.8
9	32.0	24.0	-	-	-	-	10.2	33.0	23.0	-	-	-	-	0.0
10	32.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
11	30.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	4.8
12	29.0	22.0	-	-	-	-	40.8	30.0	20.0	-	-	-	-	9.8
13	27.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
14	29.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	4.4
15	32.0	24.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	6.6
16	30.0	22.0	-	-	-	-	5.6	28.0	19.0	-	-	-	-	6.6
17	32.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	32.0	24.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
19	33.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	5.6
20	30.0	22.0	-	-	-	-	6.6	33.0	23.0	-	-	-	-	0.0
21	32.0	23.0	-	-	-	-	1.4	34.0	24.0	-	-	-	-	0.0
22	32.0	20.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
23	34.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
24	33.0	22.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
25	33.0	23.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
26	32.0	22.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	15.6
27	34.0	24.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
28	33.0	24.0	-	-	-	-	36.6	32.0	21.0	-	-	-	-	0.0
29	35.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
30	34.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
31	33.0	24.0	-	-	-	-	0.0							
Max.	35.0	25.0					40.8	35.0	25.0					15.6
Min.	27.0	20.0					0.0	28.0	19.0					0.0
Total							138.2							61.0
Ava.	32.3	23.1					4.5	32.2	22.3					2.0

SITE : Jewangi

CODE : AKP10M5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
2	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
3	33.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
4	30.0	21.0	-	-	-	-	7.6	31.0	21.0	-	-	-	-	0.0
5	32.0	22.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
6	32.0	22.0	-	-	-	-	2.4	30.0	22.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
8	31.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
9	31.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
10	32.0	23.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
11	32.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
12	33.0	24.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
13	33.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
14	33.0	24.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
15	32.0	22.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
17	30.0	21.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	31.0	22.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
20	33.0	23.0	-	-	-	-	0.0	28.0	19.0	-	-	-	-	0.0
21	33.0	23.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.0
22	33.0	24.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	0.0
23	34.0	24.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	0.0
24	34.0	23.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
25	33.0	23.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	27.0	18.0	-	-	-	-	0.0
27	34.0	25.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	0.0
28	32.0	23.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
29	32.0	23.0	-	-	-	-	0.0	26.0	17.0	-	-	-	-	0.0
30	32.0	22.0	-	-	-	-	0.0	26.0	17.0	-	-	-	-	0.0
31	31.0	22.0	-	-	-	-	0.0							
Max.	34.0	25.0					7.6	32.0	23.0					0.0
Min.	30.0	21.0					0.0	26.0	17.0					0.0
Total							10.0							0.0
Ava.	32.3	22.7					0.3	29.7	19.9					0.0

SITE : Jewangi

CODE : AKP10M5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
2	28.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
3	30.0	20.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
4	30.0	20.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
5	31.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
6	29.0	18.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
7	29.0	18.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
8	28.0	17.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
9	29.0	17.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
10	29.0	16.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
11	30.0	17.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
12	30.0	19.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
13	32.0	20.0	-	-	-	-	0.0	30.0	16.0	-	-	-	-	0.0
14	33.0	20.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
15	32.0	21.0	-	-	-	-	0.0	29.0	16.0	-	-	-	-	0.0
16	33.0	21.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
17	32.0	20.0	-	-	-	-	0.0	29.0	16.0	-	-	-	-	0.0
18	33.0	19.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
19	31.0	19.0	-	-	-	-	0.0	30.0	16.0	-	-	-	-	0.0
20	32.0	20.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
21	31.0	19.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
22	32.0	20.0	-	-	-	-	0.0	29.0	16.0	-	-	-	-	0.0
23	32.0	19.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
24	30.0	18.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
25	28.0	17.0	-	-	-	-	0.0	30.0	18.0	-	-	-	-	0.0
26	28.0	17.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
27	29.0	16.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
28	29.0	16.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
29	27.0	15.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
30	28.0	17.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
31	28.0	17.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
Max.	33.0	21.0					0.0	34.0	21.0					0.0
Min.	27.0	15.0					0.0	29.0	16.0					0.0
Total							0.0							0.0
Ava.	30.0	18.4					0.0	30.2	18.0					0.0

SITE : Jewangi

CODE : AKP10M5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	19.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
2	33.0	18.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
3	34.0	18.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
4	35.0	19.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
5	35.0	19.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
6	35.0	17.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
7	35.0	17.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
8	34.0	18.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
9	34.0	18.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
10	35.0	19.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
11	35.0	19.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
12	34.0	17.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
13	35.0	17.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
14	35.0	17.0	-	-	-	-	0.0	38.0	22.0	-	-	-	-	0.0
15	34.0	19.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
16	35.0	19.0	-	-	-	-	0.0	38.0	21.0	-	-	-	-	0.0
17	35.0	18.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
18	34.0	18.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
19	34.0	19.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
20	35.0	19.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
21	36.0	20.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
22	36.0	21.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
23	37.0	22.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
24	37.0	22.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
25	38.0	21.0	-	-	-	-	0.0	40.0	21.0	-	-	-	-	0.0
26	37.0	22.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
27	37.0	22.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
28	38.0	21.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
29	38.0	22.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
								37.0	22.0	-	-	-	-	0.0
								38.0	22.0	-	-	-	-	0.0
Max.	38.0	22.0					0.0	40.0	25.0					0.0
Min.	33.0	17.0					0.0	35.0	20.0					0.0
Total							0.0							0.0
Ava.	35.3	19.2					0.0	37.5	22.4					0.0

SITE : Jewangi

CODE : AKP10M5

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	23.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
2	39.0	23.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
3	40.0	24.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
4	40.0	23.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
5	41.0	24.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
6	39.0	25.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	24.6
7	39.0	24.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
8	38.0	25.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
9	40.0	25.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	33.6
10	40.0	24.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	30.6
11	39.0	24.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
12	40.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
13	42.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
14	40.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
15	42.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
16	41.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
17	40.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
18	39.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
19	40.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
20	40.0	25.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
21	41.0	24.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	9.6
22	40.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
23	40.0	24.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
24	41.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
25	41.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
26	40.0	25.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
27	41.0	24.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
28	40.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
29	40.0	25.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
30	41.0	25.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
31								39.0	24.0	-	-	-	-	0.0
Max.	42.0	26.0					0.0	41.0	26.0					33.6
Min.	38.0	23.0					0.0	32.0	18.0					0.0
Total							0.0							98.4
Ava.	40.1	24.6					0.0	37.2	23.6					3.2

SITE : Wadakbal

CODE : AKP60C4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	38.0	22.0	-	-	-	-	8.2	36.5	23.0	-	-	-	-	0.0
2	38.5	23.5	-	-	-	-	0.0	37.0	22.5	-	-	-	-	0.0
3	40.0	23.5	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
4	41.5	25.0	-	-	-	-	0.0	37.0	22.5	-	-	-	-	0.0
5	37.5	24.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
6	39.0	23.5	-	-	-	-	0.0	37.0	22.5	-	-	-	-	0.0
7	37.5	24.0	-	-	-	-	0.0	37.0	23.5	-	-	-	-	0.0
8	35.0	22.5	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
9	36.0	23.0	-	-	-	-	0.0	35.5	23.5	-	-	-	-	0.0
10	37.0	23.5	-	-	-	-	0.0	36.0	24.5	-	-	-	-	0.0
11	38.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
12	36.5	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
13	35.0	22.5	-	-	-	-	0.0	37.5	24.0	-	-	-	-	0.0
14	34.0	22.0	-	-	-	-	0.0	37.0	24.5	-	-	-	-	0.0
15	32.5	22.0	-	-	-	-	0.0	36.5	25.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	0.0	35.5	25.0	-	-	-	-	0.0
17	32.5	23.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
18	31.5	23.0	-	-	-	-	0.0	35.5	23.0	-	-	-	-	0.0
19	31.0	22.5	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
20	33.0	23.5	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
21	31.0	23.0	-	-	-	-	0.0	34.5	23.0	-	-	-	-	0.0
22	32.5	23.0	-	-	-	-	0.0	32.5	24.0	-	-	-	-	0.0
23	35.5	23.0	-	-	-	-	0.0	34.5	24.0	-	-	-	-	0.0
24	33.5	24.0	-	-	-	-	0.0	34.5	23.0	-	-	-	-	0.0
25	34.0	24.0	-	-	-	-	0.0	34.5	23.0	-	-	-	-	0.0
26	35.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
27	35.0	23.0	-	-	-	-	0.0	35.0	22.5	-	-	-	-	0.0
28	36.0	23.0	-	-	-	-	0.0	35.0	22.5	-	-	-	-	0.0
29	36.5	23.5	-	-	-	-	0.0	35.0	22.5	-	-	-	-	0.0
30	36.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	7.8
31								32.0	23.0	-	-	-	-	3.2
Max.	41.5	25.0					8.2	37.5	25.0					7.8
Min.	31.0	22.0					0.0	32.0	22.0					0.0
Total							8.2							11.0
Ava.	35.4	23.3					0.3	35.4	23.3					0.4

Note : "-" Denotes not applicable.

SITE : Wadakbal

CODE : AKP60C4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	22.5	-	-	-	-	0.0	35.5	21.0	-	-	-	-	0.0
2	35.0	23.0	-	-	-	-	0.0	36.0	21.5	-	-	-	-	0.0
3	35.0	22.0	-	-	-	-	0.0	35.5	21.5	-	-	-	-	0.0
4	34.5	22.0	-	-	-	-	0.0	36.5	22.0	-	-	-	-	0.0
5	33.5	23.0	-	-	-	-	0.0	37.5	22.0	-	-	-	-	0.0
6	33.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
7	34.0	22.0	-	-	-	-	0.0	31.0	22.5	-	-	-	-	0.0
8	34.5	22.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
9	34.0	22.0	-	-	-	-	5.4	33.5	22.0	-	-	-	-	1.2
10	34.0	22.0	-	-	-	-	0.0	31.5	21.5	-	-	-	-	15.0
11	34.0	22.0	-	-	-	-	0.0	33.5	21.5	-	-	-	-	2.2
12	34.0	23.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
13	36.0	23.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
14	35.0	22.5	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
15	36.0	22.0	-	-	-	-	0.0	32.5	23.0	-	-	-	-	0.0
16	36.0	22.0	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
17	36.0	22.0	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
18	36.0	22.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
19	35.0	22.0	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
20	36.0	23.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
21	35.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
22	35.0	22.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
23	36.0	22.0	-	-	-	-	0.0	33.0	22.5	-	-	-	-	0.0
24	35.0	23.0	-	-	-	-	0.0	35.0	22.5	-	-	-	-	0.0
25	36.0	22.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
26	36.0	21.0	-	-	-	-	0.0	36.5	22.5	-	-	-	-	3.8
27	35.0	21.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
28	34.5	22.0	-	-	-	-	0.0	37.0	20.0	-	-	-	-	0.0
29	31.0	22.0	-	-	-	-	0.0	35.0	20.5	-	-	-	-	0.0
30	33.5	21.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
31	33.5	22.0	-	-	-	-	0.0							
Max.	36.0	23.0					5.4	37.5	23.0					15.0
Min.	31.0	21.0					0.0	30.0	20.0					0.0
Total							5.4							22.2
Ava.	34.7	22.2					0.2	34.1	21.8					0.7

SITE : Wadakbal **CODE :** AKP60C4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.5	22.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
2	36.0	22.0	-	-	-	-	0.0	35.0	19.5	-	-	-	-	0.0
3	34.0	22.0	-	-	-	-	0.0	35.5	21.0	-	-	-	-	1.4
4	32.5	23.0	-	-	-	-	12.4	36.0	21.0	-	-	-	-	1.8
5	32.0	21.0	-	-	-	-	0.0	36.0	21.0	-	-	-	-	16.8
6	35.2	20.0	-	-	-	-	0.0	36.0	21.0	-	-	-	-	11.2
7	35.0	21.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
8	35.0	21.0	-	-	-	-	0.0	35.0	21.5	-	-	-	-	0.0
9	34.0	21.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
10	35.0	23.0	-	-	-	-	0.0	36.0	18.0	-	-	-	-	0.0
11	35.0	24.0	-	-	-	-	0.0	35.0	17.5	-	-	-	-	6.8
12	35.5	23.0	-	-	-	-	0.0	35.0	18.0	-	-	-	-	2.2
13	36.0	22.0	-	-	-	-	0.0	34.5	18.0	-	-	-	-	2.4
14	36.0	21.0	-	-	-	-	0.0	35.5	18.0	-	-	-	-	22.0
15	36.5	20.5	-	-	-	-	0.0	36.0	17.0	-	-	-	-	0.0
16	38.0	20.5	-	-	-	-	0.0	35.0	18.0	-	-	-	-	0.0
17	36.0	21.0	-	-	-	-	0.0	34.5	15.0	-	-	-	-	0.0
18	36.5	21.0	-	-	-	-	0.0	34.0	14.0	-	-	-	-	0.0
19	36.0	21.0	-	-	-	-	0.0	33.5	14.0	-	-	-	-	0.0
20	36.0	20.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	1.8
21	36.0	20.0	-	-	-	-	0.0	33.5	15.0	-	-	-	-	0.0
22	36.0	20.0	-	-	-	-	0.0	34.0	15.5	-	-	-	-	0.0
23	35.5	20.0	-	-	-	-	0.0	32.5	17.5	-	-	-	-	0.0
24	36.0	21.0	-	-	-	-	0.0	33.5	19.0	-	-	-	-	0.0
25	35.0	21.0	-	-	-	-	0.0	33.5	18.0	-	-	-	-	0.0
26	34.5	21.0	-	-	-	-	0.0	33.5	16.5	-	-	-	-	0.0
27	35.0	21.0	-	-	-	-	1.4	34.0	16.0	-	-	-	-	0.0
28	34.5	21.0	-	-	-	-	9.4	35.0	16.0	-	-	-	-	0.0
29	35.0	21.0	-	-	-	-	0.0	35.0	15.5	-	-	-	-	0.0
30	35.0	20.0	-	-	-	-	3.2	35.5	16.0	-	-	-	-	0.0
31	35.0	20.0	-	-	-	-	0.0							
Max.	38.0	24.0					12.4	36.0	21.5					22.0
Min.	32.0	20.0					0.0	32.5	14.0					0.0
Total							26.4							66.4
Ava.	35.3	21.2					0.9	34.7	17.8					2.2

SITE : Wadakbal

CODE : AKP60C4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	16.0	-	-	-	-	0.0	35.5	10.5	-	-	-	-	0.0
2	35.0	16.0	-	-	-	-	0.0	34.5	10.0	-	-	-	-	0.0
3	34.5	15.0	-	-	-	-	0.0	35.5	10.0	-	-	-	-	0.0
4	34.5	15.0	-	-	-	-	0.0	35.0	9.5	-	-	-	-	0.0
5	35.0	15.0	-	-	-	-	0.0	35.0	10.5	-	-	-	-	0.0
6	35.0	15.0	-	-	-	-	0.0	35.0	11.0	-	-	-	-	0.0
7	35.0	15.0	-	-	-	-	0.0	35.0	11.5	-	-	-	-	0.0
8	34.5	14.0	-	-	-	-	0.0	35.0	11.5	-	-	-	-	4.8
9	32.5	15.0	-	-	-	-	0.0	35.0	10.5	-	-	-	-	0.0
10	33.0	15.0	-	-	-	-	0.0	35.0	11.0	-	-	-	-	0.0
11	33.0	16.0	-	-	-	-	0.0	33.0	10.0	-	-	-	-	0.0
12	33.5	17.5	-	-	-	-	0.0	34.0	10.0	-	-	-	-	0.0
13	34.0	17.0	-	-	-	-	0.0	34.0	10.0	-	-	-	-	0.0
14	34.0	17.5	-	-	-	-	0.0	34.0	10.0	-	-	-	-	0.0
15	34.0	18.0	-	-	-	-	0.0	34.5	10.0	-	-	-	-	0.0
16	34.0	16.0	-	-	-	-	2.5	33.5	10.0	-	-	-	-	0.0
17	34.0	15.0	-	-	-	-	0.0	34.0	10.0	-	-	-	-	0.0
18	34.0	15.0	-	-	-	-	5.6	33.5	10.0	-	-	-	-	1.0
19	34.5	15.0	-	-	-	-	0.0	34.0	10.0	-	-	-	-	2.2
20	34.5	15.0	-	-	-	-	0.6	34.0	10.0	-	-	-	-	0.0
21	34.5	15.5	-	-	-	-	0.0	34.0	10.0	-	-	-	-	0.0
22	34.0	15.0	-	-	-	-	0.0	34.0	13.0	-	-	-	-	0.0
23	34.0	13.0	-	-	-	-	0.0	32.0	12.5	-	-	-	-	0.0
24	34.0	12.0	-	-	-	-	0.0	32.0	12.0	-	-	-	-	0.0
25	34.0	12.0	-	-	-	-	0.0	34.0	12.0	-	-	-	-	14.8
26	33.5	11.5	-	-	-	-	0.0	35.0	12.0	-	-	-	-	0.0
27	35.0	11.0	-	-	-	-	0.0	35.0	13.0	-	-	-	-	18.0
28	36.0	10.0	-	-	-	-	0.0	35.0	11.0	-	-	-	-	10.8
29	35.5	10.0	-	-	-	-	0.0	36.0	11.0	-	-	-	-	0.0
30	35.0	10.0	-	-	-	-	2.2	36.0	12.0	-	-	-	-	1.4
31	35.0	10.5	-	-	-	-	0.0	33.0	12.0	-	-	-	-	0.0
Max.	36.0	18.0					5.6	36.0	13.0					18.0
Min.	32.5	10.0					0.0	32.0	9.5					0.0
Total							10.9							53.0
Ava.	34.3	14.3					0.4	34.4	10.9					1.7

SITE : Wadakbal

CODE : AKP60C4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	15.0	-	-	-	-	0.0	38.5	16.5	-	-	-	-	0.0
2	34.0	15.0	-	-	-	-	0.0	38.0	20.0	-	-	-	-	22.0
3	33.5	14.0	-	-	-	-	0.0	36.5	19.0	-	-	-	-	0.0
4	36.5	13.0	-	-	-	-	0.0	36.5	19.0	-	-	-	-	41.0
5	36.0	14.0	-	-	-	-	0.0	37.0	20.0	-	-	-	-	0.0
6	35.0	15.0	-	-	-	-	45.2	37.0	20.5	-	-	-	-	0.0
7	35.0	16.0	-	-	-	-	0.4	38.0	20.5	-	-	-	-	0.0
8	36.0	16.0	-	-	-	-	31.2	38.5	20.5	-	-	-	-	0.0
9	36.5	18.0	-	-	-	-	20.4	39.0	20.5	-	-	-	-	0.0
10	36.5	16.5	-	-	-	-	0.0	40.0	20.0	-	-	-	-	0.0
11	36.0	16.5	-	-	-	-	0.0	40.5	19.5	-	-	-	-	0.0
12	37.0	16.0	-	-	-	-	17.2	40.0	19.5	-	-	-	-	0.0
13	35.0	16.5	-	-	-	-	4.8	40.0	20.0	-	-	-	-	0.0
14	36.0	16.0	-	-	-	-	2.8	37.0	18.0	-	-	-	-	0.0
15	36.5	16.0	-	-	-	-	3.2	39.0	18.0	-	-	-	-	0.0
16	36.0	16.0	-	-	-	-	6.0	37.0	18.0	-	-	-	-	0.0
17	36.5	16.0	-	-	-	-	0.0	40.0	20.0	-	-	-	-	0.0
18	36.0	16.5	-	-	-	-	0.0	40.0	20.0	-	-	-	-	0.0
19	36.0	16.0	-	-	-	-	0.0	40.5	22.0	-	-	-	-	0.0
20	37.0	16.0	-	-	-	-	0.0	41.5	22.0	-	-	-	-	0.0
21	37.0	16.5	-	-	-	-	0.0	40.5	21.0	-	-	-	-	0.0
22	37.0	16.5	-	-	-	-	0.0	42.0	21.0	-	-	-	-	0.0
23	39.0	16.5	-	-	-	-	0.0	41.0	20.5	-	-	-	-	0.0
24	39.0	16.5	-	-	-	-	0.0	40.5	21.0	-	-	-	-	0.0
25	39.0	16.0	-	-	-	-	0.0	41.0	22.5	-	-	-	-	0.0
26	39.0	16.0	-	-	-	-	0.0	41.5	24.0	-	-	-	-	0.0
27	39.0	16.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
28	40.0	16.0	-	-	-	-	0.0	42.0	23.5	-	-	-	-	0.0
29	38.5	17.0	-	-	-	-	0.0	41.0	23.5	-	-	-	-	0.0
								41.0	23.0	-	-	-	-	0.0
								42.0	23.0	-	-	-	-	0.0
Max.	40.0	18.0					45.2	42.0	24.0					41.0
Min.	33.5	13.0					0.0	36.5	16.5					0.0
Total							131.2							63.0
Ava.	36.7	15.9					4.5	39.6	20.7					2.0

SITE : Wadakbal

CODE : AKP60C4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	42.0	23.5	-	-	-	-	0.0	44.0	23.5	-	-	-	-	0.0
2	42.5	23.5	-	-	-	-	0.0	43.5	23.5	-	-	-	-	0.0
3	42.5	23.5	-	-	-	-	0.0	44.0	23.5	-	-	-	-	0.0
4	42.0	25.0	-	-	-	-	0.0	43.5	23.0	-	-	-	-	0.0
5	38.0	25.0	-	-	-	-	0.0	42.5	23.5	-	-	-	-	0.0
6	40.0	25.0	-	-	-	-	0.0	41.0	23.0	-	-	-	-	0.0
7	38.0	22.0	-	-	-	-	0.0	41.5	23.0	-	-	-	-	0.0
8	38.0	23.0	-	-	-	-	0.0	42.0	23.0	-	-	-	-	0.0
9	40.0	24.0	-	-	-	-	0.0	42.0	23.5	-	-	-	-	0.0
10	41.0	24.0	-	-	-	-	0.0	40.0	23.0	-	-	-	-	0.0
11	41.5	24.0	-	-	-	-	0.0	42.0	23.5	-	-	-	-	0.0
12	42.0	23.0	-	-	-	-	0.0	42.5	23.0	-	-	-	-	0.0
13	42.0	23.0	-	-	-	-	0.0	41.5	24.0	-	-	-	-	0.0
14	42.5	23.5	-	-	-	-	0.0	43.0	24.0	-	-	-	-	0.0
15	42.5	23.5	-	-	-	-	0.0	42.5	25.0	-	-	-	-	0.0
16	42.5	23.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
17	43.0	23.5	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.0
18	43.0	23.0	-	-	-	-	0.0	44.0	27.0	-	-	-	-	0.0
19	43.0	22.5	-	-	-	-	0.0	45.0	27.0	-	-	-	-	0.0
20	43.0	22.5	-	-	-	-	0.0	41.5	26.0	-	-	-	-	0.0
21	45.0	22.5	-	-	-	-	5.4	42.0	26.0	-	-	-	-	0.0
22	43.0	23.0	-	-	-	-	0.0	43.5	25.0	-	-	-	-	0.0
23	42.0	23.0	-	-	-	-	0.0	42.5	26.0	-	-	-	-	0.0
24	43.0	22.5	-	-	-	-	0.0	42.5	26.0	-	-	-	-	0.0
25	43.0	22.0	-	-	-	-	0.0	41.5	26.0	-	-	-	-	0.0
26	44.5	23.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
27	44.5	23.0	-	-	-	-	0.0	43.0	22.0	-	-	-	-	0.0
28	44.0	23.5	-	-	-	-	0.0	41.0	24.5	-	-	-	-	0.0
29	44.0	23.5	-	-	-	-	0.0	40.5	25.0	-	-	-	-	0.0
30	43.5	23.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
31								42.0	26.0	-	-	-	-	0.0
Max.	45.0	25.0					5.4	45.0	27.0					0.0
Min.	38.0	22.0					0.0	40.0	22.0					0.0
Total							5.4							0.0
Ava.	42.2	23.3					0.2	42.3	24.4					0.0

SITE : Deongaon Bridge

CODE : DEONGAON

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	10.2	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.2
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.4
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.4
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	2.6
Max.	0.0	0.0					10.2	0.0	0.0					3.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							14.6							11.6
Ava.	0.0	0.0					0.5	0.0	0.0					0.4

Note : "-" Denotes not applicable.

SITE : Deongaon Bridge

CODE : DEONGAON

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.6
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	24.8	-	-	-	-	-	-	16.2
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.2
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	42.4
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	3.4	-	-	-	-	-	-	21.0
16	-	-	-	-	-	-	0.8	-	-	-	-	-	-	6.4
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	36.8
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	8.8
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	9.2
20	-	-	-	-	-	-	14.2	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.2
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	34.8	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					34.8	0.0	0.0					42.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							80.8							156.8
Ava.	0.0	0.0					2.6	0.0	0.0					5.2

SITE : Deongaon Bridge

CODE : DEONGAON

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	19.6	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					19.6	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							19.8							0.0
Ava.	0.0	0.0					0.6	0.0	0.0					0.0

SITE : Deongaon Bridge **CODE :** DEONGAON
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	30.0	22.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
3	30.0	21.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
4	30.0	21.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
5	31.0	21.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
6	30.0	22.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
7	28.0	21.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
8	31.0	21.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
9	30.0	20.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
10	30.0	21.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
11	30.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
12	30.0	20.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
13	31.0	21.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
14	30.0	22.0	-	-	-	-	0.0	27.0	14.0	-	-	-	-	0.0
15	31.0	20.0	-	-	-	-	0.0	27.0	14.0	-	-	-	-	0.0
16	30.0	20.0	-	-	-	-	0.0	26.0	14.0	-	-	-	-	0.0
17	32.0	21.0	-	-	-	-	0.0	26.0	14.0	-	-	-	-	0.0
18	31.0	20.0	-	-	-	-	0.0	26.0	16.0	-	-	-	-	0.0
19	30.0	20.0	-	-	-	-	0.0	26.0	17.0	-	-	-	-	0.0
20	30.0	20.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
21	31.0	20.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
22	28.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
23	27.0	18.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
24	28.0	16.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
25	29.0	20.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
26	27.0	20.0	-	-	-	-	0.0	28.0	19.0	-	-	-	-	0.0
27	28.0	19.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
28	30.0	18.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
29	31.0	19.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
30	30.0	20.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
31	30.0	19.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
Max.	32.0	22.0					0.0	31.0	24.0					0.0
Min.	27.0	16.0					0.0	26.0	14.0					0.0
Total							0.0							0.0
Ava.	28.8	19.4					0.0	27.6	19.1					0.0

SITE : Deongaon Bridge

CODE : DEONGAON

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	29.0	20.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
3	30.0	19.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	3.0
4	31.0	20.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	2.4
6	30.0	20.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
7	30.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
8	29.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
9	31.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
10	30.0	21.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
11	30.0	21.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
12	30.0	21.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
13	31.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
14	31.0	24.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
15	31.0	22.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
16	31.0	20.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
17	30.0	20.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
18	30.0	21.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
19	30.0	22.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
20	32.0	21.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
21	32.0	21.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
22	33.0	24.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
23	34.0	24.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
24	33.0	21.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
25	32.0	21.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
26	33.0	21.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
27	33.0	20.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
28	33.0	20.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
29	33.0	20.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
								36.0	27.0	-	-	-	-	0.0
								32.0	26.0	-	-	-	-	0.0
Max.	34.0	24.0					0.0	36.0	27.0					3.0
Min.	29.0	19.0					0.0	32.0	21.0					0.0
Total							0.0							5.4
Ava.	30.1	20.3					0.0	34.2	24.8					0.2

SITE : Deongaon Bridge

CODE : DEONGAON

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	36.0	26.0	-	-	-	-	0.0	39.0	30.0	-	-	-	-	0.0
3	37.0	27.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.0
4	36.0	27.0	-	-	-	-	0.0	38.0	31.0	-	-	-	-	0.0
5	36.0	27.0	-	-	-	-	0.0	40.0	31.0	-	-	-	-	0.0
6	36.0	27.0	-	-	-	-	0.0	39.0	30.0	-	-	-	-	0.0
7	36.0	27.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	4.6
8	38.0	27.0	-	-	-	-	0.0	36.0	29.0	-	-	-	-	0.0
9	37.0	28.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
10	37.0	27.0	-	-	-	-	7.2	36.0	25.0	-	-	-	-	1.8
11	37.0	28.0	-	-	-	-	0.0	36.0	30.0	-	-	-	-	1.2
12	38.0	28.0	-	-	-	-	0.0	37.0	28.0	-	-	-	-	8.6
13	37.0	28.0	-	-	-	-	0.0	37.0	29.0	-	-	-	-	0.0
14	38.0	26.0	-	-	-	-	0.0	38.0	29.0	-	-	-	-	0.4
15	38.0	27.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.8
16	38.0	26.0	-	-	-	-	0.0	41.0	30.0	-	-	-	-	5.6
17	39.0	28.0	-	-	-	-	2.6	42.0	31.0	-	-	-	-	0.0
18	39.0	28.0	-	-	-	-	0.0	42.0	31.0	-	-	-	-	0.2
19	39.0	29.0	-	-	-	-	0.0	40.0	30.0	-	-	-	-	0.0
20	39.0	30.0	-	-	-	-	0.0	36.0	31.0	-	-	-	-	12.4
21	38.0	28.0	-	-	-	-	0.0	39.0	29.0	-	-	-	-	0.0
22	39.0	28.0	-	-	-	-	0.0	41.0	30.0	-	-	-	-	0.0
23	39.0	29.0	-	-	-	-	0.0	41.0	32.0	-	-	-	-	0.0
24	40.0	29.0	-	-	-	-	0.0	41.0	31.0	-	-	-	-	0.0
25	40.0	30.0	-	-	-	-	0.0	45.0	33.0	-	-	-	-	0.0
26	40.0	30.0	-	-	-	-	0.0	44.0	33.0	-	-	-	-	0.0
27	40.0	30.0	-	-	-	-	0.0	45.0	33.0	-	-	-	-	0.0
28	40.0	30.0	-	-	-	-	0.0	44.0	34.0	-	-	-	-	0.0
29	40.0	30.0	-	-	-	-	0.0	43.0	33.0	-	-	-	-	0.0
30	40.0	30.0	-	-	-	-	0.0	45.0	30.0	-	-	-	-	0.0
31								45.0	30.0	-	-	-	-	0.0
Max.	40.0	30.0					7.2	45.0	34.0					12.4
Min.	36.0	26.0					0.0	36.0	25.0					0.0
Total							9.8							35.6
Ava.	36.9	27.2					0.3	38.8	29.2					1.1

SITE : Takali **CODE :** AKP00K4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE, WIND DIRECTION, WIND VELOCITY, EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	39.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
2	38.0	24.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
3	37.0	24.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
4	38.0	24.5	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
5	36.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
6	39.0	25.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
7	38.0	26.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
8	37.0	24.0	-	-	-	-	42.2	36.0	23.4	-	-	-	-	0.0
9	36.0	23.5	-	-	-	-	1.4	37.0	23.0	-	-	-	-	0.0
10	36.0	23.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
11	38.0	24.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
12	37.0	25.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
13	36.5	24.0	-	-	-	-	3.0	37.0	22.0	-	-	-	-	0.0
14	35.0	24.0	-	-	-	-	1.0	38.0	23.0	-	-	-	-	0.0
15	35.0	23.0	-	-	-	-	17.0	38.0	23.0	-	-	-	-	0.0
16	32.0	22.0	-	-	-	-	2.8	38.0	22.0	-	-	-	-	0.0
17	33.0	22.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	3.0
18	33.0	23.0	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	3.4
20	32.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	2.8
21	31.0	22.0	-	-	-	-	0.0	32.5	24.0	-	-	-	-	0.0
22	30.0	22.5	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
23	30.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	3.8
24	32.0	23.0	-	-	-	-	0.0	32.0	22.5	-	-	-	-	0.0
25	34.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
26	33.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
27	32.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
28	32.5	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
29	32.0	24.0	-	-	-	-	0.0	32.0	23.5	-	-	-	-	0.0
30	33.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
31								32.0	22.5	-	-	-	-	0.0
Max.	39.0	26.0					42.2	38.0	24.0					3.8
Min.	30.0	22.0					0.0	31.0	22.0					0.0
Total							67.4							13.0
Ava.	34.6	23.5					2.2	34.2	22.9					0.4

Note : "-" Denotes not applicable.

SITE : Takali **CODE :** AKP00K4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	7.0	32.0	23.0	-	-	-	-	0.0
2	32.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
3	30.0	22.5	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
4	29.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
5	32.0	22.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
6	31.0	23.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	36.8
7	32.0	22.5	-	-	-	-	2.0	30.0	23.0	-	-	-	-	7.6
8	31.0	23.0	-	-	-	-	2.2	31.0	24.0	-	-	-	-	19.6
9	32.0	22.5	-	-	-	-	0.0	34.0	24.0	-	-	-	-	1.4
10	32.0	22.0	-	-	-	-	1.2	33.5	23.0	-	-	-	-	47.0
11	32.0	23.0	-	-	-	-	0.0	31.5	22.5	-	-	-	-	32.2
12	30.0	22.0	-	-	-	-	4.0	34.0	22.5	-	-	-	-	0.0
13	30.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
14	31.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	1.0
15	31.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	6.0
16	31.0	22.5	-	-	-	-	5.6	31.0	22.5	-	-	-	-	35.0
17	33.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
18	33.0	22.5	-	-	-	-	0.0	32.0	21.0	-	-	-	-	3.4
19	32.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
20	34.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
21	32.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
22	33.0	23.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
23	32.0	23.5	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
24	33.0	22.5	-	-	-	-	0.0	35.0	23.5	-	-	-	-	0.0
25	32.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
26	32.0	22.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
27	31.0	22.0	-	-	-	-	51.4	35.5	24.0	-	-	-	-	0.0
28	33.0	23.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
29	32.0	22.5	-	-	-	-	59.4	33.0	23.0	-	-	-	-	0.0
30	31.0	22.0	-	-	-	-	1.2	34.0	23.0	-	-	-	-	0.0
31	31.0	22.0	-	-	-	-	1.4							
Max.	34.0	24.0					59.4	36.0	25.0					47.0
Min.	29.0	22.0					0.0	30.0	21.0					0.0
Total							135.4							190.0
Ava.	31.7	22.7					4.4	33.3	23.0					6.3

SITE : Takali **CODE :** AKP00K4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	22.0	-	-	-	-	4.8	35.0	22.0	-	-	-	-	0.0
2	33.0	22.0	-	-	-	-	6.2	35.0	22.0	-	-	-	-	0.0
3	33.0	21.0	-	-	-	-	55.8	34.0	23.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
5	32.0	22.0	-	-	-	-	28.6	36.0	23.0	-	-	-	-	0.0
6	32.0	21.0	-	-	-	-	6.0	36.0	23.0	-	-	-	-	0.0
7	33.0	22.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
8	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
9	33.0	22.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
10	34.0	23.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
11	34.0	24.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
12	34.0	24.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
13	33.5	23.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
14	33.0	23.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
15	33.0	23.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
16	34.0	23.0	-	-	-	-	0.0	34.0	19.0	-	-	-	-	0.0
17	33.0	22.5	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
18	35.0	23.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
19	34.0	24.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
20	33.0	24.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
21	34.0	23.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
22	35.0	24.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	31.2
23	34.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
24	35.0	23.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
25	35.0	23.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
26	36.0	22.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
27	36.0	23.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
28	35.0	22.5	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
29	34.0	23.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
30	35.0	22.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
31	34.0	21.0	-	-	-	-	3.4							
Max.	36.0	24.0					55.8	36.0	23.0					31.2
Min.	32.0	21.0					0.0	31.0	18.0					0.0
Total							104.8							31.2
Ava.	33.8	22.6					3.4	33.3	20.2					1.0

SITE : Takali

CODE : AKP00K4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	18.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
2	33.0	18.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
3	34.0	20.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	0.0
4	33.0	20.0	-	-	-	-	0.0	33.0	15.0	-	-	-	-	0.0
5	34.0	18.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	0.0
6	34.0	18.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
7	34.0	18.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
8	32.0	17.0	-	-	-	-	0.0	31.0	15.0	-	-	-	-	0.0
9	31.0	17.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
10	32.0	18.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
11	31.0	18.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
12	33.0	19.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
13	33.0	20.0	-	-	-	-	0.0	32.0	15.5	-	-	-	-	0.0
14	33.0	19.0	-	-	-	-	0.0	31.0	16.0	-	-	-	-	0.0
15	33.0	20.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
16	34.0	21.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
17	34.0	21.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
18	34.0	22.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
19	34.0	21.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
20	33.0	20.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
21	33.0	20.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
22	33.0	20.5	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
23	34.0	19.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
24	34.0	19.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
25	33.0	18.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
26	30.0	17.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
27	31.0	16.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
28	30.0	15.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
29	32.0	15.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
30	33.0	14.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
31	32.0	15.0	-	-	-	-	0.0	33.0	17.0	-	-	-	-	0.0
Max.	34.0	22.0					0.0	33.0	20.0					0.0
Min.	30.0	14.0					0.0	30.0	15.0					0.0
Total							0.0							0.0
Ava.	32.8	18.4					0.0	31.7	17.0					0.0

SITE : Takali **CODE :** AKP00K4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	17.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
2	33.0	17.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
3	34.0	17.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	8.4
4	32.0	18.0	-	-	-	-	0.0	34.0	20.0	-	-	-	-	0.0
5	33.0	17.0	-	-	-	-	0.0	35.0	20.0	-	-	-	-	0.0
6	33.0	17.0	-	-	-	-	0.0	34.0	21.0	-	-	-	-	0.0
7	33.0	17.0	-	-	-	-	0.0	35.0	21.0	-	-	-	-	0.0
8	34.0	18.0	-	-	-	-	0.0	36.0	21.0	-	-	-	-	0.0
9	34.0	18.0	-	-	-	-	0.0	36.0	20.0	-	-	-	-	0.0
10	34.0	17.0	-	-	-	-	0.0	37.0	21.0	-	-	-	-	0.0
11	35.0	17.0	-	-	-	-	0.0	37.0	21.0	-	-	-	-	0.0
12	35.0	18.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
13	35.0	20.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
14	35.0	22.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
15	35.0	21.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
16	36.0	21.0	-	-	-	-	0.0	36.0	22.5	-	-	-	-	0.0
17	36.0	22.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
18	36.0	21.0	-	-	-	-	0.0	37.0	23.5	-	-	-	-	0.0
19	35.0	21.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
20	36.0	20.0	-	-	-	-	0.0	36.0	22.5	-	-	-	-	0.0
21	35.0	21.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
22	36.0	20.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
23	36.0	21.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
24	36.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
25	36.5	21.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
26	36.0	22.0	-	-	-	-	0.0	38.0	22.0	-	-	-	-	0.0
27	36.0	21.0	-	-	-	-	0.0	39.0	22.0	-	-	-	-	0.0
28	37.0	22.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
29	37.0	21.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
								39.0	22.0	-	-	-	-	0.0
								40.0	22.0	-	-	-	-	0.0
Max.	37.0	22.0					0.0	40.0	24.0					8.4
Min.	32.0	17.0					0.0	33.0	20.0					0.0
Total							0.0							8.4
Ava.	34.9	19.5					0.0	36.5	21.9					0.3

SITE : Takali **CODE :** AKP00K4
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	22.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
2	41.0	23.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
3	41.0	23.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
4	41.0	23.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
5	40.0	24.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
6	38.0	23.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
7	40.0	22.0	-	-	-	-	1.8	42.0	26.0	-	-	-	-	0.0
8	39.0	23.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
9	41.0	24.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
10	40.0	25.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
11	40.0	25.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
12	41.5	24.5	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
13	41.0	25.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
14	41.0	24.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
15	42.0	25.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	1.6
16	41.0	24.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
17	41.0	25.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
18	42.0	25.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
19	42.0	26.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
20	43.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
21	42.0	26.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
22	41.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
23	42.0	26.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
24	41.0	28.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
25	40.0	26.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
26	41.0	26.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
27	42.0	26.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
28	41.0	25.0	-	-	-	-	2.6	40.0	25.0	-	-	-	-	0.0
29	42.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
30	42.0	26.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	2.2
31								40.0	25.0	-	-	-	-	0.0
Max.	43.0	28.0					2.6	42.0	27.0					2.2
Min.	38.0	22.0					0.0	39.0	24.0					0.0
Total							4.4							3.8
Ava.	41.0	24.8					0.1	40.9	25.6					0.1

SITE : Narsingpur

CODE : AKP00Q4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	23.0	SW	0.40	3.00	61.00	0.0	34.5	20.0	WSW	0.20	2.60	77.00	51.6
2	37.0	21.0	N	0.20	2.60	76.00	0.0	36.0	21.5	WNW	0.40	2.80	73.00	0.0
3	39.0	21.0	SW	0.00	3.00	76.00	0.0	33.5	20.5	NW	0.20	2.00	76.00	0.0
4	41.0	22.0	NW	0.40	3.40	74.00	0.0	35.5	20.0	WNW	0.60	2.50	71.00	0.0
5	39.5	21.5	S	0.00	3.00	63.00	0.0	35.0	20.5	WSW	0.40	2.50	73.00	0.0
6	37.0	21.0	N	0.20	2.20	84.00	20.0	35.5	20.5	WNW	0.40	2.50	70.00	0.0
7	39.0	23.0	WNW	0.00	3.00	65.00	0.0	34.5	21.5	SW	0.60	2.50	68.00	0.0
8	37.5	21.5	SW	0.20	2.00	77.00	8.8	34.5	21.5	WSW	0.20	2.50	75.00	0.0
9	37.0	22.0	S	0.20	3.00	77.00	0.0	34.0	21.5	WNW	0.40	2.50	77.00	0.0
10	36.0	22.0	SW	0.20	2.50	68.00	0.0	33.5	22.0	NW	0.40	2.00	81.00	0.0
11	38.5	22.5	WNW	0.20	2.80	71.00	0.0	34.0	21.0	SW	0.20	3.00	84.00	0.0
12	36.0	22.0	S	0.20	3.00	77.00	0.0	36.0	21.5	WNW	0.20	3.00	77.00	0.0
13	34.5	22.0	WNW	0.20	2.50	77.00	23.2	38.0	22.0	SW	0.20	3.00	87.00	0.0
14	33.5	22.0	NNW	0.20	2.50	73.00	0.0	38.0	21.0	NW	0.20	3.00	75.00	0.0
15	33.0	22.0	NNW	0.20	2.20	77.00	6.4	38.5	21.0	SW	0.20	2.00	77.00	0.0
16	35.0	21.5	WNW	0.20	2.00	81.00	5.8	37.5	21.5	NW	0.20	2.40	80.00	0.0
17	36.0	22.0	SW	0.40	2.50	70.00	0.0	37.0	22.0	SW	0.20	2.00	87.00	0.0
18	33.5	21.5	WSW	0.20	2.50	74.00	0.0	37.0	21.5	SW	0.00	2.60	77.00	0.0
19	33.0	22.0	SW	0.20	3.00	77.00	0.0	33.5	21.5	NW	0.20	2.50	88.00	0.0
20	33.5	22.0	SSW	0.40	3.00	70.00	0.0	33.0	21.5	SW	0.20	3.00	84.00	0.0
21	30.5	22.0	SSW	0.40	3.00	73.00	0.0	33.0	21.5	WNW	0.40	2.50	77.00	0.0
22	31.0	22.0	S	0.20	2.00	87.00	0.2	33.0	21.5	WSW	0.00	2.00	80.00	2.6
23	32.5	22.0	SW	0.40	3.00	74.00	0.0	34.0	22.5	SSW	0.40	2.50	77.00	0.0
24	31.5	22.0	SW	0.40	2.00	80.00	1.0	33.0	22.0	SW	0.20	2.00	71.00	0.0
25	34.0	23.0	SW	0.40	2.50	68.00	0.0	34.0	21.0	WSW	0.40	2.00	74.00	0.0
26	34.0	22.5	SW	0.20	3.00	68.00	0.0	34.5	21.5	WSW	0.40	2.50	70.00	0.0
27	34.0	21.0	SW	0.20	2.50	73.00	0.0	33.0	21.5	WSW	0.40	2.50	64.00	0.0
28	33.5	20.0	WNW	0.20	2.50	77.00	0.0	34.5	20.5	SW	0.40	2.20	66.00	0.0
29	34.0	21.0	SW	0.20	3.00	80.00	0.0	34.5	21.0	SW	0.40	2.50	60.00	0.0
30	36.5	21.0	NW	0.20	3.00	74.00	0.0	33.0	21.5	WNW	0.40	2.00	74.00	0.0
31								35.0	21.0	WNW	0.20	2.00	81.00	0.0
Max.	41.0	23.0					23.2	38.5	22.5					51.6
Min.	30.5	20.0					0.0	33.0	20.0					0.0
Total							65.4							54.2
Ava.	35.4	21.8					2.2	34.9	21.3					1.7

Note : "-" Denotes not applicable.

SITE : Narsingpur

CODE : AKP00Q4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	21.0	WNW	0.60	2.50	74.00	0.0	37.0	22.0	WNW	0.60	2.30	74.00	0.0
2	34.5	21.0	NNW	0.40	2.50	74.00	0.0	36.0	21.0	SW	0.20	3.00	76.00	0.0
3	35.0	21.0	WSW	0.40	2.50	74.00	0.0	36.0	21.0	WNW	0.40	3.00	74.00	0.0
4	30.5	21.5	WSW	0.40	2.50	76.00	0.0	38.5	21.5	WSW	0.40	3.50	71.00	0.0
5	30.0	21.0	WNW	0.20	2.00	84.00	0.0	39.0	21.0	NNW	0.60	3.00	68.00	0.0
6	32.5	21.0	WSW	0.40	2.20	77.00	0.0	37.0	21.5	WNW	0.40	2.50	80.00	2.6
7	33.0	22.0	NNW	0.20	2.40	77.00	0.0	34.0	23.0	WNW	0.40	2.80	75.00	0.0
8	34.0	22.0	WNW	0.20	2.00	77.00	0.0	32.0	21.5	WNW	0.20	2.50	88.00	0.0
9	35.0	20.5	WNW	0.40	2.50	73.00	0.0	30.0	21.0	NNW	0.40	2.00	92.00	10.8
10	34.5	22.0	WNW	0.40	2.50	74.00	0.0	34.5	20.0	WNW	0.40	2.20	87.00	29.4
11	35.0	22.0	WNW	0.20	2.00	84.00	0.0	36.0	20.5	WNW	0.20	2.40	87.00	6.4
12	35.0	22.5	NNW	0.20	1.50	80.00	0.2	36.0	20.5	W	0.40	2.00	80.00	0.0
13	33.5	21.0	WSW	0.60	2.00	81.00	0.0	33.0	21.0	WNW	0.20	1.50	80.00	0.0
14	35.5	20.0	WNW	0.40	2.00	77.00	0.0	35.0	21.5	WNW	0.60	1.50	80.00	18.2
15	36.0	20.0	WNW	0.60	2.00	70.00	0.0	33.5	21.0	WNW	0.40	1.50	92.00	0.0
16	32.5	20.0	WNW	0.20	2.00	77.00	0.0	28.0	20.5	WNW	0.60	1.70	88.00	7.2
17	36.5	20.0	WNW	0.60	2.00	74.00	0.0	33.5	21.5	WNW	0.40	1.50	88.00	0.6
18	36.5	21.5	C	0.40	2.00	70.00	0.0	29.5	21.5	WNW	0.40	1.00	92.00	8.0
19	38.5	22.0	NNW	0.60	1.40	73.00	0.0	34.5	20.5	WSW	0.40	1.00	77.00	0.0
20	37.5	23.5	NW	0.40	1.50	65.00	0.0	34.0	19.5	WSW	0.40	2.00	81.00	0.0
21	36.5	21.5	WNW	0.40	1.40	70.00	15.0	32.5	21.0	WSW	0.40	1.50	81.00	0.0
22	33.5	20.5	WNW	0.60	2.00	70.00	0.0	36.5	19.5	ENE	0.20	1.00	87.00	0.0
23	35.0	19.5	WNW	0.40	2.00	70.00	1.0	36.5	20.5	NNE	0.20	1.00	77.00	0.0
24	36.5	20.0	WNW	0.40	2.40	81.00	0.0	37.0	21.0	NNW	0.20	2.00	81.00	0.0
25	36.5	20.5	WNW	0.80	2.50	76.00	0.0	36.5	21.0	WNW	0.40	2.00	81.00	0.0
26	38.0	22.0	WNW	0.40	2.00	77.00	0.0	36.5	21.0	WNW	0.40	1.70	84.00	0.0
27	36.5	20.0	WNW	0.40	2.00	84.00	0.0	36.5	18.5	NNW	0.20	2.00	76.00	0.0
28	35.5	20.0	WNW	0.40	2.50	70.00	0.0	37.5	19.5	NNE	0.20	2.00	66.00	0.0
29	33.5	21.5	WNW	0.40	2.00	70.00	4.0	37.0	19.0	NW	0.00	2.00	76.00	0.0
30	35.5	21.0	WNW	0.20	2.00	77.00	1.8	37.0	21.5	ENE	0.20	2.30	75.00	0.0
31	35.0	20.5	SW	0.60	2.00	70.00	0.0							
Max.	38.5	23.5					15.0	39.0	23.0					29.4
Min.	30.0	19.5					0.0	28.0	18.5					0.0
Total							22.0							83.2
Ava.	34.9	21.0					0.7	35.0	20.8					2.8

SITE : Narsingpur CODE : AKP00Q4
 MEASURING AUTHORITY : CWC WATER-YEAR : 2015-16
 DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	21.0	ENE	0.20	2.00	85.00	4.0	36.0	19.0	NE	0.20	2.00	74.00	0.0
2	36.5	21.5	SSE	0.20	1.90	80.00	6.2	36.5	18.5	NW	0.00	1.80	75.00	0.0
3	34.0	19.5	WNW	0.20	2.00	88.00	62.0	36.0	21.5	NE	0.20	2.00	72.00	0.0
4	32.5	21.5	WNW	0.20	1.80	80.00	9.8	36.5	21.0	W	0.00	1.80	76.00	0.0
5	34.0	20.0	WNW	0.20	1.60	92.00	6.2	36.0	19.5	NW	0.00	1.80	69.00	0.0
6	36.0	17.5	NNE	0.20	1.00	75.00	0.0	36.5	19.5	E	0.00	2.00	69.00	0.0
7	36.0	16.5	NNW	0.20	1.50	79.00	0.0	36.0	19.5	W	0.00	2.00	73.00	0.0
8	36.0	17.5	NNW	0.20	1.70	88.00	0.0	36.5	17.0	WNW	0.00	1.50	73.00	0.0
9	38.0	19.0	NNW	0.20	2.00	87.00	0.0	36.0	17.0	ENE	0.20	1.50	66.00	0.0
10	36.5	22.0	WNW	0.20	2.00	84.00	0.0	34.5	16.0	WNW	0.00	1.60	77.00	0.0
11	32.5	21.0	WSW	0.20	1.50	92.00	3.2	35.5	15.0	NW	0.00	1.50	77.00	0.0
12	36.5	21.5	C	0.20	1.60	84.00	0.0	35.5	16.0	NE	0.20	1.80	63.00	0.0
13	37.5	20.0	NNE	0.20	1.40	88.00	0.0	35.0	15.0	WNW	0.20	1.50	67.00	0.0
14	38.0	19.5	NNE	0.00	1.50	76.00	0.0	35.5	15.5	NNW	0.20	1.70	71.00	0.0
15	38.5	20.0	WNW	0.20	1.80	72.00	0.0	35.0	15.5	ESE	0.00	1.60	70.00	0.0
16	38.5	19.0	WNW	0.20	1.80	76.00	0.0	35.5	16.0	WNW	0.20	1.50	75.00	0.0
17	37.0	21.0	NNE	0.20	1.70	77.00	0.0	34.0	14.5	WNW	0.00	1.40	85.00	0.0
18	36.5	21.5	ENE	0.20	2.00	77.00	0.0	34.5	13.5	WNW	0.00	1.40	79.00	0.0
19	37.0	20.0	NNW	0.00	1.80	76.00	0.0	34.0	14.0	SW	0.00	1.20	79.00	0.0
20	38.0	18.0	C	0.00	1.50	71.00	0.0	34.0	17.0	NE	0.20	2.00	75.00	0.0
21	38.0	19.0	NNE	0.20	2.00	67.00	0.0	34.5	16.5	SE	0.20	1.80	51.00	0.0
22	38.5	19.0	NE	0.00	1.50	79.00	0.0	33.0	14.5	ENE	0.00	1.50	35.00	18.0
23	38.0	21.5	NNE	0.00	1.50	72.00	0.0	33.0	15.0	SW	0.20	1.80	63.00	0.0
24	38.0	21.0	ENE	0.00	1.70	64.00	0.0	32.0	18.0	NE	0.00	2.00	68.00	0.0
25	37.0	23.0	SSE	0.20	1.70	64.00	0.0	33.0	16.0	SE	0.20	1.60	81.00	0.0
26	36.5	18.5	ENE	0.20	1.50	84.00	0.0	33.0	16.0	E	0.00	1.20	75.00	0.0
27	36.0	18.0	NE	0.00	1.50	73.00	0.0	33.0	16.0	E	0.00	1.40	91.00	0.0
28	36.5	17.5	ENE	0.00	1.50	66.00	0.0	32.0	15.5	NE	0.00	1.20	86.00	0.0
29	36.0	18.0	NE	0.00	1.50	76.00	0.0	35.0	16.0	NE	0.00	1.30	80.00	0.0
30	36.5	21.5	C	0.00	2.00	79.00	0.0	32.0	15.5	NE	0.00	1.40	82.00	0.0
31	36.5	20.0	ENE	0.20	1.80	77.00	0.0							
Max.	38.5	23.0					62.0	36.5	21.5					18.0
Min.	32.5	16.5					0.0	32.0	13.5					0.0
Total							91.4							18.0
Ava.	36.5	19.8					2.9	34.7	16.7					0.6

SITE : Narsingpur

CODE : AKP00Q4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	15.5	ENE	0.00	1.80	86.00	0.0	32.0	10.0	NE	0.00	1.60	76.00	0.0
2	35.5	17.0	SE	0.00	1.80	83.00	0.0	31.0	10.0	E	0.00	1.20	94.00	0.0
3	34.5	18.5	ENE	0.20	2.00	83.00	0.0	35.0	10.0	C	0.00	1.40	85.00	0.0
4	35.0	17.0	WNW	0.00	1.80	75.00	0.0	32.0	10.0	W	0.00	1.20	83.00	0.0
5	33.5	15.5	ENE	0.00	1.50	71.00	0.0	33.0	10.0	NW	0.00	1.60	85.00	0.0
6	34.0	15.0	SE	0.00	1.50	77.00	0.0	33.0	12.0	NW	0.00	2.00	90.00	0.0
7	33.5	14.0	ESE	0.00	1.50	81.00	0.0	33.0	13.0	SW	0.20	2.20	65.00	0.0
8	33.5	13.0	SE	0.00	1.50	81.00	0.0	33.5	11.0	SE	0.00	1.80	77.00	0.0
9	33.5	11.5	SE	0.20	1.50	68.00	0.0	33.0	11.0	NE	0.00	1.20	76.00	0.0
10	35.0	15.0	ESE	0.00	1.50	74.00	0.0	34.0	10.5	NE	0.00	1.40	80.00	0.0
11	35.0	15.0	W	0.00	1.50	74.00	0.0	34.5	10.5	WSW	0.00	1.40	85.00	0.0
12	34.5	20.0	NW	0.00	1.80	78.00	0.0	33.5	9.5	NW	0.00	1.20	85.00	0.0
13	36.0	16.0	SW	0.20	1.80	82.00	0.0	33.5	10.0	NNW	0.00	1.20	79.00	0.0
14	37.0	19.5	SW	0.00	1.60	75.00	0.0	33.5	11.5	NW	0.00	1.30	89.00	0.0
15	34.0	17.0	NW	0.20	1.80	68.00	0.0	33.0	11.5	E	0.00	1.80	90.00	0.0
16	35.0	19.0	E	0.00	2.00	75.00	0.0	33.5	11.5	ENE	0.20	1.80	86.00	0.0
17	36.0	20.5	SE	0.00	1.80	66.00	0.0	32.5	12.5	NNW	0.00	1.80	90.00	0.0
18	34.0	20.0	NW	0.00	2.00	74.00	0.0	32.5	13.5	NE	0.00	1.80	81.00	0.0
19	34.0	20.5	NE	0.00	2.20	74.00	0.0	32.5	12.0	NW	0.20	1.80	72.00	0.0
20	34.5	16.0	ENE	0.00	2.00	87.00	0.0	31.0	11.0	NW	0.20	1.80	67.00	0.0
21	34.0	16.0	C	0.00	2.00	79.00	0.0	30.0	11.0	NE	0.00	1.20	79.00	0.0
22	33.5	14.0	S	0.00	2.00	73.00	0.0	30.5	11.0	NW	0.00	1.60	77.00	0.0
23	33.5	12.0	WNW	0.20	1.80	66.00	0.0	30.0	11.0	SE	0.00	1.80	89.00	0.0
24	31.0	11.0	SW	0.00	1.60	80.00	0.0	33.0	12.5	SSE	0.00	1.80	81.00	0.0
25	32.0	11.0	NW	0.00	1.20	85.00	0.0	31.0	13.0	SW	0.00	2.00	72.00	0.0
26	31.0	7.0	NNW	0.20	1.00	88.00	0.0	35.0	11.0	NE	0.00	1.80	89.00	0.0
27	32.5	7.0	WSW	0.00	0.80	81.00	0.0	36.0	11.0	NW	0.00	1.80	80.00	0.0
28	34.5	7.5	SSE	0.00	0.90	79.00	0.0	37.0	10.0	NNW	0.00	1.80	74.00	0.0
29	35.0	10.0	ENE	0.00	1.20	83.00	0.0	38.0	10.0	NNW	0.00	2.00	79.00	0.0
30	36.0	9.0	WNW	0.00	1.20	89.00	0.0	38.0	11.0	NE	0.00	2.20	89.00	0.0
31	36.0	9.5	WSW	0.00	1.50	85.00	0.0	38.5	11.5	NNE	0.00	2.00	75.00	0.0
Max.	37.0	20.5					0.0	38.5	13.5					0.0
Min.	31.0	7.0					0.0	30.0	9.5					0.0
Total							0.0							0.0
Ava.	34.2	14.5					0.0	33.4	11.1					0.0

SITE : Narsingpur

CODE : AKP00Q4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.5	14.5	WNW	0.00	2.50	85.00	0.0	38.5	18.5	SW	0.20	3.00	80.00	0.0
2	38.0	13.5	WNW	0.00	2.50	96.00	0.0	38.0	18.0	NW	0.20	3.00	80.00	0.0
3	37.5	12.0	NW	0.20	2.20	72.00	0.0	38.0	18.5	NW	0.00	3.20	75.00	0.0
4	37.5	10.5	NE	0.20	2.00	73.00	0.0	38.5	18.0	NW	0.20	3.60	80.00	0.0
5	38.5	10.5	NW	0.00	2.20	80.00	0.0	39.0	18.0	NW	0.00	3.00	80.00	0.0
6	36.5	12.0	SSE	0.00	2.50	87.00	0.0	39.5	19.5	NNW	0.00	2.50	79.00	0.0
7	36.5	13.0	WNW	0.00	2.50	90.00	0.0	38.0	16.0	C	0.00	2.80	73.00	0.0
8	37.0	14.0	NW	0.20	2.50	90.00	0.0	38.0	18.0	SE	0.00	3.00	61.00	0.0
9	38.0	15.0	SW	0.00	2.80	77.00	0.0	38.5	19.0	C	0.00	3.00	68.00	0.0
10	37.5	17.0	WNW	0.20	3.00	83.00	0.0	39.0	18.5	SE	0.00	2.60	68.00	0.0
11	36.5	16.0	NW	0.00	3.00	79.00	0.0	39.0	18.0	SW	0.00	2.80	64.00	0.0
12	37.5	16.5	SW	0.00	2.80	96.00	0.0	41.5	19.5	WNW	0.00	2.50	79.00	0.0
13	36.0	14.5	NW	0.00	2.00	96.00	0.0	39.0	19.0	WNW	0.20	2.80	71.00	0.0
14	37.0	15.0	SW	0.20	2.50	81.00	0.0	38.0	14.0	NNW	0.20	2.00	74.00	0.0
15	36.5	13.0	SW	0.20	2.60	63.00	0.0	39.5	15.0	NW	0.20	2.20	78.00	0.0
16	37.0	15.0	SW	0.00	3.00	76.00	0.0	40.0	18.0	WNW	0.20	2.50	83.00	0.0
17	38.0	16.0	SE	0.00	0.00	73.00	0.0	41.5	17.5	W	0.00	2.50	83.00	0.0
18	38.5	14.0	SE	0.00	0.00	85.00	0.0	40.0	18.0	SW	0.00	2.50	80.00	0.0
19	38.0	17.0	SE	0.00	3.00	82.00	0.0	42.5	19.5	WSW	0.00	0.00	70.00	0.0
20	38.5	17.0	NW	0.00	3.20	82.00	0.0	42.0	20.5	WNW	0.20	0.00	64.00	0.0
21	39.0	19.0	WSW	0.20	3.00	80.00	0.0	41.0	20.0	NW	0.00	2.60	79.00	0.0
22	41.0	19.5	WNW	0.20	3.00	66.00	0.0	41.5	16.0	NW	0.00	2.80	63.00	0.0
23	41.0	19.0	WNW	0.20	3.00	63.00	0.0	41.5	16.0	NW	0.00	3.00	73.00	0.0
24	40.0	18.5	SW	0.20	3.00	67.00	0.0	41.5	17.0	W	0.00	2.60	75.00	0.0
25	37.5	17.0	NW	0.20	2.60	69.00	0.0	41.5	17.0	SW	0.00	2.80	84.00	0.0
26	39.0	16.5	SW	0.00	2.50	68.00	0.0	41.0	18.0	NW	0.00	3.00	85.00	0.0
27	39.5	18.0	WSW	0.00	2.20	70.00	0.0	42.5	23.0	NW	0.40	3.00	69.00	0.0
28	40.0	19.0	NW	0.00	2.50	75.00	0.0	39.5	16.0	SW	0.00	2.60	81.00	0.0
29	40.0	19.0	E	0.00	2.20	83.00	0.0	41.5	21.5	NW	0.00	3.00	62.00	0.0
								39.0	17.0	NW	0.00	2.80	66.00	0.0
								41.0	17.0	NW	0.20	3.00	63.00	0.0
Max.	41.0	19.5					0.0	42.5	23.0					0.0
Min.	36.0	10.5					0.0	38.0	14.0					0.0
Total							0.0							0.0
Ava.	38.1	15.6					0.0	40.0	18.0					0.0

SITE : Narsingpur

CODE : AKP00Q4

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	16.5	NW	0.00	2.80	100.00	0.0	44.5	22.5	WNW	0.00	3.00	40.00	0.0
2	44.0	18.0	WNW	0.20	2.50	71.00	0.0	43.0	22.0	NW	0.00	3.00	64.00	0.0
3	43.5	21.0	NW	0.20	2.80	74.00	0.0	43.5	22.5	NW	0.20	3.60	46.00	0.0
4	40.5	25.0	NW	0.20	2.80	71.00	0.0	43.0	22.0	NW	0.20	3.00	64.00	0.0
5	39.0	26.0	SW	0.00	3.00	66.00	0.0	43.5	22.5	W	0.00	2.80	60.00	0.0
6	42.0	22.0	C	0.00	2.50	75.00	0.0	43.0	22.0	NW	0.00	3.20	64.00	0.0
7	41.5	22.0	NW	0.20	2.70	71.00	0.0	43.0	22.0	W	0.00	3.40	64.00	0.0
8	41.0	22.0	W	0.20	3.00	75.00	0.0	43.0	23.0	NNW	0.40	3.00	44.00	0.8
9	44.5	21.0	WNW	0.00	2.50	64.00	0.0	43.0	23.0	NW	0.20	3.00	43.00	0.0
10	44.0	23.0	W	0.00	3.00	65.00	0.0	42.5	23.0	NW	0.20	3.20	50.00	0.0
11	42.0	23.0	NW	0.20	2.80	70.00	0.0	44.0	23.0	WNW	0.00	3.00	32.00	0.0
12	43.5	21.0	NW	0.00	2.80	70.00	0.0	43.5	23.5	NW	0.20	3.00	55.00	0.0
13	40.5	21.0	NW	0.20	2.80	64.00	0.0	43.5	23.5	NW	0.20	3.20	52.00	0.0
14	41.0	21.0	NW	0.20	3.00	64.00	0.0	45.0	26.0	NW	0.40	3.50	57.00	0.0
15	42.0	22.0	NW	0.20	0.00	71.00	0.0	45.0	26.5	SW	0.00	4.00	48.00	0.0
16	42.0	21.5	W	0.00	3.20	67.00	0.0	44.5	25.5	NW	0.20	4.00	52.00	0.0
17	43.0	21.0	NW	0.20	3.00	67.00	0.0	44.5	24.5	WNW	0.20	3.50	50.00	0.0
18	42.5	20.5	NW	0.20	2.80	75.00	0.0	44.5	27.0	NW	0.20	4.00	49.00	0.0
19	43.0	23.0	NE	0.20	3.20	65.00	0.0	44.0	27.0	NW	0.20	3.00	64.00	0.0
20	45.5	25.5	C	0.40	3.50	40.00	0.0	42.0	26.5	NW	0.20	3.00	63.00	0.0
21	45.5	26.0	NNW	0.20	3.50	38.00	0.0	42.0	23.0	SW	0.20	2.80	62.00	0.0
22	43.0	22.5	NW	0.20	3.40	55.00	0.0	43.0	23.0	WNW	0.20	2.50	65.00	0.0
23	41.5	21.0	NW	0.40	2.50	42.00	0.0	43.0	23.5	NW	0.40	3.00	60.00	0.0
24	43.5	19.5	C	0.20	2.50	45.00	0.0	43.0	23.5	NW	0.20	3.00	71.00	0.0
25	45.0	19.5	NNE	0.20	2.50	56.00	0.0	42.0	23.0	NW	0.40	3.40	71.00	0.0
26	44.5	21.0	NNW	0.20	3.00	55.00	0.0	42.5	23.0	NW	0.60	3.00	57.00	0.0
27	45.5	22.5	ENE	0.00	3.00	43.00	0.0	41.0	22.5	NW	0.20	2.80	65.00	0.0
28	45.0	25.0	NE	0.00	3.50	42.00	0.0	42.5	23.0	NW	0.20	2.60	60.00	0.0
29	44.0	24.0	NW	0.20	3.00	53.00	0.0	42.5	23.0	NW	0.60	0.00	65.00	0.0
30	44.0	23.0	SE	0.00	2.80	53.00	0.0	41.5	22.0	NW	0.20	0.00	62.00	3.4
31								42.5	22.5	SW	2.00	2.80	65.00	0.0
Max.	45.5	26.0					0.0	45.0	27.0					3.4
Min.	39.0	16.5					0.0	41.0	22.0					0.0
Total							0.0							4.2
Ava.	42.9	22.0					0.0	43.2	23.5					0.1

SITE : Krishna Agraharam

CODE : AK000K6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	4.2	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	34.6	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	4.8	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	2.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	43.6
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	4.2	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	1.8	-	-	-	-	-	-	1.8
21	-	-	-	-	-	-	13.2	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.2
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.8
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	11.2
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					34.6	0.0	0.0					43.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							64.8							63.6
Ava.	0.0	0.0					2.2	0.0	0.0					2.1

Note : "-" Denotes not applicable.

SITE : Krishna Agraharam

CODE : AK000K6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	5.2	-	-	-	-	-	-	4.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.2
8	-	-	-	-	-	-	7.0	-	-	-	-	-	-	10.8
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.8
11	-	-	-	-	-	-	30.2	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	13.4	-	-	-	-	-	-	11.2
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	10.8
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.2
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	10.2
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	28.8	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	28.6	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	14.2	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
31	-	-	-	-	-	-	3.0							
Max.	0.0	0.0					30.2	0.0	0.0					11.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							130.4							67.6
Ava.	0.0	0.0					4.2	0.0	0.0					2.3

SITE : Krishna Agraharam

CODE : AK000K6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.6	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	14.2	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	14.8	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	12.6	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	10.8	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	7.2	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					14.8	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							60.2							0.0
Ava.	0.0	0.0					1.9	0.0	0.0					0.0

SITE : Krishna Agraharam

CODE : AK000K6

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	3.1	29.0	19.0	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
Max.	0.0	0.0					3.1	30.0	20.0					0.0
Min.	0.0	0.0					0.0	28.0	18.0					0.0
Total							3.1							0.0
Ava.	0.0	0.0					0.1	29.4	19.4					0.0

SITE : Krishna Agraharam **CODE :** AK000K6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
2	30.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
3	30.0	20.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
4	30.0	20.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
6	30.0	20.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
7	30.0	20.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
8	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
9	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
10	31.0	21.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
11	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
12	31.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
13	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
14	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
15	31.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
16	31.0	21.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
17	31.0	21.0	-	-	-	-	0.0	34.0	22.0	-	-	-	-	0.0
18	31.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
19	31.0	21.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
20	30.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
21	31.0	21.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
22	32.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
23	32.0	21.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
24	32.0	21.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
25	30.0	20.0	-	-	-	-	0.0	36.0	22.0	-	-	-	-	0.0
26	30.0	21.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
27	30.0	21.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
28	32.0	21.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
29	31.0	20.0	-	-	-	-	0.0	37.0	22.0	-	-	-	-	0.0
								36.0	22.0	-	-	-	-	0.0
								37.0	23.0	-	-	-	-	0.0
Max.	32.0	21.0					0.0	37.0	23.0					0.0
Min.	30.0	20.0					0.0	30.0	20.0					0.0
Total							0.0							0.0
Ava.	30.8	20.7					0.0	34.2	21.5					0.0

SITE : Krishna Agraharam **CODE :** AK000K6
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	38.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
2	38.0	24.0	-	-	-	-	0.0	44.0	24.0	-	-	-	-	9.2
3	39.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
4	39.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
5	40.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
6	40.0	24.0	-	-	-	-	0.0	45.0	23.0	-	-	-	-	0.0
7	40.0	23.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
8	41.0	23.0	-	-	-	-	0.0	45.0	23.0	-	-	-	-	14.2
9	41.0	23.0	-	-	-	-	0.0	45.0	23.0	-	-	-	-	0.0
10	42.0	24.0	-	-	-	-	0.0	45.0	23.0	-	-	-	-	0.0
11	42.0	24.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
12	40.0	24.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
13	40.0	24.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
14	40.0	24.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
15	40.0	23.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
16	42.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
17	42.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
18	40.0	23.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
19	42.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
20	43.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.0
21	43.0	24.0	-	-	-	-	0.0	44.0	23.0	-	-	-	-	0.2
22	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
23	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
24	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
25	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
26	44.0	24.0	-	-	-	-	0.0	46.0	24.0	-	-	-	-	0.0
27	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
28	44.0	24.0	-	-	-	-	0.0	45.0	24.0	-	-	-	-	0.0
29	45.0	24.0	-	-	-	-	0.0	44.0	22.0	-	-	-	-	6.8
30	45.0	24.0	-	-	-	-	0.0	45.0	23.0	-	-	-	-	0.0
31								43.0	22.0	-	-	-	-	0.0
Max.	45.0	24.0					0.0	46.0	24.0					14.2
Min.	38.0	23.0					0.0	43.0	22.0					0.0
Total							0.0							30.4
Ava.	41.7	23.8					0.0	44.9	23.5					1.0

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	54.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	8.2	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	4.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	1.2	-	-	-	-	-	-	4.4
22	-	-	-	-	-	-	6.4	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.4
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					8.2	0.0	0.0					54.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							20.8							60.8
Ava.	0.0	0.0					0.7	0.0	0.0					2.0

Note : "-" Denotes not applicable.

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	3.4	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.2
8	-	-	-	-	-	-	10.0	-	-	-	-	-	-	11.2
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	30.0
12	-	-	-	-	-	-	22.3	-	-	-	-	-	-	21.2
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	32.3	-	-	-	-	-	-	31.4
16	-	-	-	-	-	-	9.2	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	22.2	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	30.2	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	6.2	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	29.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	8.2	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	8.4							
Max.	0.0	0.0					32.3	0.0	0.0					31.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							152.4							149.0
Ava.	0.0	0.0					4.9	0.0	0.0					5.0

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	19.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	5.4	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	3.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	13.2
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	2.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					19.0	0.0	0.0					13.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							29.4							13.2
Ava.	0.0	0.0					0.9	0.0	0.0					0.4

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : P.D.Jurala

CODE : PDJURALA

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.4
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	8.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	12.4
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.2
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					12.4
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							35.0
Ava.	0.0	0.0					0.0	0.0	0.0					1.1

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	24.0	-	-	-	-	6.6	32.0	23.0	-	-	-	-	0.0
2	37.0	25.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
3	37.0	25.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
4	37.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
5	37.0	25.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
6	36.0	25.0	-	-	-	-	0.0	32.0	26.0	-	-	-	-	0.0
7	36.0	25.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
8	36.0	25.0	-	-	-	-	3.6	35.0	24.0	-	-	-	-	4.2
9	36.0	24.0	-	-	-	-	0.2	36.0	24.0	-	-	-	-	0.0
10	37.0	25.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
11	36.0	24.0	-	-	-	-	8.2	36.0	24.0	-	-	-	-	0.0
12	36.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
13	35.0	25.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
14	36.0	25.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
15	35.0	24.0	-	-	-	-	0.0	31.0	27.0	-	-	-	-	71.6
16	34.0	24.0	-	-	-	-	6.2	32.0	26.0	-	-	-	-	0.0
17	33.0	24.0	-	-	-	-	2.8	32.0	24.0	-	-	-	-	0.0
18	32.0	25.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
19	33.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
20	31.0	23.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
21	31.0	24.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	1.6
22	32.0	24.0	-	-	-	-	9.6	33.0	26.0	-	-	-	-	3.0
23	32.0	23.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
24	32.0	24.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
25	32.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
26	31.0	24.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
27	33.0	24.0	-	-	-	-	0.0	35.0	27.0	-	-	-	-	2.4
28	34.0	25.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
29	32.0	24.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
30	31.0	24.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
31								32.0	26.0	-	-	-	-	0.8
Max.	37.0	25.0					9.6	36.0	27.0					71.6
Min.	31.0	23.0					0.0	31.0	23.0					0.0
Total							37.2							83.6
Ava.	34.2	24.4					1.2	33.3	25.1					2.7

Note : "-" Denotes not applicable.

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	34.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
2	34.0	26.0	-	-	-	-	7.6	33.0	27.0	-	-	-	-	0.0
3	33.0	26.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
4	33.0	25.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
5	32.0	24.0	-	-	-	-	0.0	37.0	27.0	-	-	-	-	0.0
6	31.0	24.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
7	30.0	23.0	-	-	-	-	3.8	32.0	25.0	-	-	-	-	18.6
8	30.0	23.0	-	-	-	-	18.6	33.0	25.0	-	-	-	-	0.0
9	32.0	25.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	16.0
10	33.0	24.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	8.6
11	33.0	23.0	-	-	-	-	3.6	34.0	25.0	-	-	-	-	5.8
12	32.0	23.0	-	-	-	-	11.2	35.0	25.0	-	-	-	-	6.0
13	32.0	24.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
14	32.0	24.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	21.8
15	33.0	25.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	4.6
16	31.0	25.0	-	-	-	-	13.4	35.0	26.0	-	-	-	-	3.8
17	33.0	26.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
18	34.0	25.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	3.4
19	32.0	25.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
20	31.0	25.0	-	-	-	-	24.0	35.0	25.0	-	-	-	-	0.0
21	34.0	24.0	-	-	-	-	2.6	34.0	25.0	-	-	-	-	0.0
22	34.0	26.0	-	-	-	-	6.0	35.0	26.0	-	-	-	-	0.0
23	34.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
24	33.0	26.0	-	-	-	-	6.8	38.0	26.0	-	-	-	-	0.0
25	32.0	24.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	0.0
26	33.0	24.0	-	-	-	-	1.8	34.0	24.0	-	-	-	-	11.8
27	34.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.4
28	33.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
29	32.0	24.0	-	-	-	-	1.6	35.0	26.0	-	-	-	-	0.0
30	33.0	26.0	-	-	-	-	0.8	36.0	26.0	-	-	-	-	0.0
31	34.0	26.0	-	-	-	-	0.8							
Max.	34.0	26.0					24.0	38.0	27.0					21.8
Min.	30.0	23.0					0.0	32.0	24.0					0.0
Total							102.6							100.8
Ava.	32.6	24.7					3.3	34.8	25.6					3.4

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	36.0	26.0	-	-	-	-	0.0	38.0	27.0	-	-	-	-	0.0
2	38.0	25.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
3	35.0	26.0	-	-	-	-	0.0	36.0	27.0	-	-	-	-	0.0
4	36.0	27.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
5	34.0	26.0	-	-	-	-	3.6	35.0	26.0	-	-	-	-	0.0
6	35.0	26.0	-	-	-	-	1.6	36.0	26.0	-	-	-	-	0.0
7	34.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
8	36.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
9	34.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
10	36.0	26.0	-	-	-	-	0.0	34.0	26.0	-	-	-	-	0.0
11	37.0	26.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
12	36.0	26.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
13	35.0	26.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
14	35.0	27.0	-	-	-	-	0.0	34.0	27.0	-	-	-	-	0.0
15	36.0	27.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
16	35.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
17	36.0	26.0	-	-	-	-	0.0	33.0	26.0	-	-	-	-	0.0
18	36.0	27.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
19	36.0	27.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
20	38.0	27.0	-	-	-	-	0.0	32.0	25.0	-	-	-	-	0.0
21	35.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
22	35.0	26.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
23	35.0	26.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.4
24	35.0	25.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
25	36.0	26.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
26	35.0	25.0	-	-	-	-	0.0	31.0	25.0	-	-	-	-	0.0
27	36.0	26.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
28	36.0	26.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
29	37.0	26.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
30	38.0	26.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
31	37.0	26.0	-	-	-	-	0.0							
Max.	38.0	27.0					3.6	38.0	27.0					0.4
Min.	34.0	25.0					0.0	30.0	22.0					0.0
Total							5.2							0.4
Ava.	35.8	26.1					0.2	33.6	25.1					0.0

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	24.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
2	33.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
3	33.0	25.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
4	34.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
5	32.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
6	33.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
7	33.0	23.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
8	33.0	24.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
9	33.0	23.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
10	33.0	24.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
11	33.0	24.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
12	32.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
13	33.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
14	32.0	23.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
15	32.0	24.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
16	33.0	23.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
17	32.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	31.0	24.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
19	33.0	23.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
20	32.0	24.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	3.2
21	33.0	24.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
22	32.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
23	33.0	24.0	-	-	-	-	0.0	29.0	24.0	-	-	-	-	0.0
24	32.0	24.0	-	-	-	-	0.0	29.0	24.0	-	-	-	-	0.0
25	33.0	23.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
26	32.0	23.0	-	-	-	-	0.0	30.0	24.0	-	-	-	-	0.0
27	32.0	24.0	-	-	-	-	0.0	31.0	24.0	-	-	-	-	0.0
28	31.0	22.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
29	30.0	21.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
30	30.0	20.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
31	30.0	20.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
Max.	34.0	25.0					0.0	32.0	24.0					3.2
Min.	30.0	20.0					0.0	28.0	20.0					0.0
Total							0.0							3.2
Ava.	32.3	23.3					0.0	30.1	22.1					0.1

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
2	33.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
3	33.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
4	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
5	33.0	21.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
6	32.0	21.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
7	30.0	21.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
8	32.0	22.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
9	31.0	21.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
10	33.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
11	33.0	22.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
12	33.0	22.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
13	35.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
14	35.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
15	34.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
16	35.0	23.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
17	34.0	24.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
18	33.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
20	31.0	22.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
21	32.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
22	33.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
23	32.0	23.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
24	31.0	23.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
25	32.0	23.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
26	33.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
27	34.0	23.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
28	34.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
29	34.0	24.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
								36.0	25.0	-	-	-	-	0.0
								36.0	25.0	-	-	-	-	0.0
Max.	35.0	24.0					0.0	37.0	26.0					0.0
Min.	30.0	21.0					0.0	32.0	23.0					0.0
Total							0.0							0.0
Ava.	32.8	22.8					0.0	34.6	24.1					0.0

SITE : Deosugur

CODE : AK000L7

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	38.0	25.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	0.0
2	39.0	26.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	1.2
3	40.0	27.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
4	40.0	26.0	-	-	-	-	0.0	44.0	26.0	-	-	-	-	4.2
5	40.0	25.0	-	-	-	-	0.0	43.0	25.0	-	-	-	-	0.4
6	40.0	26.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	5.6
7	40.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
8	39.0	25.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	5.9
9	40.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
10	40.0	26.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
11	40.0	26.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
12	40.0	26.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
13	43.0	28.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
14	44.0	26.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
15	42.0	28.0	-	-	-	-	0.0	38.0	26.0	-	-	-	-	1.4
16	43.0	26.0	-	-	-	-	0.0	39.0	26.0	-	-	-	-	0.0
17	42.0	28.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
18	43.0	26.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
19	42.0	27.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
20	42.0	27.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	13.0
21	43.0	28.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
22	44.0	28.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
23	42.0	26.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
24	42.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
25	45.0	27.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
26	44.0	27.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
27	44.0	27.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
28	44.0	27.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
29	43.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	7.4
30	44.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
31								41.0	26.0	-	-	-	-	0.0
Max.	45.0	28.0					0.0	44.0	28.0					13.0
Min.	38.0	25.0					0.0	37.0	24.0					0.0
Total							0.0							39.1
Ava.	41.7	26.6					0.0	39.7	25.5					1.3

SITE : Huvinhedgi

CODE : AK000N2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	40.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
2	39.0	25.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
3	39.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
4	40.0	25.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
5	38.0	25.0	-	-	-	-	1.0	38.0	24.0	-	-	-	-	0.0
6	38.0	26.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
7	39.0	27.0	-	-	-	-	0.0	39.0	24.0	-	-	-	-	0.0
8	37.0	25.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
9	38.0	26.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	9.0
10	39.0	26.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
11	39.0	26.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	2.8
12	38.0	27.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
13	37.0	26.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
14	32.0	26.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	2.8
15	30.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	24.8
16	32.0	25.0	-	-	-	-	2.0	36.0	24.0	-	-	-	-	0.0
17	33.0	25.0	-	-	-	-	2.2	34.0	24.0	-	-	-	-	1.2
18	33.0	26.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
19	32.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
20	33.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
21	32.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
22	34.0	24.0	-	-	-	-	1.2	34.0	24.0	-	-	-	-	0.0
23	37.0	25.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
24	36.0	24.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
25	37.0	26.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
26	37.0	26.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
27	35.0	24.0	-	-	-	-	0.0	34.0	25.0	-	-	-	-	0.0
28	37.0	26.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
29	38.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
30	38.0	25.0	-	-	-	-	0.0	35.0	24.0	-	-	-	-	0.0
31								32.0	23.0	-	-	-	-	0.0
Max.	40.0	27.0					2.2	39.0	25.0					24.8
Min.	30.0	24.0					0.0	32.0	23.0					0.0
Total							6.4							40.6
Ava.	36.2	25.4					0.2	35.8	24.0					1.3

Note : "-" Denotes not applicable.

SITE : Huvinhedgi

CODE : AK000N2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
2	36.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
3	34.0	24.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
4	35.0	23.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
5	35.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	73.6
6	36.0	23.0	-	-	-	-	0.0	35.0	26.0	-	-	-	-	0.0
7	34.0	24.0	-	-	-	-	1.2	32.0	22.0	-	-	-	-	15.6
8	33.0	23.0	-	-	-	-	4.8	31.0	25.0	-	-	-	-	0.0
9	34.0	24.0	-	-	-	-	0.0	30.0	24.0	-	-	-	-	11.6
10	33.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	35.2
11	34.0	24.0	-	-	-	-	2.0	34.0	23.0	-	-	-	-	17.6
12	30.0	23.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	37.2
13	32.0	24.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
14	36.0	23.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	4.8
15	36.0	24.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	79.2
16	32.0	25.0	-	-	-	-	35.6	32.0	25.0	-	-	-	-	0.0
17	35.0	24.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
18	35.0	25.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
19	37.0	24.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
20	34.0	24.0	-	-	-	-	2.4	34.0	25.0	-	-	-	-	0.0
21	33.0	25.0	-	-	-	-	0.8	33.0	24.0	-	-	-	-	0.0
22	34.0	23.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
23	35.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
24	35.0	25.0	-	-	-	-	0.0	36.0	25.0	-	-	-	-	0.0
25	35.0	24.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
26	33.0	25.0	-	-	-	-	0.0	30.0	24.0	-	-	-	-	8.8
27	34.0	24.0	-	-	-	-	13.6	34.0	24.0	-	-	-	-	0.0
28	34.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
29	33.0	25.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
30	32.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
31	34.0	24.0	-	-	-	-	0.4							
Max.	37.0	25.0					35.6	37.0	26.0					79.2
Min.	30.0	23.0					0.0	30.0	22.0					0.0
Total							60.8							283.6
Ava.	34.1	24.0					2.0	33.2	24.2					9.5

SITE : Huvinhedgi **CODE :** AK000N2
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	25.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
2	35.0	24.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
3	35.0	24.0	-	-	-	-	2.0	34.0	23.0	-	-	-	-	0.0
4	34.0	25.0	-	-	-	-	0.4	34.0	23.0	-	-	-	-	0.0
5	33.0	24.0	-	-	-	-	23.2	35.0	24.0	-	-	-	-	0.0
6	32.0	24.0	-	-	-	-	6.8	35.0	22.0	-	-	-	-	0.0
7	33.0	24.0	-	-	-	-	4.0	33.0	24.0	-	-	-	-	0.0
8	34.0	23.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
9	35.0	25.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
10	34.0	25.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
11	33.0	24.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
12	35.0	26.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
13	36.0	24.0	-	-	-	-	0.0	32.0	20.0	-	-	-	-	0.0
14	36.0	23.0	-	-	-	-	0.0	32.0	18.0	-	-	-	-	0.0
15	37.0	23.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
16	36.0	24.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
17	34.0	25.0	-	-	-	-	2.8	32.0	20.0	-	-	-	-	0.0
18	34.0	24.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
19	34.0	24.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
20	34.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
21	33.0	24.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
22	34.0	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
23	34.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
24	35.0	22.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
25	34.0	22.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
26	33.0	23.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
27	33.0	22.0	-	-	-	-	0.0	33.0	18.0	-	-	-	-	0.0
28	34.0	22.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
29	32.0	22.0	-	-	-	-	0.0	32.0	19.0	-	-	-	-	0.0
30	34.0	23.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
31	33.0	24.0	-	-	-	-	0.0							
Max.	37.0	26.0					23.2	35.0	24.0					0.0
Min.	32.0	22.0					0.0	29.0	18.0					0.0
Total							39.2							0.0
Ava.	34.1	23.6					1.3	32.2	21.0					0.0

SITE : Huvinhedgi

CODE : AK000N2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
2	31.0	21.0	-	-	-	-	0.0	32.0	14.0	-	-	-	-	0.0
3	32.0	21.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
4	32.0	21.0	-	-	-	-	0.0	33.0	16.0	-	-	-	-	0.0
5	31.0	19.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
6	29.0	18.0	-	-	-	-	0.0	31.0	16.0	-	-	-	-	0.0
7	32.0	17.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
8	31.0	17.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
9	31.0	17.0	-	-	-	-	0.0	32.0	15.0	-	-	-	-	0.0
10	31.0	18.0	-	-	-	-	0.0	32.0	14.0	-	-	-	-	0.0
11	30.0	18.0	-	-	-	-	0.0	31.0	14.0	-	-	-	-	0.0
12	32.0	19.0	-	-	-	-	0.0	33.0	14.0	-	-	-	-	0.0
13	31.0	20.0	-	-	-	-	0.0	32.0	16.0	-	-	-	-	0.0
14	33.0	20.0	-	-	-	-	0.0	31.0	16.0	-	-	-	-	0.0
15	34.0	18.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
16	34.0	16.0	-	-	-	-	0.0	30.0	16.0	-	-	-	-	0.0
17	33.0	16.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
18	33.0	16.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
19	33.0	18.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	0.0
20	34.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
21	33.0	20.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
22	33.0	21.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
23	31.0	18.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
24	32.0	18.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
25	30.0	18.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
26	30.0	15.0	-	-	-	-	0.0	33.0	19.0	-	-	-	-	0.0
27	31.0	14.0	-	-	-	-	0.0	33.0	20.0	-	-	-	-	0.0
28	31.0	12.0	-	-	-	-	0.0	35.0	18.0	-	-	-	-	0.0
29	33.0	13.0	-	-	-	-	0.0	34.0	16.0	-	-	-	-	0.0
30	34.0	13.0	-	-	-	-	0.0	34.0	17.0	-	-	-	-	0.0
31	32.0	15.0	-	-	-	-	0.0	35.0	17.0	-	-	-	-	0.0
Max.	34.0	22.0					0.0	35.0	21.0					0.0
Min.	29.0	12.0					0.0	28.0	14.0					0.0
Total							0.0							0.0
Ava.	31.9	17.7					0.0	31.8	16.8					0.0

SITE : Huvinhedgi

CODE : AK000N2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	35.0	17.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
2	36.0	18.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
3	36.0	17.0	-	-	-	-	0.0	35.0	22.0	-	-	-	-	0.0
4	36.0	16.0	-	-	-	-	0.0	37.0	23.0	-	-	-	-	0.0
5	35.0	18.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
6	35.0	20.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
7	35.0	19.0	-	-	-	-	0.0	38.0	23.0	-	-	-	-	0.0
8	34.0	20.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
9	36.0	20.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
10	36.0	21.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
11	35.0	21.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
12	35.0	23.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
13	35.0	22.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
14	34.0	21.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
15	36.0	21.0	-	-	-	-	0.0	40.0	22.0	-	-	-	-	0.0
16	34.0	20.0	-	-	-	-	0.0	40.0	24.0	-	-	-	-	0.0
17	35.0	22.0	-	-	-	-	0.0	41.0	23.0	-	-	-	-	0.0
18	35.0	20.0	-	-	-	-	0.0	42.0	24.0	-	-	-	-	0.0
19	35.0	18.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
20	36.0	21.0	-	-	-	-	0.0	41.0	25.0	-	-	-	-	0.0
21	36.0	20.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
22	38.0	22.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
23	38.0	21.0	-	-	-	-	0.0	41.0	24.0	-	-	-	-	0.0
24	38.0	22.0	-	-	-	-	0.0	42.0	26.0	-	-	-	-	0.0
25	38.0	23.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
26	37.0	23.0	-	-	-	-	0.0	42.0	25.0	-	-	-	-	0.0
27	36.0	23.0	-	-	-	-	0.0	42.0	23.0	-	-	-	-	0.0
28	36.0	22.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	0.0
29	36.0	22.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
								41.0	26.0	-	-	-	-	0.0
								41.0	28.0	-	-	-	-	0.0
Max.	38.0	23.0					0.0	42.0	28.0					0.0
Min.	34.0	16.0					0.0	34.0	22.0					0.0
Total							0.0							0.0
Ava.	35.8	20.4					0.0	39.6	24.1					0.0

SITE : Huvinhedgi

CODE : AK000N2

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	41.0	26.0	-	-	-	-	0.0	44.0	28.0	-	-	-	-	0.0
2	43.0	26.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
3	42.0	28.0	-	-	-	-	0.0	44.0	29.0	-	-	-	-	0.0
4	42.0	28.0	-	-	-	-	0.0	42.0	29.0	-	-	-	-	4.0
5	42.0	28.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
6	41.0	26.0	-	-	-	-	0.0	37.0	26.0	-	-	-	-	0.0
7	41.0	26.0	-	-	-	-	0.0	40.0	26.0	-	-	-	-	0.0
8	42.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
9	41.0	27.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
10	40.0	25.0	-	-	-	-	4.4	40.0	27.0	-	-	-	-	0.0
11	42.0	27.0	-	-	-	-	0.0	40.0	25.0	-	-	-	-	0.0
12	44.0	27.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
13	44.0	29.0	-	-	-	-	0.0	43.0	29.0	-	-	-	-	0.0
14	43.0	28.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
15	44.0	29.0	-	-	-	-	0.0	43.0	28.0	-	-	-	-	0.0
16	44.0	30.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
17	44.0	30.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
18	42.0	30.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
19	43.0	29.0	-	-	-	-	0.0	39.0	28.0	-	-	-	-	0.0
20	43.0	27.0	-	-	-	-	0.0	39.0	25.0	-	-	-	-	3.6
21	44.0	29.0	-	-	-	-	0.0	41.0	26.0	-	-	-	-	0.0
22	43.0	29.0	-	-	-	-	0.0	43.0	27.0	-	-	-	-	0.0
23	43.0	28.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
24	44.0	29.0	-	-	-	-	0.0	42.0	28.0	-	-	-	-	0.0
25	44.0	27.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
26	44.0	28.0	-	-	-	-	0.0	41.0	27.0	-	-	-	-	0.0
27	44.0	30.0	-	-	-	-	0.0	41.0	28.0	-	-	-	-	0.0
28	43.0	29.0	-	-	-	-	0.0	41.0	29.0	-	-	-	-	0.0
29	43.0	29.0	-	-	-	-	0.0	40.0	27.0	-	-	-	-	0.0
30	44.0	29.0	-	-	-	-	0.0	40.0	28.0	-	-	-	-	0.0
31								41.0	28.0	-	-	-	-	0.0
Max.	44.0	30.0					4.4	44.0	29.0					4.0
Min.	40.0	25.0					0.0	37.0	25.0					0.0
Total							4.4							7.6
Ava.	42.8	28.0					0.1	41.1	27.5					0.2

SITE : Cholacagudda(Seasonal)

CODE : AKS00H1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	24.0	-	-	-	-	0.0	28.0	21.5	-	-	-	-	0.0
2	28.0	22.0	-	-	-	-	0.0	28.5	22.0	-	-	-	-	0.0
3	27.5	22.5	-	-	-	-	0.0	28.5	22.5	-	-	-	-	0.0
4	30.5	22.5	-	-	-	-	0.0	27.5	23.0	-	-	-	-	0.0
5	29.5	21.0	-	-	-	-	5.2	29.0	23.0	-	-	-	-	0.0
6	30.0	22.0	-	-	-	-	6.6	28.5	22.5	-	-	-	-	0.0
7	30.0	23.5	-	-	-	-	0.0	28.0	22.5	-	-	-	-	0.0
8	30.0	22.5	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
9	30.5	23.5	-	-	-	-	0.0	28.5	22.5	-	-	-	-	0.0
10	30.0	23.5	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
11	26.0	22.5	-	-	-	-	26.0	29.0	22.0	-	-	-	-	0.0
12	26.0	22.0	-	-	-	-	0.0	29.5	22.0	-	-	-	-	0.0
13	29.0	22.0	-	-	-	-	0.0	28.5	23.0	-	-	-	-	0.0
14	28.0	23.0	-	-	-	-	0.0	29.0	22.5	-	-	-	-	30.2
15	28.0	22.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
16	27.5	21.0	-	-	-	-	2.2	29.0	22.5	-	-	-	-	0.0
17	27.0	23.5	-	-	-	-	0.0	28.5	23.5	-	-	-	-	0.0
18	29.0	23.0	-	-	-	-	0.0	28.0	22.5	-	-	-	-	0.0
19	28.5	22.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
20	29.0	23.0	-	-	-	-	0.0	28.5	23.5	-	-	-	-	3.4
21	28.5	23.0	-	-	-	-	9.2	29.0	23.0	-	-	-	-	0.0
22	30.0	22.0	-	-	-	-	0.0	28.5	23.0	-	-	-	-	0.0
23	29.0	22.5	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
24	29.0	23.0	-	-	-	-	0.0	27.5	22.0	-	-	-	-	0.0
25	28.5	23.0	-	-	-	-	2.8	27.0	22.0	-	-	-	-	0.0
26	28.0	23.0	-	-	-	-	0.0	27.5	22.5	-	-	-	-	0.0
27	28.0	22.0	-	-	-	-	0.0	27.5	23.0	-	-	-	-	0.0
28	28.0	23.0	-	-	-	-	0.0	28.5	22.5	-	-	-	-	0.0
29	30.0	23.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
30	30.0	21.5	-	-	-	-	9.6	28.0	22.5	-	-	-	-	0.0
31								28.5	23.0	-	-	-	-	0.0
Max.	30.5	24.0					26.0	29.5	23.5					30.2
Min.	26.0	21.0					0.0	27.0	21.5					0.0
Total							61.6							33.6
Ava.	28.7	22.6					2.1	28.4	22.6					1.1

Note : "-" Denotes not applicable.

SITE : Cholacagudda(Seasonal)

CODE : AKS00H1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.5	22.5	-	-	-	-	0.0	29.5	23.5	-	-	-	-	0.0
2	29.0	22.0	-	-	-	-	0.0	29.5	22.5	-	-	-	-	0.0
3	29.0	23.0	-	-	-	-	0.0	29.0	20.5	-	-	-	-	0.0
4	28.5	22.5	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
5	29.0	24.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
6	28.5	23.5	-	-	-	-	0.0	29.0	22.5	-	-	-	-	1.6
7	29.0	23.5	-	-	-	-	1.8	28.5	23.0	-	-	-	-	18.6
8	29.5	23.0	-	-	-	-	2.6	29.0	20.5	-	-	-	-	1.6
9	29.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	90.8
10	29.0	23.5	-	-	-	-	0.0	28.5	22.0	-	-	-	-	77.8
11	29.5	24.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
12	28.5	23.5	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
13	30.0	23.5	-	-	-	-	15.2	29.5	22.5	-	-	-	-	0.0
14	29.5	23.0	-	-	-	-	0.0	28.0	22.5	-	-	-	-	14.8
15	30.0	23.5	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
16	29.5	22.5	-	-	-	-	0.0	27.5	21.5	-	-	-	-	46.2
17	29.5	23.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	9.2
18	30.0	24.0	-	-	-	-	0.0	27.5	21.0	-	-	-	-	3.2
19	30.5	23.5	-	-	-	-	0.0	27.0	21.5	-	-	-	-	0.0
20	31.0	24.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
21	30.0	24.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
22	30.0	24.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
23	28.0	24.0	-	-	-	-	0.0	29.5	21.0	-	-	-	-	0.0
24	28.0	23.0	-	-	-	-	10.6	29.5	22.0	-	-	-	-	0.0
25	29.5	23.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
26	29.0	23.5	-	-	-	-	0.0	30.5	23.5	-	-	-	-	0.0
27	29.0	23.5	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
28	30.0	23.5	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
29	30.5	24.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
30	29.5	23.5	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
31	29.0	24.0	-	-	-	-	0.0							
Max.	31.0	24.0					15.2	31.0	23.5					90.8
Min.	28.0	22.0					0.0	27.0	20.0					0.0
Total							30.2							263.8
Ava.	29.3	23.4					1.0	29.0	21.9					8.8

SITE : Cholacagudda(Seasonal)

CODE : AKS00H1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	23.5	-	-	-	-	0.0	33.0	23.5	-	-	-	-	0.0
2	31.0	23.5	-	-	-	-	7.4	33.0	23.0	-	-	-	-	0.0
3	31.0	23.0	-	-	-	-	2.2	33.5	24.0	-	-	-	-	0.0
4	31.5	24.0	-	-	-	-	17.2	33.0	24.0	-	-	-	-	0.0
5	31.0	23.0	-	-	-	-	20.6	33.0	24.5	-	-	-	-	0.0
6	31.0	23.5	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
7	31.5	24.0	-	-	-	-	7.8	34.0	23.0	-	-	-	-	0.0
8	31.5	23.5	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
9	31.0	23.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
10	30.5	22.5	-	-	-	-	1.6	34.0	23.0	-	-	-	-	0.0
11	29.5	22.0	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
12	31.0	23.0	-	-	-	-	0.0	36.0	23.5	-	-	-	-	0.0
13	30.5	23.0	-	-	-	-	0.0	33.0	24.5	-	-	-	-	0.0
14	31.0	23.5	-	-	-	-	0.0	33.0	24.5	-	-	-	-	0.0
15	31.0	23.5	-	-	-	-	0.0	34.0	23.5	-	-	-	-	0.0
16	32.5	23.0	-	-	-	-	0.0	33.5	23.5	-	-	-	-	0.0
17	32.0	24.0	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
18	33.0	23.5	-	-	-	-	0.0	30.5	22.5	-	-	-	-	0.0
19	33.5	24.0	-	-	-	-	0.0	29.5	20.5	-	-	-	-	0.0
20	33.5	23.5	-	-	-	-	0.0	30.0	21.5	-	-	-	-	0.0
21	33.0	24.0	-	-	-	-	0.0	30.0	20.5	-	-	-	-	0.0
22	33.0	23.5	-	-	-	-	0.0	30.0	21.0	-	-	-	-	5.4
23	33.5	24.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
24	32.5	23.5	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
25	33.0	24.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
26	33.0	23.5	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
27	32.5	23.0	-	-	-	-	0.0	29.5	19.5	-	-	-	-	0.0
28	32.0	23.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
29	32.5	23.5	-	-	-	-	0.0	28.5	19.0	-	-	-	-	0.0
30	33.0	24.0	-	-	-	-	0.0	29.5	20.0	-	-	-	-	0.0
31	33.0	24.0					0.0							
Max.	33.5	24.0					20.6	36.0	24.5					5.4
Min.	29.5	22.0					0.0	28.5	19.0					0.0
Total							56.8							5.4
Ava.	31.9	23.4					1.8	31.9	22.2					0.2

SITE : Gokakfalls(Seasonal)

CODE : AKT00P9

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	32.0	22.0	-	-	-	-	16.2	30.0	22.0	-	-	-	-	0.0
2	33.0	23.0	-	-	-	-	0.0	30.0	22.5	-	-	-	-	0.0
3	33.0	24.0	-	-	-	-	0.0	31.0	22.5	-	-	-	-	0.0
4	33.5	23.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
5	33.0	24.0	-	-	-	-	0.0	30.5	22.0	-	-	-	-	0.0
6	32.0	24.0	-	-	-	-	35.2	30.5	23.0	-	-	-	-	0.0
7	33.0	24.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
8	31.5	24.5	-	-	-	-	0.0	31.0	22.5	-	-	-	-	0.0
9	31.0	23.0	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
10	31.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
11	32.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
12	30.0	23.0	-	-	-	-	0.0	31.5	22.0	-	-	-	-	0.0
13	32.0	23.0	-	-	-	-	0.0	30.0	21.5	-	-	-	-	0.0
14	31.0	23.0	-	-	-	-	2.0	31.0	20.5	-	-	-	-	0.0
15	31.0	23.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
16	30.0	23.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
17	31.0	22.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
18	30.0	22.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
19	30.0	23.0	-	-	-	-	0.0	30.5	22.0	-	-	-	-	0.0
20	30.0	23.0	-	-	-	-	0.0	30.5	21.0	-	-	-	-	0.0
21	30.5	22.0	-	-	-	-	3.2	30.5	20.0	-	-	-	-	0.0
22	30.0	22.0	-	-	-	-	1.2	30.0	20.0	-	-	-	-	0.0
23	30.5	22.0	-	-	-	-	1.6	30.0	20.0	-	-	-	-	0.0
24	31.0	22.0	-	-	-	-	6.2	30.5	20.5	-	-	-	-	0.0
25	31.0	22.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
26	30.0	22.0	-	-	-	-	0.0	31.0	20.5	-	-	-	-	0.0
27	30.0	22.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
28	30.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	3.2
29	30.0	22.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
30	30.0	22.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	2.4
31								30.0	20.0	-	-	-	-	0.0
Max.	33.5	24.5					35.2	31.5	23.0					3.2
Min.	30.0	22.0					0.0	29.0	20.0					0.0
Total							65.6							5.6
Ava.	31.1	22.8					2.2	30.4	21.0					0.2

Note : "-" Denotes not applicable.

SITE : Gokakfalls(Seasonal)

CODE : AKT00P9

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.5	20.0	-	-	-	-	1.0	30.0	20.0	-	-	-	-	0.0
2	31.5	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
3	30.5	20.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
4	30.5	20.0	-	-	-	-	0.0	31.5	20.0	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
6	30.5	20.5	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
7	31.0	20.0	-	-	-	-	2.0	30.0	20.0	-	-	-	-	0.0
8	30.0	20.0	-	-	-	-	2.0	30.5	20.0	-	-	-	-	0.0
9	30.5	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
10	30.5	20.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	10.4
11	30.0	20.5	-	-	-	-	0.0	30.5	20.0	-	-	-	-	5.0
12	30.5	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
13	31.0	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
14	30.0	20.0	-	-	-	-	0.0	31.0	20.0	-	-	-	-	0.0
15	30.0	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
16	31.0	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
17	31.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	8.7
18	31.0	20.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
19	31.5	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
20	30.5	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
21	30.0	20.0	-	-	-	-	0.0	30.5	20.5	-	-	-	-	0.0
22	31.0	20.0	-	-	-	-	27.0	30.5	20.0	-	-	-	-	0.0
23	30.5	20.0	-	-	-	-	0.0	30.5	20.0	-	-	-	-	0.0
24	31.0	20.0	-	-	-	-	0.0	30.0	21.0	-	-	-	-	0.0
25	30.5	20.0	-	-	-	-	0.0	31.0	21.5	-	-	-	-	0.0
26	30.5	20.5	-	-	-	-	0.0	31.5	21.0	-	-	-	-	0.0
27	30.5	20.5	-	-	-	-	1.4	31.5	21.0	-	-	-	-	0.0
28	30.5	20.0	-	-	-	-	2.0	31.0	21.0	-	-	-	-	0.0
29	31.0	20.5	-	-	-	-	0.0	30.5	21.0	-	-	-	-	0.0
30	31.0	20.5	-	-	-	-	0.0	31.5	21.0	-	-	-	-	3.0
31	30.5	20.0	-	-	-	-	0.0							
Max.	31.5	20.5					27.0	31.5	21.5					10.4
Min.	30.0	20.0					0.0	30.0	20.0					0.0
Total							35.4							27.1
Ava.	30.6	20.1					1.1	30.6	20.3					0.9

SITE : Gokakfalls(Seasonal)

CODE : AKT00P9

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
2	31.0	21.0	-	-	-	-	11.2	33.0	22.0	-	-	-	-	0.0
3	30.5	21.5	-	-	-	-	14.5	33.0	22.0	-	-	-	-	0.0
4	30.0	21.5	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
5	30.5	21.5	-	-	-	-	19.6	33.5	22.5	-	-	-	-	0.0
6	31.0	21.5	-	-	-	-	10.2	33.5	22.0	-	-	-	-	0.0
7	31.0	21.5	-	-	-	-	13.2	33.0	22.0	-	-	-	-	0.0
8	30.5	21.5	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
9	30.5	21.5	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
10	30.5	21.0	-	-	-	-	0.0	33.5	22.0	-	-	-	-	0.0
11	30.0	21.0	-	-	-	-	0.0	33.5	22.0	-	-	-	-	0.0
12	30.0	21.5	-	-	-	-	0.0	33.0	22.5	-	-	-	-	0.0
13	31.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
14	30.5	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
15	30.5	21.0	-	-	-	-	0.0	33.5	22.0	-	-	-	-	0.0
16	30.5	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
17	31.5	21.0	-	-	-	-	0.0	33.5	22.0	-	-	-	-	0.0
18	30.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
19	31.0	21.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
20	30.5	21.0	-	-	-	-	0.0	30.0	22.5	-	-	-	-	0.0
21	30.5	21.0	-	-	-	-	0.0	30.0	22.5	-	-	-	-	0.0
22	31.0	21.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
23	31.0	21.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
24	32.5	21.0	-	-	-	-	0.0	31.5	22.0	-	-	-	-	0.0
25	32.5	22.0	-	-	-	-	0.0	32.5	22.5	-	-	-	-	0.0
26	32.5	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
27	30.5	21.5	-	-	-	-	0.0	32.5	22.0	-	-	-	-	0.0
28	31.0	21.5	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	31.0	21.5	-	-	-	-	0.0	31.5	22.0	-	-	-	-	0.0
30	32.0	22.0	-	-	-	-	0.0	30.5	22.0	-	-	-	-	0.0
31	31.0	22.0	-	-	-	-	0.0							
Max.	32.5	22.0					19.6	33.5	22.5					0.0
Min.	30.0	21.0					0.0	30.0	22.0					0.0
Total							68.7							0.0
Ava.	30.9	21.3					2.2	32.5	22.1					0.0

SITE : Almatti **CODE :** ALMATTI
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE, WIND DIRECTION, WIND VELOCITY, EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	5.9	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.5
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	1.9	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	1.5	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.3
19	-	-	-	-	-	-	0.8	-	-	-	-	-	-	0.2
20	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.2
21	-	-	-	-	-	-	2.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	12.5	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	1.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	2.1	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.3
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.2
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					12.5	0.0	0.0					4.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							29.6							5.7
Ava.	0.0	0.0					1.0	0.0	0.0					0.2

Note : "-" Denotes not applicable.

SITE : Almatti **CODE :** ALMATTI
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	17.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.4
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
8	-	-	-	-	-	-	3.9	-	-	-	-	-	-	20.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	64.2
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	10.5
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	26.2
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.2
13	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.5
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	12.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.5
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.5
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.8
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.2
20	-	-	-	-	-	-	18.5	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	23.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	5.8	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	2.2	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.5
31	-	-	-	-	-	-	1.9							
Max.	0.0	0.0					23.0	0.0	0.0					64.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							56.1							173.3
Ava.	0.0	0.0					1.8	0.0	0.0					5.8

SITE : Almatti

CODE : ALMATTI

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINF ALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	7.1	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	13.5	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	18.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.3
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	12.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					18.0	0.0	0.0					12.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							38.8							13.3
Ava.	0.0	0.0					1.3	0.0	0.0					0.4

SITE : Almatti

CODE : ALMATTI

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.8
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Almatti

CODE : ALMATTI

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Almatti

CODE : ALMATTI

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.4
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.4
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	31.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					31.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							42.6
Ava.	0.0	0.0					0.0	0.0	0.0					1.4

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	6.8	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	9.8	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	5.2	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	2.2	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	3.6	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.6	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	4.8	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	7.2
16	-	-	-	-	-	-	6.2	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.6	-	-	-	-	-	-	1.2
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	3.8	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.2
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	0.0
Max.	0.0	0.0					9.8	0.0	0.0					7.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							44.0							12.4
Ava.	0.0	0.0					1.5	0.0	0.0					0.4

Note : "-" Denotes not applicable.

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	8.6
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	23.2
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	62.2
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	18.6
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	15.8
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	18.8
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.2
13	-	-	-	-	-	-	24.2	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	5.8
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.8
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	2.2
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.2
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	6.2
27	-	-	-	-	-	-	4.8	-	-	-	-	-	-	30.2
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	1.6	-	-	-	-	-	-	0.6
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					24.2	0.0	0.0					62.2
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							33.0							197.0
Ava.	0.0	0.0					1.1	0.0	0.0					6.6

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	2.8	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	50.2	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.6	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.6
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.6
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0							
Max.	0.0	0.0					50.2	0.0	0.0					1.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							55.0							2.2
Ava.	0.0	0.0					1.8	0.0	0.0					0.1

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.0
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.0
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.8
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
								-	-	-	-	-	-	0.0
Max.	0.0	0.0					0.0	0.0	0.0					0.8
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							0.0							0.8
Ava.	0.0	0.0					0.0	0.0	0.0					0.0

SITE : Narayanapur Dam

CODE : NARAYANAPUR

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	7.2	-	-	-	-	-	-	0.0
7	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.2
8	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	0.0	-	-	-	-	-	-	4.4
12	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	0.0	-	-	-	-	-	-	3.8
15	-	-	-	-	-	-	0.0	-	-	-	-	-	-	10.4
16	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	0.0	-	-	-	-	-	-	1.4
20	-	-	-	-	-	-	0.0	-	-	-	-	-	-	19.6
21	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
30	-	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
31								-	-	-	-	-	-	6.6
Max.	0.0	0.0					7.2	0.0	0.0					19.6
Min.	0.0	0.0					0.0	0.0	0.0					0.0
Total							7.2							47.4
Ava.	0.0	0.0					0.2	0.0	0.0					1.5

SITE : Kurundwad

CODE : AK000V1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	June 2015							July 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	28.0	21.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
2	31.0	21.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.0
3	33.0	21.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
4	34.0	21.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
5	34.0	20.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
6	33.0	18.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
7	32.0	23.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
8	31.0	22.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	2.0
9	32.0	18.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
10	31.0	23.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.4
11	33.0	23.0	-	-	-	-	0.0	27.0	22.0	-	-	-	-	0.8
12	32.0	22.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
13	31.0	22.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
14	30.0	21.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
15	28.0	20.0	-	-	-	-	0.0	29.0	24.0	-	-	-	-	0.0
16	27.0	17.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
17	28.0	18.0	-	-	-	-	0.0	27.0	23.0	-	-	-	-	1.2
18	26.0	21.0	-	-	-	-	0.0	28.0	23.0	-	-	-	-	0.0
19	26.0	20.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.4
20	25.0	20.0	-	-	-	-	0.0	29.0	23.0	-	-	-	-	0.0
21	24.0	21.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
22	27.0	22.0	-	-	-	-	0.0	27.0	23.0	-	-	-	-	0.0
23	28.0	22.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
24	27.0	22.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
25	28.0	22.0	-	-	-	-	0.0	29.0	22.0	-	-	-	-	0.8
26	29.0	22.0	-	-	-	-	0.0	27.0	20.0	-	-	-	-	0.0
27	28.0	23.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
28	27.0	23.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
29	29.0	24.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.4
30	28.0	21.0	-	-	-	-	0.0	27.0	23.0	-	-	-	-	0.0
31								25.0	22.0	-	-	-	-	0.8
Max.	34.0	24.0					0.0	32.0	24.0					2.0
Min.	24.0	17.0					0.0	25.0	20.0					0.0
Total							0.0							6.8
Ava.	29.3	21.1					0.0	28.6	22.4					0.2

Note : "-" Denotes not applicable.

SITE : Kurundwad

CODE : AK000V1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	August 2015							September 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	29.0	21.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
2	27.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	0.0
3	27.0	22.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
4	28.0	22.0	-	-	-	-	0.0	31.0	19.0	-	-	-	-	0.0
5	28.0	21.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
6	27.0	22.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
7	26.0	22.0	-	-	-	-	0.4	29.0	20.0	-	-	-	-	0.0
8	25.0	23.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	13.2
9	26.0	22.0	-	-	-	-	0.0	28.0	19.0	-	-	-	-	34.4
10	26.0	23.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	26.4
11	26.0	23.0	-	-	-	-	0.0	29.0	20.0	-	-	-	-	58.2
12	28.0	22.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	4.8
13	27.0	22.0	-	-	-	-	0.0	28.0	20.0	-	-	-	-	32.4
14	28.0	22.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
15	29.0	24.0	-	-	-	-	0.0	27.0	19.0	-	-	-	-	2.0
16	28.0	24.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	18.8
17	28.0	22.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	3.0
18	29.0	22.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
19	30.0	23.0	-	-	-	-	0.0	28.0	22.0	-	-	-	-	0.0
20	28.0	22.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
21	28.0	23.0	-	-	-	-	0.0	29.0	21.0	-	-	-	-	0.0
22	28.0	21.0	-	-	-	-	0.0	30.0	23.0	-	-	-	-	0.0
23	29.0	22.0	-	-	-	-	0.0	31.0	23.0	-	-	-	-	0.0
24	28.0	21.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
25	29.0	21.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
26	28.0	21.0	-	-	-	-	11.6	32.0	21.0	-	-	-	-	0.0
27	29.0	21.0	-	-	-	-	0.0	33.0	21.0	-	-	-	-	0.0
28	27.0	21.0	-	-	-	-	0.0	33.0	22.0	-	-	-	-	0.0
29	30.0	22.0	-	-	-	-	0.0	32.0	23.0	-	-	-	-	0.0
30	31.0	21.0	-	-	-	-	0.0	33.0	24.0	-	-	-	-	0.0
31	28.0	21.0	-	-	-	-	0.0							
Max.	31.0	24.0					11.6	33.0	24.0					58.2
Min.	25.0	21.0					0.0	27.0	18.0					0.0
Total							12.0							193.2
Ava.	27.9	22.0					0.4	29.7	20.7					6.4

SITE : Kurundwad

CODE : AK000V1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	October 2015							November 2015						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	31.0	23.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
2	30.0	21.0	-	-	-	-	8.6	32.0	21.0	-	-	-	-	0.0
3	31.0	23.0	-	-	-	-	4.2	31.0	20.0	-	-	-	-	0.0
4	27.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
5	29.0	23.0	-	-	-	-	6.0	32.0	22.0	-	-	-	-	0.0
6	28.0	20.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
7	31.0	22.0	-	-	-	-	0.0	32.0	21.0	-	-	-	-	0.0
8	30.0	21.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
9	32.0	22.0	-	-	-	-	0.0	31.0	22.0	-	-	-	-	0.0
10	31.0	22.0	-	-	-	-	0.0	32.0	22.0	-	-	-	-	0.0
11	32.0	23.0	-	-	-	-	0.0	31.0	21.0	-	-	-	-	0.0
12	31.0	21.0	-	-	-	-	0.0	30.0	22.0	-	-	-	-	0.0
13	32.0	22.0	-	-	-	-	15.8	31.0	21.0	-	-	-	-	0.0
14	33.0	21.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
15	32.0	21.0	-	-	-	-	0.0	30.0	18.0	-	-	-	-	0.0
16	33.0	22.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
17	31.0	22.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
18	31.0	24.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
19	32.0	22.0	-	-	-	-	0.0	28.0	16.0	-	-	-	-	0.0
20	31.0	23.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
21	31.0	23.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
22	34.0	22.0	-	-	-	-	0.0	28.0	21.0	-	-	-	-	0.0
23	31.0	21.0	-	-	-	-	0.0	27.0	20.0	-	-	-	-	0.0
24	34.0	21.0	-	-	-	-	0.0	27.0	21.0	-	-	-	-	0.0
25	33.0	21.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
26	30.0	21.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
27	29.0	20.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
28	31.0	20.0	-	-	-	-	0.0	31.0	18.0	-	-	-	-	0.0
29	30.0	19.0	-	-	-	-	0.0	30.0	20.0	-	-	-	-	0.0
30	33.0	20.0	-	-	-	-	0.0	29.0	19.0	-	-	-	-	0.0
31	31.0	21.0	-	-	-	-	0.0							
Max.	34.0	24.0					15.8	32.0	22.0					0.0
Min.	27.0	19.0					0.0	27.0	16.0					0.0
Total							34.6							0.0
Ava.	31.1	21.6					1.1	29.9	19.9					0.0

SITE : Kurundwad

CODE : AK000V1

MEASURING AUTHORITY : CWC

WATER-YEAR : 2015-16

DAILY OBSERVED DATA :

TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	December 2015							January 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	30.0	21.0	-	-	-	-	0.0	30.0	17.0	-	-	-	-	0.0
2	30.0	22.0	-	-	-	-	0.0	31.0	16.0	-	-	-	-	0.0
3	30.0	20.0	-	-	-	-	0.0	30.0	15.0	-	-	-	-	0.0
4	31.0	19.0	-	-	-	-	0.0	31.0	17.0	-	-	-	-	0.0
5	30.0	20.0	-	-	-	-	0.0	29.0	16.0	-	-	-	-	0.0
6	29.0	21.0	-	-	-	-	0.0	28.0	17.0	-	-	-	-	0.0
7	29.0	21.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
8	28.0	19.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
9	27.0	17.0	-	-	-	-	0.0	30.0	19.0	-	-	-	-	0.0
10	31.0	18.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
11	32.0	20.0	-	-	-	-	0.0	28.0	19.0	-	-	-	-	0.0
12	27.0	20.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
13	30.0	18.0	-	-	-	-	0.0	27.0	14.0	-	-	-	-	0.0
14	32.0	19.0	-	-	-	-	0.0	28.0	15.0	-	-	-	-	0.0
15	33.0	20.0	-	-	-	-	0.0	30.0	16.0	-	-	-	-	0.0
16	31.0	21.0	-	-	-	-	0.0	28.0	19.0	-	-	-	-	0.0
17	32.0	18.0	-	-	-	-	0.0	28.0	18.0	-	-	-	-	0.0
18	30.0	17.0	-	-	-	-	0.0	27.0	17.0	-	-	-	-	0.0
19	31.0	18.0	-	-	-	-	0.0	28.0	16.0	-	-	-	-	0.0
20	30.0	18.0	-	-	-	-	0.0	27.0	17.0	-	-	-	-	0.0
21	31.0	17.0	-	-	-	-	0.0	28.0	15.0	-	-	-	-	0.0
22	30.0	18.0	-	-	-	-	0.0	29.0	17.0	-	-	-	-	0.0
23	31.0	19.0	-	-	-	-	0.0	29.0	18.0	-	-	-	-	0.0
24	30.0	16.0	-	-	-	-	0.0	28.0	17.0	-	-	-	-	0.0
25	28.0	18.0	-	-	-	-	0.0	27.0	17.0	-	-	-	-	0.0
26	29.0	20.0	-	-	-	-	0.0	27.0	16.0	-	-	-	-	0.0
27	30.0	21.0	-	-	-	-	0.0	28.0	15.0	-	-	-	-	0.0
28	29.0	21.0	-	-	-	-	0.0	31.0	16.0	-	-	-	-	0.0
29	30.0	19.0	-	-	-	-	0.0	32.0	17.0	-	-	-	-	0.0
30	30.0	18.0	-	-	-	-	0.0	30.0	18.0	-	-	-	-	0.0
31	32.0	18.0	-	-	-	-	0.0	33.0	15.0	-	-	-	-	0.0
Max.	33.0	22.0					0.0	33.0	19.0					0.0
Min.	27.0	16.0					0.0	27.0	14.0					0.0
Total							0.0							0.0
Ava.	30.1	19.1					0.0	29.0	16.8					0.0

SITE : Kurundwad **CODE :** AK000V1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	February 2016							March 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAIN FALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	33.0	16.0					0.0	34.0	22.0	-	-	-	-	0.0
2	34.0	20.0					0.0	35.0	20.0	-	-	-	-	0.0
3	33.0	21.0					0.0	33.0	21.0	-	-	-	-	0.0
4	32.0	16.0					0.0	33.0	22.0	-	-	-	-	0.0
5	34.0	17.0					0.0	32.0	20.0	-	-	-	-	0.0
6	33.0	18.0					0.0	34.0	19.0	-	-	-	-	0.0
7	31.0	15.0					0.0	35.0	18.0	-	-	-	-	0.0
8	32.0	14.0					0.0	34.0	20.0	-	-	-	-	0.0
9	33.0	16.0					0.0	35.0	21.0	-	-	-	-	0.0
10	31.0	19.0					0.0	36.0	21.0	-	-	-	-	0.0
11	28.0	20.0					0.0	36.0	22.0	-	-	-	-	0.0
12	29.0	19.0					0.0	35.0	22.0	-	-	-	-	0.0
13	30.0	20.0					0.0	34.0	23.0	-	-	-	-	0.0
14	28.0	21.0					0.0	33.0	23.0	-	-	-	-	0.0
15	32.0	20.0					0.0	34.0	22.0	-	-	-	-	0.0
16	31.0	21.0					0.0	35.0	21.0	-	-	-	-	0.0
17	30.0	19.0					0.0	35.0	20.0	-	-	-	-	0.0
18	32.0	20.0					0.0	36.0	21.0	-	-	-	-	0.0
19	33.0	18.0					0.0	36.0	22.0	-	-	-	-	0.0
20	34.0	19.0					0.0	34.0	22.0	-	-	-	-	0.0
21	35.0	20.0					0.0	35.0	22.0	-	-	-	-	0.0
22	36.0	20.0					0.0	35.0	23.0	-	-	-	-	0.0
23	36.0	20.0					0.0	36.0	21.0	-	-	-	-	0.0
24	35.0	21.0					0.0	35.0	22.0	-	-	-	-	0.0
25	33.0	18.0					0.0	38.0	23.0	-	-	-	-	0.0
26	34.0	21.0					0.0	37.0	21.0	-	-	-	-	0.0
27	35.0	21.0					0.0	37.0	22.0	-	-	-	-	0.0
28	36.0	22.0					0.0	36.0	23.0	-	-	-	-	0.0
29	34.0	18.0					0.0	34.0	23.0	-	-	-	-	0.0
								36.0	21.0	-	-	-	-	0.0
								37.0	21.0	-	-	-	-	0.0
Max.	36.0	22.0					0.0	38.0	23.0					0.0
Min.	28.0	14.0					0.0	32.0	18.0					0.0
Total							0.0							0.0
Ava.	32.7	19.0					0.0	35.0	21.4					0.0

SITE : Kurundwad **CODE :** AK000V1
MEASURING AUTHORITY : CWC **WATER-YEAR :** 2015-16
DAILY OBSERVED DATA :
 TEMPERATURE,WIND DIRECTION, WIND VELOCITY,EVAPORATION, HUMIDITY AND RAINFALL

DATE	April 2016							May 2016						
	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL	ATMOSPHERIC TEMPERATURE (°C)		WIND DIRECTION	WIND VELOCITY	EVAPORATION	HUMIDITY	RAINFALL
	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)	MAX.	MIN.		(km/h)	(mm)	(%)	(mm)
1	37.0	20.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
2	38.0	19.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
3	37.0	20.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
4	37.0	23.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
5	34.0	22.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
6	36.0	23.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
7	36.0	23.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
8	38.0	22.0	-	-	-	-	0.0	38.0	25.0	-	-	-	-	0.0
9	38.0	20.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
10	37.0	22.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
11	38.0	23.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
12	39.0	24.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
13	39.0	25.0	-	-	-	-	0.0	35.0	25.0	-	-	-	-	0.0
14	40.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
15	39.0	25.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
16	38.0	26.0	-	-	-	-	0.0	39.0	23.0	-	-	-	-	0.0
17	40.0	25.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
18	38.0	23.0	-	-	-	-	0.0	38.0	24.0	-	-	-	-	0.0
19	39.0	24.0	-	-	-	-	0.0	37.0	25.0	-	-	-	-	0.0
20	38.0	25.0	-	-	-	-	0.0	36.0	26.0	-	-	-	-	0.0
21	40.0	24.0	-	-	-	-	0.0	37.0	24.0	-	-	-	-	0.0
22	37.0	23.0	-	-	-	-	0.0	36.0	23.0	-	-	-	-	0.0
23	36.0	23.0	-	-	-	-	0.0	35.0	23.0	-	-	-	-	0.0
24	35.0	21.0	-	-	-	-	0.0	36.0	24.0	-	-	-	-	0.0
25	38.0	21.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
26	37.0	22.0	-	-	-	-	0.0	32.0	24.0	-	-	-	-	0.0
27	38.0	22.0	-	-	-	-	0.0	33.0	25.0	-	-	-	-	0.0
28	40.0	23.0	-	-	-	-	0.0	34.0	24.0	-	-	-	-	0.0
29	38.0	22.0	-	-	-	-	0.0	33.0	23.0	-	-	-	-	0.0
30	37.0	24.0	-	-	-	-	0.0	34.0	23.0	-	-	-	-	0.0
31								35.0	23.0	-	-	-	-	0.0
Max.	40.0	26.0					0.0	39.0	26.0					0.0
Min.	34.0	19.0					0.0	32.0	23.0					0.0
Total							0.0							0.0
Ava.	37.7	22.8					0.0	36.5	24.1					0.0

ABBREVIATIONS AND SYMBOLS

Km	:	Kilometer
mm	:	Millimeter
0	:	Degree
,	:	Minute
⁰ C	:	Degree Celsius
H	:	Hour
Hrs	:	Hours
Km/h	:	Kilometer per hour
%	:	Percentage
LKDN	:	Lower Krishna Division
UKDN	:	Upper Krishna Division
CDN	:	Cauvery Division
SRRG	:	Self Recording Rain Gauge
ORG	:	Ordinary Rain Gauge
NA	:	Not Available