No. A-4/31/2010-Estt.I/297-15

Government of India Central Water Commission

Room No. 305 (S), Sewa Bhawan, R. K Puram, New Delhi-110066 Dated: 1^s February, 2017

OFFICE ORDER

With the approval of Competent Authority, the Office Order No. A-4/31/2010-Estt.I/201-08 dated 20.01.2017 containing stand relive order of Shri R.K. Kanodia, Director, Monitoring (E), CWC, w.e.f. 31.01.2017 (AN) from CWC to report for duty to MoWR, RD & GR is kept in abeyance until further orders.

(S. K. Nanda) Under Secretary Tel: 26715148

Copy to:

- 1. PPS to Chairman, CWC.
- 2. PPS to All Members, CWC.
- 3. CE, PMO, CWC, New Delhi.
- 3. All Chief Engineers, CWC (HQ) and Field Offices.
- 4. Secretary, CWC/Directors, D&R Coord/RM Coord/WP&P Coord/TD/TC/Trg/PCP,CWC.
- 5. Officer Concerned.
- 6. Ministry of Water Resources, RD & GR (Under Secretary, Estt.-I/Admn.), Shram Shakti Bhawan, New Delhi.
- 7. PAO/AO CWC.
- 8. Section Officers, Estt. VIII/CM&V/APAR/A/cs-IV, CWC.
- 9. Accounts-III Section, CWC.
- 10. Service Book.
- 11 Office Order Folder.
- 12. Copy for uploading on CWC Web-site.
- 13. Personal File of the Officer concerned.