



GOVERNMENT OF INDIA
जल संसाधन नदी विकास एवं गंगा संरक्षण मन्त्रालय
Ministry of Water Resources, River Development and Ganga Rejuvenation
केन्द्रीय जल आयोग
CENTRAL WATER COMMISSION
NORTH EASTERN INVESTIGATION DIVISION – II, AIZAWL

E-TENDER FOR SUPPLY OF HYDRO-METEOROLOGICAL EQUIPMENTS

NIT NO: NEID-II/HQ/NIT/2017-18/226-29 Date: 27.03.2018

COST OF TENDER DOCUMENT: Rs. 500/-

Date of Sale of Tender: From 30/03/2018 (10:00 Hrs) to 05/05/2018 (up to 18:00 Hrs)

Last date for online submission of e-Tender:- 06/05/2018 up to 18:00 Hrs

Date of opening of Technical Bid of e-Tender:- 07/05/2018 at 11:00 Hrs

Certified that this tender document contains 34 Pages including this page

Executive Engineer
NEID-II, Aizawl
E-mail: neid2cwc@gmail.com

Government of India
Central Water Commission
North Eastern Investigation Division – II
CWC Complex, Zemabawk, Aizawl, Mizoram-796017

NOTICE INVITING e-TENDER

For and on behalf of the President of India sealed item rate tenders are invited by the Executive Engineer, NEID-II, CWC, Aizawl -796017 for the work prescribed below from the eligible/bonafide suppliers as per terms and conditions prescribed in the tender document.

1. **Name of work:** Supply of Hydro-meteorological Equipments.
2. **Estimated Cost:** Rs. 22,36,360/-
4. **Earnest Money:** Rs. 45000/-
5. **Cost of Tender Document:** Rs 500/-

E-tender will be available on TCIL website URL <https://www.tcil-india-electronictender.com>
Bids shall be submitted online only at TCIL website URL <https://www.tcil-india-electronictender.com>. Tenderer/Suppliers are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer for the e-submission of the bids online through TCIL portal.

(Sd/-)
Executive Engineer

Copy to:-

1. The Chief Engineer, B&BBO, CWC, Shillong for kind information.
2. The Superintending Engineer, NEIC, CWC, Shillong for kind information.
3. The Account Branch, NEID-II, CWC, Aizawl.
4. Drawing Branch, NEID-II, CWC, Aizawl for uploading e-Tender on web sites www.tcil-india-electronictender.com, www.cwc.nic.in and www.eprocure.gov.in

e-TENDER KEY EVENTS SHEET

Tender inviting authority Designation/Address	Executive Engineer, NEID-II, CWC, Aizawl
Mode of submission of e-tender	Online on TCIL Website https://www.tcil-india-electronictender.com
Address to which EMD & documents to be submitted	Executive Engineer, NEID-II, CWC Complex, Zemabawk, Aizawl, Mizoram, PIN - 796017.
Job requirement	As per tender documents
Language(s) in which items to be Printed	English
Validity of Tender	Ninety (90) days
Issuance of tender	30.03.2018, 10:00 Hrs
Cost of Tender	Rs. 500/-
Last date & Time for submission of tender	06.05.2018 upto 18:00 Hrs
EMD amount payable	Rs. 45000/-
Date, time and place for start of online tender opening Event	O/o Executive Engineer, NEID-II, CWC, Aizawl, Mizoram – 796017. On 07.05.2018 (11:00 Hrs)
Performance Guarantee	5% of tender and Contract value of supply of items
Any inquiry	neid2cwc@yahoo.com , 9560255076, 9868331622

Chapter 1

Instructions to Bidders

1. General Conditions

1.0 Not more than one tender shall be submitted by one supplier or suppliers having a business relationship. Under no circumstances will father and his son(s) or other close relations who have business relationship with one another (i.e. when one or more partner(s)/director(s) are common) be allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parties liable to rejection.

2.0 Tenderer who has downloaded the tender from the TCIL website URL <https://www.tcil-india-electronictender.com> Portal (CPPP) website, shall not tamper/modify the tender form including downloaded price bid template in any manner. In case if the same is found to be tampered/modified in any manner, the tender will be completely rejected and EMD would be forfeited.

3.0 Intending tenderers are advised to visit again TCIL website URL

<https://www.tcil-india-electronictender.com>. and CWC website www.cwc.nic.in at least 2 days prior to closing date of submission of tender for any corrigendum / amendment.

4.0 Applicant contractor must provide demand draft for Rs 500/- (Rupees Five hundred only) in favour of Executive Engineer, NEID-II, CWC, Aizawl obtained from any Nationalized/ scheduled Bank with their application/downloaded tenders as the cost of tender forms/ documents. All applicable bank charges shall be borne by the applicant and he shall not have any claim what so ever on this account on the department. In the case of re-tendering, the firms which have submitted the DD in earlier calls will require to submit DD along with their tender/application in subsequent calls also. Tender not accompanied with the cost of tender document is liable to be rejected.

5.0 Bids will be opened as per date/time as mentioned in the Tender Key Event Sheet.

6.0 Before submitting the tender the tenderer must ensure that it has understood the exact requirement of the Purchaser. In the case of any Discrepancy or ambiguity felt by the tenderer in the scope of work and the desired deliverable functionality from the work, it is mandatory to raise the clarification in writing by the tenderer and in turn get that clarified from the purchaser in writing at least three days before the last date of tender submission. In the case of no such clarification required by the tenderer, it will be construed that all the requirements of the purchaser are understood by the tenderer. No communications will be entertained in this regard at any stage of work after the opening of the Tenders.

7.0 No tenderer will be allowed to amend or withdraw any terms & conditions/parts or whole /quoted prices of its tender under any circumstances after the deadline for submission of the tender.

8.0 The Purchaser has the right to accept or reject any or all the tenders, or cancel the tendering process at any stage, either in part or full, without assigning any reason.

9.0 Canvassing, soliciting, fraud practices, suppression of facts, stating wrong facts and fraudulent practice by the tenderer may lead to rejection of the tender at any stage of the work and may lead to blacklisting for all future CWC works/purchases.

10.0 The tenderers are expected to understand the forms, terms, specifications and other details mentioned in the tender document.

11.0 Each tenderer is entitled to submit only one set of tender. The tender document is non-transferable.

12.0 At any time prior to the deadline for submission of tenders, the Purchaser, for any reason, whether at its own initiative may modify the scope of work or any condition of the tendering documents by amendments.

13.0 The tenderers must quote the rates keeping in mind all the terms and conditions mentioned in this document.

14.0 The valid means of communications for this tender shall be in writing a letter through e-mail or fax followed in original by speed/registered post.

15.0 The Director(s)/Owners of the tendering firms having near relative working at the Gazetted rank post in CWC are debarred from tendering. Any Breach of this condition would result in the blacklisting in all future works by Central water Commission.

16.0 The tendering firm may ensure that it has no engineer of Gazetted rank, earlier employed in CWC (who has not completed two years after his retirement or leaving of services) and is on its Board of Directors. Such Firms are debarred from participating in tendering. Such tender is liable to be rejected at any stage of work.

17.0 It is suggested that the tenderers may acquaint themselves with the requirements of the work before submitting the tender.

18.0 No deviation in the payment terms mentioned in the tender document is permissible. The tenderer shall be deemed to agree with the payment terms mentioned in the tender document for submission of the bid.

19.0 The words 'bid' and 'bidding' has been used interchangeably with the words 'tender' and 'tendering' respectively. The term "contractor" has been used interchangeably with "supplier".

20.0 The technical 'bid' would be open first and the financial bid of only those suppliers would be opened who quote the items to be supplied according to specifications mention in the tender document.

21.0 Evaluation of bids will be on **"Item wise lowest"** and hence **orders for supplies can be given to more than one firm depending on their quoted rates.**

2. Eligibility Criteria for the Tenderers:

- a) The Firm/Agency should be registered in India.
- b) The Tenderer should have a valid PAN.
- c) The Tenderer should have a valid GST number.
- d) The Firm/Agency should not be blacklisted by any Central/State Government Department; in this regard a Self Certificate may be submitted along with the Technical Bid.

3. SUBMISSION OF DOCUMENTS

A. The following documents are to be furnished online as the technical bid part by the Supplier as per the tender document:

1. Technical Bid of instruments as specified in Chapter 5.
2. Signed and scanned copy of the PAN card.
3. Signed and scanned copy of the GST registration.
4. Signed and scanned copy of undertaking by the Tenderer on Firm's Letter head of not being blacklisted by any Central/State Government Department.
5. Income Tax Returns of last 3 Years.
6. Demand Draft amounting to Rs. 500/- as cost of the tender in favour of Executive Engineer, NEID-II, CWC, Aizawl payable at SBI, Aizawl, Mizoram.
7. EMD amounting to Rs. 45000/- in the form of Demand Draft in favour of Executive Engineer, NEID-II, CWC, Aizawl payable at SBI, Aizawl, Mizoram or in the form of Bank Guarantee from a Scheduled Bank.

B. The following documents are to be furnished online as the financial bid part by the Contractor along with bid as per the tender document:

1. Signed and scanned price schedule as per the tender document.

B. The bidder has to submit following documents in hard copy in a sealed envelope in office before last date and time of opening of online bid otherwise, the bid will not be considered for opening:

1. EMD amounting to Rs. 45000/- in the form of Demand Draft in favour of Executive Engineer, NEID-II, CWC, Aizawl payable at SBI, Aizawl, Mizoram or in the form of a Bank Guarantee from a Scheduled Bank.
2. Demand Draft amounting to Rs. 500/- as cost of the tender in favour of Executive Engineer, NEID-II, CWC, Aizawl payable at SBI, Aizawl, Mizoram.
3. Pass Phrases for Technical Bid as well as Financial Bid in separate sealed envelopes.

4. PERIOD OF VALIDITY OF TENDERS:

Tenders shall remain valid for 90 days after the date of tender opening. In exceptional circumstances, the Purchaser may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided shall also be suitably extended. The Tenderer may refuse the request without forfeiting its EMD.

5. TENDER SECURITY AND PERFORMANCE GUARANTEE:

Earnest Money Deposit (EMD):-

EMD of Rs 45,000/- shall be deposited in the form of Crossed Demand Draft in favor of Executive Engineer, NEID-II, CWC, Aizawl or in the form of a Bank Guarantee from a scheduled bank as per Performa given in Chapter 7. In case the EMD is submitted in the form of the Bank Guarantee it shall remain valid up to 60 days beyond the final tender validity period. The tenders unaccompanied by the Tender Security/EMD will be rejected summarily. The EMD shall be submitted as per the format is given in Chapter 7 form 1.

The EMD will be forfeited if:

- a. If a tenderer withdraws its tender during the period of tender validity specified by the tenderer;
or
- b. In the case of a successful tenderer, if the tenderer fails to produce either of the two with the final bill:
 - (i) A certificate from Original Equipment Manufacturer/authorized dealer that it will provide back to back support and honour the warranty obligations of the equipment supplied by the supplier.
or
 - (ii) A certificate of authorized dealership for the instruments supplied.

Refund of EMD

EMD furnished by all unsuccessful tenderers will be returned to them without any interest whatsoever, at the earliest after the issue of Letter of Acceptance /Award of Work/Supply order.

EMD of the successful tenderers should be returned, without any interest whatsoever, after receipt of performance security from it, as called for in the contract.

Performance Guarantee:

Performance Guarantee @ 5% of the tendered amount will be deducted from the final bill after adjusting the bid security and will be released only after 6 months from the date of receiving the material and having satisfactorily attended by the supplier/authorised dealer the replacements/repairs if any associated with the work.

The successful bidders may also deposit the Performance Guarantee in the form of FDR/TDR of a scheduled bank duly pledged in the name of Executive Engineer, NEID-II, CWC, Aizawl valid up to at least 180 days from the date of receiving of the equipments.

Performance Guarantee may also be furnished in the form of account payee Demand Draft in favour of Executive Engineer, NEID-II, CWC, Aizawl payable at Aizawl, Mizoram.

Performance Guarantee is liable to be forfeited in case successful tenderer does not fulfil contract obligations.

Opening of Tenders:

The Technical Bid of the e-tender shall **be opened online on 07.05.2018 at 11:00 Hrs** in the office of the Executive Engineer, NEID-II, CWC Complex, Zemabawk, Aizawl, Mizoram, PIN-796017 in the presence of those tenderer/bidder or their authorized representatives who choose to attend. The date and time for opening of the Financial Bid will be intimated thereafter.

Chapter – 2

Conditions of Contract

Definitions & Interpretations

Goods mean the Surveying & Hydro meteorological Equipments and other items to be provided at the purchaser's facility under the contract.

EE, NEID-II, CWC, means Executive Engineer, North Eastern Investigation Division-II, Central Water Commission, Aizawl, Mizoram-796017.

Contract means the agreement reached by the Purchaser and the Supplier for the purpose of the goods mentioned in this document. All documents, letters, correspondences exchanged for this work shall be the part of the contract.

Contract Price: The cost of goods identified in the Supplier proposal is included in the Contract Price in their entirety. This will include such additions/ deductions made under variation order as allowed under this contract.

Notices shall be deemed to include any approvals, consents, Instructions, certificates and clarifications to be given under this contract.

Purchaser: The President of India through the Executive Engineer, NEID-II, CWC, Aizawl, Mizoram-796017.

Contractor: The Contractor is the agency of the successful tenderer with whom the purchaser enters into a contract for the supply of goods detailed in this document.

The Execution Period is the period during which the Contractor is liable to provide goods without any additional cost to the purchaser.

Non-Responsive tender: Any tender not meeting all the requirements mentioned in the tender document.

Interpretations

Language: shall be English only for the purpose of this contract.

Context: the singular and plural shall be interchangeable as per the context of the contract.

Supplier's responsibilities and Obligations

a. The Contractor is responsible for conducting all contracted activities with due care and diligence, in accordance with the Contract and using state-of-the-art methods and economic principles, and exercising all reasonable means to achieve the performance specified in the Contract.

b. The Contractor is obliged to work closely with the Purchaser and abide by directives that are consistent with the terms of the Contract.

Purchaser's responsibilities

a. The purchaser will ensure the accuracy of all information.

b. The purchaser will ensure the availability of sites for supply of equipments.

c. The purchaser does not bind himself to accept the lowest tender.

Duration of contract

The period of operation of the contract shall be till the supply of goods to the satisfaction of the purchaser.

Programme of work

a. Immediately after the signing of the contract, the Contractor shall make necessary arrangements for the supply of goods to the premises of the purchaser as identified in Chapter 3, Schedule A. (i.e. O/o Executive Engineer, NEID-II, CWC, Aizawl, Mizoram-796017.)

b. The time allowed for carrying out the supply will be 45 days from the date of supply order in accordance with the phasing, if any, indicated in the tender documents.

Confidentiality

- a. The Contractor shall not, without the Purchaser's prior written consent, disclose the Contract, or any provision thereof, or any specification or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Contractor in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- b. Any document, other than the Contract itself, shall remain the property of the Purchaser and all copies thereof shall be returned to the Purchaser on termination of the Contract.
- c. The Contractor shall not, without the Purchaser's prior written consent, make use of any document or information enumerated in this document except for purpose of performing the Contract.
- d. The Purchaser shall not, without the Contractor's prior written consent, disclose any documents, data or other information furnished by the Contractor in connection with the Contract, and clearly identified in advance by the Contractor as being confidential, to parties not directly involved in the project(s) covered by the Contract.

Other Conditions of Contract:

- a. Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India.
- b. The quantity shown in tender document is approximate and this quantity may increase or decrease as per the requirements without any change in unit price or other terms and conditions.
- c. The net rate quoted per item/unit of goods shall be for CIP, destination, which should include all taxes, insurance, freight charges, etc. while quoting a rate this point should be kept in mind.
- d. Goods to be supplied should be of good quality and as per technical specifications.
- e. The bidder shall carefully study and understand all the bid specifications, commercial, technical and general conditions.
- f. Incomplete tenders/tenders without specified EMD shall be rejected.
- g. Any correction or error, the quotation should be duly authenticated by the person Signing the quotation, overwriting should be avoided.
- h. Any kind of canvassing in regard of the offered rates after submitting tender will be treated as disqualification.
- i. The materials should be supplied as per Govt rules & regulations.
- j. The competent authority on behalf of President of India does not bind itself to accept the lowest or any tender and reserves its right to reject or postponed any or all of the tenders received without the assignment of any reason. All tenders in whom any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
- k. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- l. The purchaser reserves the right to reject any tender on the basis of inferior quality.

Penalty

In case the supplier is unable to supply the goods within the stipulated time the EMD amount would be forfeited

Force Majeure

- a. For purposes of this Clause, "Force Majeure" will mean an event beyond the control of the Contractor/Supplier and not involving the Contractor's/Supplier's fault or negligence. Such events may include, but are not restricted to, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- b. If a Force Majeure situation arises, the Contractor/Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Contractor/Supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force Majeure event.

c. If an event of Force Majeure continues for a period of ninety (90) days or more, the parties may by mutual agreement, terminate the Contract without either party incurring any further liabilities towards the other with respect to the Contract, other than to effect payment for Products already delivered or Services already performed.

d. No claim or increased costs are entertained attributable to the Force Majeure.

Contract Price

Prices quoted by the tenderer shall be fixed during the tenderer's performance of the Contract and not subject to variation on any account and shall be inclusive of all taxes, duties, octroi, transportation charges etc. The transportation of goods is the responsibility of the tenderer. No extra charges are payable on this account. The prices should be given as per the format given in price schedule.

Terms of Payment

a. The payment shall be made on supply of all goods at the purchaser's premises as identified in Chapter 3 to the satisfaction of the purchaser and as per the terms and conditions of the contract.

b. After supply, the materials the pre-receipted bill (In duplicate) may be submitted by the contractor to the department.

c. The payment shall be made through e-payment.

Taxes and Duties

All the existing and new taxes, levies, custom and other charges levied on the goods and services rendered by the Contractor shall be borne by the Contractor only within the quoted rates inclusive GST which shall be paid by contractors.

Advances

No advance payment is payable under this contract.

Termination of Contract

For Contractor's Default

I. The Purchaser without prejudice to any other rights or remedies it may possess may terminate the contract

- i. If the Contractor becomes bankrupt or insolvent;
- ii. If the Contractor has abandoned or repudiated the contract, persistently failed to carry out its obligations under this contract;
- iii. If the Contractor neglects its obligations under this contract;
- iv. If the contractor has furnished any false document.

II. The Purchaser may without prejudice to any other right issue a notice of termination of the contract stating the nature of default and requiring the remedy for the same.

Failure of the Contractor to carry out a specified work may be sufficient grounds for termination of the contract by the purchaser.

Liquidated Damages

a. **Penalty for faulty goods:** the purchaser has the right to return back any goods which are not as per the specifications and the same has to be replaced by the supplier failing which the entire Performance Guarantee would be forfeited.

b. Notwithstanding the provisions of tender document, the Contractor shall not be liable for liquidated damages, or termination for default if and to the extent that its delay in performance or another failure to perform its obligations under the Contract is the result of an event of Force Majeure.

Notices

Notwithstanding anything stated otherwise, all notices of this contract shall be in writing through registered post or speed post.

Chapter - 3

Schedules of Requirement

SCHEDULES

Schedule 'A'	Schedule of Quantities (Enclosed)
Schedule 'B'	Not applicable
Schedule 'C'	Not applicable
Schedule 'D'	Not applicable
Schedule 'E'	Not applicable
Schedule 'F'	Reference to General Conditions of contract

Definitions:

Clause 2	
Authority for Fixing of Compensation under clause 2	Superintending Engineer, North Eastern Investigation Circle, Central Water Commission, Shillong, Meghalaya.
2 (v) Engineer-in-charge	Executive Engineer, North Eastern Investigation Division-II, Central Water Commission, Aizawl, Mizoram – 796017.
2(x) Percentage of cost of labour to cover all overheads	Nil
2(xi) Standard Schedule of Rates	Not applicable
2(xii) Department	Central Water Commission
9(ii) Standard CPWD Contract	Contract Form as given in Chapter 6
Clause I	
(i) Time allowed for submission of Performance Guarantee from the date of issue of letter	20 days
(ii) Maximum allowable extension beyond the period (provided in (i) above.	Nil
Clause 2A	
Whether Clause 2A shall be applicable	No
Clause 5	
Number of days from date of issue of letter of acceptance for reckoning date of start	Nil
Clause 6 or 6A	
Clause applicable (6 or 6A)	6A
Clause 7	
Gross work to be done together with net payment / adjustment of advances for material collected, if any since the last such payment for being eligible	Not Applicable

to interim payment	
Clause 11	
Specifications to be followed for execution of work	As per specification mentioned in Tender Document
Clause 16	
Competent authority for deciding the reduced rate	Not applicable
Clause 36	Not applicable
Clause 42	Not applicable

SCHEDULE 'A':- SCHEDULE OF QUANTITIES

S. No.	Item	Quantity	unit
1.	Auto Level with complete set	12	Sets
2.	Digital Electronic Counter	16	Nos.
3.	Prismatic Compass with stand	16	Nos.
4.	Desiccators with lid	03	Nos.
5.	Digital Balance	04	Nos.
6.	PH meter	03	Nos.
7.	Punjab type silt sampler	05	Nos.
8.	Bridge Outfit	06	Nos.
9.	Fish Weights - 20 Kg	20	Nos.
10.	Life Buoy (Approved by MMD)	34	Nos.
11.	Life Jackets (Approved by MMD)	34	Nos.
12.	Steel Wadding Rod (3 m in length)	17	Nos.
13.	Standard Rain Gauge	10	Nos.
14.	Enamel Bucket	10	Nos.
15.	Test sieve 212 micron (As per BIS Standard)	06	Nos.
16.	Test sieve 75 micron (As per BIS Standard)	06	Nos.
17.	Digital Stop Watch	16	Nos.
18.	Cup type Current meter with accessories & carrying box	10	Sets
19.	Pigmy Current meter with accessories & carrying box	8	Sets

Chapter - 4

Specifications and allied Technical Details

Specifications of the equipment to be supplied under this contract are as under should be as per IMD where ever applicable:

1. Auto Level with accessories :-

Purpose

The Auto level will be used for general topographic levelling applications, in particular to connect staff gauges to established bench marks or GTS levels.

Conditions & Requirements

- The instrument shall be of reliable and simple design, adequate for application.
- The tripod shall comply with IS: 8330-1997.
- The levelling instrument shall generally comply with IS: 4590-1980.
- An operator's manual, related to the type and model of the current meter, shall be part of the delivery.

Specifications

Image	erect
Magnification	>25x
Aperture of objective	>30 mm
Field of view	1°20' to 1°30'
Shortest focussing distance	Maximum 1.5 m
Maximum distance for mm	100 m
Resolving power	1.5 mm @ 60 m
Stadia multiplying constant	100
Stadia additive constant	0
Sensitivity of level plate	20 sec/2 mm run
Tribanch circular bubble	8 min/2 mm run
Compensation range	12 to 16 seconds
Compensation accuracy	0.3 second
Accuracy for levelling the line of sight	± 0.8 second
Levelling accuracy in 1 km of double levelling	± 2 m ± 2 mm in 1 km
Tripod with clamping screw – one unit	1600 mm light & strong alloy telescopic with mounting for battery, illumination unit & clamping arrangement for the instrument
Tentring provision	30 – 50 mm
Carrying case – one unit	Light metallic or plastic (unbreakable type with padded inserts and receptacles for holding accessories with lock, handle, carrying shoulder strap etc.
Instrument life time	>5 years of continuous operation
Temperature range	0 to 60° C
Housing	Splash waterproof
<u>Accessories</u>	
Cleaning brush	One unit
Tool-set	Spanner, tommy pins, screw driver, etc – one set

Lens cover set	One set
Oil bottle	One unit
Chamois leather	One
Plumb bob with adopter plug	One
Waterproof cover	Made of durable plastic material - one
Silica gel – re usable	One packet 200 gm
Telescopic levelling staffs and accessories	2 Nos. complying with IS: 11961-1986
Measuring tape 30 m (fibre glass)	2 nos.

2. Digital Electronic counter :-

Purpose

The digital electronic counter will be used during discharge measurements with 'rotating element' current meters. The revolution counter integration time will be measured with the stopwatch.

Conditions & Requirements:

- The instrument shall be compatible with the environment of operation.
- The instrument shall be adequate for the application and mode of working.
- Digital electronic counter shall have facilities for pre-set time and pre-set pulse measurements.

Specifications:

- **digital counter:** Electronic counter with LCD display
- **counting frequency:** ≥ 50 pulses per second, anti-bounce input
- **counting range:** ≥ 999 pulses
- **counting resolution:** 1 pulse
- **pre-set ranges:** ≥ 4 and infinite e.g. 30, 40, 60 and 100
- **resolution of time measurement:** ≤ 0.1 second
- **pre-set number of pulses:** e.g. 10, 30, 60 and infinite
- **power supply:** standard dry cell(s), e.g. AA, AAA, C or D size
- **clock:** quartz clock
- **display:** good readability in daylight
- **operating temperature:** 0 to 60° C
- **humidity:** 95%
- **enclosure:** rigid, portable, splash proof
- **Consumables:** batteries for one year counter operation

3. Prismatic compass with stand :-

- Prismatic compass shall be consisting of a brass or aluminium circular box with a diameter of 100-125mm.
- Aluminium circle consists of a needle graduated to 30 min. (0.50).
- Graduations can be magnified by sliding the prism fitted with coloured glasses having a sighting slit at the top.
- The compass stand and carrying case & shoulder strap shall be the part of delivery.

4. Desiccator with lid:-

- Type: non-vacuum type
- Material: corning glass
- Diameter: approx. 200 mm
- Height: approx. 300 mm
- The desiccators should comply with IS: 6128 - 1971

5. Digital Balance:-

- Weighing range: 0.001 gm to 200 gm
- Readability: 0.001 gm
- Repeatability: 0.001 gm
- Weighing pan: stainless steel
- Weighing unit: gm
- Dimension: Scale – approx. 120 X 80 X 25 mm, Weighing pan: approx. 62 X 62 mm
- Power supply: standard AA or AAA size (for 70 hours continuous operation)

6. PH meter:-

Functions	Measurement of PH, MV
Display	4 digit LCD/LED
PH Meter	1. Range: 0 – 14 2. Accuracy: 0.01 Ph unit 3. Resolution: 0.01 Ph unit 4. Multipoint calibration (5 points)
Mv meter	1. Range : 0 – 1000 2. Resolution: 0.01 mv 3. Accuracy: 0.05mv
Temperature compensation	0 to 100°C, manual and automatic
Calibration	Calibration certificate from NABL, ACCREDITED Laboratory and installation qualification, operational qualification and performance qualification certificate.
Power supply	1. 220 V AC \pm 10%, 47 to 53 Hz 2. Dual power (battery/AC power)
Accessories	1. Two electrodes with silicon body (one spare) 2. Electrode stand 3. Carrying case for transportation in field 4. Operational manual 5. Three buffer solutions for calibration i.e. PH 4, PH 7, PH 9.2

7. Punjab type silt sampler:-

- Water velocity : up to 1.5 m/s
- Water depth : up to 2.5 m
- Un measured depth : 0.10 m max . sampling distance from the bottom
- Weight (Without sample) : 5 kg.
- Wading rod purpose : to submerge the sampler to the required depth
- Diameter : 0.02 to 0.03 m
- Length : 2.5 m
- Container holder and cork control : at lower end by handgrip.

8. Bridge Outfit:-

Purpose

The bridge outfit is to suspend current meters and samplers from a bridge into a river or canal.

Conditions and requirements:

- The bridge outfit shall be of such a design that it operates reliably and safely under the prevailing environmental conditions.
- The bridge outfit shall be easy to operate and maintain.

- The bridge outfit shall be supplied with the accessories as needed for effective deployment.
- All materials on the bridge outfit exterior shall be non-corrosive.
- The bridge outfit shall have an expected technical lifetime of not less than 10 years.
- The equipment shall consist of a crane and a winch arrangement.
- The current meter shall be lowered by a hand driven winch.
- The bridge outfit shall be provided with a clamping facility to hold the cable at any desired position.
- While hoisting the current meter the cable shall be wound gradually guided from the one drum end to the other and vice versa, to lay the windings tidily next to each other.
- The winch system shall have a re-settable depth counter.
- The winch and its attachment such as crank, brake, ratchet/catch shall be assembled in a compact unit.
- The assembly shall be mounted on a moving crane.
- The crane trolley shall have 4 wheels with solid rubber tyres for easy movement.
- During operation of the current meter, the crane trolley shall stand on pedestals.
- The cable from which the current meter is suspended shall have an incorporated insulated electrical conductor. The conductor connects the flow sensor revolution sensor switch to the pulse counter. The electrical connection should pass through a slip ring assembly on the winch.
- The suspension cable shall match the propeller type current meter.
- If a propeller type flow meter is used the suspension cable shall be torque free.
- The crane shall have a wire angle indicator.
- The equipment shall comply with IS 6064-1971
- *The length of the suspension cable should not be less than 50 m in any case.*

7

Specifications

Material	: As per IS 6064-1971
Mass of current meter (with fish weight)	: up to 100 kg
Maximum load	: 2500 Newtons
Cable length	: 50 m (minimum)
Cable torque	: torque free suspension cable

The suspension cable should not exert any torque that may adversely affect the alignment of the flow sensor into the direction of flow. In particular in case a heavy suspension weight is used, there is a risk of cable induced torque.

Flow velocity	: 5m/s
Dimensions	: Required cleared boom length 1.5 meter : Height 1.8 meter

9. Fish Weights:-

Model	: USGS Columbus or similar
Material	: cast iron or lead
Finish	: smooth painted surface
Mass	: 20 kg
Suspension	: bar fitting current meter and cable terminal
Standard	: IS: 4073-1967 and ISO: 3454-1983
Accessories	: carrying case

10. Life Buoys:-

- Life Buoys shall be Mercantile Marine Department (MMD)/Indian Register of Shipping (IRS) approved.
- Durable, Highly visible, orange coloured synthetic material with reflective tapes.
- Floatability > 14.5 Kg
- Inner diameter – 400 to 450 mm
- Outer diameter \leq 800 mm
- Weight > 2.5 Kg
- No moisture absorption & non inflammable

11. Life Jackets:-

- Life Jackets shall be Mercantile Marine Department (MMD)/Indian Register of Shipping (IRS) approved.
- Dimensions shall not be less than 66 X 37 X 10 cm.
- Floatability \geq 16.5 Kg
- Floating Pads: 4 nos. at front & 2 nos. at back with additional neck support.
- Made of soft Polyethylene with Highly visible orange coloured fabrics fitted with retro-reflective tapes.
- Suitable for adults.
- No moisture absorption & non inflammable

12. Steel Wadding Rod:-

- Steel wading rod 3 meter in length with engraved graduated marks at 5 cm interval neatly packed in wooden box.

13. Standard Rain Gauge:-

- Purpose – the rain gauge will be used to collect precipitation in a recipient for quantitative measurement.
- The rain gauge shall be of such a design that it operates reliably and accurately under the prevailing environmental and weather conditions.
- The rain gauge shall be easy to operate and maintain.
- The rain gauge shall be supplied with the accessories as needed for effective deployment.
- All materials on the rain gauge shall be non-corrosive.
- The locking ring shall be of rigid plastic.
- The rain gauge shall have smooth and permanent surface finish to minimize evaporation losses.
- The minimum expected lifetime in open field shall be 15 years.
- All openings of the rain gauge shall be covered with stainless steel net to protect against any insects entering inside.
- The rain gauge shall comply with IS: 5225-1992.
- Collecting area – 200 cm².
- Inner diameter of rim – 159.6 mm.
- Collecting bottle capacity – 2 litres.
- Nominal capacity – 100 mm.
- Rain measure jar for rainfall, graduation etc. according to IS: 5225-1992.
- Base and collector preferably of FRP.
- Rim of collector shall be of aluminium or gun metal.
- Rain measuring cylinder should be of good material and should not be breaking when fall, while in operation.

14. Enamel Bucket:-

- Enamel Bucket size \geq 14" diameter with thick enamel coat over sheet iron.
- Capacity of the enamel bucket – 20 litres.
- The enamel pail shall be made with good quality sheet iron, covered with porcelain enamel and processed with high temperature.
- The surface shall be clean and smooth.
- The enamel shall be non-toxic, lead-free and resistant to acid and alkali.

15. Test Sieves:-

- The sieve shall comply with IS: 460 (Part-I) – 1965.
- The sieve mesh size shall be clearly and permanently marked on the sieves.
- The sieve mesh shall have a square layout.
- The sieve mesh shall be of a sturdy and stable construction and shall withstand frequent use, brushing and cleaning.
- Material of the sieve – Stainless Steel.
- Dimension: Height-50 mm, Diameter-200 mm.
- Nominal aperture sizes – 75 micron and 212 micron.

16. Digital Stop Watch:-

Purpose

The electronic stopwatch will be used during discharge measurement with 'rotating elements' current meters and during pumping tests. The revolution counter integration time and the time lapsed from the starting of pumping at specified intervals of time will be measured with the stopwatch.

Conditions and requirements

- The instrument shall be compatible with the environment of operation.
- The instrument shall be adequate for the application and the mode of working.

Specifications:

- Range stopwatch: >59minutes
- Range countdown: 59 Minutes
- Resolution: 0.1s
- Accuracy: 0.1s over 1 hour
- Stopwatch modes: lap time, split time
- Display: LCD, good visibility in day light
- Enclosure: Water resistant
- Power supply: Standard button cell(s)
- Instrument life time: > 5 years of operation
- Temperature range: 0 to 50°C

17. Cup type Current meter:-

Purpose:

The current meter will be used for flowing water velocity and thus discharge measurements in rivers. It may be used in wading or suspended mode.

Conditions & Requirements:

- The current meter shall be of such a design that it operates reliably and accurately under the prevailing flow and environmental conditions.
- The current meter shall be easy to operate and maintain.
- The current meter shall be supplied with the accessories as needed for effective deployment.
- All materials of the current meter shall be non-corrosive.
- An operator's manual, related to the type and model of the current meter, shall be part of the delivery.
- The current meter shall come with the calibration data, i.e. actual calibration velocity versus actual revolutions per second as collected during the calibration process. Calibration data should uniquely identify the instrument body, the rotor, observer, rating tank, way of suspension, methodology and similar information.
- The current meter shall come with a rating table and a rating chart in m/s versus revolutions per second.
- The current meter shall have a provision to adjust its trimming.

- The design shall be sediment resistant and have an air-filled bearing chamber.
- The bearings should be field adjustable.
- The bearing chamber shall be as slim as possible to avoid excessive drag.
- The electrical connections shall not protrude into the current, but backwards instead.
- The electrical connections shall be of a reliable and sturdy construction.
- The current meter and accessories shall be supplied in a sturdy carrying case.
- An appropriate tool-set shall be included in the delivery.
- The current meter shall generally comply with IS 3910-1992.
- For suspended operation, provisions should be there for attaching adequate Fish Weight below the current meter.
- The current meter shall have a facility to balance it into a horizontal attitude while submersed.
- Horizontal and vertical tail fins at the rear end shall align the fish weight in the direction of flow.
- Except for the suspension bar, no elements shall protrude from the body.
- The date of rating/calibration should not be older than one month as on the date of supply of the current meter.

Specifications:

- Model: 6 cup wheel
- Contact: every one revolution
- Range: 0.05 to 3.5 m/s (starting up to maximum operational velocity)
- Accuracy: for velocities up to 0.3 m/s 1 % Full Scale for velocities >0.3 m/s
0.5 % FS
- Contact chamber: magnetic or optic fibre
- Tail Fin length: >0.25 m beyond the attach point of the suspension

The Tail Fin shall be capable of aligning the current meter in the direction of flow and keep it stable in that position throughout the full velocity range.

18. Pigmy Current meter:-

Conditions & Requirements:

- The Pigmy Current meter shall comply with IS: 3910-1966.
- The current meter shall come with the calibration data, i.e. actual calibration velocity versus actual revolutions per second as collected during the calibration process. Calibration data should uniquely identify the instrument body, the rotor, observer, rating tank, way of suspension, methodology and similar information.
- The current meter shall come with a rating table and a rating chart in m/s versus revolutions per second.

The date of rating/calibration should not be older than one month as on the date of supply of the current meter.

Specifications:

- Model: 6 cup wheel
- Contact: every one revolution
- Range: 0.15 to 0.9 m/s
- Accuracy: for velocities up to 0.3 m/s 1 % Full Scale for velocities >0.3 m/s
0.5 % FS
- Contact chamber: magnetic or optic fibre

Chapter - 5

Technical & Financial Bids

Technical Bid

Title of Tender: E-TENDER FOR SUPPLY OF HYDRO-METEOROLOGICAL EQUIPMENTS

S. No.	Item	Specifications offered by the bidders	Whether matching as per tender document
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			

Signature of the Bidder

Seal .

FINANCIAL BID

Title of Tender: E-TENDER FOR SUPPLY OF HYDRO-METEOROLOGICAL EQUIPMENTS

S. No.	Items	Quantity	Unit	Rates (Rs.)	Taxes including GST (Rs.)	Total (Rs.)
1.	Auto Level with complete set	12	Sets			
2.	Digital Electronic counter	16	Nos.			
3.	Prismatic Compass with stand	16	Nos.			
4.	Desiccators with lid	03	Nos.			
5.	Digital Balance	04	Nos.			
6.	PH meter	03	Nos.			
7.	Punjab type silt sampler	05	Nos.			
8.	Bridge Outfit	06	Nos.			
9.	Fish Weight -20 Kg	20	Nos.			
10.	Life Buoy (Approved by MMD)	34	Nos.			
11.	Life Jackets (Approved by MMD)	34	Nos.			
12.	Steel Wading Rod (3 m in length)	17	Nos.			
13.	Standard Rain Gauge	10	Nos.			
14.	Enamel Bucket	10	Nos.			
15.	Test sieve – 212 micron (As per BIS standard)	06	Nos.			
16.	Test sieve – 75 micron (As per BIS standard)	06	Nos.			
17.	Digital Stop Watch	16	Nos.			
18.	Cup type Current meter	10	Sets			
19.	Pigmy Current meter	8	Sets			

Signature of the Bidder

Seal

Notes:

- a. The Rates shall be quoted inclusive of all taxes including GST.
- b. The rate quoted by the agency shall be inclusive of all the charges including transportation of the equipments up to the O/o Executive Engineer, NEID-II, CWC, Aizawl, Mizoram, central, state and local taxes etc. or any other charges which may occur for carrying out the contract obligations.
- c. The submission of a bid shall construe that the bidder has carefully read all the terms & conditions of the tender document & agree with the same.
- d. The Tenderer shall submit a certificate with the final bill signed in original and issued by Original Equipment Manufacturer/authorized dealer that it will provide back to back support and honour the warranty obligations of the equipment supplied by the supplier.

Chapter - 6

Special instructions to Bidders by TCIL for e-Tendering

The Special Instructions (for e-Tendering) supplement 'Instruction to Bidders', as given in these Tender Documents. Submission of Online Bids is mandatory for this Tender.

E-Tendering is a new methodology for conducting Public Procurement in a transparent and secure manner. Now, the Government of India has made e-tendering mandatory. Suppliers/ Vendors will be the biggest beneficiaries of this new system of procurement. For conducting electronic tendering, **Central Water Commission** has decided to use the portal <https://www.tcil-india-electronictender.com> through TCIL, a Government of India Undertaking. This portal is based on the world's most 'secure' and 'user-friendly' software from Electronic Tender®. A portal built using Electronic Tender's Software is also referred to as Electronic Tender System® (ETS).

Benefits to tenderers are outlined on the Home page of the portal

Instructions

Tender Bidding Methodology:

Single Stage Envelope

Broad Outline of Activities from Bidder's Perspective:

Procure a Digital Signing Certificate (DSC)

Register on Electronic Tendering System® (ETS)

Create Marketing Authorities (MAs), Users and assign roles on ETS

View Notice Inviting Tender (NIT) on ETS

For this tender -- Assign Tender Search Code (TSC) to a MA

Download Official Copy of Tender Documents from ETS

Clarification to Tender Documents on ETS

Query to Central Water Commission (Optional)

View response to queries posted by Central Water Commission

Bid-Submission on ETS

Attend Public Online Tender Opening Event (TOE) on ETS

– Opening of relevant Bid-Part

– Respond to Central Water Commission Post-TOE queries

Attend Public Online Tender Opening Event (TOE) on ETS

Opening of relevant part (i.e. Financial-Part)

(Only for Technical Responsive Bidders)

Participate in e-Reverse Auction on ETS

For participating in this tender online, the following instructions are to be read carefully.

These instructions are supplemented with more detailed guidelines on the relevant screens of the ETS.

Digital Certificates

For the integrity of data and authenticity/non-repudiation of electronic records, and to be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC). Also referred to as Digital Signature Certificate (DSC), of Class 2 or above, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>]

Registration

To use the Electronic Tender® portal <https://www.tcil-india-electronictender.com>, vendors need to register on the portal. Registration of each organization is to be done by one of its senior people who will be the main person coordinating the e-tendering activities. In ETS terminology, this person will be referred to as the Super User (SU) of that organization. For further details, please visit the website/portal, and click on the 'Supplier Organization' link under 'Registration' (on the Home Page), and follow further instructions as given on the site. Pay Annual Registration Fee as applicable.

After successful submission of Registration details and Annual Registration Fee, please contact TCIL/ETS Helpdesk (as given below), to get your registration accepted/activated.

Important Note: To minimize teething problems during the use of ETS (including the Registration process), it is recommended that the user should peruse the instructions given under 'ETS User-Guidance Center' located on ETS Home Page, including instructions for timely registration on ETS. The instructions relating to 'Essential Computer Security Settings for Use of ETS' and 'Important Functionality Checks' should be especially taken into cognizance.

Please note that even after acceptance of your registration by the Service Provider, to respond to a tender you will also require time to complete activities related to your organization, such as creation of users, assigning roles to them, etc.

TCIL/ ETS Help desk	
Telephone/Mobile	Customer Support (0930 hrs to 1800 hrs, Monday to Friday except on gazetted holidays): +91-11-26202699 (Multiple lines) Emergency Support Mobile Numbers: +91-9868393775, 9868393717, 9868393792
E-mail ID	ets_support@tcil-india.com

Buyer Organization Name Contact	
Central Water Commission Contact Person	Executive Engineer, Meghna Division,CWC,Silchar-788006
Telephone/Mobile	Telephone/Mobile : 03842-242358 [between 10:00 hrs to 17:00 hrs on working days]
E-mail Id	E-mail Id : eemdcwc2017@gmail.com

Some Bidding related Information for this Tender (Sealed Bid)

The entire bid-submission would be online on ETS (unless specified for Offline Submissions).

Broad outline of submissions are as follows:

Submission of Bid-Parts/ Envelopes

Single-Part

Submission of information pertaining Bid Security/ Earnest Money Deposit

(EMD) Submission of digitally signed copy of Tender Documents/ Addendum

Submission of General Terms and Conditions (with/ without deviations)

Special Note on Security and Transparency of Bids

Security related functionality has been rigorously implemented in ETS in a multidimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software. Specifically for Bid Submission, some security related aspects are outlined below:

As part of the Electronic Encrypted™ functionality, the contents of both the 'Electronic Forms' and the 'Main-Bid' are securely encrypted using a Pass-Phrase created by the Bidder himself. Unlike a 'password', a Pass-Phrase can be a multi-word sentence with spaces between words (e.g. I love this World). A Pass-Phrase is easier to remember and more difficult to break. It is recommended that a separate Pass-Phrase be created for each Bid-Part. This method of bid-encryption does not have the security and data-integrity related vulnerabilities which are inherent in e-tendering systems which use Public-Key of the specified officer of a Buyer organization for bid-encryption. Bid-encryption in ETS is such that the Bids cannot be decrypted before the Public Online Tender Opening Event (TOE), even if there is connivance between the concerned tender-opening officers of the Buyer organization and the personnel of e-tendering service provider.

CAUTION: All bidders must fill Electronic Forms™ for each bid-part sincerely and carefully, and avoid any discrepancy between information given in the Electronic Forms™ and the corresponding Main-Bid. For transparency, the information submitted by a bidder in the Electronic Forms™ is made available to other bidders during the Online Public TOE. If it is found during the Online Public TOE that a bidder has not filled in the complete information in the Electronic Forms™, the TOE officer may make available for downloading the corresponding Main-Bid of that bidder at the risk of the bidder. If the variation is noted between the information contained in the Electronic Forms™ and the 'Main-Bid', the contents of the Electronic Forms™ shall prevail. Alternatively, the Buyer organization reserves the right to consider the higher of the two pieces of information (e.g. the higher price) for the purpose of short-listing, and the lower of the two pieces of information (e.g. the lower price) for the purpose of payment in case that bidder is an awardee in that tender.

Typically, 'Pass-Phrase' of the Bid-Part to be opened during a particular Public Online Tender Opening Event (TOE) is furnished online by each bidder during the TOE itself when demanded by the concerned Tender Opening Officer.

(Optional Text in EBI, depending upon the decision of the Buyer organization):

Additionally, the bidder shall make sure that the Pass-Phrase to decrypt the relevant Bid-Part is submitted to Buyer Organization Name in a sealed envelope before the start date and time of the Tender Opening Event (TOE).

Additionally, the bidder shall make sure that the Pass-Phrase to decrypt the relevant Bid-Part is submitted into the 'Time Locked Electronic Key Box (EKB)' after the corresponding deadline of Bid Submission, and before the commencement of the Online TOE. The process of submission of this Pass-Phrase in the 'Time Locked Electronic Key Box' is done in a secure manner by first encrypting this Pass-Phrase with the designated keys provided by the Buyer organization.

There is an additional protection with SSL Encryption during transit from the client-end computer of a Supplier organization to the e-tendering server/ portal.

Public Online Tender Opening Event (TOE)

ETS offers a unique facility for 'Public Online Tender Opening Event (TOE)'. Tender Opening Officers, as well as, authorized representatives of bidders can simultaneously attend the Public Online Tender Opening Event (TOE) from the comfort of their offices. Alternatively, one/ two duly authorized representative(s) of bidders (i.e. Supplier organization) are requested to carry a Laptop with Wireless Internet Connectivity, if they wish to come to Buyer Organization Name office for the Public Online TOE.

Every legal requirement for a transparent and secure 'Public Online Tender Opening Event (TOE)', including digital counter-signing of each opened bid by the authorized TOE Event (TOE)', including digital counter-signing of each opened bid by the authorized TOE officer(s) in the simultaneous online presence of the participating bidders' representatives, has been implemented on ETS.

As soon as a Bid is decrypted with the corresponding 'Pass-Phrase' as submitted online by the bidder himself (during the TOE itself), salient points of the Bids (as identified by the Buyer organization) are simultaneously made available for downloading by all participating bidders. The tedium of taking notes during a manual 'Tender Opening Event' is therefore replaced with this superior and convenient form of 'Public Online Tender Opening Event (TOE)'.

ETS has a unique facility of 'Online Comparison Chart' which is dynamically updated as each online bid is opened. The format of the chart is based on inputs provided by the Buyer for each Bid-Part of a tender. The information in the Comparison Chart is based on the data submitted by the Bidders. A detailed Technical and/ or Financial Comparison Chart enhances Transparency. Detailed instructions are given on relevant screens.

ETS has a unique facility of a detailed report titled 'Minutes of Online Tender Opening Event (TOE)' covering all important activities of 'Online Tender Opening Event (TOE)'. This is available to all participating bidders for 'Viewing/ Downloading'.

There are many more facilities and features on ETS. For a particular tender, the screens viewed by a Supplier will depend on the options selected by the concerned Buyer.

Other Instructions

For further instructions, the vendor should visit the home page of the portal <https://www.tcil-india-electronictender.com>, and go to the User-Guidance Center.

The help information provided through 'ETS User-Guidance Center' is available in three categories – Users intending to Register / First-Time Users, Logged-in users of Buyer organizations, and Logged-in users of Supplier organizations. Various links (including links for User Manuals) are provided under each of the three categories.

Important Note: It is strongly recommended that all authorized users of Supplier organizations should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups, and minimize teething problems during the use of ETS.

SIX CRITICAL DO'S AND DON'TS FOR BIDDERS

Specifically for Supplier organizations, the following 'SIX KEY INSTRUCTIONS for BIDDERS' must be assiduously adhered to:

1. Obtain individual Digital Signing Certificate (DSC or DC) well in advance of your first tender submission deadline on ETS

2. Register your organization on ETS well in advance of the important deadlines for your first tender on ETS viz 'Date and Time of Closure of Procurement of Tender Documents' and 'Last Date and Time of Receipt of Bids'. Please note that even after acceptance of your registration by the Service Provider, to respond to a tender you will also require time to complete activities related to your organization, such as creation of users, assigning roles to them, etc.

3. Get your organization's concerned executives trained on ETS well in advance of your first tender submission deadline on ETS.

4. Submit your bids well in advance of tender submission deadline on ETS (There could be last-minute problems due to internet timeout, breakdown, et al)

5. It is the responsibility of each bidder to remember and securely store the Pass Phrase for each Bid-Part submitted by that bidder. In the event of a bidder forgetting the Pass Phrase before the expiry of deadline for Bid-Submission, facility is provided to the bidder to 'Annual Previous Submission' from the Bid-Submission Overview page and start afresh with new Pass-Phrase(s)

6. ETS will make your bid available for an opening during the Online Public Tender Opening Event (TOE) 'ONLY IF' your 'Status pertaining Overall Bid-Submission' is 'Complete'. For your record, you can generate and save a copy of 'Final Submission Receipt'. This receipt can be generated from 'Bid-Submission Overview Page' only if the 'Status pertaining overall Bid-Submission' is 'Complete'.

NOTE:

While the first three instructions mentioned above are especially relevant to first-time users of ETS, the fourth, fifth and sixth instructions are relevant at all times.

Minimum Requirements at Bidder's End

Computer System with good configuration (Min PIV, 1 GB RAM, Windows XP with Service Pack 3)

Broadband connectivity

Microsoft Internet Explorer 6.0 or above

Digital Certificate(s)

Chapter - 7

Proforma For Bank Guarantee & Tender Acceptance

Form 1 MODEL BANK GUARANTEE FORMAT FOR FURNISHING EMD

Whereas
(herein after called the "tenderer")
has submitted their offer dated..... for the supply of
.....
(herein after called the "tender")
against the purchaser's tender enquiry No.

KNOW ALL MEN by these presents that WE of
..... having our registered office at
.....
..... are bound unto
(herein after called the "Purchaser")
in the sum of..... for which
payment will
and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns
by these presents. Sealed with the Common Seal of the said Bank this..... day of
.....20.....

THE CONDITIONS OF THIS OBLIGATION ARE:

- (1) If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- (2) If the tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity:-
 - a) If the tenderer fails to furnish the Performance Security for the due performance of the contract.
 - b) Fails or refuses to accept/execute the contract.

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including 60 days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

.....
(Signature of the authorized officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

Form of Performance guarantee / Bank guarantee bond

In consideration of the President of India (herein after called "The Government") having offered to accept the terms and conditions of the proposed agreement between.....and

(herein after called "the said Contractor(s)") for the work.....

(herein after called

"the said agreement") having agreed to production of an irrevocable Bank Guarantee for Rs.

(Rupees..... only) as a security/guarantee from the contractor(s) for compliance of his

obligations in accordance with the terms and conditions in the said agreement.

1. We, (herein after referred to as "the Bank") hereby undertake to pay to the Government an amount not exceeding Rs.

..... (Rupees..... Only) on demand by the

Government.

2. We,(indicate the name of the Bank) do hereby undertake to pay the amounts due and payable under this guarantee without any demure, merely on a demand from the Government stating that the amount claimed as required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.

..... (Rupeesonly)

3. We, the said bank further undertake to pay the Government any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment.

4. We, (indicate the name of the Bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in- Charge on behalf of the Government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.

5. We, (indicate the name of the Bank) further agree with the Government that the

Government shall have the fullest liberty without our consent and without affecting in any manner our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).

7. We, (Indicate the name of the Bank) lastly undertake not to revoke this guarantee except with the previous consent of the Government in writing.

8. This guarantee shall be valid up tounless extended on demand by the Government.

Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs.

..... (Rupees) and unless a claim in writing is lodged with us within six months of the date

of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

Dated theday offor.....

(Indicate the name of the Bank)

Form 3: TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

Date:

To,

The Executive Engineer
NEID-II, CWC,
CWC Complex, Zemabawk,
Aizawl, Mizoram – 796017.

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No-

Date:

Name of Tender / Work: - Supply of Hydro meteorological Equipments for NEID-II, CWC,
Aizawl, Mizoram.

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned
'Tender/Work' from the web site(s) namely: _____

_____ as
per your advertisement, given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the tender document of above mentioned work (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your Division/ organization, if any, too have also been taken into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirely.

5. In case any provisions of this tender are found violated, your Division/ organisation shall be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely and we shall not have any claim/right against Division/organisation in satisfaction of this condition.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Chapter - 8

Proforma For Contract Agreement

Contract/Agreement Form

This Contract/Agreement (Agreement no.) made on the _____ day of _____ 2018 between the Executive Engineer (for and on behalf of the President of India), North Eastern Investigation Division – II, CWC, Aizawl, Mizoram -796017 (name or address of the Department) (hereinafter called “the First Party”) and

____ (name and address of the contractor) (hereinafter called “the Second Party”). WHEREAS the First Party is desirous that the Contractor executes the work “Supply of Hydro meteorological Equipments for NEID-II, CWC , Aizawl(hereinafter called “ the works”) and the First Party has

accepted the Bid by the Second Party for a contract price of Rs.....(Rupees.....

.

.....) only.

Now, THEREFORE, IT IS HEREBY AGREED BETWEEN THE PARTIES AS FOLLOWS:

1. In consideration of the payments to be made by the First Party to the Second Party is hereinafter mentioned, the Second party hereby covenants with the First Party for “Supply of Hydro-meteorological Equipments for NEID-II, CWC, Aizawl”, in conformity in all aspect with the provisions of the contract.
2. The First Party hereby covenants to pay the Second Party in consideration for “Supply of Hydro-meteorological Equipments for NEID-II, CWC, Aizawl”, the contract rate or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the Contract.
3. The following documents shall be deemed to form and be read and construed as part of this contract, viz.:
 - a) Tender Document issued to the contractor and duly submitted by him duly signed;
 - b) Amendments/Corrigendum to the tender document, if any;
 - c) Letter of the contractor submitting the tender;
 - d) Other letters of the contractor and the departmental officers that were exchanged before the tender is accepted;
 - e) Rate and Amount of tender/bid quoted by the contractor;
 - f) General Conditions of Contract (GCC) published by CPWD with latest amendments/correction slips;

- g) Letter of the Executive Engineer communicating acceptance of the tender;
- h) Letter of the Executive Engineer regarding commencement of the work;
- i) Performance Guarantee;
- j) Other letters of the contractor and the departmental officers that were exchanged after the tender is accepted till the time of signing of this Contract/Agreement;

IN WITNESS WHEREOF the parties have caused this Contract to be executed the day and year first before written.

Binding signature of First Party Signed by _____

(for and on behalf of the President of India)

Binding signature of Second Party signed by _____

(for and on behalf of the _____ duly authorized vide resolution
No _____ dated _____ of the Board of Director of
_____)

In the presence of
(Witnesses)

(1)

(2)