F. No. A-19011/3(10)/2015-Estt.!/53 ५ -35 Government of India भारत सरकार Central Water Commission केंद्रीय जल आयोग Establishment-I Section स्थापना - | अनुभाग

> IIIrd Floor (S), Sewa Bhawan, Rama Krishana Puram, New Delhi-66.

> > Dated: 16th December, 2022.

OFFICE ORDER

Shri Gulshan Raj, Chief Engineer, Central Electricity Authority, New Delhi, is sanctioned leave as under:-

- 1. 30.11.2021 to 03.12.2021 = 04 days Earned Leave.
- 2. 10.02.2022 to 11.02.2022 = 02 days Earned Leave.
- 3. 30.05.2022 to 01.06.2022 = 03 days Earned Leave.
- 4. 14.07.2022 to 15.07.2022 = 02 days Commuted Leave on medical grounds.
- 5. 01.08.2022 to 12.08.2022 = 12 days Earned Leave.

It is certified that on return from leave, he has been/will be posted at the same station from where he proceeded/proceeds on leave.

The balance leave in his leave account as on 27.09.2022 was as under:

Earned Leave = 300+1. HPL = 546

(R.K. SHARMA)
CONSULTANT(Estt.I)

Copy to:-

- 1. Shri Gulshan Raj, Chief Engineer, CEA, New Delhi.
- 2. PPS to Member (D&R), CWC, New Delhi.