

FOR OFFICIAL USE ONLY

केवल कार्यालय उपयोग हेतु



भारत सरकार

गाद पुस्तिका
नर्मदा बेसिन
जून 2019- मई 2020

SEDIMENT DATA BOOK
Narmada Basin
June 2019 – May 2020



Photo-Bargi Dam

केन्द्रीय जल आयोग
नर्मदा बेसिन संगठन
भोपाल

CENTRAL WATER COMMISSION
Narmada Basin Organisation
Bhopal

अगस्त 2021/ August 2021

केवल सरकारी उपयोग हेतु

FOR OFFICIAL USE ONLY

गाद पुस्तिका


SEDIMENT DATA BOOK

नर्मदा बेसिन

Narmada Basin

जून 2019- मई 2020

June 2019 – May 2020



केन्द्रीय जल आयोग
नर्मदा बेसिन संगठन
अगस्त 2021

CENTRAL WATER COMMISSION
Narmada Basin Organisation
August 2021

प्रस्तावना

जल प्रकृति द्वारा प्रदत्त एक अनमोल उपहार है। जीवन संचालन में जल की महत्वता की दृष्टि से जल संसाधनों का नियोजन, प्रबंधन एवं विकास की अत्यधिक आवश्यकता है। केंद्रीय जल आयोग इस क्षेत्र में भारत सरकार की एक शीर्षस्थ तकनीकी संस्था है। आयोग के गेज एवं निस्सारण मापन स्थलों पर सतही जल की मात्रा के आकलन के अलावा प्रमुख स्थलों पर जल गुणवत्ता प्रबोधन, निलंबित गादभार का आंकलन एवं तलछट पदार्थ के आंकड़े भी एकत्रित किये जाते हैं।


जल ग्रहण क्षेत्र की मिट्टी तीव्र वर्षा से बहकर नदी में आती है तथा निलंबित गाद के रूप में बहती है। जल की गति के मंद पड़ने, गाद के संगठन एवं नदी के आकार में परिवर्तन आदि कारणों से यह प्रवाह मार्ग में विभिन्न स्थलों पर निक्षेपित हो जाती है। अतः गाद भार के साथ तलछट पदार्थ के संगठन का आंकलन करना भी अत्यंत महत्वपूर्ण है।

इस पुस्तक में वर्ष 2019-20 में नर्मदा मंडल, भोपाल द्वारा नर्मदा नदी पर मध्यप्रदेश में स्थित 9 स्थलों तथा तापी मंडल, सूरत द्वारा गुजरात में स्थित 2 स्थलों पर एकत्रित किये गये गाद भार तथा तलछट पदार्थ संबंधी आंकड़ों का संकलन किया गया है।

आशा है कि इस पुस्तक में संकलित आंकड़े, जल संसाधन संबंधी परियोजनाओं के नियोजन, अभिकल्पन, विकास और सम्बंधित अध्ययनों के लिए लाभप्रद होंगे। इस पुस्तक को और अधिक उपयोगी बनाने के लिए सुझाव आमंत्रित है।

मैं, नर्मदा कछार संगठन के उन सभी अधिकारियों एवं कर्मचारियों के प्रति आभार प्रकट करता हूँ, जिन्होंने इस पुस्तक को तैयार करने में समर्पण की भावना से अपना प्रशंसनीय योगदान दिया है।

स्थान भोपाल
अगस्त 2021



(मनोज तिवारी)
अधीक्षण अभियंता (समन्वय)

PREFACE


Water resources, a precious gift of nature is decisive factor in the growth and development of human civilisation. Its availability varies widely in time and space. Central water commission, as a premier and nodal organisation in this sector, has been conducting hydrological observation through a network of gauge and discharge observation stations. Apart from assessment of surface flows, water quality monitoring and sediment load evaluation are integral part of hydrological planning and development of water resources projects.

The soil of the catchment area gets washed away by heavy rains and flows in the form of suspended silt. Due to slowing down of movement of water, organization of silt and change in the shape of the river, etc., it gets deposited at different places in the flow path. Therefore, it is also very important to assess the composition of the sedimentary material along with the silt mass.

This volume presents the suspended sediment load data for the year 2019-20, of 11 sites, out of which observation at 9 sites is done by Narmada Division, Bhopal (M.P.) and at 2 sites it is done by Tapi Division, Surat (Gujrat)

It is hoped that the data compiled herein will be useful for planners of water resource projects of this region in assessing the effect of sediment transported down the rivers. Comments and suggestions for improvement in data presentation in future publications are most welcome. The effort put in by concerned staff of Central Water Commission and the Co-operation extended by all are gratefully acknowledged.

Place-Bhopal
Date- Aug. 2021



(Manoj Tiwari)
Superintending Engineer(C)

TABLE OF CONTENTS

1	INTRODUCTION.....	1
1.1	Scope	1
1.2	Sources of Information	1
1.3	Basin Description	2
2	SUSPENDED SEDIMENT OBSERVATION	5
2.1	Observation Techniques	5
2.1.1	COLLECTION OF SEDIMENT SAMPLES	5
2.1.2	ANALYSIS OF THE SUSPENDED SEDIMENT SAMPLES	5
2.1.3	EXPLANATORY NOTES	6
2.1.4	METHOD OF PRESENTATION	6
2.2	Comments on Sitewise Data	7
2.2.1	ORSANG AT CHANDWADA	7
2.2.2	NARMADA AT GARUDESHWAR	7
2.2.3	NARMADA AT MANDLESHWAR	7
2.2.4	NARMADA AT HANDIA	7
2.2.5	NARMADA AT HOSHANGABAD	7
2.2.6	NARMADA AT SANDIA	7
2.2.7	SHAKKAR AT GADARWARA	7
2.2.8	NARMADA AT BARMANGHAT	7
2.2.9	BANJAR AT BAMNI	8
2.2.10	BURHNER AT MOHGAON	8
2.2.11	NARMADA AT MANOT	8
3	BED MATERIAL OBSERVATION	8
3.1	Observation Techniques	8
3.1.1	COLLECTION OF SAMPLES	8
3.1.2	PACKING OF SAMPLES	8
3.1.3	ANALYSIS OF SAMPLE	8
3.2	Presentation of Data	9
4	PART – I SEDIMENT DATA.....	13
4.1	Orsang at Chandwada	13
4.2	Narmada at Garudeshwar	23
4.3	Narmada at Mandleshwar	33
4.4	Narmada at Handia	43
4.5	Narmada at Hoshangabad	53
4.6	Narmada at Sandia	63
4.7	Shakkar at Gadarwara	73

4.8	Narmada at Barman	83
4.9	Banjar at Bamni	93
4.10	Burhner at Mohgaon.....	103
4.11	Narmada at Manot	113
5	PART – II BED MATERIAL DATA	123
5.1	Orsang at Chandwada.....	123
5.2	Narmada at Garudeshwar.	123
5.3	Narmada at Mandleshwar.....	123
5.4	Narmada at Handia	124
5.5	Narmada at Hoshangabad.....	126
5.6	Narmada at Sandia.....	127
5.7	Shakkar at Gadarwara.....	128
5.8	Narmada at Barman	129
5.9	Banjar at Bamni	130
5.10	Burhner at Mohgaon.....	131
5.11	Narmada at Manot	132

LIST OF TABLES

Table 1-1: Sediment and Bed Material Observation Stations at Narmada River	1
Table 1-2: Division wise GD stations and their codes	2
Table 1-3: Statewise Distribution of Drainage Area	2

LIST OF ANNEXURE

Plate 1: Line Diagram of Narmada Basin.....	11
Plate 2: Index Map of Narmada Basin	12

List of Abbreviation and Symbols

A	:	Area of section
AV	:	Average
C	:	Coarse sediment
Con	:	Concentration
Cumec	:	Cubic metres per second
Cum	:	Cubic metres
D	:	Day
F	:	Fine sediment
f	:	Average silt factor
G	:	Gauge
GD	:	Gauge and Discharge
GDS	:	Gauge, Discharge and Sediment
g/l	:	Grams per litre
km	:	Kilometer
L.B.	:	Left bank
M	:	Medium sediment
m	:	Metre
mm	:	Millimetre
m ³ /s	:	Cubic metre per second
Mean dia 'd'	:	Mean Diameter
NDB	:	Narmada Division
P	:	Wetted Perimeter
%	:	Percentage
Q	:	Discharge
R	:	Hydraulic mean depth
R.B.	:	Right bank
R. Days	:	Remaining days
R.D.	:	Reduced distance
R.L.	:	Reduced level
S	:	Second
Sed	:	Sediment
S/G	:	Station gauge
km ² /sq.km	:	Square kilo metre
m ²	:	Square metre
T/D	:	Tonnes per day
TDN	:	Tapi Division
V	:	Mean velocity
W.L.	:	Water Level
W.Year	:	Water year
W.Q	:	Water Quality
0°	:	Degree
'	:	Minute
"	:	Second
*	:	Estimated by unitary method
**	:	Estimated by interpolation
***	:	Estimated by average value
@	:	Estimated by graph
MMT	:	Million Metric Tones

1 Introduction

1.1 Scope

Central Water Commission is conducting sediment load observations & bed material observation along with discharge observations etc. During the reporting year 2019-20 sediment load & bed material observations in Narmada Basin were conducted at 11 stations under the jurisdiction of the Narmada Division, Bhopal and Tapi Division, Surat. 9 of these stations are located in the state of Madhya Pradesh and 2 stations in the Gujarat State. These stations have been functioning under plan schemes viz. “Development of Water Resources Information System”, during 12th Five Year Plan. The name of the stations where suspended sediment load & bed material observations were conducted are given in Table 1-1

Table 1-1: Sediment and Bed Material Observation Stations at Narmada River

Sl. No.	Name of Station	Code No.
1.	Orsang at Chandwada	CW1NAL000513
2.	Narmada at Garudeshwar	CW1NAL000434
3.	Narmada at Mandleshwar	CW1NAM000189
4.	Narmada at Handia	CW1NAM000392
5.	Narmada at Hoshangabad	CW1NAM000278
6.	Narmada at Sandia	CW1NAU000450
7.	Shakkar at Gadarwara	CW1NAU000391
8.	Narmada at Barmanghat	CW1NAU000188
9.	Banjar at Bamni	CW1NAU000781
10.	Burhner at Mohgaon	CW1NAU000390
11.	Narmada at Manot	CW1NAU000378

1.2 Sources of Information

The administrative controls of these 11 stations were distributed under two divisions, namely Narmada Division, Bhopal (Nine Stations) and Tapi Division, Surat (Two Stations). During the year 2019-20, the Division wise the stations and their code are given in Table 1-2.

Table 1-2: Division wise GD stations and their codes

Sl. No.	Name of Station	Code No.
Narmada Division, Bhopal		
1.	Narmada at Mandleshwar	CW1NAM000189
2.	Narmada at Handia	CW1NAM000392
3.	Narmada at Hoshangabad	CW1NAM000278
4.	Narmada at Sandia	CW1NAU000450
5.	Shakkar at Gadarwara	CW1NAU000391
6.	Narmada at Barmanghat	CW1NAU000188
7.	Banjar at Bamni	CW1NAU000781
8.	Burhner at Mohgaon	CW1NAU000390
9.	Narmada at Manot	CW1NAU000378
Tapi Division, Surat		
1.	Narmada at Garudeshwar	CW1NAL000513
2.	Orsang at Chandwada	CW1NAL000434

1.3 Basin Description

Narmada is the largest west flowing and fifth largest river of India. It drains a large area in Madhya Pradesh besides some area in the states of Maharashtra and Gujarat. Narmada basin lies between East Longitudes 72° 32' to 81° 45' and North Latitudes 21° 20' to 23° 45'. It flows through Deccan traps in between Vindhya and Satpura ranges of hills before falling into the Gulf of Cambay in the Arabian Sea. Narmada drains an area of 98,796 km² out of which nearly 87% lies in Madhya Pradesh. The state wise distribution of drainage area is shown in Table 1-3.

Table 1-3: Statewise Distribution of Drainage Area

Sl. No.	Name of State	Drainage Area (sq. km.)	Percentage
1.	Madhya Pradesh	85, 859	86.9
2.	Maharashtra	1,538	1.5
3.	Gujarat	11,399	11.6
	Total	98,796	100.0

Narmada rises from a 'Kund' (spring) at an elevation of 1,057 m at Amarkantak in Maikal hills in Shahdol district of Madhya Pradesh and flows through Madhya Pradesh, Maharashtra and Gujarat between Vindhya and Satpura hill ranges before falling into the Gulf of Cambay in the Arabian sea about 10 km north of Bharuch. The total length of this west flowing river from its origin to outfall into the sea is 1,312 km. For the first 1,079 km it runs in Madhya Pradesh and there after forms the common boundary between Madhya Pradesh and Maharashtra for 35 km and 39 km. in Maharashtra and Gujarat boundary. In Gujarat, it stretches for 159 km. The

basin has an elongated shape, with a maximum length of 953 km from east to west and a maximum width of 234 km from north to south.

The river has a number of falls in its heads reaches. At 8 km from the origin, the river drops 24 m at the Kapildhara falls. At 0.4 km further downstream, the river again drop by 4.6 m at Dudhdhara fall. Burhner, the first major tributary of Narmada, joins the river from left at 248 km from its origin. Flowing in a generally south-westerly direction in the narrow and deep valley, the river has hairpin bends at some places. At 286 km from its source, the river turns towards the north and about 1 km further downstream, the Banjar tributary joins it. After flowing past Mandla town in a number of channels called Sahastra-dhara, the river at 404 km from the origin drops nearly 15 km at the Dhuandhar fall close to Jabalpur. Further down, the river flows through a channel through the famous marble rocks.

Emerging from the marble rocks, the Narmada enters the upper fertile plains. At a distance of 464 km from the origin, Hiran a major right bank tributary joins the river. Continuing to flow in a western direction through the upper plains, the river receives several tributaries like Sher, Shakkar, Dudhi, Tawa and Ganjal from the left and Tendon, Barna and Kolar from the right. Flowing through west, it joins the middle plains near Panghat in East Nimar district. At Nandhar, 806 km from the origin, it drops 12 m at Dhardi, 853 km from origin, it again drops 12 m. At 966 km from the origin and nearly 6.4 km downstream of Maheshwar, the Narmada again drops by about 6.7 m at Sahastra-dhara falls. During this part of the journey through the middle plains, Chhota tawa and Kundi from the left and Man from the right joins it.

Flowing further west, the river enters the lower hilly regions and flows through a gorge where Goi enters from the left and Uri and Hatni from the right. The 113 km long gorge is formed by the convergence of Vindhya ranges from the north and Satpura ranges to the south. Emerging from the gorge, the river enters the lower plains and meanders in broad curves till it reaches Bharuch. The Karjan from the left and Orsang from the right joins the Narmada in this reach. Beyond Bharuch, the river valley widens and the river enters the Gulf of Cambay. The river has 41 tributaries of which 22 are on the left bank and 19 on the right bank, having catchment area more than 500 sq.km out of these some major tributaries like Burhner, Banjar, Hiran, Tawa, Orsang and Kundi are having catchment area more than 3,550 sq.km.

The average rainfall in Narmada Basin is 1,250 mm. The maximum temperature varies between 40°C to 49°C in the month of May when the land gets heated up. The temperature drops to a minimum range of 1°C to 9°C during the dry/cold season in December/January.

At present, there are 30 proposed/ongoing/completed major hydroelectric cum Irrigation projects. There are four major hydroelectric cum irrigation project namely *Bargi*, *Indira Sagar*, *Omkareshwar* & *Sardar Sarovar* Projects on main Narmada river which are almost completed and eight completed projects on different tributaries namely Matiyari, Barna, Tawa, Kolar, Sukta, Man, Jobat and Karjan.

There are 11 sediment-monitoring stations in Narmada basin. Out of eleven, 7 stations are located on the main river and remaining 4 are located on the principal tributaries viz. Orsang, Shakkar, Banjar and Burhner.

2 Suspended Sediment Observation

2.1 Observation Techniques

2.1.1 Collection of Sediment Samples

Suspended sediment observations are conducted simultaneously along with discharge observation once a day starting at 08:00 hrs except on Sunday and holidays. The observations are conducted at station gauge line under normal condition. However, when the conditions become unsuitable for observation, say due to pooling, shallow depths, multi-channel formation etc., then the observation site is shifted to a temporary section at up-stream or down-stream of the station gauge line.

Sediment samples are collected at 0.6 depths from each vertical, where velocity observation is done for computation of discharge, provided depth of flow is above 0.3 m. The samples thus collected from each vertical are grouped in 1, 2, 3, 4 or 5 composite groups depending upon the width of the river in such a way that each composite group discharge $\pm 10\%$ of average segment discharge. Punjab bottle type sampler is commonly used for collection of suspended sediment sample for analysis. A uniform practice of holding the bottle in vertical position is being adopted. Thus samples from shallow depths (less 0.3 m) are collected from the surface. These surface samples at shallow depths are presumed as of 0.6 depths sampling. The water samples collected are kept in composite groups based on the data observed on previous day and carried to the site laboratory for analysis.

2.1.2 Analysis of the Suspended Sediment Samples

The analysis of the suspended sediment sample is carried out for these different grades namely, coarse sediment having particle diameter above 0.2 mm, medium sediment with diameter ranging from 0.075 mm to 0.2 mm and fine sediment with diameter less than 0.075 mm. The sediment samples from each group (as stated in para 2.1.1) are passed through 212 micron mesh sieve. The residue on sieve is washed with clean water several times, transferred to a pre-weighted crucible and its oven dried weight is determined. This gives the coarse sediments from which the concentration of the coarse sediment g/l for the group is worked out.

After removal of coarse sediment, the filtrate and washing which now contains medium and fine sediment is similarly passed through 75 micron mesh sieve. The residue on sieve is washed with clean water several times, transferred to a pre-weighted crucible and its oven dried weight is determined. This gives the medium sediment from which sediment concentration in g/l for the group is determined.

The filtrates and washing after separation of coarse and medium grades now contain only fine sediment. For fine sediment analysis, all the above groups (after removal of coarse and fine sediment) are combined into a single large sample to form a homogeneous liquid in a big bucket. The sediment analysis of complete volume is carried out upto 10-12 litres with moderate sediment concentration. If either medium sediment is higher or volume of sample is more than 12 litres, then the water is stirred with a clean wooden rod, so that any sediment settled in the bucket mix with the whole sample thoroughly. Immediately at least four litres of homogeneous samples is taken into separate bucket for analysis of time sediment load. This

homogeneous sample is kept overnight for settling. About 5 to 10 ml of 10% alum solution is added to hasten the coagulation of colloidal silt. After the settlement is complete, the supernatant liquid is siphoned off carefully and the remaining volume of suspension is filtered in pre-weighed filter paper (Whatman grade I) and transfer of entire settled additional washing with clean water ensures silt. The filter paper along with the sediment is dried and weighted to determine the concentration of fine sediment in g/l for the entire cross section.

The total suspended sediment load of the river along the section is worked out from the concentration, thus contained for coarse, medium and fine sediment group-wise for the entire cross section.

2.1.3 Explanatory Notes

The explanatory notes described hereunder are given to assist in the interpretation of hydrological parameters contained in the data presented. The note are, therefore, applicable in so far as the data presented in this book are concerned.

- i. Water year covers the period from 1st June of calendar year to 31st May of next calendar year and includes complete one hydrological cycle. The water year is further sub divided as:
 - Monsoon period from June to October and
 - Non-Monsoon period from November to May.
- ii. The gauging station code number is a unique nine-column numeric reference number, which facilitates storage and retrieval of sediment data in data banks. The first two columns are identifier of measuring authority. Third and fourth columns are for zone/basin fifth and sixth columns are for Independent River and last three i.e. seventh, eighth and ninth columns are for station numbers.
- iii. Sediment is classified as coarse, medium and fine according to diameter as indicated below:
 - Coarse: Sediment above 0.2 mm diameter,
 - Medium: Sediment between 0.2 & 0.075 mm diameter,
 - Fine: Sediment above 0.075 mm diameter.

2.1.4 Method of Presentation

Suspended sediment data is presented in Part - I of the book, comprising history sheet and suspended sediment flow tables. The chronology of suspended sediment observation station is arranged from the mouth of the river to upstream giving. The tributaries are arranged in similar fashion.

History sheet gives concise description of the suspended sediment observation station. The suspended sediment table includes the following:

- Daily observed sediment flow tables for the period from June to November, because during the period major part of the annual sediment load is transported by the rivers.
- Ten daily summary of coarse, medium and fine sediment for the full year.
- Monthly and seasonal summary of the sediment load.

2.2 Comments on Sitewise Data

2.2.1 Orsang at Chandwada

The total length of the river Orsang, a major right bank tributary of Narmada is 101 km in the plains of Gujarat state. The monitoring station Chandwada is situated at 9 km upstream of the confluence point of this river with Narmada. It has a drainage area of 3,846 sq km. The maximum value of sediment concentration is 0.007 g/l recorded on 09.08.2019. The annual sediment load works out to 4165 metric tonnes.

2.2.2 Narmada at Garudeshwar

The river has drainage area of 87,892 sq km upto this station. The river flows over length of 1,169 km upto this station. The maximum sediment concentration is recorded as 0.170 g/l, on 06.08.2019. The annual sediment load work out to 3460319 metric tonnes.

2.2.3 Narmada at Mandleshwar

The river Narmada has drainage area of 72,809 sq km and length 852 km from the origin to this station. The maximum sediment concentration is 0.210 g/l, which was observed on 25.08.2019. The total annual sediment load 4481260.71 metric tonnes.

2.2.4 Narmada at Handia

The station is on main Narmada having a drainage area of 54,027 sq km. The river flows for a length of 774 km from the origin to this station. The maximum sediment concentration is 20.794 g/l, which was observed on 28.07.2019. The total annual sediment load is 78231613.17 metric tonnes.

2.2.5 Narmada at Hoshangabad

River Narmada has drainage area of 44,548 sq km and length of 521 km from the origin to this station. The maximum sediment concentration is 0.139 g/l, which was observed on 16.08.2019. The total annual sediment load is 899313.19 metric tonnes.

2.2.6 Narmada at Sandia

The station is 584 km from the origin of Narmada and has drainage area of 33,954 sq km and length 852 km from the origin to this station. The maximum sediment concentration is 0.929 g/l, which was observed on 04.08.2019. The total annual sediment load is 6478660.48 metric tonnes.

2.2.7 Shakkar at Gadarwara

This station is on the tributary Shakkar on the left bank of Narmada and has a drainage area of 2,270 sq km. The length of the Shakkar upto this station is 140 km. The maximum sediment concentration is 5.58 g/l, which was observed on 15.08.2019. The total annual sediment load is 1674723.64 metric tonnes.

2.2.8 Narmada at Barmanghat

Narmada traverses a length of 504 km upto this station and the drainage area is 26,453 sq km. The maximum sediment concentration is 4.976 g/l which was observed on 04.08.2019. The total annual sediment load is 8275213.66 metric tonnes.

2.2.9 Banjar at Bamni

The Station is on the tributary Banjar on the left bank of Narmada and has a drainage area 1864 sq km. The maximum value of sediment concentration is 1.556g/l, which was recorded on 09.08.2019. The annual sediment load works out to 1195002.64 metric tonnes.

2.2.10 Burhner at Mohgaon

This station is on the tributary Burhner on the left bank of Narmada and has a drainage area of 3919 sq km. The length of the Burhner river upto this site is 177 km. The maximum sediment concentration is 3.81 g/l, which was observed on 15.08.2019 The total annual sediment load is 4537154.96 metric tonnes.

2.2.11 Narmada at Manot

The length and drainage area of Narmada at this station are 218 km and 4,667 sq km. respectively. The maximum sediment concentration is 2.476 g/l, which was observed on 29.09.2019. The total annual sediment load is 3315506.72 metric tonnes.

3 Bed Material Observation

3.1 Observation Techniques

3.1.1 Collection of Samples

Depending upon the width of the river, 3 to 10 samples are collected from the site along the station gauge line. A scoop type bed material sampler is used for collecting the sample from flowing portion of the channel and where the bed is dry, samples are collected manually after scraping the upper layer at the bed to avoid local surface contamination. After drying the sample, about 1 kg of the sample is taken by coning and quartering process.

3.1.2 Packing of Samples

Bed material samples thus collected are filled in polythene bags and placed inside a thick cloth bag for protection. The details of the samples are inserted in the polythene bag and the same are sent to divisional laboratory for analysis.

3.1.3 Analysis of Sample

In the laboratory, analysis of samples is done either by sieve for Bed Material particles above 0.6 mm size or by wet process using Puri's Siltometer for particles below 0.6 mm size.

Analysis by Sieves: The sieves are arranged one above the other in order of their mesh sizes, largest at top and smallest (0.6 mm) aperture sieve at the bottom. Each representative sample is weighed and then put on the top metallic. The portion of the material passing through 0.6 mm sieve is collected in a metallic container placed at the bottom of the set of sieves. Shaking of the sieves is done either by gentle horizontal rotation or by a mechanical shaker for about 15 to 20 minutes. The material retained on each sieve is collected separately in a metallic container and is weighed. The material passing through 0.6 mm sieve is also weighed and recorded.

Analysis by Puri's Siltometer: For particles of size below 0.6 mm, the analysis is done by wet process using Puri's Siltometer. About 10 grams of the Bed Material sample passing through 0.6 mm sieve is released from the top of the siltometer. The sand, silt particles travel downwards at different velocities depending upon their diameter and the temperature of water. The trough of the Siltometer is rotated at a pre-determined rate to collect the fractions. Thus different fractions of a sample are redeposit in 20 receptacles in a trough. Each of these fractions is then collected in the silt measuring tube and compacted by tapping on the rubber pad. The volume of the each fraction is noted.

From the result of the above analysis, summation curves are plotted and the mean diameter of the samples worked out as per the standard procedure. Statistical method is also used to work out the mean diameter. The silt factor is obtained from formula:

$$f = 1.76 (d)^{1/2}$$

Where 'd' is the mean diameter in mm of the particles.

3.2 Presentation of Data

The sequence of the stations for which analysis data has been presented in this book are downstream to upstream in part - II of the book.

Sr.	Name of Station	Code No.
A	Tapi Division, Surat	
1.	Orsang at Chandwada	CW1NAL000513
2.	Narmada at Garudeshwar	CW1NAL000434
B	Narmada Division, Bhopal	
3.	Narmada at Mandleshwar	CW1NAM000189
4.	Narmada at Handia	CW1NAM000392
5.	Narmada at Hoshangabad	CW1NAM000278
6.	Narmada at Sandia	CW1NAU000450
7.	Shakkar at Gadarwara	CW1NAU000391
8.	Narmada at Barman	CW1NAU000188
9.	Banjar at Bamni	CW1NAU000781
10.	Burhner at Mohgaon	CW1NAU000390
11.	Narmada at Manot	CW1NAU000378

Plate 1: Line Diagram of Narmada Basin

Silt observation stations under Narmada Basin Organisation, Bhopal





Plate 2: Index Map of Narmada Basin



For International/ State boundaries and Coast Line refer to Survey of India Maps

4 Part – I Sediment Data

4.1 Orsang at Chandwada

History Sheet

HISTORY SHEET					
				Water Year	: 2019-2020
Site	:	Orsang at Chandwada		Code	: CW1NAL000513
State	:	Gujarat		District	Vadodara
Basin	:	Narmada		Independent River	: Narmada
Tributary	:	Orsang		Sub Tributary	:
Sub-Sub Tributary	:			Local River	: Orsang
Division	:	Tapi Division, Surat		Sub-Division	: LNSD Bharuch
Drainage Area	:	3846 Sq. Km.		Bank	: Right
Latitude	:	22°01'48"		Longitude	: 73°25'30"
Zero of Gauge (m)	:	18 (m.s.l)		11/01/1979	
		Opening Date		Closing Date	
Gauge	:	11/01/1979			
Discharge	:	01/11/1979			
Sediment	:	01/08/1988			
Water Quality	:	15/03/1980			

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch

Day	Jun						Jul						Aug					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0.000						0.000	0.000	0.000	0.000	0.000	0	223.4	0.000	0.000	0.004	0.004	77
2	0.000						57.61	0.000	0.000	0.002	0.002	10	115.8	0.000	0.000	0.002	0.002	20
3	0.000						191.1	0.000	0.000	0.002	0.002	33	123.6	0.000	0.000	0.002	0.002	21
4	0.000						483.5	0.000	0.000	0.001	0.001	42	390.0	0.000	0.000	0.000	0.000	0
5	0.000						197.6	0.000	0.000	0.004	0.004	68	399.1	0.000	0.000	0.004	0.004	138
6	0.000						421.7	0.000	0.000	0.005	0.005	182	277.0	0.000	0.000	0.004	0.004	96
7	0.000						60.00	0.000	0.000	0.000	0.000	0	141.9	0.000	0.000	0.003	0.003	37
8	0.000						151.0	0.000	0.000	0.002	0.002	26	1265	0.000	0.000	0.007	0.007	765
9	0.000						59.61	0.000	0.000	0.002	0.002	10	1845	0.000	0.000	0.007	0.007	1116
10	0.000						35.41	0.000	0.000	0.002	0.002	6	969.8	0.000	0.000	0.004	0.004	335
11	0.000						14.38	0.000	0.000	0.001	0.001	1	150.0	0.000	0.000	0.000	0.000	0
12	0.000						13.92	0.000	0.000	0.001	0.001	1	141.0	0.000	0.000	0.000	0.000	0
13	0.000						13.60	0.000	0.000	0.001	0.001	1	91.95	0.000	0.000	0.002	0.002	16
14	0.000												80.00	0.000	0.000	0.002	0.002	14
15	0.000												75.00	0.000	0.000	0.000	0.000	0
16	0.000												72.61	0.000	0.000	0.001	0.001	6
17	0.000												188.7	0.000	0.000	0.001	0.001	16
18	0.000												70.00	0.000	0.000	0.000	0.000	0
19	0.000												101.9	0.000	0.000	0.001	0.001	9
20	0.000												136.8	0.000	0.000	0.001	0.001	12
21	0.000												95.67	0.000	0.000	0.001	0.001	8
22	0.000												88.15	0.000	0.000	0.001	0.001	8
23	0.000												74.80	0.000	0.000	0.001	0.001	6
24	0.000												64.03	0.000	0.000	0.001	0.001	6
25	0.000												60.00	0.000	0.000	0.000	0.000	0
26	0.000												137.0	0.000	0.000	0.000	0.000	0
27	0.000												390.0	0.000	0.000	0.000	0.000	0
28	0.000												462.4	0.000	0.000	0.004	0.004	160
29	0.000												157.4	0.000	0.000	0.002	0.002	27
30	0.000												142.1	0.000	0.000	0.002	0.002	25
31													95.38	0.000	0.000	0.002	0.002	16
Ten Daily Mean																		
Ten Daily I	0.000						165.7	0.000	0.000	0.002	0.002	38	575.0	0.000	0.000	0.004	0.004	260
Ten Daily II	0.000						13.97	0.000	0.000	0.001	0.001	1	110.8	0.000	0.000	0.001	0.001	7
Ten Daily III	0.000												160.6	0.000	0.000	0.001	0.001	23
Monthly																		

Total

381

2934

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Local River : Orsang

Division : Tapi Division, Surat

Sub-Division : LNSD,Bharuch

Day	Sep						Oct						Nov					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	75.00	0.000	0.000	0.000	0.000	0	123.9	0.000	0.000	0.001	0.001	11	53.97					
2	90.00	0.000	0.000	0.000	0.000	0	15.00	0.000	0.000	0.000	0.000	0	33.58					
3	100.9	0.000	0.000	0.001	0.001	9	94.84	0.000	0.000	0.001	0.001	8	30.00					
4	114.5	0.000	0.000	0.001	0.001	10	75.29	0.000	0.000	0.001	0.001	7	30.25					
5	103.3	0.000	0.000	0.001	0.001	9	58.54	0.000	0.000	0.001	0.001	5	27.63					
6	95.25	0.000	0.000	0.001	0.001	8	60.00	0.000	0.000	0.000	0.000	0	26.23					
7	136.0	0.000	0.000	0.001	0.001	12	68.07	0.000	0.000	0.001	0.001	6	23.87					
8	15.00	0.000	0.000	0.000	0.000	0	61.00	0.000	0.000	0.000	0.000	0	25.61					
9							60.90	0.000	0.000	0.001	0.001	5	28.07					
10							53.62	0.000	0.000	0.001	0.001	5	28.00					
11							49.80	0.000	0.000	0.000	0.000	0	24.91					
12							45.29	0.000	0.000	0.000	0.000	0	24.00					
13							50.00	0.000	0.000	0.000	0.000	0	24.04					
14	1216	0.000	0.000	0.004	0.004	420	51.21	0.000	0.000	0.000	0.000	0	23.56					
15	1300	0.000	0.000	0.000	0.000	0	54.81	0.000	0.000	0.000	0.000	0	23.51					
16	308.2	0.000	0.000	0.003	0.003	80	56.14	0.000	0.000	0.000	0.000	0	18.14					
17	133.3	0.000	0.000	0.001	0.001	12	53.76	0.000	0.000	0.000	0.000	0	18.57					
18	87.72	0.000	0.000	0.001	0.001	8	51.90	0.000	0.000	0.000	0.000	0	17.57					
19	396.1	0.000	0.000	0.002	0.002	68	50.24	0.000	0.000	0.000	0.000	0	16.97					
20	229.3	0.000	0.000	0.001	0.001	20	35.00	0.000	0.000	0.000	0.000	0	16.55					
21	470.9	0.000	0.000	0.002	0.002	81	35.06	0.000	0.000	0.000	0.000	0	16.53					
22	125.0	0.000	0.000	0.000	0.000	0	32.61	0.000	0.000	0.000	0.000	0	16.05					
23	125.6	0.000	0.000	0.001	0.001	11	31.69	0.000	0.000	0.000	0.000	0	16.02					
24	96.64	0.000	0.000	0.001	0.001	8	30.84	0.000	0.000	0.000	0.000	0	16.00					
25	78.96	0.000	0.000	0.001	0.001	7	30.92	0.000	0.000	0.000	0.000	0	14.70					
26	74.35	0.000	0.000	0.001	0.001	6	29.65	0.000	0.000	0.000	0.000	0	14.67					
27	233.1	0.000	0.000	0.001	0.001	20	29.90	0.000	0.000	0.000	0.000	0	14.58					
28	95.33	0.000	0.000	0.001	0.001	8	28.55	0.000	0.000	0.000	0.000	0	14.56					
29	0.000	0.000	0.000	0.000	0.000	0	30.84	0.000	0.000	0.000	0.000	0	14.03					
30	70.43	0.000	0.000	0.001	0.001	6	34.21	0.000	0.000	0.000	0.000	0	13.58					
31							57.58	0.000	0.000	0.000	0.000	0						
Ten Daily Mean																		
Ten Daily I	91.25	0.000	0.000	0.001	0.001	6	67.11	0.000	0.000	0.001	0.001	5	30.72					
Ten Daily II	524.4	0.000	0.000	0.002	0.002	87	49.81	0.000	0.000	0.000	0.000	0	20.78					
Ten Daily III	137.0	0.000	0.000	0.001	0.001	15	33.81	0.000	0.000	0.000	0.000	0	15.07					
Monthly																		

Total

803

46

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Local River : Orsang

Division : Tapi Division, Surat

Sub-Division : LNSD,Bharuch

Day	Dec						Jan						Feb					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	13.00						0.000						0.000					
2	13.06						0.000						0.000					
3	13.04						0.000						0.000					
4	12.73						0.000						0.000					
5	12.71						0.000						0.000					
6	12.70						0.000						0.000					
7	13.07						0.000						0.000					
8	13.00						0.000						0.000					
9	13.05						0.000						0.000					
10	12.69						0.000						0.000					
11	12.69						0.000						0.000					
12	12.70						0.000						0.000					
13	13.08						0.000						0.000					
14	5.970						0.000						0.000					
15	5.500						0.000						0.000					
16	5.249						0.000						0.000					
17	5.115						0.000						0.000					
18	4.966						0.000						0.000					
19	4.951						0.000						0.000					
20	4.631						0.000						0.000					
21	4.624						0.000						0.000					
22	4.650						0.000						0.000					
23	4.610						0.000						0.000					
24	4.273						0.000						0.000					
25	4.250						0.000						0.000					
26	0.000						0.000						0.000					
27	0.000						0.000						0.000					
28	0.000						0.000						0.000					
29	0.000						0.000						0.000					
30	0.000						0.000											
31	0.000						0.000											
Ten Daily Mean																		
Ten Daily I	12.90						0.000						0.000					
Ten Daily II	7.485						0.000						0.000					
Ten Daily III	2.037						0.000						0.000					
Monthly																		

Total

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch

Day	Mar						Apr						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0.000												0.000					
2	0.000												0.000					
3	0.000												0.000					
4	0.000												0.000					
5	0.000												0.000					
6	0.000												0.000					
7	0.000												0.000					
8	0.000												0.000					
9	0.000												0.000					
10	0.000												0.000					
11	0.000												0.000					
12	0.000												0.000					
13	0.000												0.000					
14	0.000												0.000					
15	0.000												0.000					
16	0.000												0.000					
17	0.000												0.000					
18	0.000												0.000					
19	0.000												0.000					
20	0.000						0.000						0.000					
21	0.000						0.000						0.000					
22	0.000						0.000						0.000					
23	0.000						0.000						0.000					
24	0.000						0.000						0.000					
25							0.000						0.000					
26							0.000						0.000					
27							0.000						0.000					
28							0.000						0.000					
29							0.000						0.000					
30							0.000						0.000					
31													0.000					
Ten Daily Mean																		
Ten Daily I	0.000												0.000					
Ten Daily II	0.000						0.000						0.000					
Ten Daily III	0.000						0.000						0.000					
Monthly																		

Total

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1989-2020

Station Name : Orsang at Chandwada (CW1NAL000513) Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch

Year	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1989-1990	1707848	0	1707848	1097
1990-1991	2902510	0	2902510	2782
1991-1992	1714771	0	1714771	858
1992-1993	908882	0	908882	589
1993-1994	827289	0	827289	974
1994-1995	1887533	0	1887533	4035
1995-1996	702121	0	702121	579
1996-1997	3226266	0	3226266	2348
1997-1998	1632617	0	1632617	1999
1998-1999	999417	0	999417	1389
1999-2000	2884450	0	2884450	1070
2000-2001	52131	0	52131	43
2001-2002	1397910	0	1397910	1009
2002-2003	732254	0	732254	447
2003-2004	1734616	0	1734616	1706
2004-2005	3831760	0	3831760	2297
2005-2006	4509	0	4509	953
2006-2007	2268661	0	2268661	2812
2007-2008	1191464	0	1191464	2229
2008-2009	913355	0	913355	947
2009-2010	84582	0	84582	323
2010-2011	676260	0	676260	808
2011-2012	257612	26	257638	1104
2012-2013	10657	24	10681	1439
2013-2014	308796	0	308796	4306
2014-2015	9316	0	9316	720
2015-2016	1101	0	1101	329
2016-2017	1883	0	1883	549
2017-2018	516	0	516	340
2018-2019	237	0	237	261
2019-2020	4165	0	4165	1601


Annual Sediment Load for the period: 1989-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 1989-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the Year: 2019-2020

Station Name : Orsang at Chandwada (CW1NAL000513)

Division : Tapi Division, Surat

Local River : Orsang

Sub-Division : LNSD,Bharuch



4.2 Narmada at Garudeshwar

HISTORY SHEET (SEDIMENT)					
				Water Year	: 2019-2020
Site	:	Narmada at Garudeshwar		Code	: CW1NAL000434
State	:	Gujarat		District	Bharuch
Basin	:	Narmada		Independent River	: Narmada
Tributary	:			Sub Tributary	:
Sub-Sub Tributary	:			Local River	: Narmada
Division	:	Tapi Division, Surat		Sub-Division	: LNSD Bharuch
Drainage Area	:	87892 Sq. Km.		Bank	: Right
Latitude	:	21°53'00"		Longitude	: 73°39'00"
Zero of Gauge (m)	:	10 (m.s.l)		22/12/1971	
		Opening Date		Closing Date	
Gauge	:	22/12/1971			
Discharge	:	23/03/1972			
Sediment	:	21/03/1973			
Water Quality	:	15/06/1977			

Sediment Data Year Book 2019-20

yDaily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch

Day	Sep						Oct						Nov					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	3500	0.000	0.000	0.000	0.000	0	4079	0.000	0.000	0.050	0.050	17621	495.6	0.000	0.000	0.000	0.000	0
2	3500	0.000	0.000	0.000	0.000	0	7000	0.000	0.000	0.000	0.000	0	700.0	0.000	0.000	0.000	0.000	0
3	1742	0.000	0.000	0.092	0.092	13847	5589	0.000	0.000	0.040	0.040	19316	500.0	0.000	0.000	0.000	0.000	0
4	1502	0.000	0.000	0.086	0.086	11160	3734	0.000	0.000	0.038	0.038	12259	460.0	0.000	0.000	0.000	0.000	0
5	13728	0.000	0.000	0.082	0.082	97260	2072	0.000	0.000	0.036	0.036	6445	379.0	0.000	0.000	0.000	0.000	0
6	6808	0.000	0.000	0.090	0.090	52939	3000	0.000	0.000	0.000	0.000	0	358.2	0.000	0.000	0.000	0.000	0
7	5931	0.000	0.000	0.112	0.112	57393	1538	0.000	0.000	0.032	0.032	4252	371.6	0.000	0.000	0.000	0.000	0
8	8000	0.000	0.000	0.000	0.000	0	2000	0.000	0.000	0.000	0.000	0	218.2	0.000	0.000	0.000	0.000	0
9	15695	0.000	0.000	0.078	0.078	105772	1529	0.000	0.000	0.004	0.004	528	196.9	0.000	0.000	0.000	0.000	0
10	18000	0.000	0.000	0.000	0.000	0	2065	0.000	0.000	0.002	0.002	357	190.0	0.000	0.000	0.000	0.000	0
11	21071	0.000	0.000	0.086	0.086	156566	2023	0.000	0.000	0.004	0.004	699	205.6	0.000	0.000	0.000	0.000	0
12	18772	0.000	0.000	0.090	0.090	145971	1376	0.000	0.000	0.002	0.002	238	700.0	0.000	0.000	0.000	0.000	0
13	22611	0.000	0.000	0.080	0.080	156287	1300	0.000	0.000	0.000	0.000	0	779.6	0.000	0.000	0.000	0.000	0
14	19452	0.000	0.000	0.104	0.104	174788	1181	0.000	0.000	0.002	0.002	204	733.4	0.000	0.000	0.000	0.000	0
15	21000	0.000	0.000	0.000	0.000	0	1265	0.000	0.000	0.002	0.002	219	729.5	0.000	0.000	0.000	0.000	0
16	13958	0.000	0.000	0.090	0.090	108537	1106	0.000	0.000	0.002	0.002	153	469.1	0.000	0.000	0.000	0.000	0
17	8461	0.000	0.000	0.092	0.092	67255	1008	0.000	0.000	0.001	0.001	105	232.5	0.000	0.000	0.000	0.000	0
18	11469	0.000	0.000	0.102	0.102	101074	733.0	0.000	0.000	0.001	0.001	38	232.5	0.000	0.000	0.000	0.000	0
19	11775	0.000	0.000	0.086	0.086	87493	471.1	0.000	0.000	0.000	0.000	16	516.8	0.000	0.000	0.000	0.000	0
20	8667	0.000	0.000	0.078	0.078	58409	700.0	0.000	0.000	0.000	0.000	0	715.7	0.000	0.000	0.000	0.000	0
21	11832	0.000	0.000	0.074	0.074	75649	571.0	0.000	0.000	0.000	0.000	10	705.3	0.000	0.000	0.000	0.000	0
22	9000	0.000	0.000	0.000	0.000	0	503.0	0.000	0.000	0.000	0.000	9	536.9	0.000	0.000	0.000	0.000	0
23	5635	0.000	0.000	0.078	0.078	37975	367.5	0.000	0.000	0.000	0.000	6	385.5	0.000	0.000	0.000	0.000	0
24	3714	0.000	0.000	0.072	0.072	23104	353.4	0.000	0.000	0.000	0.000	12	450.0	0.000	0.000	0.000	0.000	0
25	13748	0.000	0.000	0.076	0.076	90275	351.0	0.000	0.000	0.000	0.000	12	534.5	0.000	0.000	0.000	0.000	0
26	3188	0.000	0.000	0.024	0.024	6611	260.1	0.000	0.000	0.000	0.000	9	508.1	0.000	0.000	0.000	0.000	0
27	3561	0.000	0.000	0.006	0.006	1846	35.00	0.000	0.000	0.000	0.000	0	453.6	0.000	0.000	0.000	0.000	0
28	5900	0.000	0.000	0.006	0.006	3059	20.98	0.000	0.000	0.000	0.000	1	492.2	0.000	0.000	0.000	0.000	0
29	6000	0.000	0.000	0.000	0.000	0	13.31	0.000	0.000	0.000	0.000	0	444.3	0.000	0.000	0.000	0.000	0
30	8033	0.000	0.000	0.024	0.024	16657	21.63	0.000	0.000	0.000	0.000	0	491.7	0.000	0.000	0.000	0.000	0
31							386.7	0.000	0.000	0.000	0.000	0						
Ten Daily Mean																		
Ten Daily I	7841	0.000	0.000	0.054	0.054	33837	3261	0.000	0.000	0.020	0.020	6078	386.9	0.000	0.000	0.000	0.000	0
Ten Daily II	15724	0.000	0.000	0.081	0.081	105638	1116	0.000	0.000	0.001	0.001	167	531.5	0.000	0.000	0.000	0.000	0
Ten Daily III	7061	0.000	0.000	0.036	0.036	25518	262.1	0.000	0.000	0.000	0.000	5	500.2	0.000	0.000	0.000	0.000	0
Monthly																		

Total 1649927

62509

0

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch

Day	Dec						Jan						Feb					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	400.0	0.000	0.000	0.000	0.000	0	342.1	0.000	0.000	0.000	0.000	0	334.0	0.000	0.000	0.000	0.000	0
2	452.3	0.000	0.000	0.000	0.000	0	336.0	0.000	0.000	0.000	0.000	0	300.0	0.000	0.000	0.000	0.000	0
3	520.6	0.000	0.000	0.000	0.000	0	325.0	0.000	0.000	0.000	0.000	0	308.1	0.000	0.000	0.000	0.000	0
4	503.2	0.000	0.000	0.000	0.000	0	315.1	0.000	0.000	0.000	0.000	0	288.8	0.000	0.000	0.000	0.000	0
5	459.8	0.000	0.000	0.000	0.000	0	250.0	0.000	0.000	0.000	0.000	0	286.5	0.000	0.000	0.000	0.000	0
6	425.8	0.000	0.000	0.000	0.000	0	205.0	0.000	0.000	0.000	0.000	0	291.2	0.000	0.000	0.000	0.000	0
7	388.1	0.000	0.000	0.000	0.000	0	193.0	0.000	0.000	0.000	0.000	0	299.8	0.000	0.000	0.000	0.000	0
8	400.0	0.000	0.000	0.000	0.000	0	193.3	0.000	0.000	0.000	0.000	0	298.3	0.000	0.000	0.000	0.000	0
9	438.4	0.000	0.000	0.000	0.000	0	191.7	0.000	0.000	0.000	0.000	0	280.0	0.000	0.000	0.000	0.000	0
10	452.9	0.000	0.000	0.000	0.000	0	189.6	0.000	0.000	0.000	0.000	0	289.0	0.000	0.000	0.000	0.000	0
11	446.4	0.000	0.000	0.000	0.000	0	179.3	0.000	0.000	0.000	0.000	0	280.0	0.000	0.000	0.000	0.000	0
12	423.2	0.000	0.000	0.000	0.000	0	200.0	0.000	0.000	0.000	0.000	0	285.4	0.000	0.000	0.000	0.000	0
13	399.6	0.000	0.000	0.000	0.000	0	335.1	0.000	0.000	0.000	0.000	0	283.0	0.000	0.000	0.000	0.000	0
14	403.9	0.000	0.000	0.000	0.000	0	379.2	0.000	0.000	0.000	0.000	0	281.8	0.000	0.000	0.000	0.000	0
15	400.0	0.000	0.000	0.000	0.000	0	350.0	0.000	0.000	0.000	0.000	0	260.3	0.000	0.000	0.000	0.000	0
16	403.5	0.000	0.000	0.000	0.000	0	322.3	0.000	0.000	0.000	0.000	0	270.0	0.000	0.000	0.000	0.000	0
17	407.0	0.000	0.000	0.000	0.000	0	319.4	0.000	0.000	0.000	0.000	0	261.1	0.000	0.000	0.000	0.000	0
18	394.3	0.000	0.000	0.000	0.000	0	311.0	0.000	0.000	0.000	0.000	0	281.8	0.000	0.000	0.000	0.000	0
19	384.1	0.000	0.000	0.000	0.000	0	300.0	0.000	0.000	0.000	0.000	0	261.7	0.000	0.000	0.000	0.000	0
20	393.1	0.000	0.000	0.000	0.000	0	303.2	0.000	0.000	0.000	0.000	0	277.0	0.000	0.000	0.000	0.000	0
21	395.0	0.000	0.000	0.000	0.000	0	311.7	0.000	0.000	0.000	0.000	0	268.0	0.000	0.000	0.000	0.000	0
22	400.0	0.000	0.000	0.000	0.000	0	396.9	0.000	0.000	0.000	0.000	0	278.0	0.000	0.000	0.000	0.000	0
23	408.0	0.000	0.000	0.000	0.000	0	270.3	0.000	0.000	0.000	0.000	0	270.0	0.000	0.000	0.000	0.000	0
24	403.0	0.000	0.000	0.000	0.000	0	273.3	0.000	0.000	0.000	0.000	0	281.0	0.000	0.000	0.000	0.000	0
25	400.0	0.000	0.000	0.000	0.000	0	247.2	0.000	0.000	0.000	0.000	0	247.7	0.000	0.000	0.000	0.000	0
26	363.9	0.000	0.000	0.000	0.000	0	250.0	0.000	0.000	0.000	0.000	0	240.0	0.000	0.000	0.000	0.000	0
27	354.5	0.000	0.000	0.000	0.000	0	255.8	0.000	0.000	0.000	0.000	0	241.5	0.000	0.000	0.000	0.000	0
28	343.3	0.000	0.000	0.000	0.000	0	261.5	0.000	0.000	0.000	0.000	0	254.5	0.000	0.000	0.000	0.000	0
29	300.0	0.000	0.000	0.000	0.000	0	319.4	0.000	0.000	0.000	0.000	0	27.41	0.000	0.000	0.000	0.000	0
30	339.7	0.000	0.000	0.000	0.000	0	294.1	0.000	0.000	0.000	0.000	0						
31	347.0	0.000	0.000	0.000	0.000	0	318.2	0.000	0.000	0.000	0.000	0						
Ten Daily Mean																		
Ten Daily I	444.1	0.000	0.000	0.000	0.000	0	254.1	0.000	0.000	0.000	0.000	0	297.6	0.000	0.000	0.000	0.000	0
Ten Daily II	405.5	0.000	0.000	0.000	0.000	0	300.0	0.000	0.000	0.000	0.000	0	274.2	0.000	0.000	0.000	0.000	0
Ten Daily III	368.6	0.000	0.000	0.000	0.000	0	290.8	0.000	0.000	0.000	0.000	0	234.2	0.000	0.000	0.000	0.000	0
Monthly																		
Total						0						0						0

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch

Day	Mar						Apr						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	27.00	0.000	0.000	0.000	0.000	0							243.4	0.000	0.000	0.000	0.000	0
2	27.00	0.000	0.000	0.000	0.000	0							245.0	0.000	0.000	0.000	0.000	0
3	215.0	0.000	0.000	0.000	0.000	0							240.0	0.000	0.000	0.000	0.000	0
4	36.86	0.000	0.000	0.000	0.000	0							230.9	0.000	0.000	0.000	0.000	0
5	24.57	0.000	0.000	0.000	0.000	0							224.2	0.000	0.000	0.000	0.000	0
6	16.35	0.000	0.000	0.000	0.000	0							203.3	0.000	0.000	0.000	0.000	0
7	12.54	0.000	0.000	0.000	0.000	0							180.0	0.000	0.000	0.000	0.000	0
8	13.00	0.000	0.000	0.000	0.000	0							200.8	0.000	0.000	0.000	0.000	0
9	265.2	0.000	0.000	0.000	0.000	0							210.0	0.000	0.000	0.000	0.000	0
10	300.0	0.000	0.000	0.000	0.000	0							200.0	0.000	0.000	0.000	0.000	0
11	12.77	0.000	0.000	0.000	0.000	0							218.5	0.000	0.000	0.000	0.000	0
12	356.1	0.000	0.000	0.000	0.000	0							204.4	0.000	0.000	0.000	0.000	0
13	365.0	0.000	0.000	0.000	0.000	0							219.6	0.000	0.000	0.000	0.000	0
14	261.5	0.000	0.000	0.000	0.000	0							221.9	0.000	0.000	0.000	0.000	0
15	250.0	0.000	0.000	0.000	0.000	0							257.3	0.000	0.000	0.000	0.000	0
16	248.0	0.000	0.000	0.000	0.000	0							250.0	0.000	0.000	0.000	0.000	0
17	235.4	0.000	0.000	0.000	0.000	0							250.0	0.000	0.000	0.000	0.000	0
18	258.7	0.000	0.000	0.000	0.000	0							255.4	0.000	0.000	0.000	0.000	0
19	259.3	0.000	0.000	0.000	0.000	0							256.9	0.000	0.000	0.000	0.000	0
20	296.5	0.000	0.000	0.000	0.000	0	200.0	0.000	0.000	0.000	0.000	0	258.7	0.000	0.000	0.000	0.000	0
21	319.0	0.000	0.000	0.000	0.000	0	200.0	0.000	0.000	0.000	0.000	0	254.0	0.000	0.000	0.000	0.000	0
22	300.0	0.000	0.000	0.000	0.000	0	210.0	0.000	0.000	0.000	0.000	0	254.2	0.000	0.000	0.000	0.000	0
23	2500	0.000	0.000	0.000	0.000	0	315.1	0.000	0.000	0.000	0.000	0	250.0	0.000	0.000	0.000	0.000	0
24	150.0	0.000	0.000	0.000	0.000	0	660.4	0.000	0.000	0.000	0.000	0	250.0	0.000	0.000	0.000	0.000	0
25	120.0	0.000	0.000	0.000	0.000	0	350.0	0.000	0.000	0.000	0.000	0	200.0	0.000	0.000	0.000	0.000	0
26	100.0	0.000	0.000	0.000	0.000	0	300.0	0.000	0.000	0.000	0.000	0	214.1	0.000	0.000	0.000	0.000	0
27							259.5	0.000	0.000	0.000	0.000	0	191.1	0.000	0.000	0.000	0.000	0
28							257.3	0.000	0.000	0.000	0.000	0	12.72	0.000	0.000	0.000	0.000	0
29							245.2	0.000	0.000	0.000	0.000	0	13.17	0.000	0.000	0.000	0.000	0
30							228.4	0.000	0.000	0.000	0.000	0	13.00	0.000	0.000	0.000	0.000	0
31													13.00	0.000	0.000	0.000	0.000	0
Ten Daily Mean																		
Ten Daily I	93.75	0.000	0.000	0.000	0.000	0							217.8	0.000	0.000	0.000	0.000	0
Ten Daily II	254.3	0.000	0.000	0.000	0.000	0	200.0	0.000	0.000	0.000	0.000	0	239.3	0.000	0.000	0.000	0.000	0
Ten Daily III	581.5	0.000	0.000	0.000	0.000	0	302.6	0.000	0.000	0.000	0.000	0	151.4	0.000	0.000	0.000	0.000	0
Monthly																		
Total						0						0						0

Note-Data is published as sent by Tapi Division.

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434) Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch

Year	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	23596920	0	23596920	15058
1988-1989	44968910	0	44968910	33262
1989-1990	29277169	0	29277169	23454
1990-1991	51824968	0	51824968	51213
1991-1992	30082897	0	30082897	26138
1992-1993	15587484	0	15587484	20886
1993-1994	17225635	0	17225635	35989
1994-1995	36751681	0	36751681	74061
1995-1996	2218095	0	2218095	23290
1996-1997	9122661	0	9122661	27246
1997-1998	7607284	0	7607284	33802
1998-1999	4610413	0	4610413	23109
1999-2000	15376745	0	15376745	49029
2000-2001	588472	0	588472	11486
2001-2002	3084144	0	3084144	23284
2002-2003	3720112	0	3720112	21023
2003-2004	4835297	0	4835297	30308
2004-2005	2602520	0	2602520	17505
2005-2006	2678060	85099	2763159	25676
2006-2007	6639002	60256	6699258	32524
2007-2008	3310012	43520	3353532	18427
2008-2009	75144	3083	78227	4492
2009-2010	737914	7828	745742	6744
2010-2011	311630	205	311835	8295
2011-2012	84072	423	84495	21732
2012-2013	28164	451	28615	21901
2013-2014	2767532	0	2767532	49130
2014-2015	104139	0	104139	8980
2015-2016	58431	0	58431	6284
2016-2017	340982	58	341040	16018
2017-2018	1444	0	1444	1440
2018-2019	1005	0	1005	699
2019-2020	3460319	0	3460319	51194


Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch




Seasonal Sediment Load for the period : 1987-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch




Seasonal Sediment Load for the period : 2019-2020

Station Name : Narmada at Garudeshwar (CW1NAL000434)

Division : Tapi Division, Surat

Local River : Narmada

Sub-Division : LNSD,Bharuch



4.3 Narmada at Mandleshwar

History Sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Mandleshwar		Code	:	CW1NAM000189	
State	:	Madhya Pradesh		District	:	KHARGONE	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-III, Indore	
Drainage Area	:	72809.0 Sq. Km.		Bank	:	Right	
Latitude	:	22°10'18"		Longitude	:	75°39'39"	
Current Zero of Gauge (m)	:	138					
CATEGORY		Opening Date		Closing Date			
Gauge	:	16/12/1970					
Discharge	:	28/08/1971					
Sediment	:	14/04/1972					
Water Quality	:	18/06/1979					
Reduced Level		Opening Date		Closing Date			
138.0		16/12/1970					

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD- III, Indore

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	890.24	0	0	0.01	0.01	1153.75	195.87	0	0	0.02	0.02	270.77	326.93	0	0	0.01	0.01	395.45
2	241.0	0	0	0	0	83.29	288.44	0	0	0.02	0.02	423.66	323.37	0	0	0.01	0.01	419.09
3	369.65	0	0	0.01	0.01	447.13	417.97	0	0	0.02	0.02	650.03	206.2	0	0	0.01	0.01	213.79
4	341.48	0	0	0.01	0.01	383.54	198.79	0	0	0.01	0.01	257.63	521	0	0	0.03	0.03	1350.43
5	142.0	0	0	0.01	0.01	61.34	214.67	0	0	0.02	0.02	352.4	614.28	0	0	0.02	0.02	955.34
6	156.25	0	0	0.01	0.01	162.00	354.76	0	0	0.02	0.02	674.33	313.76	0	0	0.01	0.01	406.64
7	183.82	0	0	0.01	0.01	190.59	1920.0	0	0	0.12	0.12	19740.67	162.06	0	0	0.01	0.01	196.02
8	109.48	0	0	0.01	0.01	94.59	228.3	0	0	0.02	0.02	394.5	190.27	0	0	0.01	0.01	246.59
9	142.0	0	0	0.01	0.01	159.49	203.25	0	0	0.02	0.02	316.1	1900.6	0	0	0.02	0.02	2955.81
10	118.24	0	0	0.01	0.01	102.16	176.78	0	0	0.02	0.02	259.66	2486.38	0	0	0.02	0.02	4940.93
11	122.6	0	0	0.01	0.01	116.52	132.69	0	0	0.01	0.01	160.5	2318	0	0	0.02	0.02	4205.78
12	158.97	0	0	0.01	0.01	164.82	323.00	0	0	0.01	0.01	418.6	2420	0	0	0.02	0.02	4599.94
13	346.21	0	0	0.01	0.01	418.78	533.02	0	0	0.02	0.02	921.05	2207.53	0	0	0.02	0.02	4386.81
14	145.45	0	0	0.01	0.01	163.37	228.0	0	0	0.01	0.01	177.29	2757.75	0	0	0.02	0.02	5718.47
15	104.05	0	0	0.01	0.01	107.87	174.25	0	0	0.01	0.01	150.56	2669	0	0	0.02	0.02	5303.84
16	142.0	0	0	0.02	0.02	196.30	195.96	0	0	0.01	0.01	186.24	2579.56	0	0	0.03	0.03	5794.71
17	103.95	0	0	0.01	0.01	98.79	314.79	0	0	0.01	0.01	353.57	4358.53	0	0	0.03	0.03	12050.47
18	206.79	0	0	0.01	0.01	250.14	1211.32	0	0	0.01	0.01	1569.87	6950	0	0	0.05	0.05	30624.48
19	139.83	0	0	0.01	0.01	157.06	2468.73	0	0	0.02	0.02	4905.86	7700	0	0	0.09	0.09	59875.2
20	459.71	0	0	0.01	0.01	595.78	2244.62	0	0	0.02	0.02	3102.96	7525	0	0	0.07	0.07	46811.52
21	777.68	0	0	0.02	0.02	1075.06	1895.0	0	0	0.01	0.01	2292.19	5240	0	0	0.05	0.05	22636.8
22	243.24	0	0	0.01	0.01	315.24	633.02	0	0	0.01	0.01	820.4	4183.8	0	0	0.07	0.07	27111.02
23	179.0	0	0	0.01	0.01	170.12	2233.22	0	0	0.02	0.02	3859	2662.05	0	0	0.07	0.07	15870.1
24	131.05	0	0	0.01	0.01	124.55	1510.94	0	0	0.02	0.02	2741.45	2955.89	0	0	0.07	0.07	18132.59
25	190.09	0	0	0.01	0.01	229.93	148.54	0	0	0.02	0.02	205.35	8750	0	0	0.08	0.08	158760
26	122.42	0	0	0.01	0.01	158.66	99.02	0	0	0.01	0.01	111.22	10980	0	0	0.08	0.08	75893.76
27	101.66	0	0	0.01	0.01	105.40	103.39	0	0	0.01	0.01	98.26	11355	0	0	0.08	0.08	82410.05
28	118.35	0	0	0.01	0.01	143.15	119.0	0	0	0.01	0.01	133.66	4947.75	0	0	0.08	0.08	35053.85
29	130.9	0	0	0.01	0.01	169.65	298.09	0	0	0.02	0.02	412.07	8800	0	0	0.08	0.08	57784.32
30	89.00	0	0	0.01	0.01	76.90	786.43	0	0	0.02	0.02	1223.06	5540	0	0	0.07	0.07	34463.23
31							310.37	0	0	0.01	0.01	187.71	3907.28	0	0	0.07	0.07	22956.06
TenDaily I	269.42	0	0	0.01	0.01	283.79	419.88	0	0	0.03	0.03	2333.98	704.49	0	0	0.02	0.02	1208.01
TenDaily II	192.96	0	0	0.01	0.01	226.94	782.64	0	0	0.01	0.01	1194.65	4148.54	0	0	0.04	0.04	17937.12
TenDaily III	208.34	0	0	0.01	0.01	256.87	739.73	0	0	0.01	0.01	1098.58	6301.98	0	0	0.09	0.09	50097.44
Total	June					7675.98	July					47370.64	August					742523.11

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	3248	0	0	0.06	0.06	15715.12	4783.97	0	0	0.07	0.07	27280.1	855.68	0	0	0.02	0.02	1774.34
2	6810	0	0	0.12	0.12	70017.7	7605	0	0	0.10	0.10	68992.56	644.61	0	0	0.02	0.02	1225.28
3	3219.86	0	0	0.06	0.06	16691.75	5454.63	0	0	0.09	0.09	41001.39	635.00	0	0	0.02	0.02	1207.01
4	4203.23	0	0	0.06	0.06	22879.04	4720.2	0	0	0.05	0.05	19983.43	626.36	0	0	0.02	0.02	1136.47
5	13990	0	0	0.18	0.18	213946.3	2986.87	0	0	0.04	0.04	10838.75	1065.79	0	0	0.03	0.03	2394.19
6	6580	0	0	0.08	0.08	46617.98	2960	0	0	0.04	0.04	10741.25	577.05	0	0	0.02	0.02	1146.71
7	6766	0	0	0.11	0.11	65473.23	2400.14	0	0	0.04	0.04	7880.12	588.79	0	0	0.02	0.02	1068.31
8	8010	0	0	0.13	0.13	92044.51	2290	0	0	0.04	0.04	7122.82	371.46	0	0	0.02	0.02	609.78
9	17870	0	0	0.20	0.20	305705.7	2218.66	0	0	0.03	0.03	5367.38	334.88	0	0	0.02	0.02	578.68
10	18170	0	0	0.21	0.21	329676.5	2255.22	0	0	0.03	0.03	5845.54	510.00	0	0	0.03	0.03	1321.92
11	20510	0	0	0.20	0.20	357956.9	1622.02	0	0	0.03	0.03	3643.71	431.38	0	0	0.02	0.02	782.69
12	20120	0	0	0.17	0.17	297260.9	1267.04	0	0	0.03	0.03	2736.81	461.00	0	0	0.02	0.02	876.27
13	21150	0	0	0.21	0.21	381918.2	432	0	0	0.01	0.01	335.92	514.05	0	0	0.02	0.02	977.1
14	17870	0	0	0.16	0.16	248578.9	1564.5	0	0	0.03	0.03	3649.67	530.70	0	0	0.02	0.02	1054.6
15	17520	0	0	0.16	0.16	239169	1511.6	0	0	0.03	0.03	3656.87	206.59	0	0	0.02	0.02	356.98
16	10200	0	0	0.09	0.09	77552.64	1161.41	0	0	0.03	0.03	2609	193.91	0	0	0.02	0.02	351.82
17	4631.35	0	0	0.03	0.03	12404.61	810.69	0	0	0.03	0.03	1821.13	199.00	0	0	0.02	0.02	378.26
18	11660	0	0	0.12	0.12	124920.6	978.02	0	0	0.03	0.03	2112.53	265.21	0	0	0.02	0.02	549.95
19	6925	0	0	0.07	0.07	42480.72	624.47	0	0	0.03	0.03	1456.75	383.03	0	0	0.02	0.02	728.07
20	6533.97	0	0	0.10	0.10	54759.93	826	0	0	0.04	0.04	2569.19	396.34	0	0	0.02	0.02	650.63
21	6901.28	0	0	0.07	0.07	40546.38	536.2	0	0	0.02	0.02	1065.54	440.56	0	0	0.02	0.02	837.42
22	5792	0	0	0.06	0.06	28524.44	253.64	0	0	0.02	0.02	438.29	536.37	0	0	0.02	0.02	1112.22
23	3666.85	0	0	0.05	0.05	16791.23	625.1	0	0	0.02	0.02	1188.2	807.17	0	0	0.03	0.03	1743.48
24	3273.47	0	0	0.06	0.06	15838.34	540.66	0	0	0.02	0.02	980.97	795.00	0	0	0.03	0.03	1717.2
25	4709.9	0	0	0.05	0.05	21567.56	327.3	0	0	0.02	0.02	565.58	380.58	0	0	0.02	0.02	756.29
26	6096.92	0	0	0.07	0.07	39508.07	324.26	0	0	0.02	0.02	532.3	340.97	0	0	0.02	0.02	559.73
27	4752.98	0	0	0.07	0.07	28746	170	0	0	0.01	0.01	146.88	305.58	0	0	0.02	0.02	528.05
28	4947.75	0	0	0.07	0.07	32061.45	328.02	0	0	0.02	0.02	538.48	280.14	0	0	0.02	0.02	484.08
29	4910	0	0	0.07	0.07	31392.58	913.77	0	0	0.02	0.02	1815.85	394.71	0	0	0.02	0.02	750.27
30	4888.48	0	0	0.07	0.07	29987.9	707.91	0	0	0.02	0.02	1345.6	368.55	0	0	0.02	0.02	573.16
31							815.12	0	0	0.02	0.02	1690.24						
TenDaily I	8886.71	0	0	0.12	0.12	117876.8	3767.47	0	0	0.05	0.05	20505.33	620.96	0	0	0.02	0.02	1246.27
TenDaily II	13712	0	0	0.13	0.13	183700.2	1079.78	0	0	0.03	0.03	2459.16	358.12	0	0	0.02	0.02	670.64
TenDaily III	4993.96	0	0	0.07	0.07	28496.4	503.82	0	0	0.02	0.02	937.08	464.96	0	0	0.02	0.02	906.19
Total	September					3300734	October					239952.9	November					28230.98

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	306.00	0	0	0.01	0.01	370.14	378.65	0	0	0.02	0.02	588.87	437.44	0	0	0.02	0.02	755.89
2	337.16	0	0	0.02	0.02	553.49	432.16	0	0	0.02	0.02	784.11	511.00	0	0	0.02	0.02	1059.61
3	264.62	0	0	0.01	0.01	342.95	550.27	0	0	0.03	0.03	1236.12	347.89	0	0	0.02	0.02	510.98
4	244.65	0	0	0.01	0.01	295.93	450.47	0	0	0.02	0.02	856.26	411.55	0	0	0.02	0.02	711.15
5	385.29	0	0	0.02	0.02	732.36	260.20	0	0	0.01	0.01	269.78	346.40	0	0	0.02	0.02	508.80
6	353.90	0	0	0.02	0.02	611.54	455.72	0	0	0.02	0.02	669.36	393.81	0	0	0.02	0.02	646.47
7	434.56	0	0	0.02	0.02	901.11	407.98	0	0	0.01	0.01	528.74	319.85	0	0	0.02	0.02	442.16
8	433.00	0	0	0.02	0.02	897.87	472.98	0	0	0.02	0.02	735.58	235.70	0	0	0.01	0.01	244.38
9	402.78	0	0	0.02	0.02	696.00	413.29	0	0	0.01	0.01	535.62	280.00	0	0	0.01	0.01	338.69
10	486.28	0	0	0.02	0.02	1008.35	421.13	0	0	0.02	0.02	582.17	340.35	0	0	0.02	0.02	529.31
11	310.94	0	0	0.01	0.01	402.98	402.22	0	0	0.01	0.01	521.28	275.99	0	0	0.01	0.01	357.69
12	384.97	0	0	0.02	0.02	631.97	557.00	0	0	0.02	0.02	1010.62	307.57	0	0	0.02	0.02	425.19
13	284.36	0	0	0.01	0.01	343.96	439.06	0	0	0.02	0.02	682.82	215.30	0	0	0.01	0.01	204.62
14	269.22	0	0	0.01	0.01	302.39	407.81	0	0	0.02	0.02	599.00	236.83	0	0	0.01	0.01	266.00
15	279.00	0	0	0.01	0.01	337.48	307.76	0	0	0.01	0.01	345.67	239.44	0	0	0.01	0.01	268.94
16	200.71	0	0	0.02	0.02	277.45	361.11	0	0	0.01	0.01	467.99	308.00	0	0	0.02	0.02	425.78
17	254.23	0	0	0.02	0.02	439.31	303.35	0	0	0.01	0.01	314.51	248.93	0	0	0.02	0.02	344.13
18	199.85	0	0	0.02	0.02	276.27	258.22	0	0	0.01	0.01	245.41	301.55	0	0	0.02	0.02	495.02
19	373.82	0	0	0.03	0.03	968.93	372.00	0	0	0.01	0.01	482.11	233.16	0	0	0.01	0.01	302.17
20	248.05	0	0	0.02	0.02	428.64	301.95	0	0	0.01	0.01	391.32	211.68	0	0	0.01	0.01	256.05
21	363.66	0	0	0.03	0.03	911.19	258.09	0	0	0.01	0.01	289.89	1075	0	0	0.07	0.07	6408.72
22	246.00	0	0	0.02	0.02	425.09	358.15	0	0	0.02	0.02	556.99	501.99	0	0	0.03	0.03	1387.90
23	242.50	0	0	0.02	0.02	377.14	361.23	0	0	0.02	0.02	561.78	518.00	0	0	0.03	0.03	1476.92
24	338.58	0	0	0.03	0.03	731.33	506.37	0	0	0.03	0.03	1093.77	354.75	0	0	0.02	0.02	521.05
25	242.00	0	0	0.02	0.02	376.36	437.88	0	0	0.02	0.02	832.31	217.6	0	0	0.01	0.01	188.00
26	298.06	0	0	0.02	0.02	566.56	430.00	0	0	0.02	0.02	780.19	191.04	0	0	0.01	0.01	148.55
27	317.64	0	0	0.02	0.02	658.67	300.94	0	0	0.01	0.01	364.01	449.99	0	0	0.02	0.02	855.34
28	316.77	0	0	0.02	0.02	656.86	406.33	0	0	0.02	0.02	667.04	1193.28	0	0	0.06	0.06	5876.64
29	380.00	0	0	0.03	0.03	919.3	303.50	0	0	0.01	0.01	367.12	562.10	0	0	0.03	0.03	1311.26
30	312.39	0	0	0.01	0.01	404.86	356.82	0	0	0.02	0.02	524.10						
31	388.46	0	0	0.02	0.02	637.69	400.06	0	0	0.02	0.02	656.74						
TenDaily I	364.82	0	0	0.02	0.02	640.97	424.28	0	0	0.02	0.02	678.66	362.40	0	0	0.02	0.02	574.74
TenDaily II	280.51	0	0	0.02	0.02	440.94	371.05	0	0	0.02	0.02	506.07	257.84	0	0	0.01	0.01	334.56
TenDaily III	313.28	0	0	0.02	0.02	605.91	374.49	0	0	0.02	0.02	608.54	562.64	0	0	0.03	0.03	2019.38
Total	December					17484.16	January					18541.27	February					27267.41

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	594.00	0	0	0.03	0.03	1437	655.00	0	0	0.02	0.02	1131.84	259.79	0	0	0.02	0.02	381.58
2	226.20	0	0	0.01	0.01	293.15	593.40	0	0	0.02	0.02	974.13	182.37	0	0	0.01	0.01	189.08
3	617.97	0	0	0.04	0.04	2189.10	486.00	0	0	0.01	0.01	629.86	187.00	0	0	0.01	0.01	193.88
4	789.99	0	0	0.05	0.05	3549.24	554.00	0	0	0.02	0.02	813.72	219.44	0	0	0.01	0.01	246.47
5	398.10	0	0	0.03	0.03	894.29	431.00	0	0	0.01	0.01	484.10	187.39	0	0	0.01	0.01	178.10
6	293.87	0	0	0.02	0.02	482.42	514.00	0	0	0.02	0.02	710.55	909.78	0	0	0.05	0.05	4244.67
7	320.15	0	0	0.02	0.02	580.88	556.00	0	0	0.02	0.02	816.65	180.00	0	0	0.01	0.01	171.07
8	336.00	0	0	0.02	0.02	638.67	723.00	0	0	0.02	0.02	1436.75	754.60	0	0	0.04	0.04	2933.89
9	502.10	0	0	0.02	0.02	780.86	639.00	0	0	0.02	0.02	1104.19	190.97	0	0	0.01	0.01	181.50
10	427.00	0	0	0.01	0.01	553.39	486.00	0	0	0.01	0.01	527.39	698.00	0	0	0.04	0.04	2472.60
11	415.82	0	0	0.01	0.01	538.91	576.00	0	0	0.02	0.02	895.80	147.60	0	0	0.02	0.02	204.04
12	414.81	0	0	0.01	0.01	537.6	339.00	0	0	0.01	0.01	322.19	725.78	0	0	0.08	0.08	4953.90
13	427.49	0	0	0.01	0.01	554.03	358.00	0	0	0.01	0.01	340.24	554.81	0	0	0.06	0.06	2876.15
14	433.86	0	0	0.02	0.02	599.77	560.00	0	0	0.02	0.02	822.53	543.15	0	0	0.06	0.06	2768.76
15	502.00	0	0	0.02	0.02	780.71	225.00	0	0	0.01	0.01	136.08	196.19	0	0	0.02	0.02	355.96
16	514.29	0	0	0.02	0.02	755.40	195.00	0	0	0.01	0.01	101.09	245.93	0	0	0.03	0.03	573.71
17	425.20	0	0	0.01	0.01	514.32	486.00	0	0	0.01	0.01	629.86	291.00	0	0	0.03	0.03	804.56
18	433.24	0	0	0.01	0.01	524.05	518.00	0	0	0.02	0.02	716.08	428.07	0	0	0.02	0.02	628.74
19	403.54	0	0	0.01	0.01	453.26	435.00	0	0	0.01	0.01	526.18	600.17	0	0	0.02	0.02	1244.52
20	474.48	0	0	0.02	0.02	655.92	488.25	0	0	0.02	0.02	843.69	235.93	0	0	0.01	0.01	183.46
21	329.12	0	0	0.01	0.01	312.80	840.22	0	0	0.03	0.03	2468.22	488.51	0	0	0.02	0.02	801.94
22	425.00	0	0	0.01	0.01	514.08	1589.67	0	0	0.07	0.07	8927.56	211.87	0	0	0.01	0.01	146.44
23	481.12	0	0	0.01	0.01	623.53	556.61	0	0	0.02	0.02	1106.09	197.79	0	0	0.01	0.01	136.71
24	774.61	0	0	0.02	0.02	1606.23	253.12	0	0	0.01	0.01	218.69	538.00	0	0	0.02	0.02	976.15
25	666.00	0	0	0.02	0.02	1208.39	446.00	0	0	0.02	0.02	693.61	325.00	0	0	0.01	0.01	365.04
26	487.00	0	0	0.01	0.01	631.15	322.00	0	0	0.01	0.01	361.67	521.22	0	0	0.02	0.02	855.63
27	485.00	0	0	0.01	0.01	628.56	228.99	0	0	0.01	0.01	296.77	197.18	0	0	0.01	0.01	119.25
28	371.00	0	0	0.01	0.01	384.65	487.90	0	0	0.03	0.03	1348.94	425.86	0	0	0.02	0.02	588.71
29	190.00	0	0	0.01	0.01	98.50	427.68	0	0	0.03	0.03	1034.64	465.2	0	0	0.02	0.02	683.28
30	461.00	0	0	0.01	0.01	557.63	242.81	0	0	0.02	0.02	335.66	225.27	0	0	0.01	0.01	155.70
31	671.00	0	0	0.02	0.02	1217.46							1549.00	0	0	0.06	0.06	7494.68
TenDaily I	450.54	0	0	0.03	0.03	1139.90	558.74	0	0	0.02	0.02	862.92	376.93	0	0	0.02	0.02	1119.28
TenDaily II	444.47	0	0	0.02	0.02	591.40	418.02	0	0	0.01	0.01	533.37	396.86	0	0	0.03	0.03	1459.38
TenDaily III	485.53	0	0	0.02	0.02	707.54	539.50	0	0	0.03	0.03	1679.19	467.72	0	0	0.02	0.02	1120.32
Total	March					25095.94	April					30754.75						38110.18

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Mandleshwar

Division:Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore


	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	25830845.3	0	25830845.3	14409.67
1988-1989	33706126.67	0	33706126.67	30075.84
1989-1990	16590010.63	0	16590010.63	17493.47
1990-1991	43573304.92	0	43573304.92	44940.12
1991-1992	17919771.22	0	17919771.22	23174.76
1992-1993	10212180.66	0	10212180.66	16597.46
1993-1994	54775380.25	0	54775380.25	30818.43
1994-1995	107300432.62	0	107300432.62	67156.44
1995-1996	33242247.07	0	33242247.07	21176.67
1996-1997	20710748.4	0	20710748.4	20291.08
1997-1998	33307096.55	0	33307096.55	25333.12
1998-1999	19597534.78	0	19597534.78	24211.83
1999-2000	71022743.42	0	71022743.42	52394.48
2000-2001	5140065.31	0	5140065.31	11173.53
2001-2002	18046536.41	0	18046536.41	19604.46
2002-2003	23246401.98	0	23246401.98	19314.77
2003-2004	12526667.96	0	12526667.96	31450.66
2004-2005	5791853.65	0	5791853.65	16428.18
2005-2006	3756112.88	18213.48	3774326.36	33882.83
2006-2007	23348119.18	70019.42	23418138.61	33299.23
2007-2008	3619870.62	61874.01	3681744.63	24539.35
2008-2009	357341.28	257631.93	614973.21	16209.55
2009-2010	1250505.76	382714.59	1633220.35	28066.07
2010-2011	2824844.03	386277.46	3211121.49	28697.37
2011-2012	5268557	272974	5541530	44924
2012-2013	3053619	256864.56	3310483.56	45507.08
2013-2014	6692576	327613	7020190	65013
2014-2015	738527	246678	985205	25134
2015-2016	1481523	154696	1636219	21095
2016-2017	2294790.88	148062.88	2442853.76	33674.57
2017-2018	121946.92	7393.91	129340.83	5954.39
2018-2019	654450	154126	808577	16621
2019-2020	4366487.71	157253.72	4523741.43	48788.18

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)
Bhopal Local River : Narmada

Division : Narmada Division,
Sub-Division : MNSD-III, Indore



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 1987-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 2019-2020

Station Name : Narmada at Mandleshwar (CW1NAM000189)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-III, Indore



4.4 Narmada at Handia

History Sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Handia		Code	:	CWINAM000392	
State	:	Madhya Pradesh		District	:	HARDA	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-II, Bhopal	
Drainage Area	:	54027.0 Sq. Km.		Bank	:	Left	
Latitude	:	22°29'30"		Longitude	:	76°59'38"	
Current Zero of Gauge (m)	:	258.000 (M.S.L.)					
CATEGORY		Opening Date		Closing Date			
Gauge	:	09/02/1977					
Discharge	:	26/04/1977					
Sediment	:	11/12/1977					
Water Quality	:	01/08/1979					
Reduced Level		Opening Date		Closing Date			
258.0		09/02/1977					

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	33.80	0	0	0.15	0.15	449.73	121.9	0	0	0.27	0.27	2843.68	3181.9	0.04	0.07	1.22	1.32	363714.08
2	34.00	0	0	0.16	0.16	458.27	123.5	0	0	0.03	0.03	277.43	2922.9	0.03	0.06	0.81	0.90	228294.86
3	33.30	0	0	0.15	0.15	437.32	125	0	0	0.03	0.03	270.00	2838.7	0.03	0.06	0.74	0.83	204549.91
4	36.40	0	0	0.17	0.17	525.21	217.5	1.19	0.10	0.04	1.33	24899.4	2900	0.03	0.06	0.76	0.85	213727.68
5	35.00	0	0	0.16	0.16	483.84	319.4	1.20	0.12	0.04	1.36	37668.76	2718.8	0.03	0.06	1.39	1.48	346953.68
6	35.30	0	0	0.16	0.16	494.09	650	2.44	0.24	0.92	3.60	202288.32	1314.4	0.03	0.06	0.76	0.84	95848.15
7	35.60	0	0	0.16	0.16	501.36	2200	8.26	0.83	3.10	12.18	2315744.64	800.0	0.01	0.03	0.47	0.51	35458.56
8	38.00	0	0	0.17	0.17	571.28	1037.8	0.06	0.12	0.25	0.43	38287.35	1409.9	0.03	0.06	0.73	0.81	99157.7
9	42.00	0	0	0.19	0.19	696.73	357.7	1.59	1.41	0.65	3.65	112927.89	3636.8	0.06	0.08	1.20	1.33	418226.18
10	42.00	0	0	0.15	0.15	551.58	319.7	1.20	1.10	1.12	3.42	94605.62	4000	0.06	0.09	1.32	1.46	505958.4
11	41.80	0	0	0.15	0.15	548.95	293.2	1.30	1.25	0.64	3.18	80683.95	3900	0.06	0.09	1.28	1.43	481178.88
12	42.10	0	0	0.15	0.15	556.53	170.7	2.54	1.58	0.99	5.11	75379.48	3700	0.06	0.08	1.22	1.35	432846.72
13	40.30	0	0	0.15	0.15	508.36	160	2.38	1.48	0.93	4.79	66244.61	3000	0.04	0.07	0.99	1.10	284601.6
14	82.84	0	0	0.30	0.30	2154.37	210	3.13	1.95	1.22	6.29	114089.47	2500	0.04	0.06	0.82	0.91	197640
15	83.50	0	0	0.01	0.01	36.07	216.6	1.40	1.45	0.61	3.46	64695.13	3500	0.05	0.08	1.15	1.28	387374.4
16	90.00	0	0	0.01	0.01	38.88	198.8	1.00	1.10	0.72	2.82	48385.69	5460.7	0.72	0.98	0.73	2.44	1151674.74
17	89.60	0	0	0	0	7.74	167.1	1.05	1.00	0.56	2.61	37725.03	5256.8	0.69	0.95	0.73	2.37	1076424.42
18	97.50	0	0	0.02	0.02	168.48	159.8	1.11	1.10	0.72	2.93	40467.5	3950	0.52	0.71	0.55	1.78	607819.68
19	102.40	0	0	0.03	0.03	221.18	148.4	1.05	1.10	0.63	2.78	35606.03	3361.7	0.31	0.91	0.83	2.05	595424.3
20	102.70	0	0	0.02	0.02	177.47	147.2	0.06	0.07	0.62	0.75	9525.84	2234.6	0.28	0.88	0.90	2.06	397336.91
21	103.80	0	0	0.02	0.02	179.37	145	0.06	0.06	0.61	0.74	9245.66	2600	0.33	1.02	1.04	2.40	538012.8
22	103.00	0	0	0.02	0.02	177.98	157.4	0.06	0.06	1.21	1.32	17978.35	2316.7	0.30	0.90	0.85	2.05	411334.72
23	100.00	0	0	0.02	0.02	164.16	171.2	0.80	0.85	0.67	2.32	34272.32	2448.8	0.31	0.91	0.85	2.07	437328.25
24	109.10	0	0	0.02	0.02	197.95	157.8	0.55	0.65	0.60	1.81	24609.23	3989.2	0.05	0.09	0.90	1.04	360176.89
25	121.40	0	0	0.02	0.02	251.74	146.9	0.51	0.60	0.56	1.68	21322.83	7600	0.10	0.17	1.72	1.99	1307370.24
26	118.10	0	0	0.02	0.02	234.69	135.3	0.55	0.60	0.63	1.78	20772.99	6518.7	0.27	0.08	0.91	1.27	712467.84
27	116.20	0	0	0.02	0.02	230.91	148.6	0.70	0.75	0.61	2.06	26448.42	10255.7	0.41	0.90	0.81	2.12	1879402.15
28	105.00	0	0	0.02	0.02	181.44	1500	7.07	7.57	6.16	20.79	2694902.4	9079.7	0.28	0.87	0.79	1.94	1520334.02
29	105.00	0	0	0.02	0.02	181.44	2554.5	0.03	0.06	0.53	0.62	135956.62	6698.6	0.25	0.81	0.87	1.93	1116426.19
30	107.00	0	0	0.02	0.02	194.14	1345.7	0.04	0.07	0.63	0.73	84992.26	5200	0.31	0.80	0.78	1.89	849139.2
31							3510	0.04	0.07	0.62	0.73	222595.78	4742.3	1.59	1.74	0.78	4.11	1684009.7
TenDaily I	36.54	0	0	0.16	0.16	516.94	547.25	1.59	0.39	0.65	2.63	282981.31	2572.34	0.03	0.06	0.94	1.04	251188.92
TenDaily II	77.27	0	0	0.08	0.08	441.80	187.18	1.50	1.21	0.76	3.47	57280.27	3686.38	0.28	0.48	0.92	1.68	561232.16
TenDaily III	108.86	0	0	0.02	0.02	199.38	906.58	0.95	1.03	1.17	3.14	299372.44	5586.34	0.38	0.75	0.94	2.07	983272.91
Total	June					11581.25	July					6695712.69	August					18940212.85

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	4300	0.09	0.06	0.46	0.61	226627.2	5500	0.97	1.07	1.26	3.30	1567209.6	631	0.18	0.19	0.25	0.62	33692.37
2	4000	0.08	0.06	0.43	0.57	196300.8	5200	0.92	1.01	1.19	3.12	1400405.76	630	0.18	0.19	0.25	0.62	33638.98
3	4579.8	1.58	1.73	0.75	4.06	1606124.87	4247.6	0.59	0.71	0.13	1.44	526634.44	605	0.17	0.18	0.24	0.59	31049.57
4	6250.5	0.78	1.51	0.75	3.04	1639571.16	3500	0.49	0.59	0.11	1.18	357739.2	600	0.17	0.18	0.24	0.59	30533.76
5	5867.4	0.75	1.48	0.90	3.13	1585718.83	2754.5	0.56	0.66	0.64	1.86	443135.15	590	0.17	0.18	0.23	0.58	29566.08
6	7330.2	0.87	1.60	0.83	3.30	2090619.95	3000	0.61	0.72	0.70	2.03	525657.6	580	0.17	0.17	0.23	0.57	28563.84
7	6805.2	0.77	0.41	0.82	2.00	1173586.68	2159.1	0.46	0.54	0.63	1.63	303883.82	570	0.16	0.17	0.23	0.56	27578.88
8	6700	0.76	0.40	0.8	1.97	1138078.08	2000	0.43	0.50	0.58	1.51	260755.2	570	0.16	0.17	0.23	0.56	27578.88
9	12587.3	0.79	0.87	0.76	2.42	2631853.38	1790.1	0.41	0.49	0.60	1.50	232615.62	570	0.16	0.17	0.23	0.56	27578.88
10	14000	0.88	0.97	0.84	2.69	3256243.2	1711.8	0.41	0.48	0.58	1.48	218151.79	565	0.16	0.17	0.23	0.56	27141.7
11	17572.2	0.89	0.96	0.90	2.75	4167563.53	1660.7	0.40	0.48	0.56	1.44	206043.71	565	0.16	0.17	0.23	0.56	27141.7
12	16266.7	0.83	0.92	0.77	2.52	3543121.5	1500	0.36	0.43	0.50	1.30	168091.2	565	0.16	0.17	0.23	0.56	27141.7
13	12185.2	0.81	0.89	0.87	2.57	2703593.69	1500	0.36	0.43	0.50	1.30	168091.2	570	0.16	0.17	0.23	0.56	27578.88
14	13500	0.90	0.99	0.96	2.84	3318408	1460	0.39	0.47	0.55	1.41	178115.33	570	0.16	0.17	0.23	0.56	27578.88
15	11000	0.73	0.80	0.78	2.32	2203027.2	1197.8	0.31	0.42	0.55	1.28	132674.08	565	0.16	0.17	0.23	0.56	27141.7
16	7065.9	0.76	0.08	0.99	1.84	1120866.54	780	0.29	0.40	0.55	1.24	83363.9	565	0.16	0.17	0.23	0.56	27141.7
17	5420.6	0.61	0.74	0.77	2.12	993817.14	686.6	0.27	0.38	0.55	1.20	70890.08	565	0.16	0.17	0.23	0.56	27141.7
18	5795.5	0.64	0.76	0.89	2.29	1146674.45	650	0.26	0.36	0.52	1.13	63573.12	565	0.16	0.17	0.23	0.56	27141.7
19	5278.8	0.69	0.78	1.02	2.49	1135659.92	650	0.26	0.36	0.52	1.13	63573.12	560	0.16	0.17	0.22	0.55	26611.2
20	5050.8	0.61	0.71	0.73	2.06	898525.2	650	0.26	0.36	0.52	1.13	63573.12	560	0.16	0.17	0.22	0.55	26611.2
21	4062.5	0.61	0.73	0.75	2.09	735345	650.2	0.25	0.35	0.54	1.14	64042.1	560	0.16	0.17	0.22	0.55	26611.2
22	3000	0.45	0.54	0.55	1.55	400982.4	642.8	0.24	0.34	0.54	1.12	62035.86	560	0.16	0.17	0.22	0.55	26611.2
23	2914.9	0.58	0.65	0.67	1.90	477250.75	636	0.21	0.23	0.28	0.72	39839.04	560	0.16	0.17	0.22	0.55	26611.2
24	3005.1	0.61	0.69	0.67	1.98	514607.75	610	0.21	0.21	0.28	0.70	36787.39	560	0.16	0.17	0.22	0.55	26611.2
25	3584.5	0.66	0.72	0.74	2.12	657804.5	609.8	0.20	0.02	0.28	0.50	26185.3	550	0.16	0.17	0.22	0.54	25708.32
26	3000.2	0.62	0.69	0.81	2.12	550577.5	600	0.19	0.20	0.28	0.67	34473.6	550	0.16	0.17	0.22	0.54	25708.32
27	3558.8	0.67	0.72	0.81	2.20	675226.78	600	0.19	0.20	0.28	0.67	34473.6	550	0.16	0.17	0.22	0.54	25708.32
28	3793.9	0.67	0.73	0.87	2.27	745728.98	610	0.19	0.20	0.28	0.68	35627.9	540	0.15	0.16	0.21	0.53	24774.34
29	4500	0.80	0.87	1.03	2.70	1049371.2	610	0.19	0.20	0.28	0.68	35627.9	540	0.15	0.16	0.21	0.53	24774.34
30	4200	0.74	0.81	0.96	2.52	914094.72	610	0.19	0.20	0.28	0.68	35627.9	540	0.15	0.16	0.21	0.53	24774.34
31							632	0.18	0.19	0.25	0.62	33854.98						
TenDaily I	7242.04	0.74	0.91	0.73	2.38	1554472.42	3186.31	0.58	0.68	0.64	1.90	583618.82	591.1	0.17	0.18	0.24	0.58	29692.29
TenDaily II	9913.57	0.75	0.76	0.87	2.38	2123125.72	1073.51	0.32	0.41	0.53	1.26	119798.89	565	0.16	0.17	0.23	0.56	27123.03
TenDaily III	3561.99	0.64	0.72	0.79	2.15	672098.96	619.16	0.2	0.21	0.32	0.74	39870.51	551	0.16	0.17	0.22	0.54	25789.28
Total	September					43496970.9	October					7472752.61	November					826046.04

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	540	0.15	0.16	0.21	0.53	24774.34	120	0.03	0.04	0.05	0.12	1223.42	230.27	0.07	0.07	0.09	0.23	4516.24
2	530	0.15	0.16	0.21	0.52	23857.63	117.04	0.03	0.04	0.05	0.12	1162.91	190	0.05	0.06	0.08	0.19	3069.79
3	530	0.15	0.16	0.21	0.52	23857.63	112.45	0.03	0.03	0.04	0.11	1078.44	224.7	0.06	0.07	0.09	0.22	4290.51
4	520	0.15	0.16	0.21	0.51	22958.21	163.5	0.05	0.05	0.07	0.16	2274.35	155.43	0.04	0.05	0.06	0.15	2054.66
5	520	0.15	0.16	0.21	0.51	22958.21	160	0.05	0.05	0.06	0.16	2184.19	170	0.05	0.05	0.07	0.17	2452.9
6	510	0.14	0.15	0.20	0.50	22076.06	160	0.05	0.05	0.06	0.16	2184.19	170	0.05	0.05	0.07	0.17	2452.9
7	500	0.14	0.15	0.20	0.49	21340.8	158	0.04	0.05	0.06	0.16	2129.59	170	0.05	0.05	0.07	0.17	2452.9
8	490	0.14	0.15	0.20	0.48	20405.95	155	0.04	0.05	0.06	0.15	2048.98	168	0.05	0.05	0.07	0.17	2409.52
9	480	0.14	0.14	0.19	0.47	19574.78	154	0.04	0.05	0.06	0.15	2009.15	165	0.05	0.05	0.07	0.16	2323.73
10	450	0.13	0.14	0.18	0.44	17184.96	154	0.04	0.05	0.06	0.15	2009.15	165	0.05	0.05	0.07	0.16	2323.73
11	430	0.12	0.13	0.17	0.42	15678.14	153	0.04	0.05	0.06	0.15	1996.1	165	0.05	0.05	0.07	0.16	2323.73
12	400	0.11	0.12	0.16	0.39	13582.08	153	0.04	0.05	0.06	0.15	1996.1	164	0.05	0.05	0.07	0.16	2281.31
13	390	0.11	0.12	0.15	0.38	12905.57	153	0.04	0.05	0.06	0.15	1996.1	164	0.05	0.05	0.07	0.16	2281.31
14	390	0.11	0.12	0.15	0.38	12905.57	154	0.04	0.05	0.06	0.15	2009.15	165	0.05	0.05	0.07	0.16	2323.73
15	390	0.11	0.12	0.15	0.38	12905.57	154	0.04	0.05	0.06	0.15	2009.15	170	0.05	0.05	0.07	0.17	2452.9
16	370	0.10	0.11	0.15	0.36	11604.38	156	0.04	0.05	0.06	0.15	2062.2	170	0.05	0.05	0.07	0.17	2452.9
17	360	0.10	0.11	0.14	0.35	11010.82	158	0.04	0.05	0.06	0.16	2129.59	183	0.05	0.06	0.07	0.18	2846.02
18	360	0.10	0.11	0.14	0.35	11010.82	165	0.05	0.05	0.07	0.16	2323.73	200	0.06	0.06	0.08	0.20	3386.88
19	340	0.09	0.10	0.14	0.33	9694.08	165	0.05	0.05	0.07	0.16	2323.73	200	0.06	0.06	0.08	0.20	3386.88
20	330	0.09	0.10	0.13	0.32	9237.89	165	0.05	0.05	0.07	0.16	2323.73	200	0.06	0.06	0.08	0.20	3386.88
21	320	0.09	0.10	0.13	0.31	8681.47	166	0.05	0.05	0.07	0.16	2337.81	220	0.06	0.07	0.09	0.22	4105.73
22	320	0.09	0.10	0.13	0.31	8681.47	170	0.05	0.05	0.07	0.17	2452.9	220	0.06	0.07	0.09	0.22	4105.73
23	318	0.09	0.10	0.13	0.31	8599.74	180	0.05	0.05	0.07	0.18	2752.7	220	0.06	0.07	0.09	0.22	4105.73
24	318	0.09	0.10	0.13	0.31	8599.74	190	0.05	0.06	0.08	0.19	3069.79	210	0.06	0.06	0.08	0.21	3737.66
25	316	0.09	0.10	0.13	0.31	8518.35	195	0.06	0.06	0.08	0.19	3251.66	210	0.06	0.06	0.08	0.21	3737.66
26	300	0.09	0.09	0.12	0.29	7620.48	190	0.05	0.06	0.08	0.19	3069.79	210	0.06	0.06	0.08	0.21	3737.66
27	270	0.08	0.08	0.11	0.27	6181.92	180	0.05	0.05	0.07	0.18	2752.7	210	0.06	0.06	0.08	0.21	3737.66
28	240	0.07	0.07	0.10	0.24	4872.96	180	0.05	0.05	0.07	0.18	2752.7	259	0.07	0.05	0.10	0.22	5034.96
29	200	0.06	0.06	0.08	0.20	3386.88	185	0.05	0.06	0.07	0.18	2925.07	267.95	0.08	0.08	0.11	0.26	6111.83
30	180	0.05	0.05	0.07	0.18	2752.7	191	0.05	0.06	0.08	0.19	3085.95						
31	150	0.04	0.04	0.06	0.15	1918.08	190	0.05	0.06	0.08	0.19	3069.79						
TenDaily I	507	0.14	0.15	0.20	0.50	21898.86	145.4	0.04	0.04	0.06	0.14	1830.44	180.84	0.05	0.05	0.07	0.18	2834.69
TenDaily II	376	0.11	0.11	0.15	0.37	12053.49	157.6	0.04	0.05	0.06	0.16	2116.96	178.1	0.05	0.05	0.07	0.17	2712.25
TenDaily III	266.55	0.08	0.08	0.11	0.26	6346.71	183.36	0.05	0.06	0.07	0.18	2865.53	225.22	0.06	0.06	0.09	0.22	4268.29
Total	December					409337.28	January					70994.8	February					93884.02

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Handia (CW1NAM000392)
Bhopal Local River : Narmada

Division : Narmada Division,
Sub-Division : MNDS-II, Bhopal

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	190	0.05	0.06	0.07	0.19	3053.38	159	0.04	0.05	0.06	0.16	2143.07	168	0.05	0.05	0.07	0.16	2365.98
2	162	0.05	0.05	0.06	0.16	2225.49	164	0.05	0.05	0.07	0.16	2281.31	166	0.05	0.05	0.07	0.16	2337.81
3	190	0.05	0.06	0.08	0.19	3069.79	166	0.05	0.05	0.07	0.16	2337.81	161	0.05	0.05	0.06	0.16	2197.84
4	190	0.05	0.06	0.08	0.19	3069.79	166	0.05	0.05	0.07	0.16	2337.81	156	0.04	0.05	0.06	0.15	2062.2
5	190	0.05	0.06	0.08	0.19	3069.79	168	0.05	0.05	0.07	0.17	2409.52	154	0.04	0.05	0.06	0.15	2009.15
6	188.05	0.05	0.06	0.07	0.19	3022.04	163	0.05	0.05	0.07	0.16	2253.31	154	0.04	0.05	0.06	0.15	2009.15
7	185	0.05	0.06	0.07	0.18	2925.07	157	0.04	0.05	0.06	0.15	2088.98	156	0.04	0.05	0.06	0.15	2062.2
8	185	0.05	0.06	0.07	0.18	2925.07	156	0.04	0.05	0.06	0.15	2062.2	161	0.05	0.05	0.06	0.16	2197.84
9	165	0.05	0.05	0.07	0.16	2323.73	157	0.04	0.05	0.06	0.15	2088.98	166	0.05	0.05	0.07	0.16	2337.81
10	165	0.05	0.05	0.07	0.16	2323.73	159	0.04	0.05	0.06	0.16	2143.07	168	0.05	0.05	0.07	0.17	2409.52
11	165	0.05	0.05	0.07	0.16	2323.73	157	0.04	0.05	0.06	0.15	2088.98	168	0.05	0.05	0.07	0.17	2409.52
12	165	0.05	0.05	0.07	0.16	2323.73	154	0.04	0.05	0.06	0.15	2009.15	166	0.05	0.05	0.07	0.16	2337.81
13	201	0.06	0.06	0.08	0.20	3421.18	156	0.04	0.05	0.06	0.15	2062.2	161	0.05	0.05	0.06	0.16	2197.84
14	183.5	0.05	0.06	0.07	0.18	2853.79	156	0.04	0.05	0.06	0.15	2062.2	159	0.04	0.05	0.06	0.16	2143.07
15	190	0.05	0.06	0.08	0.19	3069.79	157	0.04	0.05	0.06	0.15	2088.98	159	0.04	0.05	0.06	0.16	2143.07
16	200	0.06	0.06	0.08	0.20	3386.88	163	0.05	0.05	0.07	0.16	2253.31	157	0.04	0.05	0.06	0.15	2088.98
17	170	0.05	0.05	0.07	0.17	2452.9	164	0.05	0.05	0.07	0.16	2281.31	156	0.04	0.05	0.06	0.15	2062.2
18	168	0.05	0.05	0.07	0.17	2409.52	163	0.05	0.05	0.07	0.16	2253.31	157	0.04	0.05	0.06	0.15	2088.98
19	165	0.05	0.05	0.07	0.16	2323.73	159	0.04	0.05	0.06	0.16	2143.07	161	0.05	0.05	0.06	0.16	2197.84
20	160	0.05	0.05	0.06	0.16	2184.19	156	0.04	0.05	0.06	0.15	2062.2	156	0.04	0.05	0.06	0.15	2062.2
21	155	0.04	0.05	0.06	0.15	2048.98	156	0.04	0.05	0.06	0.15	2062.2	159	0.04	0.05	0.06	0.16	2143.07
22	150	0.04	0.04	0.06	0.15	1918.08	154	0.04	0.05	0.06	0.15	2009.15	168	0.05	0.05	0.07	0.17	2409.52
23	148	0.04	0.04	0.06	0.14	1854.14	152	0.04	0.05	0.06	0.15	1956.79	173	0.05	0.05	0.07	0.17	2541.02
24	155	0.04	0.05	0.06	0.15	2048.98	151	0.04	0.04	0.06	0.15	1930.87	176	0.05	0.05	0.07	0.17	2630.71
25	159	0.04	0.05	0.06	0.16	2143.07	147	0.04	0.04	0.06	0.14	1828.92	181	0.05	0.05	0.07	0.18	2783.64
26	158	0.04	0.05	0.06	0.16	2129.59	149	0.04	0.04	0.06	0.15	1879.55	181	0.05	0.05	0.07	0.18	2783.64
27	155	0.04	0.05	0.06	0.15	2048.98	157	0.04	0.05	0.06	0.15	2088.98	180	0.05	0.05	0.07	0.18	2752.7
28	154	0.04	0.05	0.06	0.15	2009.15	163	0.05	0.05	0.07	0.16	2253.31	175	0.05	0.05	0.07	0.17	2615.76
29	155	0.04	0.05	0.06	0.15	2048.98	164	0.05	0.05	0.07	0.16	2281.31	181	0.05	0.05	0.07	0.18	2783.64
30	157	0.04	0.05	0.06	0.15	2088.98	166	0.05	0.05	0.07	0.16	2337.81	183	0.05	0.06	0.07	0.18	2846.02
31	154	0.04	0.05	0.06	0.15	2009.15							185	0.05	0.06	0.07	0.18	2925.07
TenDaily I	181	0.05	0.05	0.07	0.18	2800.79	161.5	0.05	0.05	0.06	0.16	2214.6	161	0.05	0.05	0.06	0.16	2198.95
TenDaily II	176.75	0.05	0.05	0.07	0.17	2674.94	158.5	0.04	0.05	0.06	0.16	2130.47	160	0.05	0.05	0.06	0.16	2173.15
TenDaily III	154.55	0.04	0.05	0.06	0.15	2031.64	155.9	0.04	0.05	0.06	0.15	2062.89	176.55	0.05	0.05	0.07	0.17	2655.89
Total	March					77105.37	April					64079.6						72935.77

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Handia (CW1NAM000392) Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	19027611.41	0	19027611.41	11265.19
1988-1989	22044739.41	0	22044739.41	19304.17
1989-1990	16984378.34	0	16984378.34	12359.86
1990-1991	36819507.23	0	36819507.23	31513.91
1991-1992	21786214.04	0	21786214.04	19856.16
1992-1993	30379689.36	0	30379689.36	16123.49
1993-1994	32853670.17	0	32853670.17	21599.5
1994-1995	101606688.46	0	101606688.46	55829.04
1995-1996	26951346.79	0	26951346.79	18223.32
1996-1997	10000361.42	0	10000361.42	10982.67
1997-1998	17324970.73	0	17324970.73	19017.07
1998-1999	8688916.91	0	8688916.91	16825.69
1999-2000	55929197.65	0	55929197.65	45126.42
2000-2001	4949972.04	0	4949972.04	9610.6
2001-2002	23651115.7	0	23651115.7	14956.12
2002-2003	42984926.55	0	42984926.55	17154.69
2003-2004	91149988.2	0	91149988.2	30918.61
2004-2005	20421994.13	0	20421994.13	15926.84
2005-2006	41467075.14	98453.37	41565528.51	31744.09
2006-2007	45194539.9	292973.12	45487513.02	25638.43
2007-2008	8965974.34	385963.73	9351938.06	16540.04
2008-2009	5445970.33	127525.09	5573495.42	14835.28
2009-2010	20454333.84	148157.52	20602491.36	18686.79
2010-2011	8459170.23	184097.28	8643267.51	16813.83
2011-2012	20529932	47316	20577247	28368
2012-2013	25035666.95	32777.43	25068444.38	26488.89
2013-2014	57330546	116888	57447434	44001
2014-2015	3431846	107423	3539270	15060
2015-2016	3935676	1084585	5020260	13485
2016-2017	20463864.06	53209.22	20517073.29	27522.35
2017-2018	1948044.49	283197.82	2231242.31	6370.2
2018-2019	6460619	672539	7133158	14245
2019-2020	77443276.33	788336.84	78231613.17	39299.06

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD II, Bhopal




Seasonal Sediment Load for the period : 1987-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 2019-2020

Station Name : Narmada at Handia (CW1NAM000392)

Division : Narmada Division Bhopal

Local River : Narmada

Sub-Division : MNSD-II, Bhopal



4.5 Narmada at Hoshangabad

History sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Hoshangabad		Code	:	CW1NAM000278	
State	:	Madhya Pradesh		District	:	HOSHANGABAD	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-I, Hosangabad	
Drainage Area	:	44548.0 Sq. Km.		Bank	:		
Latitude	:	22°45'36"		Longitude	:	77°41'24"	
Current Zero of Gauge (m)	:	282					
CATEGORY		Opening Date		Closing Date			
Gauge	:	21/05/1972					
Discharge	:	16/09/1972					
Sediment	:	29/12/1972					
Water Quality	:	15/07/1979					
Reduced Level		Opening Date		Closing Date			
282.0		21/05/1972					

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	47.20	0	0	0.01	0.01	36.70	72.2	0	0	0.01	0.01	62.38	2700	0	0	0.04	0.04	10264.32
2	45.00	0	0	0.01	0.01	34.99	80.1	0	0	0.01	0.01	69.21	1550	0	0	0.03	0.03	3348
3	40.10	0	0	0.01	0.01	31.18	119.2	0	0	0.01	0.01	102.99	1350	0	0	0.02	0.02	2566.08
4	37.30	0	0	0.01	0.01	41.90	315	0	0	0.03	0.03	762.05	2900	0	0	0.05	0.05	11776.32
5	52.00	0	0	0.01	0.01	40.44	360	0	0	0.03	0.03	995.33	1400	0	0	0.02	0.02	2782.08
6	33.50	0	0	0.01	0.01	26.05	514	0	0	0.01	0.01	444.1	1100	0	0	0.02	0.02	1710.72
7	43.80	0	0	0.01	0.01	37.84	950	0	0	0.02	0.02	1559.52	1050	0	0	0.02	0.02	1542.24
8	61.30	0	0	0.01	0.01	37.07	1158.2	0	0	0.01	0.01	1100.75	1400	0	0	0.02	0.02	2782.08
9	42.00	0	0	0.01	0.01	36.29	922.7	0	0	0.01	0.01	797.21	2250	0	0	0.04	0.04	7192.8
10	67.00	0	0	0.01	0.01	57.89	1097.5	0	0	0.01	0.01	1043.06	7000	0	0	0.11	0.11	68947.2
11	67.70	0	0	0.01	0.01	52.64	377	0	0	0.01	0.01	325.73	4500	0	0	0.07	0.07	28771.2
12	38.80	0	0	0.01	0.01	30.17	289	0	0	0.01	0.01	224.73	3800	0	0	0.06	0.06	20355.84
13	54.70	0	0	0.01	0.01	47.26	268	0	0	0.01	0.01	208.4	1850	0	0	0.03	0.03	4795.2
14	64.80	0	0	0.01	0.01	50.39	255	0	0	0.01	0.01	198.29	1300	0	0	0.02	0.02	2358.72
15	56.30	0	0	0.01	0.01	53.51	181	0	0	0.01	0.01	156.38	4400	0	0	0.07	0.07	27371.52
16	63.00	0	0	0.01	0.01	54.43	177	0	0	0.01	0.01	152.93	8500	0	0	0.14	0.14	102081.6
17	71.40	0	0	0.01	0.01	61.69	181	0	0	0.01	0.01	156.38	7400	0	0	0.12	0.12	77362.56
18	69.10	0	0	0.01	0.01	59.70	164	0	0	0.01	0.01	141.7	3600	0	0	0.06	0.06	18351.36
19	65.50	0	0	0.01	0.01	50.93	167	0	0	0.01	0.01	144.29	1700	0	0	0.03	0.03	4112.64
20	56.50	0	0	0.01	0.01	43.93	138	0	0	0.01	0.01	119.23	1550	0	0	0.03	0.03	3348
21	70.70	0	0	0.01	0.01	61.08	175	0	0	0.01	0.01	211.68	2200	0	0	0.04	0.04	6842.88
22	57.10	0	0	0.01	0.01	49.33	228	0	0	0.01	0.01	196.99	2410	0	0	0.01	0.01	2498.69
23	70.00	0	0	0.01	0.01	72.58	139	0	0	0.01	0.01	120.1	3700	0	0	0.02	0.02	6073.92
24	72.00	0	0	0.01	0.01	62.21	225.5	0	0	0.01	0.01	194.83	4500	0	0	0.02	0.02	8942.4
25	64.30	0	0	0.01	0.01	50.00	145	0	0	0.01	0.01	125.28	7350	0	0	0.04	0.04	24131.52
26	47.10	0	0	0.01	0.01	40.69	151	0	0	0.01	0.01	130.46	9100	0	0	0.05	0.05	36953.28
27	69.20	0	0	0.01	0.01	53.81	151	0	0	0.01	0.01	130.46	9300	0	0	0.05	0.05	38568.96
28	48.90	0	0	0.01	0.01	42.25	292	0	0	0.02	0.02	504.58	5530	0	0	0.01	0.01	6211.3
29	77.70	0	0	0.01	0.01	67.13	481	0	0	0.01	0.01	457.14	4850	0	0	0.01	0.01	5028.48
30	74.00	0	0	0.01	0.01	63.94	688	0	0	0.01	0.01	653.88	2999.8	0	0	0.01	0.01	3110.19
31							2200	0	0	0.04	0.04	6842.88	2587.9	0	0	0.01	0.01	2235.95
TenDaily I	46.92	0	0	0.01	0.01	38.04	558.89	0	0	0.02	0.02	693.66	2270	0	0	0.04	0.04	11291.18
TenDaily II	60.78	0	0	0.01	0.01	50.47	219.70	0	0	0.01	0.01	182.81	3860	0	0	0.06	0.06	28890.86
TenDaily III	65.10	0	0	0.01	0.01	56.30	443.23	0	0	0.01	0.01	869.84	4957.06	0	0	0.02	0.02	12781.6
Total	June					1448.04	July					18332.93	August					542418.04

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	1900	0	0	0.01	0.01	1477.44	6518.8	0	0	0.01	0.01	7321.92	629.9	0	0	0.01	0.01	544.23
2	2450	0	0	0.01	0.01	2540.16	5200	0	0	0.01	0.01	4942.08	634.6	0	0	0.01	0.01	548.29
3	3143.5	0	0	0.01	0.01	3259.18	2394.1	0	0	0.01	0.01	2482.2	450	0	0	0.01	0.01	272.16
4	3785.3	0	0	0.01	0.01	4251.65	2652.6	0	0	0.01	0.01	2750.22	612.09	0	0	0.01	0.01	528.85
5	7136.6	0	0	0.01	0.01	8015.83	2390.4	0	0	0.01	0.01	2271.84	601.7	0	0	0.01	0.01	519.87
6	8018.8	0	0	0.01	0.01	9006.72	1380	0	0	0.01	0.01	834.62	593.7	0	0	0.01	0.01	512.96
7	8997.7	0	0	0.01	0.01	10883.62	1791.4	0	0	0.01	0.01	1702.55	578.6	0	0	0.01	0.01	499.91
8	6200	0	0	0.01	0.01	5356.8	1180	0	0	0.01	0.01	713.66	574.5	0	0	0.01	0.01	496.37
9	10800	0	0	0.02	0.02	15863.04	1423.7	0	0	0.01	0.01	1353.08	567.5	0	0	0.01	0.01	490.32
10	15300	0	0	0.02	0.02	31726.08	1794.1	0	0	0.01	0.01	1705.11	475	0	0	0.01	0.01	328.32
11	15700	0	0	0.02	0.02	32555.52	1000	0	0	0.01	0.01	518.4	562.7	0	0	0.01	0.01	486.17
12	7300	0	0	0.01	0.01	6937.92	850	0	0	0.01	0.01	367.2	450	0	0	0.01	0.01	311.04
13	12090.2	0	0	0.01	0.01	14624.31	800	0	0	0.01	0.01	345.6	585.1	0	0	0.01	0.01	556.08
14	13060	0	0	0.01	0.01	15797.38	674.1	0	0	0.01	0.01	582.42	700.6	0	0	0.01	0.01	786.91
15	10200	0	0	0.01	0.01	10575.36	646.4	0	0	0.01	0.01	558.49	500	0	0	0.01	0.01	388.8
16	5036.8	0	0	0.01	0.01	5222.15	606.9	0	0	0.01	0.01	524.36	530	0	0	0.01	0.01	457.92
17	5235.9	0	0	0.01	0.01	5428.58	607.1	0	0	0.01	0.01	524.53	540.5	0	0	0.01	0.01	466.99
18	6464.9	0	0	0.01	0.01	6702.81	576.1	0	0	0.01	0.01	497.75	545	0	0	0.01	0.01	470.88
19	5121.1	0	0	0.01	0.01	5309.56	572.6	0	0	0.01	0.01	494.73	475	0	0	0.01	0.01	369.36
20	6595.4	0	0	0.01	0.01	7407.95	520	0	0	0.01	0.01	404.35	420	0	0	0.01	0.01	290.3
21	2677.3	0	0	0.01	0.01	2775.82	743.9	0	0	0.01	0.01	642.73	360	0	0	0.01	0.01	217.73
22	2200	0	0	0.01	0.01	1900.8	638.2	0	0	0.01	0.01	551.4	360	0	0	0.01	0.01	217.73
23	2527	0	0	0.01	0.01	2619.99	638.8	0	0	0.01	0.01	551.92	330	0	0	0.01	0.01	171.07
24	2375.1	0	0	0.01	0.01	2257.3	643.2	0	0	0.01	0.01	555.72	320	0	0	0.01	0.01	165.89
25	2434.8	0	0	0.01	0.01	2524.4	651.7	0	0	0.01	0.01	563.07	340	0	0	0.01	0.01	176.26
26	2806.6	0	0	0.01	0.01	2909.88	653.6	0	0	0.01	0.01	564.71	371.7	0	0	0.01	0.01	224.8
27	2243.3	0	0	0.01	0.01	2132.03	515	0	0	0.01	0.01	355.97	364.1	0	0	0.01	0.01	220.21
28	2816.1	0	0	0.01	0.01	2919.73	510	0	0	0.01	0.01	352.51	361.8	0	0	0.01	0.01	218.82
29	4000	0	0	0.02	0.02	5875.2	691.1	0	0	0.01	0.01	597.11	358.9	0	0	0.01	0.01	217.06
30	2340.4	0	0	0.01	0.01	2426.53	652.3	0	0	0.01	0.01	563.59	359.5	0	0	0.01	0.01	217.43
31							640.1	0	0	0.01	0.01	553.05						
TenDaily I	6773.19	0	0	0.01	0.01	9238.05	2672.51	0	0	0.01	0.01	2607.73	571.76	0	0	0.01	0.01	474.13
TenDaily II	8680.43	0	0	0.01	0.01	11056.15	685.32	0	0	0.01	0.01	481.78	530.89	0	0	0.01	0.01	458.45
TenDaily III	2642.06	0	0	0.01	0.01	2834.17	634.35	0	0	0.01	0.01	531.98	352.6	0	0	0.01	0.01	204.7
Total	September					231283.74	October					36746.9	November					11372.73

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	315	0	0	0.01	0.01	136.08	217	0	0	0.01	0.01	168.74	308	0	0	0.01	0.01	266.11
2	298.4	0	0	0.01	0.01	257.82	219	0	0	0.01	0.01	189.22	309	0	0	0.01	0.01	266.98
3	274.6	0	0	0.01	0.01	237.25	280.5	0	0	0.01	0.01	290.82	313.6	0	0	0.01	0.01	270.95
4	264.9	0	0	0.01	0.01	228.87	312.2	0	0	0.01	0.01	377.64	271.5	0	0	0.01	0.01	211.12
5	253.8	0	0	0.01	0.01	197.35	290	0	0	0.01	0.01	325.73	305	0	0	0.01	0.01	263.52
6	251.9	0	0	0.01	0.01	195.88	254	0	0	0.01	0.01	241.40	313.6	0	0	0.01	0.01	298.05
7	271.6	0	0	0.01	0.01	234.66	253	0	0	0.01	0.01	240.45	311.6	0	0	0.01	0.01	296.14
8	260	0	0	0.01	0.01	202.18	246.4	0	0	0.01	0.01	234.18	309.5	0	0	0.01	0.01	294.15
9	270	0	0	0.01	0.01	233.28	218.9	0	0	0.01	0.01	189.13	310	0	0	0.01	0.01	294.62
10	300	0	0	0.01	0.01	285.12	210	0	0	0.01	0.01	163.30	306.7	0	0	0.01	0.01	264.99
11	290	0	0	0.01	0.01	250.56	252	0	0	0.01	0.01	239.50	310.9	0	0	0.01	0.01	268.62
12	285	0	0	0.01	0.01	246.24	260	0	0	0.01	0.01	269.57	308.9	0	0	0.01	0.01	266.89
13	282	0	0	0.01	0.01	243.65	221.5	0	0	0.01	0.01	191.38	307.9	0	0	0.01	0.01	266.03
14	276	0	0	0.01	0.01	238.46	228.5	0	0	0.01	0.01	217.17	306.1	0	0	0.01	0.01	264.47
15	264	0	0	0.01	0.01	228.10	300	0	0	0.01	0.01	362.88	305.5	0	0	0.01	0.01	263.95
16	263	0	0	0.01	0.01	204.51	305.2	0	0	0.01	0.01	369.17	310	0	0	0.01	0.01	267.84
17	260	0	0	0.01	0.01	202.18	307	0	0	0.01	0.01	397.87	309.3	0	0	0.01	0.01	267.24
18	260	0	0	0.01	0.01	202.18	304	0	0	0.01	0.01	367.72	310.1	0	0	0.01	0.01	294.72
19	256	0	0	0.01	0.01	199.07	310	0	0	0.01	0.01	401.76	308.2	0	0	0.01	0.01	266.28
20	255	0	0	0.01	0.01	198.29	325.1	0	0	0.01	0.01	308.98	342.4	0	0	0.01	0.01	355.00
21	246.6	0	0	0.01	0.01	191.76	321.8	0	0	0.01	0.01	305.84	325	0	0	0.01	0.01	308.88
22	243	0	0	0.01	0.01	188.96	347.7	0	0	0.01	0.01	360.50	332.4	0	0	0.01	0.01	315.91
23	236.5	0	0	0.01	0.01	204.34	319.8	0	0	0.01	0.01	303.94	345	0	0	0.01	0.01	357.7
24	227.6	0	0	0.01	0.01	196.65	317.3	0	0	0.01	0.01	301.56	371.6	0	0	0.01	0.01	353.17
25	220	0	0	0.01	0.01	190.08	312.11	0	0	0.01	0.01	296.63	369.8	0	0	0.01	0.01	351.46
26	216.3	0	0	0.01	0.01	186.88	310	0	0	0.01	0.01	267.84	367.1	0	0	0.01	0.01	348.89
27	218.7	0	0	0.01	0.01	188.96	313	0	0	0.01	0.01	297.48	370.4	0	0	0.01	0.01	352.03
28	212.3	0	0	0.01	0.01	165.08	312	0	0	0.01	0.01	296.52	368.2	0	0	0.01	0.01	349.94
29	214	0	0	0.01	0.01	184.90	318	0	0	0.01	0.01	302.23	347	0	0	0.01	0.01	299.81
30	212	0	0	0.01	0.01	164.85	315	0	0	0.01	0.01	299.38						
31	211	0	0	0.01	0.01	164.07	316	0	0	0.01	0.01	300.33						
TenDaily I	276.02	0	0	0.01	0.01	220.85	250.1	0	0	0.01	0.01	242.06	305.85	0	0	0.01	0.01	272.66
TenDaily II	269.1	0	0	0.01	0.01	221.32	281.33	0	0	0.01	0.01	312.60	311.93	0	0	0.01	0.01	278.1
TenDaily III	223.45	0	0	0.01	0.01	184.23	318.43	0	0	0.01	0.01	302.93	355.17	0	0	0.01	0.01	337.53
Total	December					6448.24	January					8878.82	February					8545.44

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	330	0	0	0.01	0.01	256.61	255	0	0	0.01	0.01	154.22	440	0	0	0.01	0.01	494.21
2	342.4	0	0	0.01	0.01	295.83	256	0	0	0.01	0.01	176.95	435	0	0	0.01	0.01	488.59
3	335.7	0	0	0.01	0.01	319.05	320	0	0	0.01	0.01	276.48	432	0	0	0.01	0.01	485.22
4	368.3	0	0	0.01	0.01	381.85	275	0	0	0.01	0.01	190.08	410	0	0	0.01	0.01	460.51
5	344.6	0	0	0.01	0.01	327.51	340	0	0	0.01	0.01	293.76	408	0	0	0.01	0.01	423.01
6	331.4	0	0	0.01	0.01	286.33	340	0	0	0.01	0.01	293.76	335	0	0	0.01	0.01	289.44
7	319.5	0	0	0.01	0.01	276.05	330	0	0	0.01	0.01	285.12	320	0	0	0.01	0.01	276.48
8	335.5	0	0	0.01	0.01	318.86	330	0	0	0.01	0.01	285.12	311.8	0	0	0.01	0.01	269.4
9	325	0	0	0.01	0.01	280.8	335	0	0	0.01	0.01	289.44	315	0	0	0.01	0.01	272.16
10	370	0	0	0.01	0.01	383.62	340	0	0	0.01	0.01	293.76	320	0	0	0.01	0.01	276.48
11	380	0	0	0.01	0.01	393.98	340	0	0	0.01	0.01	293.76	342.4	0	0	0.01	0.01	295.83
12	404.1	0	0	0.01	0.01	453.89	325	0	0	0.01	0.01	280.8	422.8	0	0	0.01	0.01	474.89
13	450	0	0	0.01	0.01	544.32	323	0	0	0.01	0.01	279.07	440	0	0	0.01	0.01	494.21
14	430	0	0	0.01	0.01	520.13	410	0	0	0.01	0.01	354.24	445	0	0	0.01	0.01	499.82
15	340	0	0	0.01	0.01	323.14	435	0	0	0.01	0.01	375.84	450	0	0	0.01	0.01	505.44
16	265	0	0	0.01	0.01	183.17	435	0	0	0.01	0.01	488.59	448	0	0	0.01	0.01	503.19
17	264.3	0	0	0.01	0.01	182.68	440	0	0	0.01	0.01	494.21	445	0	0	0.01	0.01	499.82
18	261.3	0	0	0.01	0.01	180.61	450	0	0	0.01	0.01	505.44	445	0	0	0.01	0.01	499.82
19	267.1	0	0	0.01	0.01	184.62	452	0	0	0.01	0.01	546.74	448	0	0	0.01	0.01	503.19
20	245.8	0	0	0.01	0.01	169.9	452	0	0	0.01	0.01	546.74	464.8	0	0	0.01	0.01	562.22
21	231.6	0	0	0.01	0.01	140.07	452	0	0	0.01	0.01	546.74	472.9	0	0	0.01	0.01	572.02
22	315	0	0	0.01	0.01	272.16	452	0	0	0.01	0.01	546.74	478.1	0	0	0.01	0.01	578.31
23	359.2	0	0	0.01	0.01	341.38	450	0	0	0.01	0.01	544.32	481.1	0	0	0.01	0.01	581.94
24	415	0	0	0.01	0.01	466.13	450	0	0	0.01	0.01	544.32	480	0	0	0.01	0.01	580.61
25	380	0	0	0.01	0.01	393.98	452	0	0	0.01	0.01	546.74	450	0	0	0.01	0.01	505.44
26	345	0	0	0.01	0.01	327.89	450	0	0	0.01	0.01	544.32	480	0	0	0.01	0.01	414.72
27	325	0	0	0.01	0.01	280.8	450	0	0	0.01	0.01	544.32	427.4	0	0	0.01	0.01	332.35
28	265	0	0	0.01	0.01	183.17	452	0	0	0.01	0.01	546.74	419.2	0	0	0.01	0.01	325.97
29	256	0	0	0.01	0.01	176.95	455	0	0	0.01	0.01	550.37	369.8	0	0	0.01	0.01	255.61
30	248	0	0	0.01	0.01	171.42	452	0	0	0.01	0.01	546.74	357.9	0	0	0.01	0.01	247.38
31	240	0	0	0.01	0.01	145.15							330	0	0	0.01	0.01	199.58
TenDaily I	340.24	0	0	0.01	0.01	312.65	312.1	0	0	0.01	0.01	253.87	372.68	0	0	0.01	0.01	373.55
TenDaily II	330.76	0	0	0.01	0.01	313.64	406.2	0	0	0.01	0.01	416.54	435.1	0	0	0.01	0.01	483.85
TenDaily III	307.25	0	0	0.01	0.01	263.55	451.5	0	0	0.01	0.01	546.13	431.49	0	0	0.01	0.01	417.63
Total	March					9162.04	April					12165.47						13167.88

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Hoshangabad

Division : Narmada Division, Bhopal

Local River : Narmada

SubDivision :MNSD-I, Hoshangabad

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	13696732.18	0	13696732.18	11561.86
1988-1989	21927042.52	0	21927042.52	19316.57
1989-1990	12260502.83	0	12260502.83	10573.59
1990-1991	28921420.73	0	28921420.73	29218.27
1991-1992	17163195.9	0	17163195.9	19324.19
1992-1993	22273545.69	0	22273545.69	14560.38
1993-1994	24945904.79	0	24945904.79	17995.51
1994-1995	41396876.18	0	41396876.18	49621.55
1995-1996	13478551.68	0	13478551.68	15540.35
1996-1997	1864008.25	0	1864008.25	7541.49
1997-1998	14386693.7	0	14386693.7	16226.7
1998-1999	6442728.38	0	6442728.38	13430.35
1999-2000	27754796.99	0	27754796.99	40494.91
2000-2001	5418045.97	0	5418045.97	9462.58
2001-2002	11518072	0	11518072	13981.29
2002-2003	12492177.07	0	12492177.07	13759.02
2003-2004	24976309.71	0	24976309.71	25704.97
2004-2005	11095494.45	0	11095494.45	12307.41
2005-2006	41754968.22	112665.92	41867634.13	29700.15
2006-2007	21223787.14	63622.41	21287409.54	20517.11
2007-2008	3245231.01	48195.04	3293426.05	12584.91
2008-2009	8450880.75	43281.39	8494162.14	12343.45
2009-2010	14345893.18	12601.91	14358495.09	13831.1
2010-2011	2677514.25	84382.13	2761896.38	12858.8
2011-2012	6143300	19536.58	6162836.58	15668.8
2012-2013	32740070.13	122953.65	32863023.78	21076.02
2013-2014	338236903	74412	338311315	38710
2014-2015	13947824	91716	14039540	12492
2015-2016	5170582	37221	5207803	12457
2016-2017	9466715.49	76137.97	9542853.46	19521.88
2017-2018	132371.6	11654.47	144026.07	5797.33
2018-2019	197199.4	17362.14	214561.54	8636.52
2019-2020	841602.38	58367.88	899970.26	36892.38

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 1987-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



Sediment Data Year Book 2019-20


Seasonal Sediment Load for the period : 2019-2020

Station Name : Narmada at Hoshangabad (CW1NAM000278)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



4.6 Narmada at Sandia

History sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Sandia		Code	:	CW1NAU000450	
State	:	Madhya Pradesh		District	:	HOSHANGABAD	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-I, Hosangabad	
Drainage Area	:	33953.5 Sq. Km.		Bank	:	Left	
Latitude	:	22°54'57"		Longitude	:	78°20'51"	
Current Zero of Gauge (m)	:	297					
CATEGORY		Opening Date		Closing Date			
Gauge	:	01/03/1978					
Discharge	:	18/04/1978					
Sediment	:	09/08/1978					
Water Quality	:	15/09/1979					
Reduced Level		Opening Date		Closing Date			
297.0		01/03/1978					

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	33.5	0	0	0.01	0.01	34.73	47.2	0	0	0.13	0.13	513.84	1850	0	0	0.38	0.38	60419.52
2	52	0	0	0.02	0.02	85.36	103.7	0	0	0.18	0.18	1603.78	980	0	0	0.54	0.54	45553.54
3	38.1	0	0	0.02	0.02	52.67	226.4	0	0	0.06	0.06	1212.78	580	0	0	0.48	0.48	24103.87
4	29	0	0	0	0	5.01	523.5	0	0	0.02	0.02	995.07	1120	0	0	0.93	0.93	89897.47
5	28	0	0	0.03	0.03	60.48	421.3	0	0	0.48	0.48	17399.35	710	0	0	0.47	0.47	29077.06
6	35.1	0	0	0.03	0.03	75.82	920	0	0	0.59	0.59	46738.94	567.2	0	0	0.39	0.39	18867.34
7	33.6	0	0	0.03	0.03	72.58	540	0	0	0.34	0.34	16096.32	722.6	0	0	0.30	0.30	18604.93
8	32	0	0	0.05	0.05	138.24	413.5	0	0	0.48	0.48	17077.22	1095.1	0	0	0.29	0.29	27249.59
9	33	0	0	0.05	0.05	148.26	569.7	0	0	0.07	0.07	3445.55	4240	0	0	0.28	0.28	103673.09
10	37.3	0	0	0.02	0.02	74.12	354	0	0	0.04	0.04	1376.35	3060	0	0	0.13	0.13	33841.15
11	43.5	0	0	0.03	0.03	112.75	208.7	0	0	0.21	0.21	3750.59	3020	0	0	0.13	0.13	32876.93
12	49.3	0	0	0.02	0.02	72.41	205	0	0	0.09	0.09	1611.79	2130	0	0	0.09	0.09	16378.85
13	51.3	0	0	0.03	0.03	110.81	188.7	0	0	0.11	0.11	1858.62	1152.8	0	0	0.31	0.31	30677.39
14	52.5	0	0	0.13	0.13	580.61	167	0	0	0.10	0.10	1457.31	1109.5	0	0	0.29	0.29	28087.21
15	55.8	0	0	0.01	0.01	62.67	131.6	0	0	0.24	0.24	2706.12	2180	0	0	0.57	0.57	108302.4
16	49	0	0	0.01	0.01	46.57	118.5	0	0	0.24	0.24	2436.74	6600	0	0	0.28	0.28	161377.92
17	38.1	0	0	0.12	0.12	411.48	114.1	0	0	0.12	0.12	1133.7	5100	0	0	0.30	0.30	133954.56
18	38.4	0	0	0.06	0.06	209.02	117.6	0	0	0.12	0.12	1219.28	2110	0	0	0.13	0.13	22970.3
19	41.9	0	0	0.03	0.03	90.5	150.8	0	0	0.19	0.19	2423.42	1047.4	0	0	0.30	0.30	27148.61
20	55.9	0	0	0.05	0.05	231.83	157.2	0	0	0.22	0.22	3028.8	1010.7	0	0	0.28	0.28	24450.85
21	57.9	0	0	0.01	0.01	35.02	125	0	0	0.18	0.18	1911.6	1260	0	0	0.39	0.39	41912.64
22	57.1	0	0	0.03	0.03	162.8	152.8	0	0	0.23	0.23	3102.45	2141	0	0	0.32	0.32	59934.3
23	49	0	0	0.03	0.03	118.54	142.5	0	0	0.12	0.12	1489.75	2463.7	0	0	0.55	0.55	117075.02
24	43.2	0	0	0.04	0.04	130.64	120.7	0	0	0.19	0.19	1970.98	2150	0	0	0.35	0.35	65573.28
25	55	0	0	0.01	0.01	71.28	114.3	0	0	0.11	0.11	1115.93	2370	0	0	0.39	0.39	79654.75
26	54.7	0	0	0.03	0.03	118.15	107.4	0	0	0.11	0.11	1057.85	3550	0	0	0.57	0.57	176364
27	51.7	0	0	0.02	0.02	107.21	123.2	0	0	0.10	0.10	1043.16	5650	0	0	0.57	0.57	278251.2
28	49.8	0	0	0.02	0.02	98.96	190	0	0	0.15	0.15	2478.82	4470	0	0	0.58	0.58	225159.26
29	43	0	0	0.02	0.02	66.87	210.2	0	0	0.12	0.12	2233.84	2500	0	0	0.53	0.53	115344
30	41	0	0	0.02	0.02	60.22	680.2	0	0	0.38	0.38	22391.1	2318.6	0	0	0.53	0.53	106974.64
31							1010	0	0	0.43	0.43	37785.31	2207.6	0	0	0.39	0.39	74387.29
TenDaily I	35.16	0	0	0.02	0.02	74.73	411.93	0	0	0.24	0.24	10645.92	1492.49	0	0	0.42	0.42	45128.76
TenDaily II	47.57	0	0	0.05	0.05	192.87	155.92	0	0	0.16	0.16	2162.64	2546.04	0	0	0.27	0.27	58622.5
TenDaily III	50.24	0	0	0.02	0.02	96.97	270.57	0	0	0.19	0.19	6961.89	2825.54	0	0	0.47	0.47	121875.49
Total	June					3645.62	July					204666.35	August					2378142.97

Daily Observed Sediment Datasheet for period : 2019-2020

Sediment Data Year Book 2019-20

Station Name : Narmada at Sandia (CW1NAU000450)

Local River : Narmada

Division : Narmada Division, Bhopal

Sub-Division : MNSD-I, Hoshangabad

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	1690	0	0	0.29	0.29	42928.7	4970	0	0	0.48	0.48	204827.62	667.3	0	0	0.12	0.12	6976.22
2	2320	0	0	0.41	0.41	81181.44	2790	0	0	0.27	0.27	64603.01	678	0	0	0.12	0.12	7263.82
3	2398.7	0	0	0.45	0.45	92225.22	2391.9	0	0	0.23	0.23	47531.84	660	0	0	0.12	0.12	6842.88
4	2411.8	0	0	0.20	0.20	41675.9	2152.6	0	0	0.21	0.21	38498.82	642	0	0	0.12	0.12	6489.85
5	4050	0	0	0.32	0.32	110224.8	1815.3	0	0	0.17	0.17	27290.49	628	0	0	0.12	0.12	6239.81
6	3890	0	0	0.33	0.33	109231.2	1550	0	0	0.15	0.15	19954.08	621	0	0	0.11	0.11	6062.95
7	3570	0	0	0.21	0.21	66007.87	1239.3	0	0	0.29	0.29	30837.75	615	0	0	0.11	0.11	5951.23
8	2483	0	0	0.15	0.15	31965.15	1290	0	0	0.30	0.30	33436.8	610	0	0	0.11	0.11	5850.14
9	9200	0	0	0.42	0.42	336234.24	1057.2	0	0	0.25	0.25	22470.15	500	0	0	0.09	0.09	3931.2
10	13200	0	0	0.34	0.34	385482.24	1002.7	0	0	0.23	0.23	20185.55	499	0	0	0.09	0.09	3923.34
11	8750	0	0	0.15	0.15	113400	1022.4	0	0	0.24	0.24	21023.82	494	0	0	0.09	0.09	3841.34
12	5420	0	0	0.24	0.24	111452.54	998.1	0	0	0.23	0.23	20006.71	493	0	0	0.09	0.09	3833.57
13	8600	0	0	0.39	0.39	286070.4	900	0	0	0.21	0.21	16251.84	570	0	0	0.10	0.10	5121.79
14	9680	0	0	0.22	0.22	180652.03	840	0	0	0.19	0.19	13644.29	580	0	0	0.11	0.11	5311.87
15	5780	0	0	0.13	0.13	64421.57	830	0	0	0.19	0.19	13338.43	578	0	0	0.11	0.11	5293.56
16	2419.6	0	0	0.23	0.23	48709.45	745.9	0	0	0.17	0.17	10762.44	575	0	0	0.10	0.10	5216.4
17	2280.9	0	0	0.20	0.20	40005.16	737.3	0	0	0.17	0.17	10510.95	570	0	0	0.10	0.10	5121.79
18	2466.5	0	0	0.20	0.20	42621.12	727	0	0	0.16	0.16	10238.49	568	0	0	0.10	0.10	5103.82
19	2580.8	0	0	0.18	0.18	41251.51	717.7	0	0	0.16	0.16	9983.49	562	0	0	0.10	0.10	5001.35
20	2373.3	0	0	0.25	0.25	51263.28	700	0	0	0.16	0.16	9495.36	560	0	0	0.10	0.10	4935.17
21	1951.1	0	0	0.27	0.27	45515.26	712.6	0	0	0.11	0.11	6957.26	550	0	0	0.10	0.10	4752
22	1790	0	0	0.25	0.25	38354.69	702.7	0	0	0.11	0.11	6739.17	552	0	0	0.10	0.10	4816.97
23	1767.4	0	0	0.21	0.21	32831.22	698.4	0	0	0.11	0.11	6697.94	550	0	0	0.10	0.10	4752
24	1751.9	0	0	0.21	0.21	31786.47	694.3	0	0	0.11	0.11	6598.63	548	0	0	0.10	0.10	4734.72
25	1887.9	0	0	0.30	0.30	48934.37	690.4	0	0	0.11	0.11	6501.91	327.3	0	0	0.06	0.06	1696.72
26	1843.7	0	0	0.25	0.25	39823.92	689.7	0	0	0.11	0.11	6495.32	311.8	0	0	0.06	0.06	1535.55
27	2150	0	0	0.30	0.30	55728	720	0	0	0.11	0.11	7091.71	310.8	0	0	0.06	0.06	1530.63
28	2524.9	0	0	0.33	0.33	70899.19	673.7	0	0	0.12	0.12	7159.54	300	0	0	0.06	0.06	1425.6
29	2500	0	0	0.32	0.32	69552	678.8	0	0	0.12	0.12	7272.39	301.1	0	0	0.06	0.06	1430.83
30	3780	0	0	0.36	0.36	118552.9	679.3	0	0	0.12	0.12	7277.75	226.6	0	0	0.04	0.04	802.71
31							679.4	0	0	0.12	0.12	7278.82						
TenDaily I	4521.35	0	0	0.31	0.31	129715.68	2025.9	0	0	0.26	0.26	50963.61	612.03	0	0	0.11	0.11	5953.14
TenDaily II	5035.11	0	0	0.22	0.22	97984.71	821.84	0	0	0.19	0.19	13525.58	555	0	0	0.10	0.10	4878.07
TenDaily III	2194.69	0	0	0.28	0.28	55197.8	692.66	0	0	0.12	0.12	6915.49	397.76	0	0	0.07	0.07	2747.77
Total	September					2828981.85	October					720962.37	November					135789.83

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	130	0	0	0.02	0.02	258.34	144.6	0	0	0.03	0.03	324.83	139	0	0	0.12	0.12	1429.14
2	131	0	0	0.02	0.02	271.64	144.4	0	0	0.03	0.03	324.38	143	0	0	0.12	0.12	1519.69
3	199.2	0	0	0.04	0.04	619.59	155	0	0	0.03	0.03	374.98	118	0	0	0.09	0.09	866.59
4	170	0	0	0.03	0.03	455.33	155	0	0	0.03	0.03	374.98	114	0	0	0.08	0.08	807.67
5	195	0	0	0.04	0.04	606.53	160	0	0	0.03	0.03	400.9	112	0	0	0.08	0.08	783.82
6	205	0	0	0.04	0.04	655.34	158	0	0	0.09	0.09	1201.31	110	0	0	0.08	0.08	750.82
7	190	0	0	0.04	0.04	574.56	175	0	0	0.10	0.10	1466.64	108	0	0	0.08	0.08	727.83
8	195	0	0	0.04	0.04	606.53	104.6	0	0	0.06	0.06	524.17	107	0	0	0.08	0.08	711.85
9	200.2	0	0	0.04	0.04	640	106.4	0	0	0.06	0.06	542.38	106	0	0	0.08	0.08	696.04
10	189.6	0	0	0.04	0.04	573.35	109	0	0	0.06	0.06	574.47	106.7	0	0	0.08	0.08	765.17
11	163.3	0	0	0.03	0.03	423.27	120	0	0	0.07	0.07	694.66	106	0	0	0.08	0.08	750.99
12	162.3	0	0	0.03	0.03	420.68	121	0	0	0.07	0.07	700.44	109	0	0	0.09	0.09	800.5
13	180	0	0	0.03	0.03	513.22	112	0	0	0.10	0.10	967.68	110	0	0	0.09	0.09	817.34
14	175	0	0	0.03	0.03	483.84	118	0	0	0.10	0.10	1070.5	111	0	0	0.09	0.09	824.77
15	160	0	0	0.03	0.03	400.9	120	0	0	0.11	0.11	1109.38	110	0	0	0.09	0.09	817.34
16	158	0	0	0.03	0.03	395.88	118	0	0	0.10	0.10	1070.5	109	0	0	0.09	0.09	800.5
17	158	0	0	0.03	0.03	395.88	116	0	0	0.10	0.10	1042.33	146.2	0	0	0.09	0.09	1073.69
18	155	0	0	0.03	0.03	374.98	120	0	0	0.11	0.11	1109.38	146	0	0	0.09	0.09	1072.22
19	152	0	0	0.03	0.03	367.72	121	0	0	0.11	0.11	1129.08	145	0	0	0.08	0.08	1052.35
20	170	0	0	0.03	0.03	455.33	117	0	0	0.10	0.10	1051.32	147	0	0	0.09	0.09	1079.57
21	155	0	0	0.03	0.03	374.98	115	0	0	0.10	0.10	1023.41	146	0	0	0.09	0.09	1072.22
22	152	0	0	0.03	0.03	367.72	116.3	0	0	0.10	0.10	1045.03	147.5	0	0	0.09	0.09	1095.98
23	145	0	0	0.03	0.03	325.73	136.3	0	0	0.12	0.12	1436.71	146	0	0	0.09	0.09	1072.22
24	144	0	0	0.03	0.03	323.48	132	0	0	0.12	0.12	1345.77	140.8	0	0	0.10	0.10	1277.34
25	170	0	0	0.03	0.03	455.33	131	0	0	0.12	0.12	1324.25	140	0	0	0.10	0.10	1257.98
26	160	0	0	0.03	0.03	400.9	130	0	0	0.12	0.12	1302.91	141	0	0	0.10	0.10	1279.15
27	162	0	0	0.03	0.03	419.9	128	0	0	0.11	0.11	1216.51	146	0	0	0.11	0.11	1374.97
28	135	0	0	0.03	0.03	291.6	145.5	0	0	0.12	0.12	1571.4	147	0	0	0.11	0.11	1397.09
29	130	0	0	0.02	0.02	269.57	144.9	0	0	0.12	0.12	1564.92	146	0	0	0.11	0.11	1374.97
30	120.3	0	0	0.02	0.02	228.67	140	0	0	0.12	0.12	1451.52						
31	146.4	0	0	0.03	0.03	341.52	138	0	0	0.12	0.12	1418.86						
TenDaily I	180.5	0	0	0.03	0.03	526.12	141.2	0	0	0.05	0.05	610.9	116.37	0	0	0.09	0.09	905.86
TenDaily II	163.36	0	0	0.03	0.03	423.17	118.3	0	0	0.10	0.10	994.52	123.92	0	0	0.08	0.08	908.93
TenDaily III	147.25	0	0	0.03	0.03	345.4	132.45	0	0	0.12	0.12	1336.48	144.48	0	0	0.10	0.10	1244.66
Total	December					13292.29	January					30755.57	February					29349.83

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	143	0	0	0.11	0.11	1309.65	84	0	0	0.06	0.06	449.97	155	0	0	0.12	0.12	1540.08
2	143.6	0	0	0.11	0.11	1327.55	83	0	0	0.06	0.06	444.61	153	0	0	0.11	0.11	1506.99
3	145	0	0	0.11	0.11	1353.02	85	0	0	0.06	0.06	462.67	145	0	0	0.11	0.11	1353.02
4	147	0	0	0.11	0.11	1397.09	84	0	0	0.06	0.06	457.23	110	0	0	0.08	0.08	779.33
5	148	0	0	0.11	0.11	1406.59	87	0	0	0.07	0.07	488.59	102.8	0	0	0.12	0.12	1065.83
6	145	0	0	0.11	0.11	1353.02	80	0	0	0.06	0.06	414.72	101	0	0	0.12	0.12	1029.72
7	146	0	0	0.11	0.11	1374.97	78	0	0	0.06	0.06	390.87	103	0	0	0.12	0.12	1067.9
8	148	0	0	0.11	0.11	1406.59	85	0	0	0.06	0.06	462.67	110	0	0	0.13	0.13	1216.51
9	158	0	0	0.12	0.12	1610.84	91	0	0	0.07	0.07	534.64	102	0	0	0.12	0.12	1048.72
10	162	0	0	0.12	0.12	1693.61	95	0	0	0.07	0.07	582.77	100	0	0	0.12	0.12	1010.88
11	212	0	0	0.16	0.16	2894.05	90	0	0	0.07	0.07	520.99	144	0	0	0.17	0.17	2090.19
12	227	0	0	0.17	0.17	3314.56	77	0	0	0.06	0.06	379.21	164	0	0	0.19	0.19	2706.39
13	187	0	0	0.14	0.14	2245.8	85	0	0	0.06	0.06	462.67	166	0	0	0.19	0.19	2782.43
14	129	0	0	0.10	0.10	1069.98	150	0	0	0.11	0.11	1451.52	172	0	0	0.20	0.20	2987.02
15	111	0	0	0.08	0.08	796	178	0	0	0.13	0.13	2045.43	165	0	0	0.19	0.19	2751.41
16	68	0	0	0.05	0.05	299.64	172	0	0	0.13	0.13	1931.9	162	0	0	0.19	0.19	2645.4
17	70	0	0	0.05	0.05	314.5	175	0	0	0.14	0.14	2086.56	163	0	0	0.19	0.19	2675.81
18	68.5	0	0	0.05	0.05	301.84	174	0	0	0.14	0.14	2089.67	140.8	0	0	0.18	0.18	2189.72
19	68	0	0	0.05	0.05	299.64	185	0	0	0.14	0.14	2269.73	138	0	0	0.18	0.18	2098.48
20	67	0	0	0.05	0.05	289.44	186	0	0	0.14	0.14	2217.72	139	0	0	0.18	0.18	2137.71
21	110	0	0	0.08	0.08	779.33	190	0	0	0.14	0.14	2232.58	137	0	0	0.17	0.17	2071.44
22	108	0	0	0.08	0.08	755.83	185	0	0	0.13	0.13	2141.86	175	0	0	0.22	0.22	3386.88
23	105.8	0	0	0.08	0.08	722.15	183	0	0	0.13	0.13	2071.27	170	0	0	0.22	0.22	3187.3
24	109	0	0	0.08	0.08	762.83	180	0	0	0.13	0.13	2037.31	172	0	0	0.22	0.22	3269.38
25	81	0	0	0.06	0.06	419.9	175	0	0	0.13	0.13	2026.08	170	0	0	0.22	0.22	3187.3
26	93	0	0	0.07	0.07	554.43	176	0	0	0.14	0.14	2098.48	150	0	0	0.19	0.19	2488.32
27	90	0	0	0.07	0.07	520.99	180	0	0	0.13	0.13	2083.97	80	0	0	0.10	0.10	705.02
28	90	0	0	0.07	0.07	520.99	185	0	0	0.14	0.14	2205.79	135	0	0	0.17	0.17	2017.87
29	87	0	0	0.07	0.07	488.59	180	0	0	0.13	0.13	2083.97	105	0	0	0.13	0.13	1215.65
30	86	0	0	0.06	0.06	475.55	165	0	0	0.12	0.12	1753.49	79	0	0	0.10	0.10	689.39
31	84	0	0	0.06	0.06	457.23							84	0	0	0.11	0.11	776.56
TenDaily I	148.56	0	0	0.11	0.11	1423.29	85.2	0	0	0.06	0.06	468.88	118.18	0	0	0.11	0.11	1161.9
TenDaily II	120.75	0	0	0.09	0.09	1182.54	147.2	0	0	0.11	0.11	1545.54	155.38	0	0	0.19	0.19	2506.46
TenDaily III	94.89	0	0	0.07	0.07	587.07	179.9	0	0	0.13	0.13	2073.48	132.45	0	0	0.17	0.17	2090.46
Total	March					32516.2	April					40878.95						59678.64

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Sandia

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division:MNSD-I, Hoshangabad

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	7529140.18	0	7529140.18	6886.96
1988-1989	16266196.89	0	16266196.89	14519.18
1989-1990	4764959.28	0	4764959.28	6212.52
1990-1991	16499578.83	0	16499578.83	20837.87
1991-1992	31100237.29	0	31100237.29	14450.2
1992-1993	7506724.17	0	7506724.17	10887.27
1993-1994	11324633.03	0	11324633.03	12061.07
1994-1995	43941942.28	0	43941942.28	34413.84
1995-1996	11257938.33	0	11257938.33	13275.06
1996-1997	2415022.75	0	2415022.75	5763.67
1997-1998	7382982.42	0	7382982.42	11395.81
1998-1999	5939963.36	0	5939963.36	9874.67
1999-2000	34685472.31	0	34685472.31	28910.32
2000-2001	10300013.96	0	10300013.96	7673.68
2001-2002	18040558.08	0	18040558.08	11842.63
2002-2003	13837434.36	0	13837434.36	9241.7
2003-2004	36417061.91	0	36417061.91	19362.19
2004-2005	11432445.12	0	11432445.12	10323.99
2005-2006	26940023.78	200264.78	27140288.56	24422.53
2006-2007	17843015.67	125369.91	17968385.58	13936.42
2007-2008	225891.69	11152.44	237044.13	9304.6
2008-2009	1249337.48	49464.41	1298801.9	9913.65
2009-2010	47170094.29	42441.39	47212535.68	11271.35
2010-2011	4083187.3	422459.49	4505646.79	9112.39
2011-2012	28905207.84	0	28905207.84	14916
2012-2013	15153224.05	153016.8	15306240.85	13589.21
2013-2014	15096652	132822	15229473	28654
2014-2015	3320615	71095	3391709	10500
2015-2016	566346	58438	624785	6318
2016-2017	5051534.42	58304.64	5109839.06	15068.69
2017-2018	390036.11	0	390036.11	2852.59
2018-2019	2359487	115780	2475267	9395
2019-2020	6272189	206471.48	6478660.48	23809.49

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad




Seasonal Sediment Load for period : 1987-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 2019-2020

Station Name : Narmada at Sandia (CW1NAU000450)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-1 Hoshangabad



4.7 Shakkar at Gadarwara

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Gadarwara		Code	:	CWINAU000391	
State	:	Madhya Pradesh		District	:	NARSINGHPUR	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Shakkar	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-I, Hosangabad	
Drainage Area	:	2270.0 Sq. Km.		Bank	:	Left	
Latitude	:	22°55'26"		Longitude	:	78°47'30"	
Current Zero of Gauge (m)	:	321					
CATEGORY		Opening Date				Closing Date	
Gauge	:	01/02/1977					
Discharge	:	01/02/1977					
Sediment	:	15/06/1978					
Water Quality	:	16/06/1979					
Reduced Level		Opening Date				Closing Date	
321.0		01/02/1977					
321.0							
321.0							

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Division : Narmada Division, Bhopal

Local River : Shakkar

Sub-Division : MNDS-I, Hoshangabad

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0	0	0	0	0	0	7.50	0	0	0.04	0.04	23.33	378.83	0.01	0.01	1.01	1.03	33713.11
2	0	0	0	0	0	0	93.5	0	0.01	0.45	0.45	3659.52	131.73	0.01	0.01	0.28	0.30	3391.58
3	0	0	0	0	0	0	186	0.01	0.01	0.89	0.90	14511.57	368.53	0.01	0.01	0.90	0.92	29357.08
4	0	0	0	0	0	0	121.57	0	0.01	0.58	0.59	6197.15	198.92	0.01	0.01	0.48	0.50	8558.97
5	0	0	0	0	0	0	54.45	0	0.01	0.16	0.17	776.24	116.51	0.01	0.01	0.21	0.23	2345.55
6	0	0	0	0	0	0	32.43	0	0	0.06	0.06	154.11	99.82	0.01	0.01	0.18	0.20	1724.86
7	0	0	0	0	0	0	19.00	0	0	0.03	0.03	52.53	124.59	0.01	0.01	0.03	0.05	581.27
8	0	0	0	0	0	0	55.81	0	0	0.06	0.06	289.32	404.27	0.01	0.01	0.13	0.16	5448.91
9	0	0	0	0	0	0	54.66	0	0	0.30	0.30	1407.34	468.05	0.01	0.01	0.60	0.63	25314.87
10	0	0	0	0	0	0	58.25	0	0	0.14	0.14	704.59	365.94	0.01	0.01	0.50	0.52	16504.28
11	0	0	0	0	0	0	44.17	0	0	0.04	0.04	171.73	172.6	0.01	0.01	0.24	0.25	3683.42
12	0	0	0	0	0	0	11.44	0	0	0.09	0.09	91.92	162.2	0	0.01	0.22	0.23	3237.25
13	0	0	0	0	0	0	8.85	0	0	0.43	0.43	325.74	138.76	0.01	0.01	0.33	0.34	4124.08
14	0	0	0	0	0	0	7.42	0	0	0.36	0.36	228.87	159.22	0.01	0.01	1.06	1.08	14897.94
15	0	0	0	0	0	0	5.13	0	0	0.08	0.08	36.79	820.2	0.04	0.07	5.47	5.58	395357.4
16	0	0	0	0	0	0	3.79	0	0	0.07	0.07	21.94	377.72	0.01	0.01	0.28	0.30	9725.21
17	0	0	0	0	0	0	3.32	0	0	0.09	0.09	24.96	386.42	0.02	0.02	0.24	0.28	9515.3
18	0	0	0	0	0	0	1.91	0	0	2.92	2.92	482.7	178	0.01	0.01	0.11	0.13	2014.68
19	0	0	0	0	0	0	1.22	0	0	0.61	0.61	64.19	139.48	0	0	0.61	0.61	7387.25
20	0	0	0	0	0	0	1.07	0	0	0.10	0.10	9.61	116.69	0	0	0.10	0.11	1068.68
21	0	0	0	0	0	0	1.07	0	0	0.10	0.10	9.61	367.06	0	0	0.62	0.62	19725.99
22	0	0	0	0	0	0	12.82	0	0	0.06	0.06	70.89	369.85	0.01	0.02	0.70	0.73	23391.22
23	0	0	0	0	0	0	11.11	0	0	0.13	0.13	125.75	390.67	0.01	0.01	0.82	0.84	28454.24
24	0	0	0	0	0	0	7.62	0	0	0.08	0.08	55.3	365.9	0.01	0.02	1.24	1.27	40244.32
25	0	0	0	0	0	0	6.82	0	0	0.08	0.08	48.91	390.67	0.01	0.02	1.33	1.36	45871.53
26	0	0	0	0	0	0	7.19	0	0	0.09	0.09	53.42	470.26	0.01	0.01	0.58	0.60	24459.38
27	0	0	0	0	0	0	130.12	0	0.01	0.08	0.09	1056.78	592.07	0.01	0.02	0.73	0.76	38877.36
28	0	0	0	0	0	0	108.5	0	0.01	0.07	0.08	731.2	387.78	0.01	0.01	0.55	0.56	18896.56
29	4.30	0	0	0.02	0.02	7.43	123.95	0	0.01	0.18	0.19	2002.64	366.11	0.01	0.01	0.91	0.93	29322.61
30	6.00	0	0	0.03	0.03	14.52	377.53	0.01	0.01	1.98	1.99	64943.62	198.24	0.01	0.01	0.16	0.18	3048.83
31							390.94	0.01	0.01	0.99	1.01	34114.99	209.91	0.01	0.01	0.42	0.44	7980.09
TenDaily I							68.32	0	0	0.27	0.27	2777.57	265.72	0.01	0.01	0.43	0.45	12694.05
TenDaily II							8.83	0	0	0.48	0.48	145.84	265.13	0.01	0.02	0.87	0.89	45101.12
TenDaily III	1.03	0	0	0	0	2.19	107.06	0	0	0.35	0.36	9383.01	373.5	0.01	0.01	0.73	0.75	25479.28
Total	June					21.95	July					132447.26	August					858223.8

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Division : Narmada Division, Bhopal

Local River : Shakkar

Sub-Division : MNSD-I, Hoshangabad

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	172.8	0.01	0.01	0.34	0.36	5389.7	139.65	0	0.01	0.43	0.44	5308.93	5.50	0	0	0.04	0.04	19.48
2	172.8	0.01	0.01	0.34	0.36	5389.7	118.30	0.01	0.01	0.36	0.38	3873.8	5.90	0	0	0.03	0.03	17.33
3	159.4	0.01	0.01	0.18	0.20	2740.66	80.67	0.01	0.01	0.37	0.39	2683.41	4.97	0	0	0.03	0.03	12.88
4	208.3	0.12	0.02	0.32	0.45	8134.7	54.37	0	0	0.32	0.32	1489.13	4.38	0	0	0.03	0.03	12.87
5	471.4	0.01	0.02	0.31	0.34	13970.03	44.22	0	0	0.17	0.17	641.86	4.97	0	0	0.03	0.03	12.88
6	386.9	0.01	0.02	1.47	1.50	50041.96	30.40	0	0	0.12	0.12	302.05	4.38	0	0	0.03	0.03	10.97
7	592.9	0.01	0.02	0.91	0.94	48306.65	25.41	0	0	0.16	0.16	344.68	4.21	0	0	0.03	0.03	12.37
8	369.1	0.01	0.01	0.57	0.59	18719.57	13.84	0	0	0.09	0.09	102.84	4.97	0	0	0.03	0.03	14.6
9	2805.3	0.01	0.02	0.91	0.94	228562.38	33.09	0	0	0.16	0.16	448.86	4.97	0	0	0.03	0.03	13.31
10	186	0	0	0.06	0.06	996.36	29.92	0	0	0.20	0.20	504.09	4.55	0	0	0.03	0.03	12.58
11	391.5	0.01	0.02	1.49	1.52	51448.74	28.25	0	0	0.03	0.03	80.55	4.65	0	0	0.03	0.03	11.25
12	388.9	0.01	0.02	1.11	1.14	38237.89	25.53	0	0	0.06	0.06	138.96	4.02	0	0	0.03	0.03	9.03
13	376.1	0.01	0.02	0.96	1.00	32365.06	24.60	0	0	0.06	0.06	129.65	3.85	0	0	0.03	0.03	8.65
14	366	0.10	0.02	0.75	0.86	27353.38	20.78	0	0	0.07	0.07	129.27	3.80	0	0	0.03	0.03	8.54
15	172.6	0.05	0.01	0.35	0.41	6084.36	19.93	0	0	0.07	0.07	123.98	3.75	0	0	0.03	0.03	8.42
16	163.3	0.01	0.01	0.70	0.73	10271.44	18.23	0	0	0.08	0.08	122.86	3.72	0	0	0.03	0.03	8.04
17	379.2	0.01	0.02	0.68	0.71	23130.59	16.87	0	0	0.04	0.04	59.76	3.65	0	0	0.02	0.02	7.57
18	107.8	0.01	0.01	0.21	0.23	2160.83	15.66	0	0	0.04	0.04	50.06	3.55	0	0	0.02	0.02	7.36
19	209.1	0.01	0.02	0.34	0.37	6738.71	13.92	0	0	0.04	0.04	46.9	3.51	0	0	0.02	0.02	7.28
20	100.8	0.01	0.01	0.61	0.63	5460.62	17.30	0	0	0.05	0.05	71.75	3.48	0	0	0.02	0.02	7.22
21	79.8	0.01	0.01	0.26	0.28	1951.21	18.02	0	0	0.07	0.07	112.1	3.44	0	0	0.02	0.02	6.84
22	86.3	0.01	0.01	0.29	0.31	2289.09	14.80	0	0	0.12	0.12	149.61	3.41	0	0	0.02	0.02	6.78
23	77.1	0.01	0.01	0.25	0.27	1805.25	18.34	0	0	0.09	0.09	142.61	3.35	0	0	0.02	0.02	6.66
24	199.3	0.01	0.01	0.45	0.48	8213.71	16.96	0	0	0.06	0.06	92.32	3.33	0	0	0.02	0.02	6.62
25	100.5	0.01	0.01	0.18	0.20	1780.06	14.81	0	0	0.55	0.55	703.77	3.29	0	0	0.02	0.02	6.25
26	216	0.02	0.02	0.43	0.47	8734	13.22	0	0	0.05	0.05	58.25	3.25	0	0	0.02	0.02	6.18
27	138.5	0.01	0.02	0.86	0.89	10626.16	12.90	0	0	0.05	0.05	55.73	3.20	0	0	0.02	0.02	6.08
28	118.3	0.01	0.02	0.75	0.78	7962.25	12.68	0	0	0.51	0.51	558.73	3.19	0	0	0.02	0.02	6.06
29	216	0.02	0.03	1.37	1.42	26556.6	12.04	0	0	0.05	0.05	54.09	3.15	0	0	0.02	0.02	5.99
30	161	0.01	0.19	0.47	0.67	9319.97	11.34	0	0	0.04	0.04	44.09	3.11	0	0	0.02	0.02	5.64
31							9.88	0	0	0.07	0.07	59.75						
TenDaily I	552.49	0.02	0.01	0.54	0.57	38225.17	56.99	0	0	0.24	0.24	1569.97	4.88	0	0	0.03	0.03	13.93
TenDaily II	265.53	0.02	0.02	0.72	0.76	20325.16	20.11	0	0	0.05	0.05	95.37	3.80	0	0	0.03	0.03	8.33
TenDaily III	139.28	0.01	0.03	0.53	0.58	7923.83	14.09	0	0	0.15	0.15	184.64	3.27	0	0	0.02	0.02	6.31
Total	September					664741.62	October					18684.46	November					285.72

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Division : Narmada Division, Bhopal

Local River : Shakkar

Sub-Division : MNSD-I, Hoshangabad

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	3.08	0	0	0.02	0.02	5.59	3	0	0	0.02	0.02	5.44	1.70	0	0	0.01	0.01	1.76
2	3.06	0	0	0.02	0.02	5.55	3	0	0	0.02	0.02	5.44	1.65	0	0	0.01	0.01	1.57
3	3.05	0	0	0.02	0.02	5.53	2.93	0	0	0.02	0.02	5.06	1.60	0	0	0.01	0.01	1.52
4	3.04	0	0	0.02	0.02	5.52	2.93	0	0	0.02	0.02	5.06	1.60	0	0	0.01	0.01	1.52
5	3.00	0	0	0.02	0.02	5.44	2.88	0	0	0.02	0.02	4.98	1.60	0	0	0.01	0.01	1.52
6	3.00	0	0	0.02	0.02	5.44	2.88	0	0	0.02	0.02	4.98	1.55	0	0	0.01	0.01	1.47
7	3.00	0	0	0.02	0.02	5.44	2.75	0	0	0.02	0.02	4.51	1.55	0	0	0.01	0.01	1.47
8	3.00	0	0	0.02	0.02	5.44	2.75	0	0	0.02	0.02	4.51	1.55	0	0	0.01	0.01	1.47
9	3.00	0	0	0.02	0.02	5.44	2.75	0	0	0.02	0.02	4.51	1.52	0	0	0.01	0.01	1.31
10	2.95	0	0	0.02	0.02	5.10	2.75	0	0	0.02	0.02	4.51	1.52	0	0	0.01	0.01	1.31
11	2.95	0	0	0.02	0.02	5.10	2.68	0	0	0.02	0.02	4.17	1.44	0	0	0.01	0.01	1.24
12	2.93	0	0	0.02	0.02	5.06	2.63	0	0	0.02	0.02	4.09	1.38	0	0	0.01	0.01	1.07
13	3.00	0	0	0.02	0.02	5.44	2.60	0	0	0.02	0.02	4.04	1.36	0	0	0.01	0.01	1.06
14	2.95	0	0	0.02	0.02	5.10	2.60	0	0	0.02	0.02	4.04	1.25	0	0	0.01	0.01	0.97
15	3.00	0	0	0.02	0.02	5.44	2.59	0	0	0.02	0.02	4.03	1.24	0	0	0.01	0.01	0.96
16	3.00	0	0	0.02	0.02	5.44	2.48	0	0	0.02	0.02	3.64	1.20	0	0	0.01	0.01	0.83
17	3.00	0	0	0.02	0.02	5.44	2.48	0	0	0.02	0.02	3.64	1.15	0	0	0.01	0.01	0.79
18	3.00	0	0	0.02	0.02	5.44	2.40	0	0	0.02	0.02	3.53	1.12	0	0	0.01	0.01	0.77
19	2.95	0	0	0.02	0.02	5.10	2.40	0	0	0.02	0.02	3.53	1.08	0	0	0.01	0.01	0.65
20	2.95	0	0	0.02	0.02	5.10	2.30	0	0	0.02	0.02	3.18	1.02	0	0	0.01	0.01	0.62
21	2.93	0	0	0.02	0.02	5.06	2.15	0	0	0.01	0.01	2.79	1.00	0	0	0.01	0.01	0.60
22	2.93	0	0	0.02	0.02	5.06	2.15	0	0	0.01	0.01	2.79	0.98	0	0	0.01	0.01	0.59
23	2.88	0	0	0.02	0.02	4.98	2.15	0	0	0.01	0.01	2.79	0.95	0	0	0.01	0.01	0.57
24	2.88	0	0	0.02	0.02	4.98	2.12	0	0	0.01	0.01	2.75	0.92	0	0	0.01	0.01	0.48
25	2.88	0	0	0.02	0.02	4.98	2.12	0	0	0.01	0.01	2.75	0.90	0	0	0.01	0.01	0.47
26	3.00	0	0	0.02	0.02	5.44	2.00	0	0	0.01	0.01	2.42	0.88	0	0	0.01	0.01	0.46
27	3.00	0	0	0.02	0.02	5.44	1.98	0	0	0.01	0.01	2.40	0.87	0	0	0.01	0.01	0.45
28	2.95	0	0	0.02	0.02	5.10	1.98	0	0	0.01	0.01	2.40	0.85	0	0	0.01	0.01	0.44
29	2.95	0	0	0.02	0.02	5.10	1.98	0	0	0.01	0.01	2.40	0.83	0	0	0.01	0.01	0.43
30	2.93	0	0	0.02	0.02	5.06	1.98	0	0	0.01	0.01	2.40						
31	2.88	0	0	0.02	0.02	4.98	1.88	0	0	0.01	0.01	2.11						
TenDaily I	3.02	0	0	0.02	0.02	5.45	2.86	0	0	0.02	0.02	4.90	1.58	0	0	0.01	0.01	1.49
TenDaily II	2.97	0	0	0.02	0.02	5.27	2.52	0	0	0.02	0.02	3.79	1.22	0	0	0.01	0.01	0.9
TenDaily III	2.93	0	0	0.02	0.02	5.11	2.04	0	0	0.01	0.01	2.54	0.91	0	0	0.01	0.01	0.5
Total	December					163.35	January					114.88	February					28.41

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Division : Narmada Division, Bhopal

Local River : Shakkar

Sub-Div : MNSD-I, Hoshangabad

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0.81	0	0	0.006	0.006	0.42	0.49	0	0	0.003	0.003	0.13	0.28	0	0	0.002	0.002	0.05
2	0.79	0	0	0.005	0.005	0.34	0.49	0	0	0.003	0.003	0.13	0.25	0	0	0.002	0.002	0.04
3	0.79	0	0	0.005	0.005	0.34	0.49	0	0	0.003	0.003	0.13	0.20	0	0	0.001	0.001	0.02
4	0.77	0	0	0.005	0.005	0.33	0.45	0	0	0.003	0.003	0.12	0.18	0	0	0.001	0.001	0.02
5	0.75	0	0	0.005	0.005	0.32	0.42	0	0	0.003	0.003	0.11	0.18	0	0	0.001	0.001	0.02
6	0.73	0	0	0.005	0.005	0.32	0.42	0	0	0.003	0.003	0.11	0.17	0	0	0.001	0.001	0.01
7	0.72	0	0	0.005	0.005	0.31	0.49	0	0	0.003	0.003	0.13	0.51	0	0	0.004	0.004	0.18
8	0.72	0	0	0.005	0.005	0.31	0.49	0	0	0.003	0.003	0.13	0.50	0	0	0.003	0.003	0.13
9	0.70	0	0	0.005	0.005	0.30	0.45	0	0	0.003	0.003	0.12	0.49	0	0	0.003	0.003	0.13
10	0.68	0	0	0.005	0.005	0.29	0.42	0	0	0.003	0.003	0.11	0.45	0	0	0.003	0.003	0.12
11	0.66	0	0	0.005	0.005	0.29	0.40	0	0	0.003	0.003	0.10	0.45	0	0	0.003	0.003	0.12
12	0.65	0	0	0.004	0.004	0.22	0.35	0	0	0.002	0.002	0.06	0.42	0	0	0.003	0.003	0.11
13	0.64	0	0	0.004	0.004	0.22	0.35	0	0	0.002	0.002	0.06	0.40	0	0	0.003	0.003	0.10
14	0.66	0	0	0.005	0.005	0.29	0.32	0	0	0.002	0.002	0.06	0.35	0	0	0.002	0.002	0.06
15	0.70	0	0	0.005	0.005	0.30	0.32	0	0	0.002	0.002	0.06	0.28	0	0	0.002	0.002	0.05
16	0.66	0	0	0.005	0.005	0.29	0.42	0	0	0.003	0.003	0.11	0.20	0	0	0.001	0.001	0.02
17	0.72	0	0	0.005	0.005	0.31	0.42	0	0	0.003	0.003	0.11	0.20	0	0	0.001	0.001	0.02
18	0.72	0	0	0.005	0.005	0.31	0.40	0	0	0.003	0.003	0.10	0.17	0	0	0.001	0.001	0.01
19	0.70	0	0	0.005	0.005	0.30	0.40	0	0	0.003	0.003	0.10	0.15	0	0	0.001	0.001	0.01
20	0.68	0	0	0.005	0.005	0.29	0.35	0	0	0.002	0.002	0.06	0.14	0	0	0.001	0.001	0.01
21	0.66	0	0	0.004	0.004	0.23	0.32	0	0	0.002	0.002	0.06	0.13	0	0	0.001	0.001	0.01
22	0.64	0	0	0.004	0.004	0.22	0.35	0	0	0.002	0.002	0.06	0.12	0	0	0.001	0.001	0.01
23	0.63	0	0	0.004	0.004	0.22	0.28	0	0	0.002	0.002	0.05	0.11	0	0	0.001	0.001	0.01
24	0.62	0	0	0.004	0.004	0.21	0.25	0	0	0.002	0.002	0.04	0.10	0	0	0.001	0.001	0.01
25	0.60	0	0	0.004	0.004	0.21	0.20	0	0	0.001	0.001	0.02	0.09	0	0	0.001	0.001	0.01
26	0.60	0	0	0.004	0.004	0.21	0.18	0	0	0.001	0.001	0.02	0.08	0	0	0.001	0.001	0.01
27	0.59	0	0	0.004	0.004	0.20	0.40	0	0	0.003	0.003	0.10	0.07	0	0	0	0	0
28	0.58	0	0	0.004	0.004	0.20	0.35	0	0	0.002	0.002	0.06	0.05	0	0	0	0	0
29	0.57	0	0	0.004	0.004	0.20	0.32	0	0	0.002	0.002	0.06	0.05	0	0	0	0	0
30	0.56	0	0	0.004	0.004	0.19	0.32	0	0	0.002	0.002	0.06	0.05	0	0	0	0	0
31	0.56	0	0	0.004	0.004	0.19							0.05	0	0	0	0	0
TenDaily I	0.75	0	0	0.01	0.010	0.33	0.46	0	0	0	0	0.12	0.32	0	0	0	0	0.07
TenDaily II	0.68	0	0	0	0	0.28	0.37	0	0	0	0	0.08	0.28	0	0	0	0	0.05
TenDaily III	0.6	0	0	0	0	0.21	0.30	0	0	0	0	0.05	0.08	0	0	0	0	0
Total	March					8.4	April					2.53						1.27

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391) Division : Narmada Division, Bhopal

Local River : Shakkar


Sub-Division : MNSD-I, Hoshangabad

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	558684.25	0	558684.25	469.4
1988-1989	2457908.18	0	2457908.18	1489.96
1989-1990	1131617.6	0	1131617.6	1056.04
1990-1991	2403872.67	0	2403872.67	2143.98
1991-1992	869282.89	0	869282.89	694.18
1992-1993	1509931.33	0	1509931.33	1102.19
1993-1994	1449469.4	0	1449469.4	1357.02
1994-1995	6473197.33	0	6473197.33	2994.98
1995-1996	1704168.02	0	1704168.02	868.31
1996-1997	343576.43	0	343576.43	642.71
1997-1998	1511294.43	0	1511294.43	1064.63
1998-1999	310187	0	310187	768.64
1999-2000	3802365.72	0	3802365.72	3620.84
2000-2001	524430.17	0	524430.17	701.09
2001-2002	421505.35	0	421505.35	575.17
2002-2003	814769.26	0	814769.26	1193.79
2003-2004	728251.18	0	728251.18	1567.57
2004-2005	157004.08	0	157004.08	637.78
2005-2006	745497.82	160.11	745657.93	1411.11
2006-2007	2654320.91	38.34	2654359.26	2307.03
2007-2008	739549.33	12.56	739561.9	1627.42
2008-2009	115482.48	2.1	115484.58	788.83
2009-2010	5461673.61	78.74	5461752.35	2151.56
2010-2011	629850	19.05	629869.05	1314.56
2011-2012	612288	5	612293	1280
2012-2013	1228999.91	45.98	1229045.89	2214.79
2013-2014	3562927	462	3563388	2941
2014-2015	436903	18	436921	1066
2015-2016	632929	0	632929	1075
2016-2017	1223466.6	405.03	1223871.63	2542.2
2017-2018	236955.83	0	236955.83	803.74
2018-2019	554652	0	554652	907
2019-2020	1674404.8	318.84	1674723.64	1921.41

Annual Sediment Load for period : 1987-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)
BhopalLocal River : Shakkar

Division : Narmada Division,
Sub-Div : MNSD-I, Hoshangabad




Seasonal Sediment Load for the period : 1987-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Division : Narmada Division, Bhopal

Local River : Shakkar

Sub-Div : MNSD-I, Hoshangabad




Seasonal Sediment Load for the period : 2019-2020

Station Name : Shakkar at Gadarwara (CW1NAU000391)

Local River : Shakkar

Division : Narmada Division, Bhopal

Sub-Div : MNSD-I, Hoshangabad



4.8 Narmada at Barman

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Barmanghat		Code	:	CW1NAU000188	
State	:	Madhya Pradesh		District	:	HOSHANGABAD	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Middle Narmada Sub-Division-I, Hosangabad	
Drainage Area	:	26453.0 Sq. Km.		Bank	:	Right	
Latitude	:	23°10'50"		Longitude	:	79°00'55"	
Current Zero of Gauge (m)	:	306					
CATEGORY		Opening Date		Closing Date			
Gauge	:	09/12/1970					
Discharge	:	20/11/1971					
Sediment	:	27/08/1972					
Water Quality	:	01/06/1979					
Reduced Level		Opening Date		Closing Date			
306.0		01/03/2017					

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	48.8	0	0	0.01	0.01	59.03	241	0	0	2.17	2.17	45247.08	454	0	0	0.17	0.17	6786.03
2	27.0	0	0	0.01	0.01	18.66	132	0	0	1.64	1.64	18715.28	286	0	0	0.32	0.32	7932.04
3	32.7	0	0	0.01	0.01	39.55	188	0	0	1.08	1.08	17493.93	227	0	0	2.02	2.02	39559.02
4	38.7	0	0	0.01	0.01	46.81	284	0	0	1.07	1.07	26157.08	560	0	0	4.98	4.98	240758.78
5	37.0	0	0	0.01	0.01	41.56	800	0	0	2.59	2.59	179159.04	432	0	0	0.58	0.58	21685.71
6	21.5	0	0	0.01	0.01	24.15	580	0	0	1.25	1.25	62539.78	375	0	0	0.23	0.23	7387.2
7	36.5	0	0	0.01	0.01	41.00	320	0	0	0.69	0.69	19049.47	550	0	0	0.41	0.41	19245.6
8	40.4	0	0	0.01	0.01	45.38	373	0	0	1.40	1.40	45246.99	833	0	0	0.40	0.40	29004.39
9	32.0	0	0	0.01	0.01	27.65	227	0	0	0.69	0.69	13552.44	3680	0	0	1.76	1.76	559595.52
10	53.7	0	0	0.01	0.01	64.96	259	0	0	0.32	0.32	7116.08	3580	0	0	2.11	2.11	653885.57
11	51.3	0	0	0.01	0.01	62.05	222	0	0	0.26	0.26	4987.01	3200	0	0	1.89	1.89	522547.2
12	48.4	0	0	0.01	0.01	58.54	171	0	0	0.16	0.16	2319.58	1380	0	0	0.81	0.81	97174.08
13	46.4	0	0	0.01	0.01	56.13	158	0	0	0.14	0.14	1979.42	1300	0	0	0.34	0.34	38301.12
14	45.3	0	0	0.01	0.01	58.71	140	0	0	0.13	0.13	1548.29	880	0	0	0.43	0.43	32389.63
15	40.9	0	0	0.01	0.01	53.01	127	0	0	0.17	0.17	1832.46	6240	0	0	3.02	3.02	1628729.86
16	35.0	0	0	0.01	0.01	39.31	125	0	0	0.16	0.16	1728	6500	0	0	0.54	0.54	303825.6
17	47.9	0	0	0.02	0.02	66.22	130	0	0	0.12	0.12	1392.77	3420	0	0	0.27	0.27	80077.25
18	57.8	0	0	0.02	0.02	84.90	183	0	0	0.10	0.10	1644.36	1100	0	0	0.09	0.09	8268.48
19	62.7	0	0	0.02	0.02	92.09	179	0	0	0.06	0.06	958.87	720	0	0	0.24	0.24	14867.71
20	47.1	0	0	0.02	0.02	69.18	181	0	0	0.10	0.10	1579.48	833	0	0	0.20	0.20	14034.38
21	36.3	0	0	0.02	0.02	53.32	117	0	0	0.07	0.07	657.07	1880	0	0	0.75	0.75	121499.14
22	46.1	0	0	0.02	0.02	71.69	79.1	0	0	0.10	0.10	717.6	2460	0	0	0.35	0.35	74177.86
23	46.0	0	0	0.02	0.02	71.54	82.3	0	0	0.15	0.15	1102.16	2580	0	0	0.19	0.19	42799.1
24	57.0	0	0	0.02	0.02	108.35	73.2	0	0	0.09	0.09	575.53	1900	0	0	0.24	0.24	40219.2
25	40.2	0	0	0.03	0.03	93.78	47.8	0	0	0.17	0.17	702.09	2270	0	0	0.29	0.29	57465.5
26	60.8	0	0	0.05	0.05	246.9	57.7	0	0	0.06	0.06	289.15	3450	0	0	0.30	0.30	90616.32
27	43.3	0	0	0.01	0.01	37.41	203	0	0	1.16	1.16	20345.47	4100	0	0	0.28	0.28	100604.16
28	41.9	0	0	0.02	0.02	79.64	220	0	0	1.26	1.26	23893.06	3600	0	0	0.32	0.32	100154.88
29	53.3	0	0	0.54	0.54	2495.98	161	0	0	0.26	0.26	3616.7	1940	0	0	0.20	0.20	33858.43
30	46.0	0	0	0.47	0.47	1860.02	215	0	0	0.79	0.79	14582.16	1400	0	0	0.15	0.15	18385.92
31							1120	0	0	1.11	1.11	107412.48	1280	0	0	0.28	0.28	30965.76
TenDaily I	36.83	0	0	0.01	0.01	40.87	340.4	0	0	1.29	1.29	43427.72	1097.7	0	0	1.30	1.30	158583.99
TenDaily II	48.28	0	0	0.02	0.02	64.01	161.6	0	0	0.14	0.14	1997.02	2557.3	0	0	0.78	0.78	274021.53
TenDaily III	47.09	0	0	0.12	0.12	511.86	216.01	0	0	0.47	0.47	15808.5	2441.82	0	0	0.31	0.31	64613.3
Total	June					6167.5	July					628140.86	August					5036801.44

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	1920	0	0	0.42	0.42	69009.41	4000	0	0	0.14	0.14	48384	280	0	0	0.03	0.03	653.18
2	1940	0	0	0.42	0.42	70398.72	2720	0	0	0.10	0.10	22325.76	254	0	0	0.02	0.02	526.69
3	1300	0	0	0.17	0.17	18869.76	1800	0	0	0.10	0.10	16174.08	248	0	0	0.02	0.02	492.83
4	1820	0	0	0.55	0.55	86329.15	1340	0	0	0.05	0.05	5557.25	241	0	0	0.02	0.02	499.74
5	3100	0	0	0.72	0.72	191773.44	820	0	0	0.08	0.08	5384.45	259	0	0	0.03	0.03	626.57
6	2960	0	0	0.29	0.29	75188.74	600	0	0	0.06	0.06	2903.04	250	0	0	0.03	0.03	583.2
7	2820	0	0	0.13	0.13	32648.83	550	0	0	0.03	0.03	1568.16	227	0	0	0.03	0.03	568.77
8	2560	0	0	0.12	0.12	26984.45	560	0	0	0.03	0.03	1645.06	216	0	0	0.03	0.03	541.21
9	11700	0	0	0.48	0.48	486233.28	580	0	0	0.06	0.06	2956.61	203	0	0	0.03	0.03	508.64
10	8200	0	0	0.34	0.34	238757.76	565	0	0	0.03	0.03	1464.48	200	0	0	0.03	0.03	501.12
11	3440	0	0	0.33	0.33	96892.42	540	0	0	0.03	0.03	1259.71	179	0	0	0.03	0.03	463.97
12	4340	0	0	0.49	0.49	184488.19	501	0	0	0.03	0.03	1255.31	170	0	0	0.03	0.03	411.26
13	9200	0	0	0.26	0.26	203489.28	433	0	0	0.03	0.03	935.28	233	0	0	0.03	0.03	603.94
14	6620	0	0	0.16	0.16	89798.98	372	0	0	0.03	0.03	899.94	222	0	0	0.03	0.03	575.42
15	2740	0	0	0.07	0.07	15387.84	375	0	0	0.04	0.04	1360.8	221	0	0	0.03	0.03	553.74
16	1050	0	0	0.22	0.22	20049.12	385	0	0	0.03	0.03	1031.18	219	0	0	0.03	0.03	548.73
17	1540	0	0	0.22	0.22	29538.43	370	0	0	0.04	0.04	1278.72	215	0	0	0.03	0.03	520.13
18	2100	0	0	0.47	0.47	84551.04	380	0	0	0.04	0.04	1346.11	153	0	0	0.03	0.03	383.36
19	2400	0	0	0.39	0.39	80248.32	376	0	0	0.03	0.03	942.11	151	0	0	0.03	0.03	378.35
20	1340	0	0	0.13	0.13	14935.1	320	0	0	0.03	0.03	691.2	175	0	0	0.03	0.03	423.36
21	1200	0	0	0.13	0.13	13685.76	179	0	0	0.04	0.04	680.49	156	0	0	0.03	0.03	377.4
22	1180	0	0	0.13	0.13	13253.76	203	0	0	0.05	0.05	841.88	127	0	0	0.03	0.03	307.24
23	1100	0	0	0.27	0.27	26040.96	299	0	0	0.02	0.02	516.67	163	0	0	0.03	0.03	380.25
24	960	0	0	0.29	0.29	23887.87	345	0	0	0.03	0.03	924.05	151	0	0	0.03	0.03	326.16
25	1180	0	0	0.19	0.19	19472.83	335	0	0	0.02	0.02	578.88	165	0	0	0.03	0.03	370.66
26	1200	0	0	0.19	0.19	20010.24	345	0	0	0.02	0.02	655.78	140	0	0	0.03	0.03	302.4
27	2500	0	0	0.29	0.29	61992	343	0	0	0.02	0.02	651.97	159	0	0	0.03	0.03	343.44
28	2620	0	0	0.14	0.14	32370.62	305	0	0	0.04	0.04	1159.49	150	0	0	0.02	0.02	311.04
29	2360	0	0	0.13	0.13	26303.62	300	0	0	0.03	0.03	829.44	120	0	0	0.02	0.02	248.83
30	5540	0	0	0.16	0.16	76584.96	288	0	0	0.03	0.03	646.96	116	0	0	0.02	0.02	240.54
31							284	0	0	0.03	0.03	736.13						
TenDaily I	3832	0	0	0.36	0.36	129619.35	1353.5	0	0	0.07	0.07	10836.29	237.8	0	0	0.03	0.03	550.2
TenDaily II	3477	0	0	0.27	0.27	81937.87	405.2	0	0	0.03	0.03	1100.04	193.8	0	0	0.03	0.03	486.22
TenDaily III	1984	0	0	0.19	0.19	31360.26	293.27	0	0	0.03	0.03	747.43	144.7	0	0	0.03	0.03	320.79
Total	September					2429174.88	October					127584.98	November					13572.14

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	108	0	0	0.02	0.02	205.29	101	0	0	0.02	0.02	157.08	134	0	0	0.02	0.02	185.24
2	88.3	0	0	0.02	0.02	167.84	124	0	0	0.02	0.02	246.41	125	0	0	0.01	0.01	162
3	86.5	0	0	0.02	0.02	164.42	99.7	0	0	0.02	0.02	155.05	108	0	0	0.01	0.01	121.31
4	101	0	0	0.03	0.03	218.16	75.5	0	0	0.01	0.01	91.32	102	0	0	0.01	0.01	105.75
5	119	0	0	0.03	0.03	308.45	80.0	0	0	0.01	0.01	103.68	104	0	0	0.01	0.01	116.81
6	102	0	0	0.03	0.03	220.32	76.9	0	0	0.02	0.02	112.95	105	0	0	0.01	0.01	117.94
7	82.3	0	0	0.02	0.02	149.33	62.7	0	0	0.01	0.01	75.84	110	0	0	0.01	0.01	123.55
8	110	0	0	0.03	0.03	256.61	75.4	0	0	0.02	0.02	110.75	106	0	0	0.01	0.01	119.06
9	99.8	0	0	0.02	0.02	181.08	97.4	0	0	0.02	0.02	185.14	103	0	0	0.01	0.01	115.69
10	80	0	0	0.02	0.02	117.5	80.9	0	0	0.02	0.02	125.82	113	0	0	0.01	0.01	117.16
11	114	0	0	0.02	0.02	236.39	78.9	0	0	0.02	0.02	115.89	118	0	0	0.01	0.01	142.73
12	79.8	0	0	0.02	0.02	117.21	75	0	0	0.02	0.02	110.16	120	0	0	0.01	0.01	155.52
13	79.5	0	0	0.02	0.02	116.77	120	0	0	0.02	0.02	165.89	119	0	0	0.01	0.01	154.22
14	90.6	0	0	0.02	0.02	148.73	129	0	0	0.02	0.02	189.48	121	0	0	0.01	0.01	156.82
15	100	0	0	0.02	0.02	181.44	125	0	0	0.02	0.02	183.6	119	0	0	0.01	0.01	154.22
16	92.3	0	0	0.02	0.02	167.47	122	0	0	0.02	0.02	168.65	125	0	0	0.01	0.01	162
17	86.4	0	0	0.02	0.02	149.3	132	0	0	0.02	0.02	205.29	127	0	0	0.01	0.01	153.62
18	90.5	0	0	0.02	0.02	164.2	138	0	0	0.02	0.02	214.62	126	0	0	0.01	0.01	152.41
19	91.1	0	0	0.02	0.02	165.29	133	0	0	0.02	0.02	206.84	120	0	0	0.01	0.01	134.78
20	85.3	0	0	0.02	0.02	140.03	127	0	0	0.01	0.01	164.59	115	0	0	0.01	0.01	129.17
21	86	0	0	0.02	0.02	148.61	125	0	0	0.01	0.01	162	122	0	0	0.01	0.01	137.03
22	87	0	0	0.02	0.02	150.34	126	0	0	0.01	0.01	163.3	115	0	0	0.01	0.01	129.17
23	84.5	0	0	0.20	0.20	1460.16	125	0	0	0.01	0.01	162	119	0	0	0.01	0.01	133.66
24	75.4	0	0	0.02	0.02	117.26	126	0	0	0.01	0.01	163.3	120	0	0	0.01	0.01	145.15
25	102	0	0	0.02	0.02	211.51	127	0	0	0.01	0.01	164.59	115	0	0	0.01	0.01	129.17
26	63.1	0	0	0.01	0.01	81.78	131	0	0	0.01	0.01	169.78	112	0	0	0.01	0.01	125.8
27	56	0	0	0.01	0.01	62.9	124	0	0	0.01	0.01	160.7	116	0	0	0.01	0.01	140.31
28	68.6	0	0	0.02	0.02	94.83	125	0	0	0.01	0.01	162	114	0	0	0.01	0.01	128.04
29	74	0	0	0.02	0.02	115.08	123	0	0	0.01	0.01	159.41	111	0	0	0.01	0.01	124.68
30	104	0	0	0.02	0.02	170.73	130	0	0	0.02	0.02	179.71						
31	93.7	0	0	0.02	0.02	137.63	121	0	0	0.01	0.01	156.82						
TenDaily I	97.69	0	0	0.02	0.02	198.9	87.35	0	0	0.02	0.02	136.4	111	0	0	0.01	0.01	128.45
TenDaily II	90.95	0	0	0.02	0.02	158.68	117.99	0	0	0.02	0.02	172.5	121	0	0	0.01	0.01	149.55
TenDaily III	81.3	0	0	0.03	0.03	250.07	125.73	0	0	0.02	0.02	163.96	116	0	0	0.01	0.01	132.56
Total	December					6326.64	January					4892.64	February					3973.02

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	110	0	0	0.01	0.01	114.05	115	0	0	0.03	0.03	248.4	176	0	0	0.01	0.01	182.48
2	115	0	0	0.01	0.01	139.1	125	0	0	0.03	0.03	291.6	172	0	0	0.01	0.01	178.33
3	120	0	0	0.01	0.01	155.52	160	0	0	0.04	0.04	483.84	160	0	0	0.01	0.01	152.06
4	123	0	0	0.01	0.01	159.41	120	0	0	0.03	0.03	269.57	162	0	0	0.01	0.01	181.96
5	125	0	0	0.01	0.01	162	110	0	0	0.02	0.02	228.1	120	0	0	0.01	0.01	103.68
6	114	0	0	0.01	0.01	137.89	130	0	0	0.03	0.03	314.5	134	0	0	0.01	0.01	127.35
7	116	0	0	0.01	0.01	140.31	130	0	0	0.01	0.01	146.02	140	0	0	0.01	0.01	133.06
8	119	0	0	0.01	0.01	143.94	140	0	0	0.01	0.01	169.34	138	0	0	0.01	0.01	131.16
9	127	0	0	0.01	0.01	153.62	120	0	0	0.01	0.01	124.42	135	0	0	0.01	0.01	128.3
10	179	0	0	0.02	0.02	309.31	100	0	0	0.01	0.01	86.4	122	0	0	0.01	0.01	105.41
11	202	0	0	0.02	0.02	383.96	140	0	0	0.01	0.01	169.34	169	0	0	0.01	0.01	204.42
12	162	0	0	0.02	0.02	251.94	160	0	0	0.02	0.02	221.18	209	0	0	0.02	0.02	306.98
13	90.6	0	0	0.01	0.01	78.28	180	0	0	0.01	0.01	217.73	220	0	0	0.02	0.02	342.14
14	93.8	0	0	0.01	0.01	81.04	175	0	0	0.01	0.01	211.68	212	0	0	0.02	0.02	329.7
15	102	0	0	0.01	0.01	96.94	185	0	0	0.01	0.01	223.78	223	0	0	0.02	0.02	346.81
16	98.7	0	0	0.01	0.01	119.39	180	0	0	0.01	0.01	217.73	228	0	0	0.02	0.02	374.28
17	95.8	0	0	0.01	0.01	115.88	220	0	0	0.02	0.02	323.14	225	0	0	0.02	0.02	369.36
18	100	0	0	0.01	0.01	120.96	200	0	0	0.02	0.02	276.48	215	0	0	0.01	0.01	260.06
19	81.3	0	0	0.01	0.01	84.29	180	0	0	0.01	0.01	217.73	210	0	0	0.01	0.01	254.02
20	164	0	0	0.02	0.02	325.9	210	0	0	0.01	0.01	235.87	218	0	0	0.01	0.01	263.69
21	163	0	0	0.02	0.02	323.91	187	0	0	0.01	0.01	193.88	224	0	0	0.01	0.01	290.3
22	167	0	0	0.02	0.02	346.29	209	0	0	0.01	0.01	234.75	221	0	0	0.01	0.01	267.32
23	161	0	0	0.01	0.01	180.84	213	0	0	0.01	0.01	239.24	188	0	0	0.01	0.01	194.92
24	180	0	0	0.01	0.01	233.28	211	0	0	0.01	0.01	237	185	0	0	0.01	0.01	191.81
25	140	0	0	0.01	0.01	133.06	183	0	0	0.01	0.01	173.92	180	0	0	0.01	0.01	186.62
26	80	0	0	0.01	0.01	41.47	180	0	0	0.01	0.01	171.07	104	0	0	0.01	0.01	116.81
27	75	0	0	0.01	0.01	38.88	186	0	0	0.01	0.01	208.92	168	0	0	0.02	0.02	304.82
28	73	0	0	0.01	0.01	37.84	215	0	0	0.01	0.01	278.64	125	0	0	0.02	0.02	172.8
29	73	0	0	0.01	0.01	37.84	178	0	0	0.01	0.01	184.55	122	0	0	0.01	0.01	158.11
30	60	0	0	0.01	0.01	67.39	170	0	0	0.01	0.01	176.26	139	0	0	0.02	0.02	204.16
31	150	0	0	0.03	0.03	427.68							95.8	0	0	0.01	0.01	99.33
TenDaily I	124.8	0	0	0.01	0.01	161.52	125	0	0	0.02	0.02	236.22	145.9	0	0	0.01	0.01	142.38
TenDaily II	119.02	0	0	0.01	0.01	165.86	183	0	0	0.01	0.01	231.47	212.9	0	0	0.02	0.02	305.15
TenDaily III	120.18	0	0	0.01	0.01	169.86	193.2	0	0	0.01	0.01	209.82	159.25	0	0	0.01	0.01	198.82
Total	March					5142.23	April					6775.06						6662.27

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Barman (CW1NAU000188) Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division: MNSD-I, Hoshangabad

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	4381713.26	0	4381713.26	7218.11
1988-1989	8267376.12	0	8267376.12	12306.84
1989-1990	1419707.17	0	1419707.17	3539.78
1990-1991	20391794.48	0	20391794.48	16171.23
1991-1992	16865568.65	0	16865568.65	12532.34
1992-1993	9827989.92	0	9827989.92	8121.38
1993-1994	7409792.47	0	7409792.47	8252.5
1994-1995	60655648.9	0	60655648.9	26240.7
1995-1996	13038553.8	0	13038553.8	10345.6
1996-1997	733589.54	0	733589.54	4254.21
1997-1998	6005110.89	0	6005110.89	8409.89
1998-1999	1253537.41	0	1253537.41	6845.88
1999-2000	12801168.91	0	12801168.91	20564.29
2000-2001	1591161.9	0	1591161.9	6223.5
2001-2002	2438049.9	0	2438049.9	10661.06
2002-2003	8769326.44	0	8769326.44	6764.87
2003-2004	9592151.93	0	9592151.93	14842.88
2004-2005	2583377.56	0	2583377.56	8770.91
2005-2006	15179014.84	79829.98	15258844.82	21037.63
2006-2007	3190311.39	40541.34	3230852.72	9267.54
2007-2008	1070163.99	77034.66	1147198.65	6153.63
2008-2009	2081124.18	58625.3	2139749.48	8569.49
2009-2010	18820922.04	78878	18899800.04	5717.65
2010-2011	1663068.17	160331.96	1823400.13	7788.37
2011-2012	11067511	122367	11189878	25203
2012-2013	1576090.85	35014.79	1611105.63	10312.87
2013-2014	338236903	74412	338311315	38710
2014-2015	13947824	91716	14039540	12492
2015-2016	5170582	37221	5207803	12457
2016-2017	8001661.45	39094.35	8040755.8	11706.22
2017-2018	609270.82	25589.58	634860.4	2933.71
2018-2019	410212	22702	432914	8511
2019-2020	8241441.8	33771.86	8275213.66	18604.27

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 1987-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 1987-2020

Station Name : Narmada at Barman (CW1NAU000188)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : MNSD-I, Hoshangabad



4.9 Banjar at Bamni

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Bamni		Code	:	CW1NAU000781	
State	:	Madhya Pradesh		District	:	MANDLA	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Banjar	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Upper Narmada Sub-Division, Jabalpur	
Drainage Area	:	1864.0 Sq. Km.		Bank	:	Left	
Latitude	:	22°36'15"		Longitude	:	80°21'43"	
Current Zero of Gauge (m)	:	436					
CATEGORY		Opening Date		Closing Date			
Gauge	:	20/06/199					
Discharge	:	30/11/1999					
Sediment	:	01/07/2002					
Water Quality	:	01/07/2002					
Reduced Level		Opening Date		Closing Date			
440.0		03/06/2014					
436.0				-			

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur

Days	June						July						August						
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	
1	0	0	0	0	0	0	0	0	0	0	0	0	32.58	0	0	0.15	0.15	436.31	
2	0	0	0	0	0	0	0	0	0	0	0	0	22.48	0	0	0.18	0.18	351.55	
3	0	0	0	0	0	0	0	0	0	0	0	0	85.52	0.05	0.05	0.22	0.32	2364.46	
4	0	0	0	0	0	0	0	0	0	0	0	0	189.9	0.11	0.11	0.48	0.71	11649.23	
5	0	0	0	0	0	0	15.99	0	0	0.21	0.21	295.65	129.6	0.05	0.05	0.23	0.34	3784.73	
6	0	0	0	0	0	0	15.81	0	0	0.29	0.29	392.04	86.07	0.05	0.05	0.22	0.32	2387.1	
7	0	0	0	0	0	0	14.07	0	0	0.26	0.26	309.99	41.11	0	0	0.16	0.16	564.75	
8	0	0	0	0	0	0	13.33	0	0	0.08	0.08	96.74	147.6	0.54	0.06	0.24	0.83	10622.95	
9	0	0	0	0	0	0	15.64	0	0	0.10	0.10	132.43	1120.4	0.07	0.07	1.41	1.56	150624.78	
10	0	0	0	0	0	0	23.55	0	0	0.18	0.18	370.32	340.5	0.06	0.06	0.54	0.66	19475.51	
11	0	0	0	0	0	0	22.35	0	0	0.23	0.23	442.21	193.7	0.04	0.04	0.30	0.38	6292.62	
12	0	0	0	0	0	0	11.49	0	0	0.11	0.11	108.21	136.5	0.03	0.03	0.21	0.27	3125.3	
13	0	0	0	0	0	0	9.71	0	0	0.11	0.11	90.62	36.16	0	0	0.22	0.22	696.7	
14	0	0	0	0	0	0	2.00	0	0	0.02	0.02	3.79	33.47	0	0	0.26	0.26	751.87	
15	0	0	0	0	0	0	1.56	0	0	0.02	0.02	2.29	363.4	0	0	2.82	2.82	88635.88	
16	0	0	0	0	0	0	1.49	0	0	0.02	0.02	2.18	218.8	0.06	0.06	0.27	0.39	7315.97	
17	0	0	0	0	0	0	1.09	0	0	0.01	0.01	1.13	146.9	0.53	0.05	0.23	0.81	10306.03	
18	0	0	0	0	0	0	1.07	0	0	0.01	0.01	1.11	127.6	0.46	0.05	0.20	0.71	7772.37	
19	0	0	0	0	0	0	1.05	0	0	0.01	0.01	1.09	128	0.05	0.05	0.17	0.28	3074.46	
20	0	0	0	0	0	0	1.03	0	0	0.01	0.01	0.98	86.32	0.05	0.05	0.04	0.14	1059.04	
21	0	0	0	0	0	0	7.38	0	0	0.08	0.08	52.32	243.1	0.06	0.06	0.27	0.38	8065.47	
22	0	0	0	0	0	0	7.37	0	0	0.08	0.08	51.6	326.7	0.06	0.07	0.27	0.40	11347.21	
23	0	0	0	0	0	0	7.18	0	0	0.08	0.08	50.23	189.8	0.06	0.06	0.25	0.36	5985.53	
24	0	0	0	0	0	0	4.08	0	0	0.05	0.05	16.21	145.8	0.05	0.05	0.22	0.33	4094.06	
25	0	0	0	0	0	0	1.11	0	0	0.01	0.01	1.25	189	0.07	0.07	0.28	0.42	6874.76	
26	0	0	0	0	0	0	1.68	0	0	0.02	0.02	2.76	209.8	0.06	0.06	0.25	0.36	6561.87	
27	0	0	0	0	0	0	11.37	0	0	0.09	0.09	83.5	182.6	0.06	0.06	0.24	0.36	5616.48	
28	0	0	0	0	0	0	9.25	0	0	0.07	0.07	55.14	183.1	0.06	0.06	0.24	0.35	5552.76	
29	0	0	0	0	0	0	11.58	0	0	0.09	0.09	86.04	161.1	0.06	0.06	0.16	0.27	3785.98	
30	0	0	0	0	0	0	27.93	0	0	0.22	0.22	521.24	239.9	0.06	0.06	0.28	0.39	8166.58	
31							86.22	0.05	0.05	0.22	0.33	2421.06	142.7	0.05	0.05	0.03	0.14	1676.78	
TenDaily I							9.84	0	0	0.11	0.11	159.72	219.58	0.09	0.05	0.38	0.52	20226.14	
TenDaily II							5.28	0	0	0.05	0.05	65.36	147.08	0.12	0.03	0.47	0.63	12903.02	
TenDaily III							15.92	0	0	0.09	0.10	303.76	201.24	0.06	0.06	0.23	0.34	6157.05	
Total	June						July						August						399019.1

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	159.5	0.06	0.06	0.15	0.27	3707.04	290.5	0.05	0.05	0.08	0.17	4392.36	33.75	0	0	0.03	0.03	78.73
2	130.2	0.05	0.05	0.12	0.22	2463.59	238.2	0.04	0.04	0.07	0.14	2963.59	31	0	0	0.03	0.03	66.96
3	129	0.05	0.05	0.10	0.19	2151.1	192.7	0.04	0.04	0.03	0.11	1764.82	28	0	0	0.02	0.02	55.64
4	167.1	0.57	0.06	0.03	0.66	9557.59	170.4	0.03	0.04	0.03	0.10	1501.7	24.5	0	0	0.02	0.02	42.34
5	286.6	0.06	0.06	0.25	0.36	8988.69	152.6	0.03	0.04	0.03	0.10	1358.02	21	0	0	0.02	0.02	30.84
6	289.9	0.06	0.06	0.06	0.17	4308.15	139.4	0.03	0.03	0.03	0.09	1132.15	19	0	0	0.01	0.01	24.62
7	285.9	0.06	0.55	0.14	0.75	18501.62	128.8	0.03	0.03	0.03	0.09	1023.81	15	0	0	0.01	0.01	15.55
8	1730.5	0.34	0.33	0.87	1.54	229954.38	127	0.03	0.03	0.03	0.09	1009.5	13.75	0	0	0.01	0.01	13.07
9	934.4	0.07	0.07	1.05	1.19	95748.34	114.9	0.03	0.03	0.03	0.09	873.61	13	0	0	0.01	0.01	11.23
10	386.2	0.03	0.03	0.43	0.49	16383.53	108.5	0.03	29.00	0.03	29.06	272391.94	12.5	0	0	0.01	0.01	10.8
11	306.9	0.05	0.06	0.06	0.17	4534.26	100.9	0.03	0.03	0.03	0.08	723.57	12	0	0	0.01	0.01	10.37
12	1005.9	0.07	0.07	0.06	0.20	17034.31	93.6	0.03	0.03	0.03	0.08	646.96	12	0	0	0.01	0.01	10.37
13	825.7	0.06	0.06	0.18	0.30	21758.85	43.46	0.01	0.01	0.01	0.04	142.69	11.5	0	0	0.01	0.01	8.94
14	319.9	0.06	0.06	0.08	0.20	5583.15	42.91	0	0	0.02	0.02	85.27	11	0	0	0.01	0.01	8.55
15	268.8	0.05	0.05	0.07	0.17	3924.91	42.73	0	0	0.02	0.02	81.22	10.5	0	0	0.01	0.01	7.26
16	213.4	0.05	0.05	0.08	0.18	3374.11	36.71	0	0	0.02	0.02	66.61	10.5	0	0	0.01	0.01	7.26
17	195.9	0.05	0.05	0.07	0.17	2877.38	33.69	0	0	0.02	0.02	58.22	10	0	0	0.01	0.01	6.91
18	180.5	0.05	0.06	0.07	0.18	2744.76	32.78	0	0	0.02	0.02	56.64	9.5	0	0	0.01	0.01	6.57
19	172.2	0.05	0.05	0.06	0.15	2291.22	126.5	0.03	0.03	0.03	0.09	950.88	9.5	0	0	0.01	0.01	6.57
20	153.3	0.04	0.05	0.06	0.15	1933.79	114.2	0.03	0.03	0.03	0.08	769.62	9	0	0	0.01	0.01	5.44
21	150.2	0.04	0.04	0.05	0.14	1855.75	108.2	0.03	0.03	0.03	0.08	775.92	8.5	0	0	0.01	0.01	5.14
22	146	0.04	0.04	0.05	0.14	1766.02	105.7	0.03	0.03	0.03	0.08	748.86	8.5	0	0	0.01	0.01	5.14
23	130.5	0.04	0.04	0.05	0.14	1555.98	115.7	0.03	0.03	0.03	0.09	889.69	8.25	0	0	0.01	0.01	4.99
24	223.4	0.04	0.05	0.07	0.17	3204.09	35.99	0	0	0.03	0.03	99.51	8	0	0	0.01	0.01	4.15
25	143.8	0.04	0.04	0.05	0.13	1664.86	34.41	0	0	0.03	0.03	89.19	8	0	0	0.01	0.01	4.15
26	210.9	0.04	0.04	0.06	0.15	2787.93	33.71	0	0	0.03	0.03	87.38	7.75	0	0	0.01	0.01	4.02
27	171.1	0.04	0.04	0.04	0.12	1833.1	32.9	0	0	0.03	0.03	82.43	7.5	0	0	0.01	0.01	3.89
28	162.3	0.04	0.04	0.04	0.12	1668.7	32.09	0	0	0.03	0.03	80.4	7.5	0	0	0.01	0.01	3.89
29	447.3	0.10	0.11	0.11	0.33	12676.12	32.69	0	0	0.03	0.03	79.08	7.25	0	0	0.01	0.01	3.76
30	432.7	0.05	0.05	0.09	0.19	7177.97	43.38	0	0	0.03	0.03	112.44	7	0	0	0.01	0.01	3.63
31							34.68	0	0	0.03	0.03	83.9						
TenDaily I	449.93	0.13	0.13	0.32	0.58	39176.4	166.3	0.03	2.93	0.04	3.01	28841.15	21.15	0	0	0.02	0.02	34.98
TenDaily II	364.25	0.05	0.06	0.08	0.19	6605.67	66.75	0.01	0.01	0.02	0.05	358.17	10.55	0	0	0.01	0.01	7.82
TenDaily III	221.82	0.05	0.05	0.06	0.16	3619.05	55.4	0.01	0.01	0.03	0.04	284.44	7.83	0	0	0.01	0.01	4.27
Total	September					494011.28	October					295121.98	November					470.77

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	6.75	0	0	0.01	0.01	2.92	12.8	0	0	0.01	0.01	11.06	5.25	0	0	0.01	0.01	1.81
2	6.75	0	0	0.01	0.01	2.92	25	0	0	0.02	0.02	43.2	5.0	0	0	0.01	0.01	1.73
3	6.5	0	0	0.01	0.01	2.81	28	0	0	0.02	0.02	55.64	5.5	0	0	0.01	0.01	1.9
4	6.5	0	0	0.01	0.01	2.81	26	0	0	0.02	0.02	47.17	8.5	0	0	0.01	0.01	5.14
5	6.25	0	0	0.01	0.01	2.70	18	0	0	0.01	0.01	23.33	16.5	0	0	0.01	0.01	18.53
6	6.25	0	0	0.01	0.01	2.70	21	0	0	0.02	0.02	30.84	18	0	0	0.01	0.01	23.33
7	6.0	0	0	0.01	0.01	2.59	19.5	0	0	0.02	0.02	26.96	11	0	0	0.01	0.01	8.55
8	6.0	0	0	0.01	0.01	2.59	19	0	0	0.01	0.01	24.62	10	0	0	0.01	0.01	6.91
9	6.0	0	0	0.01	0.01	2.59	22.5	0	0	0.02	0.02	34.99	8.0	0	0	0.01	0.01	4.15
10	5.75	0	0	0.01	0.01	2.48	27.0	0	0	0.02	0.02	51.32	7.0	0	0	0.01	0.01	3.63
11	5.75	0	0	0.01	0.01	2.48	21.0	0	0	0.02	0.02	30.84	6.75	0	0	0.01	0.01	2.92
12	5.75	0	0	0.01	0.01	2.48	14.5	0	0	0.01	0.01	15.03	6.0	0	0	0.01	0.01	2.59
13	5.75	0	0	0.01	0.01	2.48	11.5	0	0	0.01	0.01	8.94	5.75	0	0	0.01	0.01	2.48
14	5.5	0	0	0.01	0.01	1.90	10.0	0	0	0.01	0.01	6.91	5.25	0	0	0.01	0.01	1.81
15	5.5	0	0	0.01	0.01	1.90	8.25	0	0	0.01	0.01	4.99	5.0	0	0	0.01	0.01	1.73
16	5.75	0	0	0.01	0.01	2.48	7.75	0	0	0.01	0.01	4.02	5.0	0	0	0.01	0.01	1.73
17	6.0	0	0	0.01	0.01	2.59	7.50	0	0	0.01	0.01	3.89	5.0	0	0	0.01	0.01	1.73
18	6.0	0	0	0.01	0.01	2.59	7.25	0	0	0.01	0.01	3.76	5.25	0	0	0.01	0.01	1.81
19	5.75	0	0	0.01	0.01	2.48	7.25	0	0	0.01	0.01	3.76	5.25	0	0	0.01	0.01	1.81
20	5.5	0	0	0.01	0.01	1.90	7.0	0	0	0.01	0.01	3.63	5.5	0	0	0.01	0.01	1.9
21	5.25	0	0	0.01	0.01	1.81	7.0	0	0	0.01	0.01	3.63	5.75	0	0	0.01	0.01	2.48
22	5.25	0	0	0.01	0.01	1.81	6.75	0	0	0.01	0.01	2.92	5.75	0	0	0.01	0.01	2.48
23	5.25	0	0	0.01	0.01	1.81	6.75	0	0	0.01	0.01	2.92	6.0	0	0	0.01	0.01	2.59
24	5.0	0	0	0.01	0.01	1.73	6.5	0	0	0.01	0.01	2.81	6.5	0	0	0.01	0.01	2.81
25	5.0	0	0	0.01	0.01	1.73	6.5	0	0	0.01	0.01	2.81	11	0	0	0.01	0.01	8.55
26	4.75	0	0	0.01	0.01	1.64	6.25	0	0	0.01	0.01	2.70	18	0	0	0.01	0.01	23.33
27	4.75	0	0	0.01	0.01	1.64	6.25	0	0	0.01	0.01	2.70	18	0	0	0.01	0.01	23.33
28	4.5	0	0	0.01	0.01	1.56	6.0	0	0	0.01	0.01	2.59	11	0	0	0.01	0.01	8.55
29	4.5	0	0	0.01	0.01	1.56	5.75	0	0	0.01	0.01	2.48	7.5	0	0	0.01	0.01	3.89
30	4.25	0	0	0.01	0.01	1.10	5.5	0	0	0.01	0.01	1.90						
31	4.75	0	0	0.01	0.01	1.64	5.5	0	0	0.01	0.01	1.90						
TenDaily I	6.28	0	0	0	0	2.71	21.88	0	0	0.02	0.02	34.91	9.47	0	0	0.01	0.01	7.57
TenDaily II	5.72	0	0	0	0	2.33	10.2	0	0	0.01	0.01	8.58	5.47	0	0	0	0	2.05
TenDaily III	4.84	0	0	0	0	1.64	6.25	0	0	0	0	2.67	9.94	0	0	0.01	0.01	8.67
Total	December					68.45	January					464.27	February					174.23

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	7.0	0	0	0.01	0.01	3.63	1.75	0	0	0	0	0.15	0	0	0	0	0	0
2	6.75	0	0	0.01	0.01	2.92	1.75	0	0	0	0	0.15	0	0	0	0	0	0
3	6.5	0	0	0.01	0.01	2.81	1.50	0	0	0	0	0.13	0	0	0	0	0	0
4	6.25	0	0	0.01	0.01	2.70	1.50	0	0	0	0	0.13	0	0	0	0	0	0
5	6.25	0	0	0.01	0.01	2.70	1.20	0	0	0	0	0.10	0	0	0	0	0	0
6	6.0	0	0	0.01	0.01	2.59	1.00	0	0	0	0	0.09	0	0	0	0	0	0
7	5.75	0	0	0.01	0.01	2.48	0.50	0	0	0	0	0	0	0	0	0	0	0
8	5.5	0	0	0.01	0.01	1.90	0.20	0	0	0	0	0	0	0	0	0	0	0
9	5.25	0	0	0.01	0.01	1.81	0	0	0	0	0	0	0	0	0	0	0	0
10	5.0	0	0	0.01	0.01	1.73	0	0	0	0	0	0	0	0	0	0	0	0
11	5.5	0	0	0.01	0.01	1.90	0	0	0	0	0	0	0	0	0	0	0	0
12	6.25	0	0	0.01	0.01	2.70	0	0	0	0	0	0	0	0	0	0	0	0
13	6.25	0	0	0.01	0.01	2.70	0	0	0	0	0	0	0	0	0	0	0	0
14	6.5	0	0	0.01	0.01	2.81	0	0	0	0	0	0	0	0	0	0	0	0
15	8.0	0	0	0.01	0.01	4.15	0	0	0	0	0	0	0	0	0	0	0	0
16	12.0	0	0	0.01	0.01	10.37	0	0	0	0	0	0	0	0	0	0	0	0
17	9.0	0	0	0.01	0.01	5.44	0	0	0	0	0	0	0	0	0	0	0	0
18	7.75	0	0	0.01	0.01	4.02	0	0	0	0	0	0	0	0	0	0	0	0
19	7.0	0	0	0.01	0.01	3.63	0	0	0	0	0	0	0	0	0	0	0	0
20	6.5	0	0	0.01	0.01	2.81	0	0	0	0	0	0	0	0	0	0	0	0
21	6.25	0	0	0.01	0.01	2.70	0	0	0	0	0	0	0	0	0	0	0	0
22	6.0	0	0	0.01	0.01	2.59	0	0	0	0	0	0	0	0	0	0	0	0
23	5.5	0	0	0.01	0.01	1.90	0	0	0	0	0	0	0	0	0	0	0	0
24	5.0	0	0	0.01	0.01	1.73	0	0	0	0	0	0	0	0	0	0	0	0
25	4.5	0	0	0.01	0.01	1.56	0	0	0	0	0	0	0	0	0	0	0	0
26	4.0	0	0	0.01	0.01	1.04	0	0	0	0	0	0	0	0	0	0	0	0
27	3.5	0	0	0.01	0.01	0.91	0	0	0	0	0	0	0	0	0	0	0	0
28	3.0	0	0	0.01	0.01	0.52	0	0	0	0	0	0	0	0	0	0	0	0
29	2.5	0	0	0.01	0.01	0.43	0	0	0	0	0	0	0	0	0	0	0	0
30	2.0	0	0	0.01	0.01	0.35	0	0	0	0	0	0	0	0	0	0	0	0
31	1.7	0	0	0.01	0.01	0.15							0	0	0	0	0	0
TenDaily I	6.03	0	0	0	0	2.53	0.94	0	0	0	0	0.08						
TenDaily II	7.47	0	0	0.01	0.01	4.05												
TenDaily III	4	0	0	0	0	1.26												
Total	March					79.66	April					0.75						

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 2015-2020

Station Name : Banjar at Bamni (CW1NAU000781) Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
2002-2003	368398	0	368398	607
2003-2004	782914	0	782914	1401
2004-2005	323458	0	323458	742
2005-2006	1639533	0	1639533	1467
2006-2007	324825	0	324825	697
2007-2008	171622	133	171755	568
2008-2009	208836	0	208836	472
2009-2010	137064	103	137167	272
2010-2011	186273	0	186273	477
2011-2012	219514	1406	220919	745
2012-2013	84554	1107	85661	532
2013-2014	209201	733	209934	1376
2014-2015	131573	3093	134666	878
2015-2016	73949	821	74771	527
2016-2017	117094.36	451.58	117545.94	888.6
2017-2018	40875.1	0	40875.1	349.93
2018-2019	93824	0	93824	674
2019-2020	1194215.28	787.35	1195002.64	1805.06


Annual Sediment Load for period : 2002-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur




Seasonal Sediment Load for period : 2002-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 2019-2020

Station Name : Banjar at Bamni (CW1NAU000781)

Division : Narmada Division, Bhopal

Local River : Banjar

Sub-Division : UNSD, Jabalpur



4.10 Burhner at Mohgaon

History Sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Mohgaon		Code	:	CWINAU000390	
State	:	Madhya Pradesh		District	:	MANDLA	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Burhner	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Upper Narmada Sub-Division, Jabalpur	
Drainage Area	:	4090.0 Sq. Km.		Bank	:	Right	
Latitude	:	22°45'56"		Longitude	:	80°37'23"	
Current Zero of Gauge (m)	:	447.000					
CATEGORY		Opening Date		Closing Date			
Gauge	:	13/01/1977					
Discharge	:	13/01/1977					
Sediment	:	27/08/1992					
Water Quality	:	16/09/1986					
Reduced Level		Opening Date		Closing Date			
447.0		13/01/1977					
447.0							

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0	0	0	0	0	0	18.08	0	0	0.11	0.11	168.71	263.1	0	0	0.47	0.47	10797.62
2	0	0	0	0	0	0	43.33	0	0	0.28	0.28	1033.26	253.3	0	0	0.77	0.77	16939.08
3	0	0	0	0	0	0	103.7	0	0	0.50	0.50	4506.72	1717	0.04	0.01	1.35	1.39	206501.53
4	0	0	0	0	0	0	118.5	0	0	0.54	0.54	5528.74	1668	0.35	0.01	1.31	1.67	240384.15
5	0	0	0	0	0	0	278	0	0	0.82	0.82	19815.84	438.9	0.03	0.01	1.23	1.26	47894.17
6	0	0	0	0	0	0	963.2	0	0	1.18	1.18	98033.73	441.8	0	0	1.22	1.22	46645.6
7	0	0	0	0	0	0	262	0	0	0.32	0.32	7243.78	573.6	0.04	0.10	0.80	0.94	46387.26
8	0	0	0	0	0	0	151	0	0	0.58	0.58	7566.91	1960	0.04	0.01	1.24	1.29	217776.38
9	0	0	0	0	0	0	212.7	0	0	0.42	0.42	7810.34	1118	0.04	0.01	1.28	1.32	127988.64
10	0	0	0	0	0	0	270.8	0	0	0.46	0.46	10832.87	387.9	0	0	1.25	1.25	41926.71
11	0	0	0	0	0	0	82.02	0	0	0.52	0.52	3663.73	270	0	0	0.87	0.87	20318.69
12	0	0	0	0	0	0	80.61	0	0	0.53	0.53	3677.36	155	0	0	0.50	0.50	6696
13	0	0	0	0	0	0	50.19	0	0	0.32	0.32	1391.99	125.5	0	0	0.16	0.16	1734.91
14	0	0	0	0	0	0	27.0	0	0	0.17	0.17	403.57	432	0.26	0.01	1.00	1.27	47253.2
15	0	0	0	0	0	0	23.51	0	0	0.34	0.34	684.54	1300	0.78	0.02	3.00	3.81	427826.88
16	0	0	0	0	0	0	18.61	0	0	0.30	0.30	488.8	437.3	0	0	1.25	1.25	47417.31
17	0	0	0	0	0	0	14.65	0	0	0.30	0.30	378.46	249.3	0	0	0.72	0.72	15594.61
18	0	0	0	0	0	0	11.48	0	0	0.29	0.29	290.62	180	0	0	0.52	0.52	8133.7
19	0	0	0	0	0	0	11.61	0	0	0.30	0.30	298.92	145.3	0	0	0.55	0.55	6954.87
20	0	0	0	0	0	0	18.45	0	0	0.31	0.31	492.57	164.4	0	0	0.69	0.69	9871.89
21	0	0	0	0	0	0	53	0	0	0.89	0.89	4066.33	273.7	0	0	0.39	0.39	9198.95
22	0	0	0	0	0	0	23.9	0	0	0.26	0.26	528.63	172.3	0	0	0.74	0.74	11031.06
23	0	0	0	0	0	0	12.2	0	0	0.30	0.30	317.28	139.8	0	0	0.55	0.55	6655.37
24	14.21	0	0	0.17	0.17	202.58	15.5	0	0	0.30	0.30	401.76	190.2	0	0	0.80	0.80	13195.92
25	14.58	0	0	0.21	0.21	268.32	42.82	0	0	0.33	0.33	1213.48	265	0	0	1.12	1.12	25620.62
26	12.86	0	0	0.19	0.19	208.89	312.9	0	0	0.78	0.78	20978.82	273.8	0	0	0.39	0.39	9202.31
27	10.31	0	0	0.18	0.18	160.34	130.7	0	0	0.53	0.53	5939.84	486.4	0	0	1.20	1.20	50598.05
28	13.85	0	0	0.20	0.20	240.52	240	0	0	0.97	0.97	20030.98	421.7	0	0	1.21	1.21	43904.03
29	13.68	0	0	0.20	0.20	232.84	279	0	0	0.31	0.31	7400.42	186.7	0	0	0.75	0.75	12082.03
30	11.00	0	0	0.16	0.16	150.16	274	0	0	0.33	0.33	7741.27	705	0.04	0.01	1.40	1.46	88809.7
31							330.8	0	0	0.78	0.78	22293.27	411.4	0.03	0.01	1.27	1.31	46563.9
TenDaily I	0	0	0	0	0	0	242.13	0	0	0.52	0.52	16254.09	882.16	0.05	0.01	1.09	1.16	100324.12
TenDaily II	0	0	0	0	0	0	33.81	0	0	0.34	0.34	1177.06	345.88	0.10	0	0.93	1.04	59180.21
TenDaily III	9.05	0	0	0.13	0.13	146.37	155.89	0	0	0.52	0.52	8264.73	320.55	0.01	0	0.89	0.90	28805.63
Total	June					1463.66	July					265223.55	August					1911905.16

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	249	0.02	0	0.77	0.79	16995.74	435	0	0	0.17	0.17	6502.03	57.5	0	0	0.14	0.14	680.62
2	150	0.01	0	0.46	0.48	6181.92	304	0	0	0.12	0.12	3178.14	55	0	0	0.13	0.13	627.26
3	184.8	0	0	0.19	0.19	3001.74	221	0	0	0.15	0.15	2845.07	48	0	0	0.12	0.12	476.93
4	957.3	0.03	0.01	1.18	1.22	101072.5	194.3	0	0	0.14	0.14	2383.83	46	0	0	0.11	0.11	437.18
5	439.9	0	0	1.09	1.09	41542.04	176.4	0	0	0.12	0.12	1905.12	43	0	0	0.10	0.10	382.67
6	347.9	0	0	0.78	0.78	23295.38	167	0	0	0.12	0.12	1702.6	41	0	0	0.10	0.10	347.16
7	207.3	0	0	0.70	0.70	12627.06	147.9	0	0	0.12	0.12	1482.31	40	0	0	0.10	0.10	331.78
8	1829	0	0	6.22	6.22	982919.23	136	0	0	0.11	0.11	1257.29	38	0	0	0.09	0.09	298.77
9	1070	0.03	0.01	1.27	1.31	121199.33	126.3	0	0	0.10	0.10	1080.32	36	0	0	0.09	0.09	267.49
10	485	0.01	0.01	0.01	0.03	1047.6	118.9	0	0	0.09	0.09	914.29	35	0	0	0.08	0.08	254.02
11	609.6	0.04	0.01	1.49	1.54	81216.28	112.5	0	0	0.08	0.08	816.48	34.25	0	0	0.08	0.08	242.65
12	2143	0.05	0.02	1.98	2.06	380493.94	105.8	0	0	0.08	0.08	740.43	32.75	0	0	0.08	0.08	220.71
13	838.1	0.03	0.01	1.20	1.24	89935.51	101			0.08	0.08	671.93	30	0	0	0.07	0.07	186.62
14	395.7	0	0	0.78	0.78	26530.26	97.92	0	0	0.08	0.08	676.82	29.25	0	0	0.07	0.07	176.9
15	310	0	0	0.61	0.61	16284.67	89.83	0	0	0.07	0.07	582.1	28	0	0	0.07	0.07	162.09
16	240.4	0	0	0.35	0.35	7332.01	81.91	0	0	0.07	0.07	530.78	27.25	0	0	0.65	0.65	1530.36
17	304.5	0	0	0.55	0.55	14575.08	77.24	0	0	0.02	0.02	146.82	26.5	0	0	0.63	0.63	1442.45
18	193.5	0	0	0.49	0.49	8225.45	63.18	0	0	0.07	0.07	387.57	25.75	0	0	0.62	0.62	1379.38
19	196.3	0	0	0.70	0.70	11872.22	62.12	0	0	0.07	0.07	375.7	25	0	0	0.06	0.06	129.6
20	151	0	0	0.68	0.68	8806.32	103	0	0	0.12	0.12	1032.31	24	0	0	0.06	0.06	118.2
21	140.4	0	0	0.17	0.17	2013.67	176.1	0	0	0.17	0.17	2571.34	23	0	0	0.06	0.06	109.3
22	106	0	0	0.12	0.12	1144.8	112.5	0	0	0.15	0.15	1467.72	22	0	0	0.05	0.05	100.74
23	93.41	0	0	0.49	0.49	3978.82	95.01	0	0	0.12	0.12	1017.9	21	0	0	0.05	0.05	90.72
24	127.5	0	0	0.65	0.65	7193.45	82.78	0	0	0.10	0.10	736.68	20	0	0	0.05	0.05	82.94
25	105	0	0	0.53	0.53	4835.38	75.75	0	0	0.10	0.10	621.76	19	0	0	0.04	0.04	73.87
26	316	0	0	0.73	0.73	20039.96	67.61	0	0	0.09	0.09	519.89	18	0	0	0.04	0.04	66.87
27	337.9	0	0	1.01	1.01	29457.31	60	0	0	0.08	0.08	409.54	17	0	0	0.04	0.04	60.22
28	675.3	0.03	0.01	1.11	1.14	66689.39	53.17	0	0	0.08	0.08	372.1	15.5	0	0	0.04	0.04	49.55
29	950	0.04	0.01	1.56	1.61	132066.72	48.97	0	0	0.07	0.07	313.09	15.5	0	0	0.04	0.04	49.55
30	750.5	0.03	0.01	1.05	1.09	70679.09	104	0	0	0.23	0.23	2093.64	15	0	0	0.04	0.04	46.66
31							68.91	0	0	0.17	0.17	1012.15						
TenDaily I	592.02	0.01	0	1.27	1.28	130988.26	202.68	0	0	0.12	0.12	2325.1	43.95	0	0	0.11	0.11	410.39
TenDaily II	538.21	0.01	0	0.88	0.90	64527.17	89.45	0	0	0.08	0.08	596.09	28.27	0	0	0.24	0.24	558.9
TenDaily III	360.2	0.01	0	0.74	0.76	33809.86	85.89	0	0	0.12	0.12	1012.35	18.6	0	0	0.04	0.04	73.04
Total	September					2293252.86	October					40347.76	November					10423.25

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	15	0	0	0.04	0.04	45.36	9.9	0	0	0.02	0.02	19.67	9.5	0	0	0.03	0.03	22.16
2	14.8	0	0	0.04	0.04	44.76	11	0	0	0.03	0.03	24.71	9	0	0	0.03	0.03	20.22
3	14.8	0	0	0.04	0.04	44.76	13	0	0	0.03	0.03	34.82	7.54	0	0	0.03	0.03	18.23
4	14.6	0	0	0.04	0.04	44.15	31	0	0	0.07	0.07	198.2	7	0	0	0.03	0.03	15.72
5	14.6	0	0	0.04	0.04	44.15	28	0	0	0.07	0.07	162.09	8	0	0	0.03	0.03	20.74
6	14.6	0	0	0.03	0.03	42.89	22.52	0	0	0.05	0.05	105.07	12.5	0	0	0.05	0.05	49.68
7	14.25	0	0	0.03	0.03	41.86	20	0	0	0.05	0.05	82.94	24	0	0	0.09	0.09	184.55
8	14.25	0	0	0.03	0.03	41.86	18	0	0	0.04	0.04	66.87	17.5	0	0	0.07	0.07	98.28
9	14.25	0	0	0.03	0.03	41.86	17	0	0	0.04	0.04	60.22	14.5	0	0	0.05	0.05	67.65
10	14	0	0	0.03	0.03	41.13	16.5	0	0	0.04	0.04	57.02	11.18	0	0	0.03	0.03	28.01
11	14	0	0	0.03	0.03	41.13	28	0	0	0.07	0.07	162.09	11	0	0	0.03	0.03	27.56
12	14	0	0	0.03	0.03	41.13	21	0	0	0.05	0.05	90.72	9.5	0	0	0.03	0.03	20.52
13	14	0	0	0.03	0.03	41.13	17.11	0	0	0.05	0.05	72.44	8.5	0	0	0.02	0.02	16.16
14	14	0	0	0.03	0.03	41.13	14.5	0	0	0.04	0.04	52.62	7.5	0	0	0.02	0.02	12.31
15	14	0	0	0.03	0.03	41.13	13	0	0	0.04	0.04	41.56	6.5	0	0	0.02	0.02	9.55
16	14	0	0	0.03	0.03	41.13	11.5	0	0	0.33	0.33	327.89	8	0	0	0.02	0.02	14.52
17	14.6	0	0	0.04	0.04	44.15	10.5	0	0	0.03	0.03	27.22	7.52	0	0	0.03	0.03	18.2
18	14.8	0	0	0.04	0.04	44.76	10.5	0	0	0.03	0.03	27.22	7	0	0	0.03	0.03	15.72
19	14.8	0	0	0.04	0.04	44.76	11.5	0	0	0.33	0.33	327.89	6.5	0	0	0.02	0.02	13.48
20	14.6	0	0	0.04	0.04	44.15	11.25	0	0	0.04	0.04	34.99	6	0	0	0.02	0.02	11.40
21	14.5	0	0	0.04	0.04	43.85	11	0	0	0.04	0.04	33.26	5.5	0	0	0.02	0.02	9.50
22	13.5	0	0	0.03	0.03	37.32	10.5	0	0	0.03	0.03	30.84	5	0	0	0.02	0.02	8.21
23	12	0	0	0.03	0.03	30.07	10	0	0	0.03	0.03	27.65	6	0	0	0.02	0.02	11.4
24	12	0	0	0.03	0.03	30.07	10	0	0	0.03	0.03	27.65	6.22	0	0	0.03	0.03	14.51
25	11.5	0	0	0.03	0.03	27.82	9.5	0	0	0.03	0.03	24.62	8.5	0	0	0.04	0.04	27.17
26	11	0	0	0.03	0.03	24.71	11	0	0	0.04	0.04	33.26	29	0	0	0.13	0.13	315.71
27	10.5	0	0	0.03	0.03	22.68	10.9	0	0	0.03	0.03	30.14	18.5	0	0	0.08	0.08	127.87
28	10.45	0	0	0.03	0.03	22.57	9	0	0	0.03	0.03	20.22	13.5	0	0	0.06	0.06	68.82
29	10	0	0	0.02	0.02	20.74	9	0	0	0.03	0.03	20.22	11	0	0	0.05	0.05	45.62
30	9.93	0	0	0.02	0.02	20.59	9	0	0	0.03	0.03	20.22						
31	9.9	0	0	0.02	0.02	20.53	9.5	0	0	0.03	0.03	22.98						
TenDaily I	14.52	0	0	0.03	0.03	43.28	18.69	0	0	0.04	0.04	81.16	12.07	0	0	0.04	0.04	52.52
TenDaily II	14.28	0	0	0.03	0.03	42.46	14.89	0	0	0.10	0.10	116.46	7.8	0	0	0.02	0.02	15.94
TenDaily III	11.39	0	0	0.03	0.03	27.36	9.95	0	0	0.03	0.03	26.46	11.47	0	0	0.05	0.05	69.87
Total	December					1158.29	January					2267.31	February					1313.48

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	9.5	0	0	0.04	0.04	33.65	10.0	0	0	0.06	0.06	55.3	2.25	0	0	0.01	0.01	2.72
2	8.85	0	0	0.07	0.07	53.52	10.0	0	0	0.07	0.07	56.16	2.00	0	0	0.01	0.01	2.25
3	8.3	0	0	0.07	0.07	47.33	9.5	0	0	0.06	0.06	50.89	1.75	0	0	0.01	0.01	1.66
4	8.3	0	0	0.07	0.07	47.33	9.0	0	0	0.06	0.06	45.1	1.50	0	0	0.01	0.01	1.30
5	7.3	0	0	0.58	0.58	365.82	8.5	0	0	0.55	0.55	403.92	1.49	0	0	0.01	0.01	1.29
6	6.0	0	0	0.05	0.05	24.36	8.0	0	0	0.05	0.05	35.94	2.25	0	0	0.01	0.01	2.92
7	5.0	0	0	0.04	0.04	17.28	7.5	0	0	0.05	0.05	31.75	1.75	0	0	0.11	0.11	16.63
8	6.5	0	0	0.05	0.05	28.64	7.5	0	0	0.05	0.05	31.75	1.75	0	0	0.01	0.01	1.66
9	6.07	0	0	0.07	0.07	36.71	7.0	0	0	0.04	0.04	27.22	1.50	0	0	0.10	0.10	12.96
10	6.0	0	0	0.07	0.07	35.77	6.5	0	0	0.04	0.04	23.59	1.25	0	0	0.08	0.08	8.64
11	17.0	0	0	0.20	0.20	287.88	6.0	0	0	0.04	0.04	20.22	1.12	0	0	0.07	0.07	6.79
12	13.0	0	0	0.15	0.15	168.48	5.5	0	0	0.04	0.04	17.11	1.10	0	0	0.07	0.07	6.65
13	28.0	0	0	0.32	0.32	781.4	5.5	0	0	0.04	0.04	17.11	1.00	0	0	0.06	0.06	5.18
14	55.0	0	0	0.63	0.63	3012.77	5.0	0	0	0.03	0.03	13.82	1.10	0	0	0.07	0.07	6.65
15	55.0	0	0	0.06	0.06	299.38	5.0	0	0	0.00	0.00	1.3	1.25	0		0.08	0.08	8.64
16	46.41	0	0	0.22	0.22	870.13	4.5	0	0	0.03	0.03	11.28	1.50	0	0	0.01	0.01	1.30
17	24.0	0	0	0.11	0.11	232.24	4.0	0	0	0.03	0.03	8.99	1.50	0	0	0.01	0.01	1.30
18	17.0	0	0	0.79	0.79	1160.35	3.5	0	0	0.02	0.02	6.96	1.42	0	0	0.09	0.09	11.02
19	12.5	0	0	0.06	0.06	62.64	3.0	0	0	0.02	0.02	4.92	1.40	0	0	0.09	0.09	10.89
20	11.0	0	0	0.05	0.05	48.47	2.5	0	0	0.02	0.02	3.46	2.25	0	0	0.01	0.01	2.92
21	9.0	0	0	0.04	0.04	32.66	2.25	0	0	0.01	0.01	2.92	2.25	0	0	0.01	0.01	2.92
22	9.5	0	0	0.04	0.04	36.12	2.25	0	0	0.01	0.01	2.92	1.75	0	0	0.11	0.11	16.63
23	8.93	0	0	0.58	0.58	447.55	2.25	0	0	0.01	0.01	2.92	1.75	0	0	0.01	0.01	1.66
24	8.9	0	0	0.06	0.06	44.6	2.0	0	0	0.01	0.01	2.25	1.40	0	0	0.09	0.09	10.89
25	13.0	0	0	0.08	0.08	94.35	2.0	0	0	0.01	0.01	2.25	1.25	0	0	0.08	0.08	8.64
26	12.5	0	0	0.08	0.08	87.48	1.75	0	0	0.01	0.01	1.66	0.97	0	0	0.06	0.06	5.03
27	12.5	0	0	0.08	0.08	87.48	1.5	0	0	0.01	0.01	1.30	0.92	0	0	0.06	0.06	4.77
28	12.0	0	0	0.08	0.08	80.87	1.5	0	0	0.01	0.01	1.30	0.92	0	0	0.06	0.06	4.77
29	11.5	0	0	0.07	0.07	74.52	1.75	0	0	0.01	0.01	1.66	0.92	0	0	0.06	0.06	4.77
30	11.0	0	0	0.07	0.07	67.48	2.0	0	0	0.01	0.01	2.25	0.87	0	0	0.06	0.06	4.51
31	10.5	0	0	0.07	0.07	61.69							0.88	0	0	0.06	0.06	4.56
TenDaily I	7.18	0	0	0.11	0.11	69.04	8.35	0	0	0.10	0.10	76.16	1.75	0	0	0.04	0.04	5.20
TenDaily II	27.89	0	0	0.26	0.26	692.37	4.45	0	0	0.03	0.03	10.51	1.36	0	0	0.06	0.06	6.13
TenDaily III	10.85	0	0	0.11	0.11	101.34	1.93	0	0	0.01	0.01	2.14	1.26	0	0	0.06	0.06	6.29
Total	March					8728.96	April					888.17						182.51

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1992-2020

Station Name : Burhner at Mohgaon (CW1NAU000390) Division : Narmada Division Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1992-1993	605097.97	0	605097.97	1022.52
1993-1994	2614918.88	0	2614918.88	2015.96
1994-1995	10303377.01	0	10303377.01	4417.32
1995-1996	4828059.7	0	4828059.7	2475.42
1996-1997	1409800.54	0	1409800.54	1337.38
1997-1998	4380350.99	0	4380350.99	2072.02
1998-1999	2103433.4	0	2103433.4	2106.9
1999-2000	3021685.76	0	3021685.76	3110.3
2000-2001	1855837.04	0	1855837.04	1549.75
2001-2002	2744673.29	0	2744673.29	2798
2002-2003	949968.19	0	949968.19	1292.67
2003-2004	4909520.96	0	4909520.96	3497.51
2004-2005	3346347.46	0	3346347.46	2981.94
2005-2006	9693524.02	2164.29	9695688.3	3698.57
2006-2007	3637424.88	3056.18	3640481.06	2304.52
2007-2008	1020925.3	1009.61	1021934.91	1532.21
2008-2009	705272.35	1919.72	707192.08	1315.69
2009-2010	645909.89	118.37	646028.25	635.45
2010-2011	2985567.96	482.57	2986050.53	2013.97
2011-2012	2679812	5483	2685295	3386
2012-2013	1718997.31	903.17	1719900.48	2124.72
2013-2014	2060996	1539	2062535	3161
2014-2015	1776997	7796	1784793	2169
2015-2016	1096956	1604	1098559	1453
2016-2017	2319029.07	571.6	2319600.67	2504.24
2017-2018	1459628.16	1000.54	1460628.7	1338.53
2018-2019	1688779	1202	1689981	1746
2019-2020	4522616.25	14538.71	4537154.96	3617.78

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 1992-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 1992-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 2019-2020

Station Name : Burhner at Mohgaon (CW1NAU000390)

Division : Narmada Division, Bhopal

Local River : Burhner

Sub-Division : UNSD, Jabalpur



4.11 Narmada at Manot

History Sheet

HISTORY SHEET (SEDIMENT)							
				Water Year	:	2019 - 2020	
Site	:	Manot		Code	:	CW1NAU000378	
State	:	Madhya Pradesh		District	:	MANDLA	
Basin	:	Narmada		Independent River	:	Narmada	
Tributary	:	-		Sub Tributary	:	-	
Sub-Sub Tributary	:	-		Local River	:	Narmada	
Division	:	Narmada Division(ND), Bhopal		Sub-Division	:	Upper Narmada Sub-Division, Jabalpur	
Drainage Area	:	4467.0 Sq. Km.		Bank	:	Right	
Latitude	:	22°44'3.0"		Longitude	:	80°30'48.0"	
Current Zero of Gauge (m)	:	442					
CATEGORY		Opening Date		Closing Date			
Gauge	:	16/12/1976					
Discharge	:	16/12/1976					
Sediment	:	09/11/1979					
Water Quality	:	01/01/1980					
Reduced Level		Opening Date		Closing Date			
442.0		16/12/1976					
442.0							

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur

Days	June						July						August					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	0	0	0	0	0	0	17.37	0	0	0.15	0.15	225.12	236.3	0	0	0.44	0.44	8983.18
2	0	0	0	0	0	0	35.7	0	0	0.15	0.15	462.67	148.9	0	0	0.38	0.38	4888.68
3	0	0	0	0	0	0	167.2	0	0	0.78	0.78	11267.94	317.5	0	0	0.61	0.61	16733.52
4	0	0	0	0	0	0	189.2	0	0	0.91	0.91	14875.66	800.0	0	0	1.53	1.53	105822.72
5	0	0	0	0	0	0	301.6	0	0	1.05	1.05	27361.15	603.4	0	0	0.71	0.71	37014.97
6	0	0	0	0	0	0	332.9	0	0	1.32	1.32	37966.58	530.4	0	0	0.62	0.62	28412.47
7	0	0	0	0	0	0	315	0	0	1.25	1.25	33911.14	306.8	0	0	0.65	0.65	17229.89
8	0	0	0	0	0	0	197.4	0	0	0.93	0.93	15861.48	674.1	0	0	0.87	0.87	50670.75
9	0	0	0	0	0	0	310.2	0	0	1.06	1.06	28409.36	1491.1	0	0	1.05	1.05	135272.59
10	0	0	0	0	0	0	350.8	0	0	1.16	1.16	35158.58	577.1	0	0	0.30	0.30	14958.43
11	0	0	0	0	0	0	192.0	0	0	0.96	0.96	15925.25	300.0	0	0	0.15	0.15	3991.68
12	0	0	0	0	0	0	109.1	0	0	0.81	0.81	7635.25	210.0	0	0	0.11	0.11	1959.55
13	0	0	0	0	0	0	97.32	0	0	0.78	0.78	6558.59	159.6	0	0	0.26	0.26	3585.25
14	0	0	0	0	0	0	87.5	0	0	0.70	0.70	5284.44	155.9	0	0	0.25	0.25	3367.44
15	0	0	0	0	0	0	85.17	0	0	0.72	0.72	5298.26	1600	0	0	2.58	2.58	356520.96
16	0	0	0	0	0	0	73.88	0	0	0.67	0.67	4276.77	665.9	0	0	0.77	0.77	44301
17	0	0	0	0	0	0	23.07	0	0	0.34	0.34	677.7	388.8	0	0	0.58	0.58	19483.55
18	0	0	0	0	0	0	21.94	0	0	0.32	0.32	606.6	280.0	0	0	0.42	0.42	10136.45
19	0	0	0	0	0	0	21.04	0	0	0.28	0.28	509.0	223.4	0	0	0.25	0.25	4825.44
20	0	0	0	0	0	0	41.72	0	0	0.41	0.41	1477.89	231.7	0	0	0.29	0.29	5805.48
21	0	0	0	0	0	0	50.0	0	0	0.49	0.49	2108.16	362.4	0	0	0.26	0.26	8140.95
22	0	0	0	0	0	0	35.74	0	0	0.53	0.53	1636.61	514.7	0	0	0.28	0.28	12451.62
23	0	0	0	0	0	0	22.76	0	0	0.46	0.46	904.57	461.2	0	0	0.31	0.31	12352.78
24	2.14	0	0	0.02	0.02	3.32	17.62	0	0	0.35	0.35	532.83	701.1	0	0	0.73	0.73	44219.78
25	2.04	0	0	0.02	0.02	3	43.71	0	0	0.56	0.56	2114.86	720.4	0	0	0.76	0.76	46993.13
26	2.05	0	0	0.02	0.02	3.01	225.3	0	0	0.75	0.75	14599.44	524.4	0	0	0.60	0.60	27184.9
27	2.15	0	0	0.02	0.02	3.34	147.4	0	0	0.68	0.68	8660.04	499.0	0	0	0.56	0.56	24143.62
28	5.44	0	0	0.05	0.05	21.62	122.5	0	0	0.57	0.57	6022.3	531.5	0	0	0.61	0.61	28012.18
29	37.21	0	0	0.31	0.31	1009.49	123.7	0	0	0.64	0.64	6840.12	391.0	0	0	0.27	0.27	9121.25
30	37.0	0	0	0.31	0.31	997.4	189.8	0	0	0.71	0.71	11643.09	372.5	0	0	0.28	0.28	9011.52
31							316.5	0	0	1.09	1.09	29806.7	332.9	0	0	0.28	0.28	8053.52
TenDaily I	0	0	0	0	0	0	221.74	0	0	0.88	0.88	20549.97	568.56	0	0	0.72	0.72	41998.72
TenDaily II	0	0	0	0	0	0	75.27	0	0	0.6	0.60	4824.97	421.53	0	0	0.57	0.57	45397.68
TenDaily III	8.8	0	0	0.07	0.07	204.12	117.73	0	0	0.62	0.62	7715.34	491.92	0	0	0.45	0.45	20880.48
Total	June					2041.2	July					338618.15	August					1103649.24

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur

Days	September						October						November					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	370.0	0	0	0.31	0.31	9782.21	751.8	0	0	0.13	0.13	8444.22	67	0	0	0.10	0.10	561.51
2	330.0	0	0	0.27	0.27	7812.29	350.0	0	0	0.06	0.06	1844.64	66.3	0	0	0.10	0.10	555.65
3	369.6	0	0	0.59	0.59	18808.8	313.0	0	0	0.12	0.12	3380.4	65.7	0	0	0.10	0.10	544.94
4	328.3	0	0	0.58	0.58	16451.77	281.2	0	0	0.12	0.12	2988.37	65.4	0	0	0.10	0.10	542.45
5	383.4	0	0	0.59	0.59	19444.82	251.0	0	0	0.12	0.12	2559	64.8	0	0	0.10	0.10	531.88
6	272.2	0	0	4.50	4.50	105760.81	200.0	0	0	0.09	0.09	1624.32	64.2	0	0	0.09	0.09	521.41
7	229.1	0	0	0.44	0.44	8768.85	185.5	0	0	0.12	0.12	1843.13	63.6	0	0	0.09	0.09	511.04
8	620.0	0	0	1.20	1.20	64335.17	155.0	0	0	0.10	0.10	1285.63	63.3	0	0	0.09	0.09	508.63
9	736.0	0	0	1.72	1.72	109566.26	134.4	0	0	0.10	0.10	1196.05	63.0	0	0	0.09	0.09	500.77
10	550.0	0	0	1.29	1.29	61205.76	124.3	0	0	0.09	0.09	1009.51	62.7	0	0	0.09	0.09	498.39
11	796.6	0	0	1.25	1.25	86376.93	124.3	0	0	0.09	0.09	955.82	62.7	0	0	0.09	0.09	498.39
12	1914	0	0	1.83	1.83	302295.63	106.2	0	0	0.09	0.09	798.28	62.0	0	0	0.09	0.09	487.47
13	1253.4	0	0	1.68	1.68	181933.52	104	0	0	0.09	0.09	772.76	61.7	0	0	0.09	0.09	479.78
14	611.1	0	0	1.30	1.30	68533.15	92.37	0	0	0.09	0.09	726.25	61.4	0	0	0.09	0.09	477.45
15	350.0	0	0	0.74	0.74	22498.56	83.44	0	0	0.09	0.09	619.99	61.1	0	0	0.09	0.09	469.83
16	307.9	0	0	0.85	0.85	22745.19	77.19	0	0	0.09	0.09	580.22	60.8	0	0	0.09	0.09	467.53
17	346.4	0	0	0.80	0.80	24003.03	72.38	0	0	0.09	0.09	531.56	60.5	0	0	0.09	0.09	459.99
18	284.1	0	0	0.23	0.23	5694.73	70.14	0	0	0.09	0.09	515.11	60.2	0	0	0.09	0.09	457.71
19	252.3	0	0	0.22	0.22	4861.11	68.94	0	0	0.08	0.08	488.43	59.6	0	0	0.09	0.09	448
20	199.6	0	0	0.18	0.18	3104.18	160	0	0	0.19	0.19	2640.38	59.0	0	0	0.09	0.09	438.39
21	179.1	0	0	0.19	0.19	2971.05	192.6	0	0	0.28	0.28	4642.74	58.7	0	0	0.09	0.09	436.16
22	197.0	0	0	0.19	0.19	3233.95	187.3	0	0	0.28	0.28	4498.8	58.4	0	0	0.09	0.09	428.89
23	172.3	0	0	0.17	0.17	2471.2	112.6	0	0	0.28	0.28	2675.38	58.4	0	0	0.09	0.09	428.89
24	143.6	0	0	0.13	0.13	1588.1	97.29	0	0	0.25	0.25	2067.84	58.0	0	0	0.09	0.09	425.95
25	170.0	0	0	0.17	0.17	2496.96	87.35	0	0	0.24	0.24	1803.74	57.6	0	0	0.08	0.08	418.04
26	246.88	0	0	0.21	0.21	4394.07	78.81	0	0	0.23	0.23	1545.68	57.2	0	0	0.08	0.08	415.13
27	863.0	0	0	1.31	1.31	97454.1	75.00	0	0	0.27	0.27	1756.08	50.0	0	0	0.07	0.07	315.36
28	723.1	0	0	1.28	1.28	79844.12	71.82	0	0	0.18	0.18	1098.33	49.0	0	0	0.07	0.07	304.82
29	1400.0	0	0	2.48	2.48	299496.96	70.96	0	0	0.16	0.16	993.21	48.5	0	0	0.07	0.07	297.52
30	1127.4	0	0	1.55	1.55	151078.82	68.81	0	0	0.12	0.12	713.42	48.0	0	0	0.07	0.07	290.3
31							67.91	0	0	0.10	0.10	586.74						
TenDaily I	418.86	0	0	1.15	1.15	42193.67	274.62	0	0	0.11	0.11	2617.53	64.6	0	0	0.09	0.09	527.67
TenDaily II	631.54	0	0	0.91	0.91	72204.6	95.90	0	0	0.10	0.10	862.88	60.9	0	0	0.09	0.09	468.45
TenDaily III	522.24	0	0	0.77	0.77	64502.93	100.95	0	0	0.22	0.22	2034.72	54.38	0	0	0.08	0.08	376.11
Total	September					1789012.08	October					57186.04	November					13722.29

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur

Days	December						January						February					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	48.00	0	0	0.07	0.07	290.3	14.08	0	0	0.05	0.05	60.83	9.13	0	0	0.02	0.02	16.57
2	48.00	0	0	0.07	0.07	290.3	14.55	0	0	0.05	0.05	65.37	9.05	0	0	0.02	0.02	16.42
3	19.44	0	0	0.07	0.07	115.89	15.03	0	0	0.05	0.05	70.12	8.96	0	0	0.02	0.02	15.48
4	19.31	0	0	0.07	0.07	115.12	16.20	0	0	0.06	0.06	81.18	8.92	0	0	0.02	0.02	15.42
5	19.20	0	0	0.07	0.07	114.46	17.90	0	0	0.07	0.07	100.53	9.03	0	0	0.02	0.02	16.38
6	18.78	0	0	0.07	0.07	108.71	19.71	0	0	0.03	0.03	51.09	9.31	0	0	0.02	0.02	16.90
7	18.23	0	0	0.07	0.07	102.38	18.94	0	0	0.03	0.03	49.09	9.20	0	0	0.02	0.02	16.69
8	17.80	0	0	0.06	0.06	98.43	17.40	0	0	0.03	0.03	40.59	9.74	0	0	0.02	0.02	18.51
9	16.86	0	0	0.07	0.07	97.6	16.64	0	0	0.03	0.03	37.38	10.00	0	0	0.02	0.02	19.87
10	16.52	0	0	0.07	0.07	94.2	15.81	0	0	0.03	0.03	34.15	10.27	0	0	0.02	0.02	20.41
11	15.74	0	0	0.05	0.05	70.72	15.80	0	0	0.03	0.03	34.13	10.03	0	0	0.02	0.02	19.93
12	15.50	0	0	0.05	0.05	69.64	16.30	0	0	0.03	0.03	35.21	9.83	0	0	0.02	0.02	18.68
13	15.46	0	0	0.05	0.05	69.46	16.69	0	0	0.03	0.03	44.70	9.75	0	0	0.02	0.02	18.54
14	18.00	0	0	0.06	0.06	93.31	15.76	0	0	0.03	0.03	39.49	8.95	0	0	0.02	0.02	15.47
15	20.00	0	0	0.07	0.07	115.78	14.51	0	0	0.03	0.03	33.85	8.79	0	0	0.02	0.02	15.19
16	22.38	0	0	0.07	0.07	143.09	13.48	0	0	0.03	0.03	29.12	8.65	0	0	0.02	0.02	14.95
17	24.55	0	0	0.08	0.08	173.93	12.98	0	0	0.02	0.02	26.92	8.51	0	0	0.02	0.02	13.96
18	22.78	0	0	0.08	0.08	149.58	12.55	0	0	0.02	0.02	24.94	8.35	0	0	0.02	0.02	13.70
19	20.29	0	0	0.07	0.07	119.21	12.00	0	0	0.02	0.02	22.81	8.11	0	0	0.02	0.02	12.61
20	19.26	0	0	0.06	0.06	106.5	11.49	0	0	0.02	0.02	21.84	7.83	0	0	0.02	0.02	12.18
21	19.16	0	0	0.06	0.06	99.33	11.39	0	0	0.02	0.02	21.65	7.65	0	0	0.02	0.02	11.24
22	18.50	0	0	0.06	0.06	92.71	11.32	0	0	0.02	0.02	22.5	7.46	0	0	0.02	0.02	10.96
23	17.99	0	0	0.06	0.06	91.71	11.37	0	0	0.02	0.02	22.59	7.46	0	0	0.02	0.02	10.96
24	17.60	0	0	0.06	0.06	88.2	11.88	0	0	0.02	0.02	24.63	7.47	0	0	0.02	0.02	10.98
25	17.30	0	0	0.06	0.06	85.2	11.22	0	0	0.02	0.02	21.33	7.48	0	0	0.02	0.02	10.98
26	17.01	0	0	0.06	0.06	82.3	10.30	0	0	0.02	0.02	18.69	7.45	0	0	0.02	0.02	10.95
27	16.45	0	0	0.05	0.05	76.75	9.94	0	0	0.02	0.02	18.9	7.61	0	0	0.02	0.02	11.18
28	15.74	0	0	0.05	0.05	70.72	9.93	0	0	0.02	0.02	19.72	8.78	0	0	0.02	0.02	15.17
29	15.40	0	0	0.05	0.05	67.86	10.29	0	0	0.02	0.02	20.45	9.81	0	0	0.02	0.02	18.65
30	14.81	0	0	0.06	0.06	74.22	9.90	0	0	0.02	0.02	19.68						
31	14.28	0	0	0.06	0.06	70.33	9.37	0	0	0.02	0.02	17.00						
TenDaily I	24.21	0	0	0.07	0.07	142.74	16.63	0	0	0.04	0.04	59.03	9.36	0	0	0.02	0.02	17.27
TenDaily II	19.40	0	0	0.06	0.06	111.12	14.16	0	0	0.03	0.03	31.30	8.88	0	0	0.02	0.02	15.52
TenDaily III	16.75	0	0	0.06	0.06	81.75	10.63	0	0	0.02	0.02	20.65	7.91	0	0	0.02	0.02	12.34
Total	December					3437.92	January					1130.47	February					438.93

Sediment Data Year Book 2019-20

Daily Observed Sediment Datasheet for period : 2019-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur

Days	March						April						May					
	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day	Q cumecs.	Coarse g/l	Medium g/l	Fine g/l	Total g/l	Total M.T./day
1	9.40	0	0	0.02	0.02	17.05	7.62	0	0	0.02	0.02	11.19	5.8	0	0	0.01	0.01	6.51
2	8.75	0	0	0.02	0.02	15.12	7.30	0	0	0.02	0.02	10.72	7.24	0	0	0.02	0.02	10.01
3	8.68	0	0	0.02	0.02	14.99	7.00	0	0	0.02	0.02	9.68	7.45	0	0	0.02	0.02	10.94
4	8.58	0	0	0.02	0.02	14.82	7.00	0	0	0.02	0.02	9.68	7.61	0	0	0.04	0.04	26.3
5	8.54	0	0	0.02	0.02	14.02	7.00	0	0	0.02	0.02	9.68	7.59	0	0	0.04	0.04	26.25
6	8.91	0	0	0.02	0.02	15.39	6.85	0	0	0.02	0.02	9.47	6.48	0	0	0.03	0.03	19.04
7	9.76	0	0	0.02	0.02	18.55	6.75	0	0	0.01	0.01	8.75	6.20	0	0	0.03	0.03	17.68
8	9.95	0	0	0.02	0.02	19.77	6.75	0	0	0.01	0.01	8.75	5.76	0	0	0.03	0.03	14.94
9	9.75	0	0	0.02	0.02	18.53	6.75	0	0	0.01	0.01	8.75	5.70	0	0	0.03	0.03	14.77
10	9.97	0	0	0.02	0.02	19.81	6.75	0	0	0.01	0.01	8.75	5.40	0	0	0.03	0.03	13.53
11	11.51	0	0	0.03	0.03	25.86	6.60	0	0	0.01	0.01	8.55	3.99	0	0	0.04	0.04	12.4
12	8.74	0	0	0.02	0.02	15.10	6.60	0	0	0.01	0.01	8.55	6.46	0	0	0.06	0.06	32.36
13	18.95	0	0	0.04	0.04	70.40	6.60	0	0	0.01	0.01	8.55	6.37	0	0	0.06	0.06	31.38
14	65.5	0	0	0.15	0.15	843.22	6.45	0	0	0.01	0.01	8.36	5.69	0	0	0.05	0.05	25.07
15	80.5	0	0	0.18	0.18	1272.8	6.45	0	0	0.01	0.01	8.36	5.20	0	0	0.05	0.05	21.1
16	69.94	0	0	0.16	0.16	960.81	6.45	0	0	0.01	0.01	8.36	5.07	0	0	0.05	0.05	20.13
17	66.75	0	0	0.15	0.15	876.61	6.25	0	0	0.01	0.01	7.56	5.05	0	0	0.05	0.05	20.07
18	58.74	0	0	0.13	0.13	680.07	6.25	0	0	0.01	0.01	7.56	8.66	0	0	0.04	0.04	31.42
19	25.51	0	0	0.06	0.06	127.84	6.05	0	0	0.01	0.01	7.32	8.49	0	0	0.04	0.04	30.06
20	19.22	0	0	0.04	0.04	73.07	6.05	0	0	0.01	0.01	7.32	8.47	0	0	0.04	0.04	30.01
21	16.22	0	0	0.04	0.04	51.85	6.05	0	0	0.01	0.01	7.32	7.58	0	0	0.04	0.04	28.17
22	14.00	0	0	0.03	0.03	38.71	5.70	0	0	0.01	0.01	6.40	6.86	0	0	0.04	0.04	23.1
23	16.72	0	0	0.04	0.04	54.90	5.65	0	0	0.01	0.01	6.35	6.47	0	0	0.04	0.04	20.69
24	12.08	0	0	0.03	0.03	28.18	6.05	0	0	0.01	0.01	7.32	6.15	0	0	0.04	0.04	18.60
25	11.00	0	0	0.03	0.03	23.76	6.00	0	0	0.01	0.01	7.26	5.74	0	0	0.03	0.03	16.37
26	11.00	0	0	0.03	0.03	23.76	5.60	0	0	0.01	0.01	6.29	5.67	0	0	0.03	0.03	15.68
27	9.92	0	0	0.02	0.02	19.71	5.60	0	0	0.01	0.01	6.29	5.18	0	0	0.04	0.04	17.44
28	9.34	0	0	0.02	0.02	16.95	5.60	0	0	0.01	0.01	6.29	5.16	0	0	0.04	0.04	17.38
29	8.77	0	0	0.02	0.02	15.15	5.60	0	0	0.01	0.01	6.29	4.96	0	0	0.04	0.04	15.87
30	8.50	0	0	0.02	0.02	13.95	5.60	0	0	0.01	0.01	6.29	4.83	0	0	0.04	0.04	15.04
31	8.20	0	0	0.02	0.02	13.46							4.3	0	0	0.03	0.03	11.89
TenDaily I	9.23	0	0	0.02	0.02	16.81	6.98	0	0	0.02	0.02	9.54	6.52	0	0	0.03	0.03	16.00
TenDaily II	42.54	0	0	0.10	0.10	494.58	6.38	0	0	0.01	0.01	8.05	6.34	0	0	0.05	0.05	25.40
TenDaily III	11.43	0	0	0.03	0.03	27.31	5.74	0	0	0.01	0.01	6.61	5.72	0	0	0.04	0.04	18.20
Total	March					5414.22	April					241.99						614.19

Sediment Data Year Book 2019-20

Annual Sediment Load for period : 1987-2020

Station Name : Narmada at Manot (CW1NAU000378) Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur

	Monsoon (M.T.)	Non-Monsoon (M.T.)	Annual Load (M.T.)	Annual Run Off (MCM)
1987-1988	10725744	0	10725744	3916
1988-1989	6696569	0	6696569	3252
1989-1990	2489833	0	2489833	1423
1990-1991	6352482	0	6352482	4327
1991-1992	4774264	0	4774264	3270
1992-1993	5297060	0	5297060	2563
1993-1994	8389055	0	8389055	2849
1994-1995	9782946	0	9782946	5549
1995-1996	6064747	0	6064747	3479
1996-1997	2765903	0	2765903	2211
1997-1998	4988927	0	4988927	3859
1998-1999	994318	0	994318	2291
1999-2000	7375323	0	7375323	4115
2000-2001	2429516	0	2429516	2043
2001-2002	2766792	0	2766792	3725
2002-2003	1840581	0	1840581	2000
2003-2004	4006296	0	4006296	4442
2004-2005	9624012	0	9624012	3474
2005-2006	10701534	2767	10704300	4890
2006-2007	2398636	2313	2400949	2902
2007-2008	1844237	1764	1846001	1425
2008-2009	1966443.9	746.1	1967190.01	2225.42
2009-2010	820713.66	2008.74	822722.4	1222.85
2010-2011	876001.91	2005.34	878007.24	2023.37
2011-2012	2758553	2653	2761206	3878
2012-2013	1085095.12	1390.97	1086486.09	2177.72
2013-2014	1628948	4325	1633274	2874
2014-2015	990486	1352	991839	2158
2015-2016	617184	280	617465	1438
2016-2017	1025923.8	722.4	1026646.21	2070.75
2017-2018	310766.81	1022.79	311789.61	1217.46
2018-2019	713233	2445	715678	1771
2019-2020	3304228.99	11277.73	3315506.72	3830.16

Sediment Data Year Book 2019-20


Annual Sediment Load for period : 2010-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 2010-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur



Sediment Data Year Book 2019-20


Seasonal Sediment Load for period : 2019-2020

Station Name : Narmada at Manot (CW1NAU000378)

Division : Narmada Division, Bhopal

Local River : Narmada

Sub-Division : UNSD, Jabalpur



5 Part – II Bed material Data

5.1 Orsang at Chandwada- Sample not collected.

5.2 Narmada at Garudeshwar- Sample not collected.

5.3 Narmada at Mandleshwar

BED MATERIAL DATA FOR THE YEAR 2019-2020

SITE : NARMADA AT MANDLESHWER

CODE : CW1NAM000189

MEASURING AUTHORITY : NDB

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE)

Discharge 'Q' : m³/sec

Water edge: L.B.:m, R.B: m

Area of Section 'A' : m²

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P': m

Hydraulic Mean Depth'R': m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50			
2	100			Av . Mean Dia "d"= mm
3	200			
4	300	NOT COLLECTED		Av .Silt Factor " f " =
5	400			
6	500			
7	600			
8	700			

MONSOON SURVEY (DATE)

Discharge 'Q' : m³/sec

Water edge: L.B. m R.B. m

Area of Section 'A' m²

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P' m

Hydraulic Mean Depth'R' m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50			
2	100			
3	200			Av . Mean Dia "d"= mm
4	300	NOT COLLECTED		Av .Silt Factor " f " =
5	400			
6	500			
7	600			
8	700			

POST MONSOON SURVEY (DATE)

Discharge 'Q' : m³/sec

Water edge: L.B. m R.B. M

Area of Section 'A' : m²

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P' : m

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50			
2	100			Av . Mean Dia "d"= mm
3	200			
4	300			Av .Silt Factor " f " =
5	400	NOT COLLECTED		
6	500			
7	600			
8	700			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

Sediment Data Year Book 2019-20

Sample Not collected due to unavailability of manpower.

5.4 Narmada at Handia

BED MATERIAL DATA FOR THE YEAR 2019-2020

SITE :NARMADA AT HANDIA

MEASURING AUTHORITY :

NDB

CODE

:CW1NAM000392

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE)

Discharge 'Q' : m³/sec

Area of Section 'A' : m²

Wetted Perimeter 'P': m

Water edge: L.B.:m, R.B: m

Mean Velocity' V ' : / sec

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	104	NOT COLLECTED		Av . Mean Dia "d"= mm
2	208			
3	312			
4	416			Av .Silt Factor " f " =
5	520			
6	624			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

MONSOON SURVEY (DATE 21.10.2019)

Discharge 'Q' :650.2m³/sec

Area of Section 'A' : m²

Wetted Perimeter 'P':m

Water edge: L.B.: m, R.B:m

Mean Velocity' V ' :m/ sec

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	104	259.480	1.58	Av . Mean Dia "d"=1.52 mm
2	208	259.900	1.20	
3	312	260.580	1.04	
4	416	259.800	2.10	Av .Silt Factor " f " = 2.68
5	520	260.580	1.53	
6	624	262.350	1.67	

POST MONSOON SURVEY (DATE)

Discharge 'Q' : m³/sec

Area of Section 'A' :m²

Wetted Perimeter 'P': m

Water edge: L.B.: m, R.B: m

Mean Velocity' V ' : m/ sec

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	104	NOT COLLECTED		Av . Mean Dia "d"= mm
2	208			
3	312			
4	416			Av .Silt Factor " f " =
5	520			
6	624			

Sediment Data Year Book 2019-20

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow
Sample Not collected due to unavailability of manpower.

5.5 Narmada at Hoshangabad

BED MATERIAL DATA FOR THE YEAR 2019-20**SITE:NARMADA AT HOSHANGABAD**

CODE : CW1NAM000278

MEASURING AUTHORITY : NDB

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE)Discharge 'Q' :91.8m³/sec

Water edge: L.B m,R.B.:m

Area of Section 'A':m²

Mean Velocity' V ':0.19m/sec

Wetted Perimeter 'P':434.5m

Hydraulic Mean Depth'R':1.10 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100			
2	200			Av . Mean Dia "d" = mm
3	300			
4	400	NOT COLLECTED		Av .Silt Factor " f " =
5	500			
6	600			
7	700			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

MONSOON SURVEY (DATE 26.11.2019)Discharge 'Q':371.7m³/sec

Water edge:L.B:m,R.B.:m

Area of Section 'A':672.5m²

Mean Velocity' V ':0.553m/sec

Wetted Perimeter 'P':350.2m

Hydraulic Mean Depth'R':1.92 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100	284.480	0.410	
2	200	281.630	0.880	Av . Mean Dia "d"= 1.37 mm
3	300	282.830	0.810	
4	400	284.830	3.180	Av .Silt Factor " f " = 2.06
5	500	284.580	1.440	
6	600	286.500	1.510	
7	700	286.960	1.350	

POST MONSOON SURVEY (DATE)Discharge 'Q' :m³/sec

Water edge:L.B.:m,R.B.:m

Area of Section 'A':m²

Mean Velocity' V ':/sec

Wetted Perimeter 'P' : m

Hydraulic Mean Depth'R':m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100			
2	200			Av . Mean Dia "d"= mm
3	300			
4	400	NOT COLLECTED		Av .Silt Factor " f " =
5	500			
6	600			
7	700			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

Sample Not collected due to unavailability of manpower.

5.6 Narmada at Sandia

BED MATERIAL DATA FOR THE YEAR 2019-2020

SITE :NARMADA AT SANDIA

CODE : CW1NAU000450

MEASURING AUTHORITY : NDB

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE)Discharge 'Q' : m³/sec

Water edge: L.B.:m, R.B.:m

Area of Section 'A' :m²

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P': 254.6m : m

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100			
2	200			Av . Mean Dia "d"= mm
3	300			
4	400	NOT COLLECTED		Av .Silt Factor " f " =
5	500			
6	600			
7	700			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

MONSOON SURVEY (DATE)Discharge 'Q' : 260.6 m³/sec Q':

Water edge: L.B.:m, R.B.: m

Area of Section 'A' : m²

Mean Velocity' V ' : .m/ sec

Wetted Perimeter 'P': m

Hydraulic Mean Depth'R' : 0m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100			
2	200			Av . Mean Dia "d"= mm
3	300			
4	400	NOT COLLECTED		Av .Silt Factor " f " =
5	500			
6	600			
7	700			

POST MONSOON SURVEY (DATE)Discharge 'Q' : 0 m³/sec

Water edge: L.B.: m, R.B.:m

Area of Section 'A' :m²

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P': m

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	100			
2	200			Av . Mean Dia "d"= mm
3	300			
4	400	NOT COLLECTED		Av .Silt Factor " f " =
5	500			
6	600			
7	700			

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

- Sample Not collected due to unavailability of manpower.

5.7 Shakkar at Gadarwara

BED MATERIAL DATA FOR THE YEAR 2019-2020

SITE :SHAKKAR AT GADARWARA

MEASURING AUTHORITY :

NDB

CODE :

CW1NAU000391

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE 20.05.2019)

Discharge 'Q' : 0.0 m/ sec

RIVER DRY

Water edge: L.B.: m, R.B.: m

Area of Section 'A': m²

Mean Velocity' V ' :0.0 m/ sec

Wetted Perimeter 'P': m

Hydraulic Mean Depth'R':0. m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	30	323.160	0.46	
2	60	323.510	2.07	Av . Mean Dia "d"= 1.92 mm
3	90	323.370	3.25	
4	120	322.930	1.61	Av .Silt Factor " f " = 2.44
5	150	322.150	3.47	
6	180	321.990	1.55	
7	210	322.890	1.03	

MONSOON SURVEY (DATE 10.10.2019)Discharge 'Q' : 29.929m³/sec

Water edge: L.B.:m, R.B.: m

Area of Section 'A' : m²

Mean Velocity' V ' : 0.460 m/ sec

Wetted Perimeter 'P': 75.68m

Hydraulic Mean Depth'R' : 0.55 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	30	322.590	0.73	
2	60	323.320	3.7	Av . Mean Dia "d"= 2.03 mm
3	90	323.550	2.44	
4	120	323.420	1.61	Av .Silt Factor " f " = 2.51
5	150	322.720	2.7	
6	180	322.010	2.71	
7	210	322.850	0.32	

POST MONSOON SURVEY (DATE 04.02.2020)Discharge 'Q' : 0.90m³/sec

Water edge: L.B.: m, R.B.:m

Area of Section 'A' : m²

RIVER DRY

Mean Velocity' V ' : m/ sec

Wetted Perimeter 'P' : m

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	30	323.170	0.41	
2	60	323.560	4.2	Av . Mean Dia "d"= 2.0mm
3	90	323.370	1.68	
4	120	322.900	1.84	Av .Silt Factor " f " = 2.48
5	150	322.180	2.96	
6	180	321.950	2.38	
7	210	322.870	0.53	

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

5.8 Narmada at Barman

BED MATERIAL DATA FOR THE YEAR 2019-2020**SITE :NARMADA AT BARMAN**

CODE : CW1NAU000188

MEASURING AUTHORITY : NDB

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE 22.05.2019)Discharge 'Q' 221.0 m³/sec

Water edge: L.B. m R.B. m

Area of Section 'A' :m²

Mean Velocity' V ' : 0.630m/ sec

Wetted Perimeter 'P':m

Hydraulic Mean Depth'R':1.97 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	60	311.920	0.37	
2	120	309.980	0.79	Av . Mean Dia "d" = .59 mm
3	180	306.160	0.67	
4	240	305.480	1.20	Av .Silt Factor " f " = 1.35
5	300	308.630	0.60	
6	360	322.410	0.21	
7	400	327.850	0.28	

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

MONSOON SURVEY (DATE- 13.10.2019)Discharge 'Q' :433 m³/sec

Water edge: L.B m R.B.m

Area of Section 'A' : m²

Mean Velocity' V ' : -/ sec

Wetted Perimeter 'P' - m

Hydraulic Mean Depth'R':- m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	60	311.960	0.39	
2	120	309.980	1.69	Av . Mean Dia "d" = 0.71 mm
3	180	306.150	0.6	
4	240	305.470	0.66	Av .Silt Factor " f " =1.48
5	300	308.625	0.7	
6	360	322.420	0.44	
7	400	327.860	0.46	

POST MONSOON SURVEY (DATE 13.02.2020)Discharge 'Q':119.0 m³/sec

Water edge: L.B. m R.B m

Area of Section 'A' : m²

Mean Velocity' V ' : 0.372 m/ sec

Wetted Perimeter 'P': 162.8m

Hydraulic Mean Depth'R' : 1.97 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	60.00	311.960	3.15	
2	120.00	309.980	0.64	Av . Mean Dia "d" = 1.05 mm
3	180.00	306.170	0.53	
4	240.00	305.550	0.47	Av .Silt Factor " f " = 1.80
5	300.00	308.640	0.45	
6	350.00	322.410	1.62	
7	400.00	327.880	0.5	

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

5.9 Banjar at Bamni

BED MATERIAL DATA FOR THE YEAR 2019-2020**SITE :BANJAR AT BAMNI**

MEASURING AUTHORITY :

NDB

CODE :

010215006

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE 16.05.2019)Discharge 'Q' : 0.0 m³/secArea of Section 'A' : m²

Wetted Perimeter 'P':0.0 m

Water edge: L.B.: m , R.B : m

Mean Velocity' V ' : 0.0 m/ sec

Hydraulic Mean Depth'R' : 0.0 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	430.010	1.09	
2	100	439.830	1.08	Av . Mean Dia "d"= 0.82mm
3	150	439.070	0.47	
4	200	439.270	0.64	Av .Silt Factor " f " = 1.53

Note : River Dry

MONSOON SURVEY (DATE 24.10.2019)Discharge 'Q' : m³/secArea of Section 'A' : m²

Wetted Perimeter 'P': m

Water edge: L.B.: m, R.B.: m

Mean Velocity' V ' : m/ sec

Hydraulic Mean Depth'R' : m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	439.750	1.52	
2	100	439.600	1.25	Av .Mean Dia"d" = 1.48mm
3	150	439.790	1.66	
4	200	439.360	1.49	Av .Silt Factor " f " = 2.14

POST MONSOON SURVEY (DATE)Discharge 'Q' :0 m³/secArea of Section 'A' :m²

Wetted Perimeter 'P' : m

Water edge: L.B.: m, R.B.:m

Mean Velocity' V ' :0. m/ sec

Hydraulic Mean Depth'R' :0 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50			
2	100			Av . Mean Dia "d"= mm
3	150	NOT COLLECTED		
4	200			Av .Silt Factor " f " =

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

5.10 **Burhner at Mohgaon****BED MATERIAL DATA FOR THE YEAR 2019-2020****SITE :BURHNER AT MOHGAON**

MEASURING AUTHORITY :

NDB

CODE :

CW1NAU000390

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE 21.05.2019)Discharge 'Q' :m³/secArea of Section 'A' :m²

Wetted Perimeter 'P' : m

Water edge: L.B.:m, R.B.:m

Mean Velocity 'V' : m/ sec

Hydraulic Mean Depth 'R' :m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	450.610	5.47	
2	100	449.340	2.55	Av . Mean Dia "d"= 2.21 mm
3	150	451.630	0.4	
4	200	462.130	0.42	Av .Silt Factor " f " = 2.62

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

MONSOON SURVEY (DATE 30.10.2019)Discharge 'Q' :104.0 m³/secArea of Section 'A' :m²

Wetted Perimeter 'P':62.23m

Water edge: L.B.: m, R.B.:m

Mean Velocity 'V' : 1.783m/ sec

Hydraulic Mean Depth 'R' : 0.94m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	450.620	3.29	
2	100	449.360	0.78	Av . Mean Dia "d" =1.23 mm
3	150	451.590	0.42	
4	200	462.100	0.44	Av .Silt Factor " f " = 195

POST MONSOON SURVEY (DATE 20.01.2020)Discharge 'Q' :11.25 m³/secArea of Section 'A' :22.96 m²

Wetted Perimeter 'P' :28.99 m

Water edge: L.B.:0 m, R.B.: m

Mean Velocity 'V' :0.49 m/ sec

Hydraulic Mean Depth 'R' :0.79 m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	450.630	6.93	
2	100	449.350	0.79	Av . Mean Dia "d" =2.55 mm
3	150	451.550	0.41	
4	200	462.130	2.08	Av .Silt Factor " f " = 2.81

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

5.11 Narmada at Manot

BED MATERIAL DATA FOR THE YEAR 2019-2020**SITE :NARMADA AT
MANOT**CODE :
CW1NAU000378MEASURING AUTHORITY :
NDB

W.YEAR :2019-20

PRE MONSOON SURVEY (DATE 20.05.2019)Discharge 'Q' :8.471 m³/sec

Water edge: L.B.:m, R.B.:m

Area of Section 'A' : m²

Mean Velocity 'V' : .388m/ sec

Wetted Perimeter

'P':39.22m

Hydraulic Mean Depth 'R' :.56m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	444.030	3.77	
2	100	443.770	0.71	Av . Mean Dia "d"= 1.33mm
3	150	442.630	0.72	
4	200	448.410	0.73	Av .Silt Factor " f " = 2.02
5	250	459.380	0.73	

MONSOON SURVEY (DATE 31.10.2019)Discharge 'Q' : 67.91m³/sec

Water edge: L.B.:m, R.B.:m

Area of Section 'A' :m²

Mean Velocity 'V' :.535m/ sec

Wetted Perimeter

'P'106.14:m

Hydraulic Mean Depth 'R' 0.65:m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	444.250	3.58	
2	100	443.770	0.59	Av . Mean Dia "d" = 1.39 mm
3	150	448.750	0.72	
4	200	459.700	0.65	Av .Silt Factor " f " = 2.06

POST MONSOON SURVEY (DATE 20.02.2020)Discharge 'Q' : 7.832m³/sec

Water edge: L.B.:m, R.B.:0m

Area of Section 'A' :10.37 m²

Mean Velocity 'V' : 0.389 m/ sec

Wetted Perimeter 'P': 39.64

m

Hydraulic Mean Depth 'R' : 0.51m

Sample No	R.D. sampling point (m)	R.L.of Bed (m)	Mean Diameter (mm)	Remarks
1	50	444.280	0.43	
2	100	444.500	0.36	Av . Mean Dia "d" = .366mm
3	150	446.545	0.38	
4	200	448.480	0.39	Av .Silt Factor " f " = 1.06
5	250	449.970	0.27	

Note ; 1) Discharge was observed at S / G section 2) Single Channel Flow

