

I/111316/2022



भारत सरकार  
GOVERNMENT OF INDIA  
केंद्रीय जल आयोग  
CENTRAL WATER COMMISSION  
जल विज्ञानीय प्रेक्षण परिमण्डल  
HYDROLOGICAL OBSERVATION CIRCLE



दूरभाष/Phone : 0542-2282302  
फैक्स/Fax : 0542-2282309

आकाशदीप, पन्नालाल पार्क  
Akashdeep, Panna Lal Park  
वाराणसी-221002  
Varanasi-221002

**कोटेशन आमंत्रण सूचना**  
**Notice Inviting Quotation**

भारत के राष्ट्रपति की ओर से अधोहस्ताक्षरी द्वारा नीचे दिये गए विवरण के अनुसार जल विज्ञानीय प्रेक्षण परिमण्डल केंद्रीय जल आयोग, आकाशदीप, पन्नालाल पार्क वाराणसी के **कार्यालय भवन के रखरखाव एवं मरम्मत कार्य** हेतु कोटेशन आमंत्रित किये जाते हैं। इच्छुक प्रतिष्ठित फर्म संलग्न निर्धारित प्रपत्र में अपनी कोटेशन मुहरबन्द लिफाफे में दिनांक **01.11.2022 (पूर्वाह्न 11.00 बजे)** तक टेण्डर बाक्स में जमा करा सकती हैं। कोटेशन उसी दिन पूर्वाह्न **11.30** बजे इच्छुक कोटेशनदाताओं या उनके प्रतिनिधि की उपस्थिति में खोली जायेगी। उक्त दिनांक एवं समय के पश्चात प्राप्त कोटेशन मान्य नहीं होंगी।

On behalf of the President of India, Quotation for the **Repair & Maintenance of office Building** under HOC,CWC,Varanasi are invited as per details given below by the undersigned. Interested reputed firms can submit their quotations in the sealed envelope in the sealed form in the tender box till date – **01.11.2022 (11.00 AM)**. Quotation will be opened on the same day at **11.30 AM** in the presence of the interested quotation providers or their representatives.. Quotations received after the said date and time will not be entertained.

**कार्य की सूची एवं विशिष्टियाँ (Specifications) :- संलग्न विवरण के अनुसार**  
**Work list and specifications: - As per the attached details**

**नियम एवं शर्तें :-**

**Terms and conditions:-**

- कोटेशन संलग्न निर्धारित प्रपत्र में फर्म के लेटर पैड पर ही होनी चाहिए एवं लिफाफे पर कार्य का नाम व खुलने का दिनांक अंकित होना चाहिए।  
Quotation should be on the firm's letter pad in the prescribed form as attached and the name of the work and date of opening should be mentioned on the envelope..
- फर्म पंजीकृत होनी चाहिए एवं PAN/GST Tax संख्या कोटेशन में दर्शायी गयी होनी चाहिए।  
Firms should be registered and PAN / GST tax number should be indicated in the quotation.
- दरों को शब्दों एवं संख्या दोनों में लिखा होना चाहिए।  
Rates must be written in both words and numbers.
- दर के साथ कर तथा अन्य प्रभार आदि यदि कोई हो तो इसका विवरण अलग से दिया जाना चाहिए।  
The tax along with the rate and other charges, etc., if any, should be given separately.
- सभी कटिंग्स एवं ओवर राइटिंग प्रतिष्ठान के अधिकृत व्यक्ति द्वारा हस्ताक्षरित होने चाहिए।  
All cuttings and overwriting must be signed by the authorized person of the firm.
- कोटेशन में दर्शायी गयी दरें **90** दिन तक लागू होगी इस मुद्दे पर किसी कोटेशनदाता द्वारा कुछ इंगित नहीं करना उसकी इस शर्त से सहमति मानी जाएगी।  
The rates indicated in the quotation will be applicable for 90 days, the silence of any quotationer on this issue will be treated as acceptance for this condition.
- कार्य पूरा होने पर इस कार्यालय में बीजक (बिल) दो प्रतियों में भेजना होगा। बिल में धनराशि अंको तथा शब्दों दोनों में लिखा होना चाहिए। तत्पश्चात भुगतान PFMS द्वारा किया जायेगा।  
On completion of the work, the invoice will be sent in two copies to this office. The amount in the bill should be written in both numbers and words thereafter payment will be made by PFMS.

I/111316/2022

8. सभी कार्य विशिष्टियों के अनुसार कार्य आदेश जारी होने के 30 दिनों के अन्दर पूरा करना अनिवार्य होगा।

According to all the work specifications, it will be compulsory to complete the work within 30 days of the issue of the order.

9. शर्तों के साथ भेजे गये कोटेशन स्वीकार नहीं किये जायेंगे।

Quotations sent with conditions will not be accepted.

10. कार्य आदेश की मात्रा या समय सीमा घटाने या बढ़ाने का अधिकार अधोहस्ताक्षरी के पास सुरक्षित है। इस संबंध में अधोहस्ताक्षरी का निर्णय अन्तिम एवं बाध्यकारी होगा।

The undersigned reserves the right to reduce or extend the quantity or time limit of the Work Order. The decision of the undersigned in this regard will be final and binding.

11. अधोहस्ताक्षरी के पास बिना कोई कारण बताए किसी अथवा सभी कोटेशनों को स्वीकृत/अस्वीकृत करने एवं सम्पूर्ण कोटेशन प्रक्रिया को निरस्त करने का अधिकार सुरक्षित है। इस संबंध में उनका निर्णय अन्तिम एवं बाध्यकारी होगा।

The undersigned reserves the right to approve / reject any or all the quotations and can cancel the entire quotation process without assigning any reason. Their decision in this regard will be final and binding.

संलग्नक: उपरोक्तानुसार।

Enclosure: As above.

(अखिलेश कुमार झा)  
अधीक्षण अभियंता

प्रतिलिपि सूचनार्थ:-

Copy for information:-

1. अधिशासी अभियन्ता, मध्य गंगा मण्डल-3, केंद्रीय जल आयोग, वाराणसी। कृपया उक्त कोटेशन आमंत्रण सूचना केंद्रीय जल आयोग के वेब पोर्टल पर अपलोड करने की व्यवस्था करें।

Executive Engineer, Central Ganga Division-3, Central Water Commission, Varanasi. Please arrange to upload the above NIQ on the Central Water Commission web portal.

2. केंद्रीय जल आयोग वेब पोर्टल - cwc.gov.in, CPPP e-procurement वेब पोर्टल - https://eprocure.gov.in/eprocure/app.

Central Water Commission web portal - - cwc.gov.in, e-procurement, CPPP e-procurement web portal – https://eprocure.gov.in/eprocure/app.

3. सूचना पट्ट जल विज्ञानीय प्रेक्षण परिमण्डल, केंद्रीय जल आयोग, वाराणसी।

Notice Board Hydrological Observation Circle, Central Water Commission, Varanasi.

I/111316/2022

Scheduled Of Quantities

Name of Work : Repair &amp; Maintenance of office Building under HOC,CWC,Varanasi

SI.NO.	Detail of Items	Unit	Qty.	Quotated Rate	Quotated Rate in words	Total Amounts
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.	sqm	22.140			
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.(Nominal concrete 1:3:6 or richer mix (i/c equivalent design mixed).	sqm	22.140			
3	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	sqm	3.255			
4	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.	Nos.	3.00			
5	Providing and laying in position cement concrete of specified grade 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size excluding the cost of centering and shuttering - All work up to plinth level.	cum.	1.107			
6	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/sq.m including pointing the joints with white cement and matching pigments etc., complete.	sqm	25.395			

I/111316/2022	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. (Raj Nagar Plain white marble/ Udaipur green marble/ Zebrablack marble)	sqm	1.44			
7						
8	Providing and fixing water closet squatting pan (Indian type WC pan) with 100 mm upvc Por Strap, 10 ltr low level white PVC flushing cistern including flush pipe, with manually controlled device (hand lever) conforming to IS 7231 with all fittings and fixtures completed, including cutting & making good the wall and floors wherever required.	Nos.	3.00			
9	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	sqm	38.810			
10	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:3 (1 cement : 3 coarse sand)	sqm	1.30			
11	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	sqm	1.30			
12	Providing and fixing of exhaust fan including cutting the hole. All completion of works etc. (Power: 32 watts; Operating Voltage: 230 volts, Air delivery: 520 cmh; Speed: 1350 RPM; Number of blades: 5. Noise level: 42 dB Sweep size: 200mm, The exhaust fan is made of sturdy engineering plastic.)	Nos.	1.00			
<b>Net Total</b>						
Total amounts in words.....)						

(Signature of  
Proprietor with  
seal)