भारतसरकार GOVERNMENT OF INDIA जल शक्ति मंत्रालय, जलसंसाधन, नदी विकास एवंगंगा संरक्षणविभाग MINISTRY OF JAL SHAKTI, DOWR, RIVER DEVELOPMENT & GANGA REJUVENATION केन्द्रीयजलवायोग CENTRAL WATER COMMISSION



हिमजलविज्ञानमंडल SNOW HYDROLOGY DIVISION ब्लाकन.29, व्यवसायिकपरिसर BLOCK No.29, SDA COMPLEX कसुम्पटी, शिमला - 171009 KASUMPTI, SHIMLA-171009

दूरभाष: 0177-2623026, फैक्स: 0177–2625253

ईमेल: eeshdcwc@yahoo.com

पत्र संख्या: SHD/CWC/325/2021-22/ 1056-58

दिनांक: 07.12.2021

NOTICE INVITING QUOTATION

For and on behalf of the President of India sealed quotations are invited by the undersigned from bona fide and reputed agencies for the work: "AluminumPartition for Conference Hall in O/o CE(IBO), CWC, Chandigarh" as per the following Terms and Conditions:

Terms & Conditions:

- The rates quoted should be quoted inclusive of all the taxes EXCLUSIVEGTS atBOQ attached as Annexure I & the dimension of the section is enclosed as Annexure II (Section No 20067 for single Groove and 20066 for double groove. F.O.R O/o the Chief Engineer (IBO), Central Water Commission, Block-4, 6th Floor, Kendriya Sadan, Sector-9A, Chandigarh-160017
- The quotation superscripted with the words "Aluminum Partition for Conference Hall" duly signed should addressed and reach to Superintending Engineer (Coord), O/o the Chief Engineer (IBO), Central Water Commission, Block-4, 6th Floor, Kendriya Sadan, Sector-9A, Chandigarh-160017 on or before 1500 hrs. of14.12.2021and will be opened on the same day at 1600 hrs in the presence of quotations or their representatives.
- 3. On behalf of the President of India, undersigned reserves the right to reject any or all the quotations and to alter the quantity without assigning any reasons thereof.
- 4. The rates shall be valid for 90 days minimum from the date of opening of the quotation.
- 5. The Work should be completed within one month from the dated of award.
- 6. The payment will be made through PFMS after actual measurement of work on successful completion for which bill in triplicate shall be submitted to this office.
- 7. Rates shall be mentioned both in words and figures and all the corrections and over writings should be duly attested. In case of dispute in rates the rates quoted in words shall prevail.
- 8. Bidders are requested to submit their registration documents (GST Registration, PAN & other important docs.) along with quotation.
- 9. Taxes as applicable will be deducted from the bill at the time of payment.
- 10. Any other rules of CPWD codes and its amendments as applicable will be binding on the successful bidder.
- 11. The Engineer-in-Charge of the work reserves the right to accept/reject the executed work according to his/her judgment. No claims will be entertained for additional/extra work unless approved by the Authority.
- 12. In case of variation in quantity of work done, payment shall be made on the basis of rates quoted for unit quantity.

(प्रकाश चेंद) अधिशाषी अभियंता

प्रतिलिपि:

- 1. Superintending Engineer (Coord), IBO, CWC, Chandigarh
- 2. AAO, SHD Shimla
- 3. Notice Board.

BILL OF QUANTITY (BOQ)


Name of Work: Aluminium Partiton for Conference Hall in O/o CE(IBO), CWC, Chandigarh

Name of the bidder/ bidding firm/ company:

ivallie (of the bidder/ bidding firm/ company:							
S.No.	Description	Qty	Unit	Rate (Rs.)	Amount (Rs.)			
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):	Quote rate at SI No. 1.2						
1.1	For fixed portion Polyester powder coated aluminium (minimum thickness of polyester							
1.2	powder coating 50 micron) (Single Groove 20067 and Double Groove 20066)	90.00	kg					
2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	Quote rate at SI No. 2.1						
2.1	Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)	18.00	kg					
3	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	Quote rate at SI No. 3.1						
3.1	125 mm	2	each					
4	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.	Quote rate at SI No. 4.1						
4.1	Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	6.83	sqm					
5	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):	Quote rate at SI No. 5.1						
5.1	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	5.43	sqm					
6	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	Quote rate at SI No. 6.1						
6.1	300x10 mm	1.00	each					
7	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868)transparent or dyed to required colour and shade, with necessary screws etc. complete.	Quote rate at SI No. 7.1						
7.1	Twin rubber stopper	1.00	each		_			
8	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	1.00	each					
9	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge.	1.00	each					
(Rupee	Rupees only)							

PARTITION SECTION


Annexure - II



DOUBLE GROOVE

SL. No.	Section No.	А	В	С	D	Weight kg/m
1	20089	47.80	24.00	0.59	7.50	0.316
2	20050	50.80	25.40	0.63	7.50	0.350
3	20044	50.80	25.40	0.79	7.50	0.414
4	20079	50.80	25.40	0.98	7.50	0.496
5	20031	50.80	25.40	1.19	7.50	0.581
6	20017	50.80	25.40	1.34	8.00	0.651
7	20046	63.50	38.10	0.66	7.50	0.455
8	20069	63.50	38.10	0.83	7.50	0.547
9	20034	63.50	38.10	0.92	7.50	0.593
10	20053	63.50	38.10	1.08	7.50	0.686
11	20026	63.50	38.10	1.21	7.50	0.761
12	20062	63.50	38.10	1.28	8.00	0.805
13	20047	63.50	38.10	1.53	8.00	0.942
14	20072	63.50	38.10	1.85	8.00	1.095
15	20064	63.50	38.10	2.50	8.00	1.444
16	20004	63.50	38.10	3.18	8.00	1.790
17	20143	75.00	38.10	1.20	8.00	0.832
18	20144	75.00	45.00	1.25	8.00	0.908
19	20037	82.50	38.00	1.10	8.00	0.833
20	20124	89.00	32.00	1.50	8.00	1.079
21	20035	82.50	38.00	1.60	8.00	1.139
22	S4628	82.50	38.00	3.18	8.00	2.115
23	20021	89.00	32.00	2.75	8.00	1.905
24	20023	89.00	32.00	2.75	23.00	2.150
25	20147	92.00	31.75	1.30	8.00	0.972
26	20152	92.00	31.75	2.00	8.00	1.422
27	20051	101.60	44.45	1.20	8.00	1.060
28	20028	101.60	44.45	1.50	8.00	1.301
29	20076	101.60	44.45	1.93	8.00	1.608
27	20075	101.60	44.45	2.40	8.00	1.954
27	20057	101.60	44.45	2.50	8.00	2.050
28	20066	101.60	44.45	3.00	8.00	2.415
29	20010	101.60	44.45	3.18	8.00	2.683
30	20113	101.60	44.45	3.60	8.00	2.849
31	20145	116.00	44.50	1.50	8.00	1.404
32	20081	123.00	44.45	1.50	8.00	1.456

All Dimensions are in mm



SINGLE GROOVE

SL. No.	Section No.	А	В	С	D	Weight kg/m
1	20088	47.80	24.00	0.60	7.50	0.274
2	20058	50.00	25.00	2.00	8.00	0.849
3	20049	50.80	25.40	0.73	7.50	0.342
4	20043	50.80	25.40	0.91	7.50	0.414
5	20080	50.80	25.40	1.09	7.50	0.489
6	20030	50.80	25.40	1.30	8.00	0.581
7	20016	50.80	25.40	1.50	8.00	0.651
8	20045	63.50	38.10	0.75	7.50	0.455
9	20068	63.50	38.10	0.92	7.50	0.546
10	20033	63.50	38.10	1.01	7.50	0.595
11	20054	63.50	38.10	1.17	7.50	0.681
12	20027	63.50	38.10	1.31	8.00	0.758
13	20063	63.50	38.10	1.41	8.00	0.818
14	20125	63.50	38.10	1.50	8.00	0.861
15	20048	63.50	38.10	1.65	8.00	0.942
16	20073	63.50	38.10	1.95	8.00	1.092
17	20065	63.50	38.10	2.50	8.00	1.369
18	20005	63.50	38.10	3.18	8.00	1.777
19	20038	82.50	38.00	1.20	8.00	0.829
20	20036	82.50	38.00	1.70	8.00	1.139
21	S4566	82.50	38.00	3.18	8.00	2.037
22	20032	89.00	32.00	2.75	8.00	1.787
23	20022	89.00	32.00	2.75	23.00	1.933
24	20126	92.00	29.50	1.15	7.50	0.794
25	20128	92.00	32.00	1.30	8.00	0.910
26	20052	101.60	44.45	1.27	8.00	1.049
27	20029	101.60	44.45	1.60	8.00	1.301
28	20146	101.60	44.45	1.90	8.50	1.534
29	20078	101.60	44.45	2.01	8.00	1.605
30	20077	101.60	44.45	2.47	8.00	1.950
31	20102	101.60	44.45	2.50	8.00	1.977
32	20067	101.60	44.45	3.00	8.00	2.342
33	20011	101.60	44.45	3.18	8.00	2.541
34	20112	101.60	44.45	3.70	8.00	2.846
35	20059	123.00	44.45	1.50	8.00	1.394
36	20136	123.00	44.45	3.00	8.00	2.687
37	S4292	127.00	44.45	3.00	8.00	2.752
38	20139	127.20	25.25	1.22	8.00	1.048