भारत सरकार जल शक्ति मंत्रालय जल संसाधन, नदी विकास और गंगा संरक्षण विभाग केंद्रीय जल आयोग दक्षिणी नदियां मंडल



Government of India Ministry of Jal Shakti Department of Water Resources,RD &GR Central Water Commission Southern Rivers Division

FileNo:SRD/C/27013/DB/2023-24/ 288 - 290

दिनांक/ Dated: 01/05/2025

## **NOTICE INVITING QUOTATION**

Sealed quotations are invited for and on behalf of President of India for Repair and Painting for Type-IV Quarter No. 4 (Ground Floor) of regional office Complex 'Sangamam' at Coimbatore for the year 2025-26. The sealed Quotation will be received in the office of undersigned i.e, 0/0 Executive Engineer, SRD, CWC, Coimbatore during working hours up to 14:30 hours on or before 08.05.2025 & shall be opened on same day by 15:00 hours by the undersigned /authorized official in presence of interested quotationer or their authorized representative who desire to be present at the time of opening of quotations.

Description of work	Estimated Amount(Incl. of GST)	Last date for Submission	Date of opening of Tender	Location
Repair and Painting for Type- IV Quarter No. 4 (Ground Floor) of regional office Complex' Sangamam' at Coimbatore for the year 2025-26	Rs. 68,987/-	08.05.2025 @ 14.30 Hrs	08.05.2025 @ 15.00 Hrs	0/o Executive Engineer, SRD, CWC,Coimbatore

भवदीय/Yours faithfully

(पत्रीर सेल्वम एल/Panneer Selvam L)

अधिशाषी अभियंता/Executive Engineer द. न. म./कोयंबत्तूर /SRD/CWC/Coimbatore

## Copy to

1. The Superintending Engineer(C), CSRC, Banglore for kind information please.

2. The Accounts Branch, SRD, CWC, Coimbatore, chargeable under **DWRIS-Minor civil & Electrical works**.

3. Notice board, CWC, Coimbatore.

"संगमम" भवन, गाँधीमानगर पीलामेडु, कोयम्बटूर – 641 004 दूरभाष संख्या : 0422-2512250 ई मेल: ee-srd-cwc@gov.in जत संरक्षण सुरक्षित भविष्य



"Sangamam" Complex, Gandhimaanagar, Peelamedu-P.O.,

Coimbatore – 641 004 Tel : **0422-2512250** 

E-mail Id: <u>ee-srd-cwc@gov.in</u>
Conserve Water-Save Life

सीमित निविदा प्रपत्र / Limited Tender Form

क्रथ करने वाली संस्था का नाम : अधिशाषी अभियंता, , दक्षिणी नदिया मंडल ,केंद्रीय जल आयोग, कोयंबटूर।

Name of the Procuring Entity: Executive Engineer, Southern Rivers Division,

Central Water Commission, Coimbatore.

फर्म का संदर्भ/Firm's Reference		दिनाक/Date		
फर्म पंजीकरण संख्या (यदि कोई हो)		स्.खा.सं(फोटोकॉ		
Firm Registration No. (if any)		पी संलग्न करें)		
		PAN (attach photocopy)		
TIN/VAT/GST No.		ਪੁਰਗ/Address: <b>O/o Executive Engineer</b>		
फ़ोन/Phone	सीमित निविदा प्रपत्र	Southern Rivers Division, Centra water commission, Gandimaanagar Peelamedu, Coimbatore.  e-mail: ee-srd-cwc@gov.in		
फैक्स/Fax	LIMITED TENDER			
ईमेल/Email	FORM			
M/s:	पूछताछ संख्य और दिनांक/Enquiry No. and Date	0422-2512250		
	निविदा खुलने की तिथि/Date of Tender Opening	08. 05. 2025		
	The tender would be opened at 15:00 hrs on the date of tender openingabove, at the address mentioned above.			

Limited tender form can be downloaded from www.cwc.gov.in

Please submit on or before 14:30 hrs on the date of tender opening, your quotation for the following works, in accordance with the terms and conditions printed overleaf, in a sealed cover, marked on topwith – Enquiry No, Date of Tender Opening.

भवदीय/Yours Sincerely,

The Executive Engineer SRD, CWC, Coimbatore.

निविदा अनुसूची/Tender Schedule: All Rates in Figures and in Words in Rupees

Name of work: Repair and Painting for Type-IV Quarter No. 4 (Ground Floor) of Regional office Complex ' Sangamam' at Coimbatore for the year 2025-26

सं Sl. No	विवरण और विशिष्टता Description and Specification	मात्रा Qty.	इकाई Unit	प्रदर्शन शर्ते Performanc e terms	Rate per Unit	&	Packing/ forwardin g/ If any	कुल राशि Total Amount
1	Whitewashing with lime to give an even shade for ceiling, Old work (One or more coats)		Sqm	As per latest CPWD specifications and directions of Engineer-incharge.				100

Providing and applying white cement-based putty of average thickness I mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  Wall painting with acrylic emulsion paint, having VOC (Volatile organic Compound) content less than 50 gms/lit of approved brand and manufacture, including applying additional cost wherever required to achieve even shade and colour. (Two or more coats)  Painting grills of windows, cupboards, Doors & ventilators with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade one or more coats on old work.  Dismandling tile work in floors and walls laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10 mm to 25 mm.  Providing and laying Vitrified tiles in 660x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting riser & Thread of steps, laid with cement based onforming to IS: 15622, of approved brand & manufacturer, in 2.00  Sqm -do-  Sqm -do-  Sqm -do-  Sqm -do-  Sqm -do-  12 mm cement plaster of mix:1:6 (1 cement 6 fine sand)  Removing the existing shutters/doors and fixing the new glisposal of rubbis to the dumping ground within 50 metres lead.  Pam cement plaster of mix:1:6 (1 cement 6 fine sand)  Removing the existing shutters/doors and fixing the new glisposal of rubbis to the dumping shutters/doors and fixing the new glisposal of rubbis to the dumping shutters/doors and fixing the new glisposal of rubbis to the dumping all necessary fittings like hinges/handles etc.		Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	6.37	Sqm	-do-			
paint, having VOC (Volatile organic Compound) content less than 50 gms/lit of approved brand and manufacture, including applying additional cost wherever required to achieve even shade and colour. (Two or more coats)  Painting grills of windows, cupboards, Doors & ventilators with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade one or more coats on old work.  Dismantling tile work in floors and walls laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10 mm to 25 mm.  Providing and laying Vitrified tiles in 600x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints.  Dismantling old plaster or skirting raking out joints and cleaning the 8 surface for plaster including ground within 50 metres lead.  9 12 mm cement plaster of mix :1:6 (1 exempting the surface for plaster including shutters/doors and fixing the new 10 UPVC frame and shutters including all necessary fittings like		cement-based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	6.37	Sqm	-do-			
cupboards, Doors & ventilators with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade one or more coats on old work.  Dismantling tile work in floors and walls laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10 mm to 25 mm.  Providing and laying Vitrified tiles in 600x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints.  Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  9 Sqm -do-  Removing the existing shutters/doors and fixing the new UPVC frame and shutters including all necessary fittings like	4	paint, having VOC (Volatile organic Compound) content less than 50 gms/lit of approved brand and manufacture, including applying additional cost wherever required to achieve even shade and colour. (Two		Sqm	-do-			
walls laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10 mm to 25 mm.  Providing and laying Vitrified tiles in 600x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints.  Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  Sqm -do-	5	cupboards, Doors & ventilators with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade one or more coats on old work.	42.20	Sqm	-do-			
600x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints.  Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  9 12 mm cement plaster of mix:1:6 (1 cement: 6 fine sand)  4.29 Sqm -do-  Removing the existing shutters/doors and fixing the new UPVC frame and shutters including all necessary fittings like	6	walls laid in cement mortar including stacking material within 50 metres lead for thickness of tiles 10 mm to 25 mm.	2.00	Sqm	-do-			
raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  9	7	600x600 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser & Thread of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints.	2.00	Sqm	-do-		7.	
Removing the existing shutters/doors and fixing the new UPVC frame and shutters including all necessary fittings like	8	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping	4.29	Sqm	-do-			
shutters/doors and fixing the new UPVC frame and shutters including all necessary fittings like	9	12 mm cement plaster of mix :1:6 (1 cement: 6 fine sand)	4.29	Sqm	-do-	14		
	10	Shutters/doors and fixing the new JPVC frame and shutters including ill necessary fittings like	3.91	Sqm	-do-			

——————————————————————————————————————	
कुल राशि शब्दों में	
Total amount in words	
प्रदर्शन अनसची: कार्य आदेश जारी होने से	15 दिन। Performance Schedule: 15 days from issue of work order.
3,4	10 14 11 20120111111100 0011011100 10 10 10 10 10 10
Specifications/Special Conditions of Contidirection of Engineer-in-charge. इस निविदा की मद/निविदा विशिष्ट शर्ते:  I/ we engage to performance the works to y  1. Tender schedule and technical specificat  2. Item/tender specific conditions for this to  3. Terms and conditions printed overleaf.  4. General conditions of contract signed by  5. I/we confirm that set off for the GST, et price and further agree to pass on such add  6. This offer is valid for 90 (ninety) days from the contract of the confirm that we have not been debarred by any of the confirm that we have not been debarred by any of the confirmation of the c	cion indicated.  ender.  me at the time of supplier registration (for registeredsuppliers).  c. Paid on the inputs have been taken into consideration in the above quoted itional duties as sets offs as may become available in future under GST, etc. from the date of opening of the quotations.
•	·
9. I hat the bid submitted by us is properly replacement.	sealed and prepared so as to prevent any subsequent alteration and
replacement.	
हस्ताक्षर एवं मुहर Signature & Seal स्थान और तिथि: Place & Date:	अधिकृत हस्ताक्षरकर्ता का नाम: Name of Authorized Signatory:
पता / Address:	टेलीफोन नम्बर/फैक्स
	नम्बर/मोबाइल नम्बर
	Tel. No./ Fax. No./
	MobileNo.
	ईमेल / Email Id:
a bank to seller the contract	

कुल योग / Grand Total (Incl. of GST)

## सीमित निविदा के नियम और शर्तै / TERMS AND CONDITIONS OF LIMITED TENDER

- i) कोटेशन खरीद करने वाली संस्था द्वारा दिए गए फॉर्म में होना चाहिए और उसमें कोई सुधार/मिटाव नहीं होना चाहिए। यदि कोई अपरिहार्य सुधार हो तो उसे उचित रूप से प्रमाणित किया जाना चाहिए। यदि ऐसा नहीं है तो कोटेशन पर विचार नहीं किया जाएगा। पेंसिल से लिखे गए कोटेशन पर विचार नहीं किया जाएगा। The quotation must be in the form furnished by procuring entity and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not, the quotation will not be considered. Quotations written in pencil will not be considered.
- ii) कोटेशन निर्धारित तिथि को अपराहन 3.00 बजे निर्धारित स्थल पर इच्छुक संस्थाओं या उनके प्रतिनिधियों की उपस्थिति में खोले जाएंगे। Quotation will be opened on due date at 3.00 pm at the indicated venue in presence of the entities or their representatives who may wish to be present.
- iii) भारत सरकार व्यक्तिगत रूप से प्रस्ताव को स्वीकार करने तथा बिना कोई कारण बताए किसी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखती है तथा न्यूनतम कोटेशन को स्वीकार करने के लिए स्वयं को बाध्य नहीं करती है। The Government of India reserves the right to accept the offer by individual items and reject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
- iv) इस निविदा में भागीदारी केवल आमंत्रण द्वारा है और यह समान प्रकार के कार्य में शामिल प्रतिष्ठित इकाई तक ही सीमित है। अनचाहे प्रस्तावों को अनदेखा किया जा सकता है। हालांकि, भविष्य में ऐसी निविदाओं में भाग लेने की इच्छा रखने वाली संबंधित इकाई इसे खरीद करने वाली इकाई के ध्यान में ला सकती है और प्रक्रिया के अनुसार पंजीकरण के लिए आवेदन कर सकती है। Participation in this tender is by invitation only and is limited to the reputed entity involved in similar type of work. Unsolicited offers are liable to be ignored. However, relevant entity who desire to participate in such tenders in future may bring it to the notice of procuring entity and apply for registration as per procedure.
- v) कोटेशन के साथ पूरा विवरण और विनिर्देश (यदि कोई हो) अवश्य भेजें। यदि आपको हमारे द्वारा आवश्यक सामग्री के लिए उपयुक्त कोई काउंटर ऑफर मिला है, तो उसे अलग से दिखाया जा सकता है। Complete details and specification if any must accompany the quotation. If you have got any counter offer as suitable to the material required by us, the same may be shown separately.
- vi) भारत सरकार इस जांच में निर्दिष्ट कार्य को संशोधित करने का अधिकार सुरक्षित रखती है। The Government of India reserves the right to modify the work specified in this enquiry.
- vii) उद्धृत मूल्य कार्य पूरा होने तक स्थिर रहना चाहिए। कृपया दरों को शब्दों और आंकड़ों में उद्धृत करें। उद्धृत मूल्य शुद्ध होना चाहिए और कोटेशन खुलने की तारीख से कम से कम तीन महीने की अविध के लिए वैध होना चाहिए। The prices quoted should be firm till the works are completed. Please quote the rates in words and figures. Price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- viii) जीएसटी का भुगतान मुख्य रूप से विक्रेता की जिम्मेदारी है, और इसका भुगतान तब तक नहीं किया जाएगा जब तक कि कोटेशन में प्रतिशत मूल्य का स्पष्ट उल्लेख न किया गया हो। यदि कोटेशन में जीएसटी के बारे में कोई संकेत दर्ज नहीं किया गया है, तो जीएसटी को शामिल माना जाएगा। Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- ix) कार्य पूरा करने के लिए आवश्यक निष्पादन अविध को अनिवार्य रूप से कोटेशन में निर्दिष्ट किया जाना चाहिए। The performance period required for completion of work should be invariably specified in the quotation.
  - यदि आपका कोटेशन स्वीकार कर लिया जाता है, और आपको ऑर्डर दे दिया जाता है, तो ऑर्डर के अनुसार कार्य पूरा करना ऑर्डर में निर्धारित अविध के भीतर किया जाना चाहिए। भारत सरकार को काम के विलंब से पूरा होने के कारण होने वाले किसी भी नुकसान की भरपाई दंड के रूप में करने का

अधिकार है। निर्धारित अविध के भीतर काम पूरा न करने पर खरीद करने वाली संस्था को बिना कोई कारण बताए ऑर्डर में शामिल आइटम के कुल मूल्य का 0.5% प्रतिदिन के हिसाब से जुर्माना लगाने का अधिकार होगा, जो अधिकतम 5% (पांच प्रतिशत) होगा, जब तक कि कार्य अविध समाप्त होने से पहले वैध आधार पर कार्यालय से लिखित रूप में विस्तार प्राप्त न हो जाए। In case your quotation is accepted and order is placed on you, the work completion against the order should be made within the period stipulated in the order. The Government of India reserves the right to recover any loss sustained due to delayed completion of work by way of penalty. Failure to performance of work within the stipulated period shall entitle Procuring Entity for the imposition of penalty without assigning any reasons @ 0.5% of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of performance period.

- 2. कुल बिल राशि से 2.5% की दर से सुरक्षा जमा राशि काट ली जाएगी और कार्य पूरा होने की तारीख से 6 महीने बाद जारी की जाएगी। Security deposit @ 2.5% will be deducted from total bill amount and released after 6 months from the date of completion of works.
- x) उपरोक्त कार्य का कोटेशन प्रस्तुत करने से पहले कोटेशनकर्ता साइट पर जा सकते हैं। The quotationer's may visit the site before submitting quotation of the above work.
- xi) विवाद खंड: अनुबंध पर उत्पन्न होने वाले किसी भी विवाद को अधीक्षण अभियंता, कावेरी और दक्षिणी नदी सर्कल, सीडब्ल्यूसी, बैंगलोर को भेजा जाएगा और अधीक्षण अभियंता, कावेरी और दक्षिणी नदी सर्कल, सीडब्ल्यूसी, बैंगलोर का निर्णय अंतिम होगा और बोलीदाता के लिए बाध्यकारी होगा
  Dispute clause: Any dispute arising on the contract will be referred to superintending Engineer, Cauvery and Southern River Circle, CWC, Bangalore and the decision of superintending Engineer, Cauvery and Southern River Circle, CWC, Bangalore will be final and binding to the bidder.
- xii) हमारा सामान्य भुगतान ठेकेदार को कार्य के संतोषजनक समापन पर किया जाएगा, जिसमें अधिदेश प्रपत्र के साथ तीन प्रतियों में पूर्व-प्राप्ति बिल प्रस्तुत करना होगा, भुगतान ई-भुगतान के माध्यम से किया जाएगा। Our normal payment will be made to the contractor on satisfactory completion of work on submission of pre-receipted bill in triplicate with mandate form, payment will be made by through e-payment.

\*\*\*\*\*\*\*

Executive Engineer Central Water Commission Southern Rivers Division

