भारत सरकार जल शक्ति मंत्रालय जल संसाधन नदी विकास एवं गंगा संरक्षण विभाग केंद्रीय जल आयोग उत्तर पूर्वी अन्वेषण मण्डल-II



Government of India
Ministry of Jal Shakti
Dept. of Water Resources, RD&GR
Central Water Commission
North Eastern Investigation Division-II

NEID-II/(HQ)/NIQ(Vol-10)/2024-25/ 708-09

Date: 18.10.2025

## NOTICE INVITING QUOTATION

For and on behalf of the President of India, sealed quotations are invited for the following work by the undersigned from the authorized/reputed contractor/firms for carrying out the Repair and Maintenance of Retaining wall in front of Sub-Divisional under NEID-II, CWC, Aizawl. The Sealed Quotation will be received in the office of undersigned i.e. O/o Executive Engineer, NEID-II, CWC, Aizawl during working hours up to 13:00 hrs. on or before 27.10.2025 & shall be opened on 27.10.2025 by 15:30 hrs. by the undersigned/authorized official in presence of interested quotations or them authorizes representatives who desired to remain present at the time of opening of quotations.

भारत के राष्ट्रपति की ओर से अधोहस्ताक्षरी द्वारा एनईआईडी-॥, सीडब्ल्यूसी, आइजोल के तहत उप-मंडल के सामले रिटेनिंग वॉल की मरम्मत और रखरखाव कार्य हेतु अधिकृत/प्रतिष्ठित ठेकेदारॉ/फर्मों से सीलबंद निविदाएँ आमंत्रित की जाती हैं। सीलबंद निविदाएँ अधोहस्ताक्षरी के कार्यालय, अर्थात् कार्यकारी अभियंता, NEID-॥, CWC, आइजोल के कार्यालय में कार्य समय के दौरान दिनांक 27.10.2025 को दोपहर 13:00 बजे तक प्राप्त की जाएंगी तथा इन्हें उसी दिन 27.10.2025 को अपराइ 15:30 बजे अधोहस्ताक्षरी/अधिकृत अधिकारी द्वारा इच्छुक निविदाकर्ताओं अथवा उनके अधिकृत प्रतिनिधियों की उपस्थिति में खोला जाएगा।

Description of items.	Estimate cost	Last date & time for receiving quotation.	Date & time for opening quotation	Location
"Repair and Maintenance of Retaining wall In front of Sub- Divisional under NEID-II, CWC, Aizawl/एनईआईडी-II, सीडब्ल्यूसी, आइजोल के तस्त उप- मंडल के सामने रिटेलिंग वॉल की मरम्मत और रखरखावकार्य.	1,93,893.00/-	27.10.2025 13:00	27.10.2025 15:30	NEID-II, CWC, Aizawt

(Nishant Kumar) Executive Engineer NEID-II, CWC, Aizawl

Copy to:

- 1. The Accounts Branch, NEID-II, CWC, Aizawl.
- 2. Notice Board.

जलशक्तिपूरमजेमबक आईजॉल ,मिजोरम -796017 ई मेल: neid2-cwc@gov.in •जल संस्क्षण-सुरक्षित भविष्य•



Jalshaktipuram, Zemabawk Aizawl, Mizoram-796017 E-mail: neid2-cwc@gov.in

◆Conserve Water- Save Life

◆

## Limited Tender Form/Quotation

## Name of the Procuring Entity: - Central Water Commission

Firm's Reference		Date			
Firm Registration No. (if any)		PAN (attach photocopy)			
TIN/VAT/GST No.		Address: office of the Executive Engineer Nort Eastern Investigation Division-II, Central Wate Commission, Aizawl.			
Phone	LIMITED TENDER				
Fax	FORM				
Email					
M/s:	Enquiry No. and Date	NEID-II/HQ/NIQ(Vol-10)/2024-25/			
	Date of Tender 27.10.2025 Opening				
	The tender would be opened at 3:30 pm on the date of tender opening above, at the address mentioned above.				

Please submit on or before 2:30 pm on the date of tender opening, your quotation for the following works, in accordance with the terms and conditions printed overleaf, in a sealed cover, marked on top with—Enquiry No: Date of Tender Opening.

**Yours Sincerely** 

Sd/-Designation with office

er	nder Schedule: All Rates in Figures			The second second second			Packin	I resolution
Sl. No	Description and Specification	Qty.	Un	Performa nce terms	Rate per Unit	Taxes &Dutie s	g/forw arding / If any	Total Amount
	Earthwork in excavation Earthwork in excavation trenches or drain etc. (Not exceeding 1.5m width or 10sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5m including getting out excavated soil and disposal of surplus excavated soil as directed within a lead of 50m. ordinary soil.		m <sup>3</sup>	As per SOP of work and in accordance with the direction given by Engineer-in- charge				
2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth 1.5m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50m and lift upto 1.5m, as directed by engineer-in-charge (a)All kinds of soil (excluding ordinary & hard rock) Note:-Cutting work above the		M <sup>2</sup>	-do-				

Ground level of vertically excess earth portion.  Vertical cutting	Smill(Pro eQuity	CONTRACTOR	tel lightini j	i artisti	out six	To sent
The Control of the Co	80 m³	-do-		(Hurs)	Thorn of the state	
hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width, same as in the height of the	500m <sup>3</sup>	-do-				
masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar	900m³	-do-			0 = 0	
AC Pipe extending through the full with of the structure with sloop (V):20(H) towards drawing face complete as per drawing and	00 Rm	-do-				
		4			Total	
			Linke	Gran	d Total	
Total amount in words						
ormanceSchedule:30 days from issue	ed					
ormanice scriedute: 30 days from lestin	DI WONE	DECTOR				
	Providing and laying in position 1.5 cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level  (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size)  Random Rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width. same as in the height of the retaining wall.  Coursed rubble coursed rubble 11.5 masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole 20.0 m stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop 1(V):20(H) towards drawing face complete as per drawing and specifications.	earth portion.  Vertical cutting  Providing and laying in position cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level  (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size)  Random Rubble masonry with ard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width. same as in the height of the retaining wall.  Coursed rubble coursed rubble 11.900 m³ masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole 20.00 Rm in stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop 1(V):20(H) towards drawing face complete as per drawing and specifications.	earth Portion.  Vertical cutting  Providing and laying in position 1.580 m³ cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level  (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size)  Random Rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width. same as in the height of the retaining wall.  Coursed rubble coursed rubble 11.900 m³ masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole n stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop 1(V):20(H) towards drawing face complete as per drawing and specifications.	earth Vertical cutting Providing and laying in position 1.580 m³ cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size) Random Rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall.  Coursed rubble coursed rubble 11.900m³ masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole 20.00 Rm in stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop 1(V):20(H) towards drawing face complete as per drawing and specifications.	earth Vertical cutting Providing and laying in position cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size)  Random Rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width. same as in the height of the retaining wall.  Coursed rubble coursed rubble 11.900m³ masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole 20.00 Rm in stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop 1(V):20(H) towards drawing face complete as per drawing and specifications.  Gran	earth portion. Vertical cutting Providing and laying in position 1.580 m³ cement concrete of specified grade excluding cost of centring and shuttering -All work upto plinth level (a)1:5:10(1cement:5fine sand:10 coarse aggregate 40mm nominal size)  Random Rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:5:10 (20mm nominal size) upto plinth level with: (b) in cement mortar 1:3 (1cement:3 coarse sand) Width of the retaining wall are taken average of the top and bottom width. same as in the height of the retaining wall.  Coursed rubble coursed rubble 11.900 m³ masonry (frist sort) with hard stone in superstructure above the plinth level and up to floor V level (a) cement mortar 1:3(1cement:3coarse sand)  Weep Hole Providing weep hole 20.00 Rm in stone masonry with 100mm dia AC Pipe extending through the full with of the structure with sloop (IV):20(H) towards drawing face complete as per drawing and specifications.

I/we engage to performance the works to your office and comply the following:

- Tenderscheduleandtechnicalspecificationindicated.
- Item/tenderspecificconditionsforthistender.
- 3. Termsandconditionsprintedoverleaf.
- General conditions of contract signed by me at the time of supplier registration (for registeredsuppliers).
- 5. I/we confirm that set off for the GST, etc. Paid on the inputs have been taken into consideration in the above quoted price and further agree to pass on such additional duties as sets offs as may become available in future under GST, etc.
- Thisofferisvalidfor90(ninety)daysfromthedateofopeningofthe quotations.
- ThatwehavenotbeendebarredbyanyGovernment/Undertaking.
- 8. Thattheratesquotedarenothigherthantheratesquotedforsameitemtoany Government / Undertaking.
- That the bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration andreplacement.

Signature & SealPlace&Date:	Name of AuthorizedSignatory:	Calle	
Address:	Tel. No./ Fax. No./ MobileNo. EmailId:		

## TERMS AND CONDITIONS OF LIMITED TENDER

- i) The quotation must be in the form furnished by procuring entity and should be free fromcorrections/erasures. In case there is any unavoidable correction it should be properlyattested. If not, the quotation will not be considered. Quotation written in pencil will not beconsidered.
- Quotation will be opened on due date at 3.30pm at the indicated venue in presence of the entities or their representatives who may wish to be present.
- The Government of India reserves the right to accept the offer by individual items andreject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
- Participation in this tender is by invitation only and is limited to the reputed entity involved in similar type of work. Unsolicited offers are liable to be ignored. However, relevant entity who desire to participate in such tenders in future may bring it to the notice of procuring entity and apply for registration as per procedure.
- Complete details and specification if any must accompany the quotation. If you have got any counter offer as suitable to the material required by us, the same may be shown separately.
   The Government of India research the sinks.
- vi) The Government of India reserves the right to modify the work specified in this enquiry.
- vii) The prices quoted should be firm till the works are completed. Please quote the rates in words and figures.

  Price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- viii) Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- The performance period required for completion of work should be invariably specified in thequotation.
- In case your quotation is accepted and order is placed on you, the work completion against theorder should be made within the period stipulated in the order. The Government of Indi a reserve the right to recover any loss sustained due to delayed completion of work by way ofpenalty. Failure to performance of work within the stipulated period shall entitle Procuring Entity for the imposition of penalty without as signing any reasons@ 0.5% of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid groundbeforeexpiryof performance period.
- xi) The quotationers may visit the site before submitting quotation of the above work.
- xii) Dispute clause: Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at (name of the place of tender invitation) only.
- viii) Our normal payment will be made to the contractor on satisfactory completion of work on submission of pre-receipted bill in triplicate with mandate form, payment will be made by through e-payment.

\*\*\*\*\*\*

Copy to:

The Accounts Branch, NEID-II, CWC, Aizawl.

2. Notice Board.