



भारत सरकार GOVT OF INDIA केंद्रीय जल आयोग

CENTRAL WATER COMMISSION कार्यालय अधिशासी अभियन्ता OFFICE OF THE EXECUTIVE ENGINEER

> मध्य गंगा मण्डल - 3 MIDDLE GANGA DIVISION - 3

आकाशदीप पन्नालाल पाके, वाराणसी Akashdeep, Pannalal Park Varanasi

2(0542) 2280339

(0542) 2282303

e-mail: eemgd3-cwc@gov.in

No: 5/15/MGD-3/2023-24/3800-03

Dt: 23 12 23

Notice Inviting Quotation

On behalf of the President of India, sealed quotations are invited for "Construction of a Septic Tank" at Maighat Site under MGD-3 CWC Varanasi." as tabulated below by the undersigned from the reputed firms as per the following terms and conditions on or before 16:30 hrs of 30th December, 2023. The quotation will be opened on 01/01/2024 at 10:00 hrs in the presence of the quotationer or their authorized representative, if any.

भारत के राष्ट्रपति की ओर से. " एमजीडी-3 सीडब्ल्यूसी वाराणसी के तहत माईघाट साइट पर एक सेप्टिक टैंक का निर्माण " के लिए प्रतिष्ठित फर्मों से निम्नलिखित नियम और शर्तों के अनुसार नीचे दी गई तालिका के अनुसार सीलबंद कोटेशन 30 दिसंबर, 2023 को 16:30 बजे से पहले आमंत्रित किए जाते हैं। कोटेशन दिनांक 01/01/2024 को सुबह 10:00 बजे कोटेशनकर्ता या उनके अधिकृत प्रतिनिधि, यदि कोई हो, की उपस्थित में खोला जाएगा।

TERMS & CONDITIONS:

 Rs 2200/= as Bid Security/Earnest Money Deposit (EMD) of tender in the form of Insurance surety Bonds, account payee Demand Draft, Fixed Deposits receipt, Banker's Cheque in favor of Executive Engineer, Middle Ganga Division-III Central Water Commission, Varanasi payable at Varanasi or in the form of a Bank Guarantee from a commercial bank, to safeguarding the purchaser's interest in all respect. Bid Security/ Earnest Money Deposit (EMD) has to be submitted after issue of tender and before due date and time of opening of tender.

Any bid without Earnest Money Deposit (EMD) will be rejected and will not be considered for any further process

रूपए 2200/- मात्र निविदा की बोली सुरक्षा / बयाना राशि जमा (ईएमडी) अकाउंट पेयी डिमांड ड्राफ्ट, फिक्स्ड डिपॉजिट रसीद, बैकर चेक, के रूप में अधिशासी अभियंता, मध्य गंगा मंडल -III केंद्रीय जल आयोग वाराणसी के पक्ष में, वाराणसी में देय या किसी वाणिज्यिक बैंक से बैंक गारंटी के रूप में सभी प्रकार से क्रेता के दिलचस्पी की रक्षा करने हेतु । बोली सुरक्षा/बयाना राशि (ईएमडी) निविदा जारी होने के बाद और निविदा खुलने की नियत तारीख और समय से पहले जमा करनी होगी।

बयाना सांशि जमा (ईएमडी) के बिना किसी भी बोली को अस्वीकार कर दिया जाएगा और किसी भी आगे की प्रक्रिया के लिए विचार नहीं किया जाएगा

- 2. The successful bidder shall furnish Performance Security of an amount of 5% of the contract value within 15 (fifteen) days from the date of issue of letter of intent/acceptance of tender The Performance Security would be retained by the CWC till satisfactory completion of period of contract. The Performance Security shall remain valid till 90 (Ninety) days of the completion of all contractual obligations including warranty obligation. सफल बोलीदाता को पत्र/स्वीकृति के जारी होने की तारीख से 15 (पंद्रह) दिनों के भीतर अनुबंध मूल्य का 5% की राशि की प्रदर्शन सुरक्षा प्रस्तुत करनी होगी । निविदा अवधि के संतोषजनक पूरा होने तक सीडब्ल्यूसी द्वारा निष्पादन सुरक्षा को बरकरार रखा जाएगा । प्रदर्शन सुरक्षा / वारटी द्वायित्व सहित सभी संविदात्मक दायित्वों को पूरा करने के 90 (नब्बे) दिनों तक वैध रहेगी ।
- 3. The rates are to be quoted in figures as well as in words. In case of discrepancies, the rate quoted in words will be treated as final. The rates are to quoted in prescribed BoQ attached herewith. दरें अंकों के साथसाथ शब्दों में भी उद्धृत की जानी हैं। वि-सगतियों के मामले में, शब्दों में उद्धृत दर को अंतिम माना जाएगा। दरें इसके साथ संलग्न निर्धारित बीओक्यू में उद्धृत की जिन हैं
- 4. The quotation should be addressed to the Executive Engineer, Middle Ganga Division -3, Central Water Commission, Akashdeep Building, 2nd Floor, Pannalal Park, Varanasi-221002, Uttar Pradesh. कोटेशन अधिशासी अभियंता, मध्य गंगा मंडल -3, केंद्रीय जल आयोग, आकाशदीप बिल्डिंग, पन्नालाल पार्क, वाराणसी -221002, उत्तर प्रदेश को संबोधित किया जाना चाहिए।
- 5. All duties, taxes, transportation and other levies payable by the supplier/contractor under the contract shall be included in the total price. अनुबंध के तहत आपूर्तिकर्ताठेकेदार द्वारा देय सभी शुल्क/, कर, परिवहन और अन्य शुल्क कल कीमत में शामिल किए जाएंगे।

- 6. The sealed cover containing the quotation should be superscripted with the words "Construction of a Septic Tank" at Maighat Site under MGD-3 CWC Varanasi. due date on 30th December, 2023 at 16:30 Hours". उद्धरण वाले सीलबंद लिफाफे पर "एमजीडी-3 सीडब्ल्यूसी वाराणसी के तहत माईघाट साइट पर एक सेष्टिक टैंक का निर्माणशब्द लिखा " होना चाहिए। नियत तिथि 30 दिसंबर, 2023 को 16:30 बजे"।
- 7. The firm/company should be an ISO certified equivalent firm/company and must be registered as a firm/company with the Registrar of companies. The firm/company shall also be registered with necessary tax authorities. The Bidder should be registered with any Central Government Department/ any state Govt. Department The firm/company shall submit self attested copy of documents relating to registration of the firm/company. PAN/TIN. Service Tax. VAT etc. फर्म/कंपनी एक आईएसओ प्रमाणित समकक्ष फर्म/कंपनी होनी चाहिए और कंपनी रजिस्ट्रार के साथ एक फर्म/कंपनी के रूप में पंजीकृत होनी चाहिए। फर्म/कंपनी को आवश्यक कर अधिकारियों के साथ भी पंजीकृत किया जाएगा। बोली लगाने वाले को किसी भी केंद्र सरकार के विभाग/किसी भी राज्य सरकार के साथ पंजीकृत होना चाहिए। फर्म/कंपनी को फर्म/कंपनी के पंजीकरण से संबंधित पैन/टिन. सेवा कर वैट आदि दस्तावेजों की स्वप्रमाणित प्रति प्रस्तुत करनी होगी।
- 8. The contract will be valid for a period of 30 days from the date of commencement or as per the order given by MGD-3. The amount of Participation will be paid on completion by producing the bills (three copies) to EE MGD-3 CWC Varanasi. In case payment is delayed for any administrative reason, no interest thereon will be paid.
 अनुबंध प्रारंभ होने की तारीख से या एमजीडी-3 द्वारा दिए गए आदेश के अनुसार तीस दिन की अवधि के लिए वैध होगा। भागीदारी की राशि का भुगतान पूरा होने पर ईई एमजीडी-3 सीडब्ल्यूसी वाराणसी को बिल (तीन प्रतियां) प्रस्तुत करने के उपरांत किया जाएगा। यदि किसी प्रशासनिक कारण से भुगतान में देरी होती है, तो उस पर कोई ब्याज नहीं दिया जाएगा।
- 9. All the corrections/ over writing should be duly attested. Else it will make the quotation disqualify. सभी सुधारकोटेशन को अयोग्य घोषित कर दिया जाएगा ओवर राइटिंग विधिवत सत्यापित होनी चाहिए। अन्यथा यह/
- 10. Bidders must have PAN and Goods & service Tax Number, Photocopy of the same should be enclosed/uploaded. बोलीदाताओं के पास पैन और GST नंबर होना चाहिए, इसकी फोटोकॉपी संलग्नअपलोड की जानी चाहिए।/
- 11. Payment will be made by PFMS, online payment on production of bill in triplicate within 15 days from the date of completion of supply in full as per specifications or receipt of the bill whichever is later. Agency may please produce Bank account details Mandate form along with bill. भुगतान PFMS द्वारा किया जाएगा, विनिर्देशों के अनुसार पूर्ण आपूर्ति पूरी होने की तारीख या बिल की प्राप्ति, जो भी बाद में हो, से 15 दिनों के भीतर तीन प्रतियों में बिल प्रस्तुत करने पर ऑनलाइन भुगतान किया जाएगा। एजेंसी कृपया बिल के साथ बैंक खाते का विवरण, मैंडेट फॉर्म प्रस्तुत कर सकती है।
- 12. Validity of your quotation should be for a period of minimum 90 days from the date of opening of quotation. आपके कोटेशन की वैधता कोटेशन खुलने की तारीख से कम से कम 90 दिनों की अवधि के लिए होनी चाहिए।
- 13. The undersigned reserves the right to reject a part or the whole of quotation without assigning any reason thereof. अधोहस्ताक्षरी के पास कोई कारण बताए बिना किसी भाग या संपूर्ण कोटेशन को अस्वीकार करने का अधिकार सुरक्षित है
- 14. Quotations should be duly signed by the proprietor along with the stamp. कोटेशन पर मालिक द्वारा स्टांप के साथ विधिवत हस्ताक्षर किए जाने चाहिए
- 15. Quotation with conditions will not be accepted. शर्तों के साथ कोटेशन स्वीकार नहीं किया जायेगा
- 16. Taxes will be deducted from the bill as per Govt. of India rules. भारत सरकार के नियम के अनुसार बिल से टैक्स काटा जाएगा।

Executive Engineer
Middle Ganga Division -3
Central Water Commission
For and on behalf of President of India

Copy for information to:

- 1. The Superintending Engineer, HOC, Varanasi for kind information.
- 2. Accounts Branch, MGD-3, CWC, Varanasi.
- 3. Notice Board, MGD-3, CWC, Varanasi.
- 4. Details of this NIQ are also available on CPP/CWC Portal

SCHEDULE OF QUANTITY

Faith work in escavation by mechanical means over areas in thydraulic escavator/i manual means over areas tecereding 30 cm in depth 1.5 m in worth as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge. All kinds of soil. Providing and laving in position cement concrete of specified grade excluding the cost of centering and shurtering. All work up to plinth level. 1.5.10 (1) cement. 5 coarse sand (zone-III) derived from natural sources. 10 graded stone aggregate 40 mm inominal size derived from natural sources.) Brick work with common burnt clay E.P.S. thou modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 16 (1 cement. 6 coarse sand). 12 mm cement plaster finished with a floating coat of neat cement of mix. E4.1 cement. 4 fine sand). Centering and shuttering including strutting, propping etc. and removal of form work for Lintles, beams, plinth heams, girders, bressumers and cantilevers. Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajas, lintels, bands, plain window sills, starcasses and spiral stair cases and planth word with 1.5.3 (1 cement. 1.5 coarse sand/zone-III) derived from natural sources. 3 graded stone aggregate 20 mm nominal size derived from natural sources. 3 graded stone aggregate 20 mm nominal size derived from natural sources. 3 graded stone aggregate 20 mm nominal size derived from natural sources. 3 steel reinforcement for R.C.C. work including straughtening, cutting, bending, placing in position and binding all complete upto plinth level themo-Mechanically Treated bars of grade Fe-500D or more. Deduction for Class-II Bricks sunnlied by the	SI No	Details of work	Qty	Unit	Rate	Amount
specified grade excluding the cost of centering and shuttering - All work up to plinth level . 15.10(1) centering sources and (zone-III) derived from natural sources - 10 graded stone aggregate 40 mm nominal size derived from natural sources) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1.6 (1 cement . 6 coarse sand) 12 mm cement plaster finished with a floating coat of neal cement of mix. 1.4 (1 cement . 4 fine sand) Centering and shuttering including strutting, propping etc. and removal of form work for Lintels, beams, plinth beams, girders, bressumers and cantilevers. Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajias, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1-15.3 (1 cement . 1.5 coarse sand(zone-III) derived from natural sources.) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more. Beduction for Class-II Bricks supplied by the department.		(Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as	22.121	Cum		
modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand) 12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement: 4 fine sand) Centering and shuttering including strutting, propping ctc and removal of form work for Lintels, beams, plinth beams, girders, bressumers and cantilevers Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:15:3 (1 cement: 1.5 coarse sand(zone-fill) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from matural sources). Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more 135:530 Kg Deduction for Class-H Bricks supplied by the department	3	specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm	1.624	cum		
neat cement of mix 1:4 (1 cement: 4 fine sand) Centering and shuttering including strutting, propping etc and removal of form work for Lintels, beams. plinth beams, girders, bressumers and cantilevers Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balcomes, shelves, chajas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand/zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources). Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more Beduction for Class-II Bricks supplied by the department 26.492 sqm 7.673 sqm 7.674 sqm 7.675 sqm 7.675 sqm 7.675 sqm 7.675 sqm 7.675 sqm 7.670 sqm 7.6	1	modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse	6.616	cum	,	
ctc and removal of form work for Lintels, beams. plinth beams, girders, bressumers and cantilevers Reinforced cement concrete work in beams. suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:15:3 (1 cement: 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources). Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo- Mechanically Treated bars of grade Fe-500D or more Beduction for Class-II Bricks supplied by the department 7.673 sqm 7.674 sqm 7.675 sqm 7.675 sqm 7.675 sqm 7.675	-4	neat cement of mix: 1:4 (1 cement: 4 fine sand)	26.492	sqm		
suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more. Beduction for Class-II Bricks supplied by the department.	ě	etc. and removal of form work for Lintels, beams.	7.673	sqm		
straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more 8 Deduction for Class-II Bricks supplied by the department 4000 Nos 12000 per 2000 2	d's	suspended floors, roofs having slope up to 15° landings, balcomes, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:15:3 (1 cement: 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived	1.151	cum		
department 4000 Nos 12000 per 2000 2	7	straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo- Mechanically Treated bars of grade Fe-500D or	135.530	Kg		
G Total	8		4000	Nos	12000 per 2000	24000.00
				AND	G Total	
' Say					Say	

Date

Name and Signature of the Authorized Signatory