#### भारत सरकार केन्द्रीय जल आयोग ऊपरी यमुना मंडल

कालिंदी भवन, बी-5, तारा क्रिसेंट रोड, कुतुब संस्थानिक क्षेत्र, नई दिल्ली-110016

क्रमांक: 01/02/04/2022-23/UYD/ 3132-37

दिनांक: 11 07 2022

### <u>कोटेशन आमंत्रण सूचना</u> (NIQ No.<sup>®</sup>∄/2022-23/UYD/Delhi)

भारत के राष्ट्रपति के ओर से अधोहस्ताक्षरी द्वारा संलग्न विवरण के "Construction of cabin for SE(Coordination) in Kalindi Bhawan, CWC, New Delhi" में कार्य हेतु कोटेशन आमंत्रित किए जाते हैं। इच्छुक प्रतिष्ठित फ़र्म संलग्न निर्धारित प्रपत्र में अपनी कोटेशन बंद लिफ़ाफ़े में दिनांक 18.07.2022 को अपराहन 15:00 बजे तक जमा करा सकते है। कोटेशन उसी दिन अपराहन 15:30 बजे इच्छुक कोटेशनदाताओं या उनके प्रतिनिधि की उपस्थिति में खोली जाएगी।

कार्य की सूची एवं विशिष्टियाँ (Specifications): संलग्न विवरण के अनुसार।

#### नियम एवं शर्तें:

1. उपरोक्त कार्य "Construction of cabin for SE(Co-ordination) in Kalindi Bhawan, CWC, New Delhi" कार्य कराने के लिए हैं।

2. बयाना राशि (Earnest Money Deposit) रु. 1920.00 कोटेशन के साथ अधिशासी अभियंता, ऊपरी यमुना मंडल, केन्द्रीय जल आयोग, नई दिल्ली के पक्ष में डिमांड ड्राफ्ट के रूप में जमा करनी होगी ।

मंडल, कन्द्राय जल जायान, ने इतिरक्षा के अनुसार कार्य आदेश जारी होने के 30 दिनों के अंदर पूरा करना अनिवार्य 3. कार्य विशिष्टियों (Specifications) के अनुसार कार्य आदेश जारी होने के 30 दिनों के अंदर पूरा करना अनिवार्य

4. मुहरबंद लिफ़ाफ़े पर कार्य का नाम एवं कोटेशन संख्या आदि लिखा होना चाहिए।

कोटेशन संलग्न निर्धारित प्रपत्र में फ़र्म के लेटर पैड पर होनी चाहिए।

कोटेशन आमंत्रण सूचना नंबर एवं खोलने की तारीख लिफाफ़े के ऊपर लिखी होनी चाहिए।

दरों को शब्दों एवं संख्या दोनों में लिखा होना चाहिए।

8. दरें सभी कर तथा अन्य प्रभार आदि यदि कोई हो तो इसका विवरण अलग से दिया जाना चाहिए।

सभी कटिंग्स एवं ओवर राइटिंग्स प्रतिष्ठान के अधिकृत व्यक्ति द्वारा हस्ताक्ष्रित होने चाहिए।

- 10. कोटेशन में दर्शायी गयी दरें 90 दिन तक लागू होगी इस मुद्दे पर किसी कोटेशनदाता की चुप्पी उसकी सहमति मानी जाएगी।
- 11. कार्य आदेश जारी होने के बाद प्रभारी अभियंता के दिशा निर्देशों के साथ पूरा करना अनिवार्य होगा। कार्य को बीच में छोड़कर जाने की स्थिति में अथवा संतोषजनक न होने की स्थिति में अथवा किसी शर्त के ना पालन करने पर फर्म को विभाग में ब्लेकलिस्टेड। बेन कर दिया जाएगा एवं एसी स्थिति में अधोहस्ताक्षरी द्वारा तय की गयी पेनल्टी फर्म को मान्य करनी होगी।

12. कार्य का भुगतान वास्तविक कार्य के आधार पर जाँच उपरांत किया जाएगा।

13. कार्य पूरा होने पर इस कार्यालय में पूर्व प्राप्ति बिल (प्री-रिसिप्टेड बिल) दो प्रतियों में भेजना होगा बिल में धनराशि अंको तथा शब्दो दोनों में लिखा होना चाहिए | तत्पश्चात भुगतान PFMS के माध्यम से किया जाएगा।

14. मात्रा की अनुसूची फॉर्म संख्या-2 में दिया गया है।

15. शर्तों के साथ भेजे गए कोटेशन स्वीकार नहीं किए जाएंगे।

15. शता के साथ मेंज गए कार्यों स्वायगर गरा कर जाएंगा 16. कार्य आदेश की मात्रा घटाने या बढ़ाने का अधिकार अधीहस्ताक्षरी के पास सुरक्षित है। इस संबंध में अधीहस्ताक्षरी का निर्णय अंतिम एवं बाध्यकारी होगा।

- 17. अधोहस्ताक्षरी के पास बिना कोई कारण बताए किसी अथवा सभी कोटेशन को स्वीकृत/अस्वीकृत करने एवं सम्पूर्ण कोटेशन प्रक्रिया को निरस्त करने का अधिकार सुरक्षित है। इस संबंध में उनका निर्णय अंतिम एवं बाध्यकारी होगा।
- 18. निर्धारित तिथि एवं समय के उपरांत प्राप्त होने वाला कोटेशन को स्वीकार नहीं किया जाएगा।

19. फ़र्म GST पंजीकृत होनी चाहिए एवं GST संख्या कोटेशन में दर्शायी होनी चाहिए।

20. कोटेशन फार्म-1 एवं 2 को पूर्णतया: भरकर ही जमा करना होगा, संशयात्मक स्थिति एवं अधूरी सूचना की स्थिति में कोटेशन को अस्वीकार कर दिया जाएगा। विस्तृत जानकारी के लिए वेबसाईट https://www.cwc.gov.in देखें।

संलग्नक: उपरोक्तानुसार।

अधिशासी अभियंता ऊपरी यमुना मंडल

#### प्रतिलिपि:

- 1. अधीक्षण अभियंता (समन्वय), यमुना बेसिन संगठन, केन्द्रीय जल आयोग, नई दिल्ली ।
- 2. अधीक्षण अभियंता, जल विज्ञानीय प्रेक्षण परिमंडल, केन्द्रीय जल आयोग, वैशाली।
- 3. वेतन एवं लेखाधिकारी, केन्द्रीय जल आयोग, सेवा भवन, नई दिल्ली ।
- 4. उप-मंडलीय अभियंता (मु. ), ऊपरी यमुना मंडल, केन्द्रीय जल आयोग, नई दिल्ली ।
- 5. लेखानुभाग।
- 6. सूचना पट्ट ।

## <u>फॉर्म संख्या:-1</u>

# कार्य का नाम: Construction of cabin for SE(Co-ordination) in Kalindi Bhawan, CWC, New Delhi

Name of Company/ Firm / Agency (Attach certificate of registration):	
Name of proprietor / Director of Company / Firm / agency:	
Full Address of Reg. Office :	
Telephone No.	
FAX No.	
E-Mail Address :	
Full address of Operating / Branch Office:	
Telephone No.	
FAX No.	
E-Mail Address :	
PAN No. (Attach attested copy)	
GST Registration No. (Attach attested copy)	
Give details of the major similar contracts handled by the tendering Company/Firm/Agency during the last five years (attach copy)	
Additional information, if any (Attach separate sheet, if required)	
	(Attach certificate of registration):  Name of proprietor / Director of Company / Firm / agency:  Full Address of Reg. Office :  Telephone No.  FAX No.  E-Mail Address :  Full address of Operating / Branch Office :  Telephone No.  FAX No.  E-Mail Address :  PAN No.  (Attach attested copy)  GST Registration No. (Attach attested copy)  Give details of the major similar contracts handled by the tendering Company/Firm/Agency during the last five years (attach copy)  Additional information, if any (Attach

וופטכ	П.	
1		

अधिकृत व्यक्ति के हस्ताक्षर:

दिनांक:

अधिकृत व्यक्ति का नाम:

एजेंसी/ फ़र्म की सील:

## मात्रा की अनुसूची

## कार्य का नाम: Construction of cabin for SE(Co-ordination) in Kalindi Bhawan, CWC, New Delhi

S. No.	Description of Items	Quantity	Unit	Rate (in Rs.)		Amount	
				Figures	Words	(in Rs.)	
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):  For fixed portion  Powder coated aluminium (minimum	84.24	kg				
	thickness of powder coating 50 micron)						
2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)  Powder coated aluminium (minimum thickness of powder coating 50 micron)	11.59	kg				
3	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerin-charge.  Pre-laminated particle board with decorative lamination on both sides	20.95	sqm				
4	Aluminium Strip 40 mm wide and 2 mm thick	32	kg				
5	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the	1	each				

			<del>_</del>			
same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm						
Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width	19.06	m				
Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	1	each				
Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	2	each				
Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge  Powder coated minimum thickness 50	2	each				
Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineer-incharge	3.95	sqm				
Repair of 1 No. Office Table	1	No.				
1 Repair of 1 No. Office Table 1 No.			राशि (रुपये में)			
				जी.एस.टी. @ %		
			सकल योग (रूपये में)			
			कुल राशि	(रूपये में)		
	and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm thickness Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width  Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.  Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  300x10 mm  Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge  Powder coated minimum thickness 50 micron aluminium  Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineer-	and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm thickness Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width  Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.  Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  300x10 mm  Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineerincharge  Powder coated minimum thickness 50 micron aluminium  Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineerincharge	and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm thickness Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width  Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.  Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  300x10 mm  Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineerincharge  Powder coated minimum thickness 50 micron aluminium  Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineerincharge  3.95	and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm thickness Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width  Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.  Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  300x10 mm  Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge  Powder coated minimum thickness 50 micron aluminium  Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineer-incharge  Repair of 1 No. Office Table  1 No.  11 each  12 each  2 each  3.95  3.95  4 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  18 each  19 06  19 06  10 each  10 each  11 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  19 06  10 each  10 each  11 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  18 each  18 each  18 each  18 each  18 each  19 06  10 each  10 each  11 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  18 each  18 each  19 06  10 each  11 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  18 each  18 each  19 06  10 each  11 each  11 each  12 each  13 each  14 each  15 each  16 each  17 each  17 each  18 each  18 each	and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.  With brass cover plate minimum 1.25 mm thickness Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.  Upto 5mm depth and 5 mm width Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.  Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  300x10 mm Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineerincharge  Powder coated minimum thickness 50 micron aluminium Providing and fixing of blinds with rods, screws and all other necessary items complete as per direction of Engineerincharge  Repair of 1 No. Office Table  1 No.  1Rix (रुपये में)  1 Silv. एस. टी. @ %	

अधिशासी अभियंता ऊपरी यमुना मंडल