GOVERNMENT OF INDIA CENTRAL WATER COMMISSION LOWER CHAMBAL SUB-DIVISION

84-93-96, Ajay Marg, PratapNagar Sanganer, Jaipur-302033

No.: LCSD/Works/2019/ 233-35

Dated: 02 .07.2019

NOTICE INVITING QUOTATION

Sealed and Super scribed quotations are invited on behalf of President of India, by the Sub Divisional Engineer, Lower Chambal Sub Division, CWC, Jaipur from the authorized contractors/firms/agencies for the following work, subject to the terms & conditions indicated below:-

Terms & Conditions -

- 1. The quotations shall reach to this office on or before 09-07-2019 up to 14:00 Hrs. which will be opened on the same day at 15:00 Hrs. in presence of the quotationers who desires to witness the opening of quotations. The sealed envelope should be super scribed "Quotation for Repair and Maintenance of Electrical Fitting work at GDQ Site Pali under Chambal Division, CWC, Jaipur"
- 2. Work shall be carried out at Pali, GDQ Site, Tehsil- Khandar, District- Sawai Madhopur under LCSD, CWC, Jaipur.
- Rates shall be quoted both in figure as well as words also and should include all the expenses related to labor & transportation of material for the specified period.
- 4. Rates quoted should be valid at least for 90 days from the date of opening.
- 5. Quotationers must have PAN/TIN/Service Tax number/GST No.
- 6. Undersigned reserves the right to accept or reject any or all the quotations without assigning any reason thereof.
- 7. The quantity of work may be increased or decreased at the time of work order or during the time of execution.
- 8. Payment will be made monthly basis through ECS/RTGS, only after satisfactorily completion of work.
- 9. Necessary deductions, if any, as per rules will be made from the bill.

Sub-Divisional Engineer (LCSD JAIPUR)

Copy to-:

- 1. The Executive Engineer, CD, CWC, Jaipur
- 2. Account Branch, CD, CWC, Jaipur.
- 3. Notice Board, LCSD, Jaipur.
- 4. Junior Engineer, Pali site (Raj.) for publicity.

Schedule of Quantity

Name of Work:- "Repair and Maintenance of Electrical Fitting work at GDQ Site Pali under Chambal Division, CWC, Jaipur"

Sl. No.	Description	Qty.	Rate in Rs. (inclusive of all taxes)		Amount
			In figure	In words	
1.	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable etc. as required. Group C	06 points			
2.	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess as required.				
	4 Module (125mmX75mm)	03 Nos.			
	6 Module (200mmX75mm)	03 Nos.			
	8 Module (125mmX125mm)	02 Nos.			
3.	On the existing modular plate & switch box including connection but excluding modular plate etc. as required. 5/6 A switch	25			
	15/16 A switch	Nos.			
	3 pin 5/6 A socket outlet	Nos.			
	6 pin 15/16 A socket outlet	Nos. 03 Nos.			
4.	Electronic fan regulator on the exiting modular plate switch box including connections but excluding modular plate etc. as required	02 Nos.			

5. Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. 6. Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, texting and as required 40A 7. Supply and fitting of 25 mm size Casing and capping of standard quality 8. Supplying and fixing PVC batten/ angle holder including connection etc. as required. 9. Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2x1.5 sq. mm earth wire 10. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/isolator) 8 way, Double Door 5. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/isolator) 8 way, Double Door 6. Total				
following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, texting and as required 40A 7. Supply and fitting of 25 mm size Casing and capping of standard quality 8. Supplying and fixing PVC batten/ angle holder including connection etc. as required. 9. Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2X1.5 sq. mm earth wire 10. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way, Double Door 30 Mtr. 12 Nos. 9. Mtr. 12 Nos. 9. Mtr. 10 No. 11 No. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 19 Nos. 10 Nos. 10 Nos. 11 Nos. 11 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 19 Nos. 10 Nos. 20 Mtr. 10 Nos. 20 Mtr. 11 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 20 Nos. 21 Nos. 20 Nos. 21 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 20 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 20 Nos. 21 Nos. 22 Nos. 23 Nos. 24 Nos. 25 Nos. 26 Nos. 26 Nos. 27 Nos. 28 Nos. 29 Nos. 20 Nos. 20 Nos. 20 Nos. 21 Nos. 2		32 A rating, 240/415 V, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral		
size Casing and capping of standard quality 8. Supplying and fixing PVC batten/ angle holder including connection etc. as required. 9. Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2X1.5 sq. mm earth wire 10. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way, Double Door 12 Nos. 12 Nos. 12 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 19 Nos. 10 Nos. 10 Nos. 11 Nos. 11 Nos. 11 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Way, Double Door 18 Way, Double Door	6.	following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, texting and as required		
batten/ angle holder including connection etc. as required. 9. Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2X1.5 sq. mm earth wire 10. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way, Double Door 12 Nos. 10 Nos. 10 Nos. 11 Nos. 12 Nos. 10 Nos. 11 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 19 Nos. 10 Nos. 10 Nos. 10 Nos. 11 Nos. 11 Nos. 11 Nos. 11 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 18 Nos. 19 October With without without without without without mcB/RCCB/Isolator) 8 way, Double Door	7.	size Casing and capping of		
wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2X1.5 sq. mm earth wire 10. Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way, Double Door 05 Mtr. 01 No.		batten/ angle holder including connection etc. as required.		
following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way, Double Door G. Total	9.	wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2X1.5 sq. mm earth wire		
	10.	following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)		
In words (*/	G. Total	
	In word	ls (

*Terms & Conditions: - As per NIQ

Issuing Authority

Sub Divisional Engineer LCSD, CWC, Jaipur Signature of Contractor

Seal Address