भारत सरकार जल शक्ति मंत्रालय जल संसाधनए नदी विकास एवं गंगा संरक्षण विभाग केंद्रीय जल आयोग उत्तर-पूर्वीअन्वेषणमण्डल-II



Government of India Ministry of Jal Shakti Dept. of Water Resources, RD&GR Central Water Commission North East Investigation Division-II

NEID-II/(HQ)/NIQ/2023-24 | 665 - 66

Date: 08.07.2024

NOTICE INVITING QUOTATION

For and on behalf of the President of India, sealed quotations are invited for the following work by the undersigned from the authorized/reputed contractor/firms for carrying out the "Repair and Maintenance of quarter D-7 under NEID-II, CWC, Aizawl." during the financial year 2024-25. The Sealed Quotation will be received in the office of undersigned i.e. O/o Executive Engineer, NEID-II, CWC, Aizawl during working hours up to 13:00 hrs. on or before 15.07.2024 & shall be opened on 15.07.2024 by 15:30 hrs. by the undersigned/authorized official in presence of interested quotations or their authorizes representatives who desired to remain present at the time of opening of quotations.

Description of items.	Estimate cost	Last date & time for receiving quotation.	Date & time for opening quotation	Location	
Repair and Maintenance of quarter D-7 under NEID-II, CWC, Aizawl	1,24,044/-	15.07.2024 13:00 Hrs	15.07.2024 15:30 Hrs	NEID-II, CWC, Aizawl	

(Nishart Kumar) Executive Engineer NEID-II, CWC, Aizawl

Copy to:

- 1. The Accounts Branch, NEID-II, CWC, Aizawl.
- 2. Notice Board.

जलषक्तिपूरम, जोमाबोक, आईजोल,मिजोराम-796017 दूरभाष: 0389-2352266, ई मेल: neid2-cwc@gov.in

5

Jalshaktipuram, Zemabawk Aizawl, Mizoram-796017 Tel: 0389-2352266, E-mail: neid2-cwc@gov.in

♦Conserve Water- Save Life♦

Limited Tender Form/Quotation

Name of the Procuring Entity Central Water Commission

Firm'sReference		Date
FirmRegistrationNo.(ifany)		PAN (attach photocopy)
TIN/VAT/GSTNo. Phone Fax Email	LIMITED TENDER FORM	Address:office of the Executive Engineer North Eastern Investigation Division-II, Central Water Commission, Aizawl.
M/s:	Enquiry No. and Date	NEID-II/HQ/NIQ/2023-24/
	Date of Tender Opening	15.07.2024
		the opened at 15.30 hrs.on the date of tender the address mentioned above.

Please submit upto 13:00 hrs, on or before 15.07.2024, your quotation for the following works, in accordance with the terms and conditions printed overleaf, in a sealed cover, marked on top with Enquiry No: Date of Tender Opening. **Yours Sincerely**

Sd/Designation with office

SI. No	Description and Specification	Qty.	Unit	Performa nce terms	RateperUnit	Taxes &Duti es	Packin g/forwa rding/ If any	Total Amount
1.	Repair and Maintenance of quarter D-7 under NEID-II, CWC, Aizawl. Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 40 mm nominal size derived from natural sources	0.294	Cum	As per SOP of work and in accordance with the direction given by Engineer-in-charge				
	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar	2.94	Sqm					

	1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.						
3.	Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance ±1mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be Jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (± 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer incharge: Extruded section profile size 48x40 mm	4.0	M				
4.	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both	1.8	Sqm				

sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters 25 mm wooden planking, tongued and grooved in flooring 16.193 Cum including fixing with iron screws complete with: 11.33.2 Second class deodar wood Providing corrugated G.S. sheet 34.030 Sqm roofing including vertical curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 1.00 mm thick with zinc coating not less than 275 gm/m² Providing wood work in frames of doors, windows, clerestory

5.

	windows and other frames,	0.021	Cum						
Ì	wrought framed and fixed in			1			1		
	position with hold fast lugs or								
	with dash fasteners of required								
	· · ·								
	dia & length (hold fast lugs or								
	dash fastener shall be paid for								
	separately). Sal wood								
	. ,,								
lo lo	Providing and fixing panelling or	ĺ						ļ	
	panelling and glazing in panelled								
	or panelled and glazed shutters								
	for doors, windows and).990	Sqm						
	,				1				
	clerestory windows (Area of								
	opening for panel inserts								
	excluding portion inside grooves								
	or rebates to be measured).								
	Panelling for panelled or								
	panelled and glazed shutters 25	1		i					
	mm to 40 mm thick :Second								
	t I							!	
	class teak wood	à							
	Droviding and fiving week kin								
	Providing and fixing wash basin								
	with C.I. brackets, 15 mm C.P.	1	Each						
	brass pillar taps, 32 mm C.P.								
	brass waste of standard pattern,	1							
	including painting of fittings and			į					
	brackets, cutting and making								İ
	good the walls wherever require:								
	White Vitreous China Angle								
	back wash basin size 400 x 400								
	mm with single 15 mm C.P.								
	brass pillar tap								
10	[]	1	Each						
10.	C.P. Brass bibcock 15 mm	•	Dacii	ľ					
	1								
			- 1						
	1								
							Ì		
						Ì			
		}							1
			1						
									}
			Tota						
	Crond 7	Cotal		sive of all ta				-	
	Total amount in words	ULAI	(inciu	SIVE OF ALL LA	AUS)				
Parf	ormanceSchedule:30 days from issue	of wa	rk ord						
1					-				
Spec	ifications/SpecialConditionsofContra	ict:w	ork sho	ould be perfo	rmed as per CPW	D manual/sp	ecificatio	n & direc	tion
or En	ngineer-in-charge. n/TenderSpecificConditionsofthisTer								
T4									- 1

I/we engage to performance the works to your office and comply the following:

- 1. Tender schedule and technical specification indicated.
- 2. Item/tender specific conditions for this tender.
- 3. Terms and conditions printed overleaf.
- 4. General conditions of contract signed by me at the time of supplier registration (for registered suppliers).
- 5. I/we confirm that set off for the GST, etc. Paid on the inputs have been taken into consideration in the above quoted price and further agree to pass on such additional duties as sets offs as may become available in future under GST, etc.
- 6. This offer is valid for 90(ninety) days from the date of opening of the quotations.
- 7. That we have not been debarred by any Government/Undertaking.
- 8. That the rates quoted are not higher than the rates quoted for same item to any Government / Undertaking.
- 9. That the bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration andreplacement.

Signature & SealPlace&Date:	Name of AuthorizedSignatory:	
Address:	Tel. No./ Fax. No./ MobileNo. EmailId:	

TERMSAND CONDITIONS OFLIMITED TENDER

- The quotation must be in the form furnished by procuring entity and should be free from corrections/erasures. In case there is any unavoidable correction it should be properlyattested. If not the quotation will not be considered. Quotation written in pencil will not beconsidered.
- ii) Quotation will be opened on due date at 3.30pm at the indicated venue in presence of the entities or their representatives who may wish to be present.
- The Government of India reserves the right to accept the offer by individual items andreject any or all tenders without assigning any reason thereof and does not bind itself toacceptlowestquotations.
- Participation in this tender is by invitation only and is limited to the reputed entity involved in similar type of work. Unsolicited offers are liable to be ignored. However, relevant entity who desire to participate in such tenders in future may bring it to the notice of procuring entity and apply for registration as per procedure.
- v) Complete details and specification if any must accompany the quotation. If you have got any counter offer as suitable to the material required by us the same may be shown separately.
- vi) The Government of India reserves the right to modify the work specified in this enquiry.
- vii) The prices quoted should be firm till the works/supplyare completed. Please quote the rates in words and fi gures. Price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- viii) Payment of GST is primarily the responsibility of the seller and will not be paid unlessthe percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- ix) The performance period required for completion of work should be invariably specified in thequotation.
- In case your quotation is accepted and order is placed on you, the work completion against theorder should be made within the period stipulated in the order. The Government of Indiareserves the rightto recoverany loss sustained due to delayed completion of work by way ofpenalty. Failure to performance of work within the stipulated period shall entitle Procuring Entity for the imposition of penalty with out assigning any reasons@ 0.5% of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of performance period.
- xi) The quotationers may visit the site before submitting quotation of the above work.
- xii) Dispute clause: Any dispute relating to the enquiry shall be subject to the jurisdiction of the courtat _____(name of the place of tender invitation) only.
- Our normal payment will be made to the contractor on satisfactory completion of work on submission of prereceipted bill in triplicate with mandate form; payment will be made by through e-payment.
- xiv) The work should be done as per the schedule of quantity.
- The material should be of standard quality and free from all defects and if found not suitable the same shall be asked for replacement at his own cost.
- xvi) The quantities mentioned are likely to increase or decrease at the time of placing of work order.
- xvii) Payment will generally be made via online mode through PFMS directly on the bank account of the bidder on production of bills.

XVIII) Any quotation, which does not comply with the above guidelines, runs the risk of being rejected

Copy to:

1. The Accounts Branch, NEID-II, CWC, Aizawl.

2. Notice Board.