

**Government of India
Central Water Commission
Office of the Executive Engineer
Upper Yamuna Division**

Kalindi Bhawan, B-5, Tara Crescent Road,
Qutub Institutional Area, New Delhi-110016

Letter No.: -03/08/2024-UYD/ **111-15**

Dated: **4 JAN 2025**

Notice Inviting Quotation

(NIQ No.: **4/2024-25/UYD/Delhi**)

For and behalf of the President of India, the Executive Engineer, Upper Yamuna Division, Central Water Commission, New Delhi invites sealed quotations for **"Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi."** as per the annexure attached. Interested reputed firms may submit their sealed quotations in the enclosed prescribed form in the office of Executive Engineer, Upper Yamuna Division, Central Water Commission, New Delhi on or before 21/01/2025 at 15:00 Hrs and shall be opened on the same day i.e. 21/01/2025 at 15:30 Hrs in the presence of undersign & quotationers or their representative who may likely to be present at the time of opening of quotations.

Details & specifications of work will be as per attached annexure:

Terms & Conditions:-

1. The above work is related to the work of Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi.
2. Quotation should be in the enclosed prescribed form on letter pad of the firm.
3. The firm has to deposit a total earnest money deposit (EMD) of Rs.3250 /- (Rupees Three Thousand Two Hundred and Fifty only) in the form of Demand Draft in favour of Executive Engineer, Upper Yamuna Division, Central Water Commission payable at New Delhi Branch along with the quotation.
4. The earnest money deposit (EMD) given by all the bidders except the lowest bidder will be refunded immediately after the expiry of the stipulated bid validity period or immediately after the acceptance of the successful bidder, whichever is earlier.
5. The successful bidder in this work has to deposit a performance guarantee of 3% of the total bid in the form of FDR in favour of Executive Engineer, Upper Yamuna Division, Central Water Commission payable at New Delhi Branch before starting the work and valid at least till the month of July-2025.
6. The earnest money deposit (EMD) will be refunded on receipt of the submitted performance guarantee after award of work order to the successful bidder.
7. The price shall be quoted in Indian Rupees only.
8. The work shall be carried out as per the directions of the Engineer-in-Charge or his authorized representative and must be completed within **30 days** from the date of issue of commencement letter and if any deficiency is found in the work done within 8 months from the date of completion, the same shall be re-done by the successful bidder at his own cost.
9. The above work shall be carried out at the sites mentioned in Form-3.
10. The quotation invitation number and date of opening shall be written on the top of the envelope.
11. The rates shall be written both in words and figures.
12. The rates shall be inclusive of all taxes or other charges. The department shall not be responsible for any payment in excess of the bid rates.



13. Any overwriting and cutting should be initiated by the bidder.
14. The rates mentioned in the quotation should be **valid** for 90 days, silence of any quotationer on this issue shall be considered as his consent.
15. After the work order is issued, it shall be mandatory to complete it as per the instructions of the Engineer-in-Charge. In case of leaving the work midway or not being satisfactory or not following any condition, the firm will be blacklisted/banned in the department and in such a situation, the firm will have to accept the penalty decided by the undersigned.
16. The work order issued for the above work can be cancelled at any time after 10 days' notice.
17. After completion of the work, a pre-received bill will have to be sent to this office in duplicate. The amount in the bill should be written in both figures and words. Thereafter payment will be made through PFMS.
18. Quotations sent with conditions will not be accepted.
19. The undersigned reserves the right to increase or decrease the quantity of work order. The decision of the undersigned in this regard will be final and binding.
20. The quotations received will be evaluated on the basis of the total of the rates quoted without GST.
21. The undersigned reserves the right to reject any or all the quotations and cancel the entire quotation process without assigning any reason. His decision in this regard will be final and binding.
22. Quotations received after the due date and time will not be accepted.
23. The firm should be GST registered and GST number should be mentioned in the quotation.
24. Quotation Form-1 & 2 must be submitted only after filling it completely, in case of doubtful situation and incomplete information the quotation will be rejected.
25. For detailed information kindly visit the website <https://www.cwc.gov.in> and CPP Portal Annexure- As per above.

01/10/25
14/10/25

(Nagendra Kumar Singh)
Executive Engineer

Copy to:

1. Superintending Engineer, Hydrological Observation Circle, Central Water Commission, Noida.
2. Pay & Accounts Officer, Central Water Commission, Sewa Bhawan, New Delhi.
3. Accounts Branch, Upper Yamuna Division, Central Water Commission, New Delhi.
4. Notice Board, Upper Yamuna Division, Central Water Commission, New Delhi.
5. for uploading on the website of Central Water Commission& CPP Portal.

भारत सरकार
केन्द्रीय जल आयोग
कार्यालय अधिशासी अभियंता
ऊपरी यमुना मण्डल

कालिंदी भवन, बी-5, तारा क्रिसेंट रोड,
कुतुब संस्थानिक क्षेत्र, नई दिल्ली-110016

पतांक संख्या: 03/08/2024-UYD/111-15

दिनांक: 4 JAN 2025

मूल्य कथन आमंत्रण सूचना

(NIQ No.: 4/2024-25/UYD/Delhi)

भारत के राष्ट्रपति के ओर से अधोहस्ताक्षरी द्वारा संलग्न विवरण के अनुसार "Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi." हेतु मूल्य कथन आमंत्रित किए जाते हैं। इच्छुक प्रतिष्ठित फर्म संलग्न निर्धारित प्रपत्र में अपनी कोटेशन बंद लिफाफे में दिनांक 21/01/2025 को अपराह्न 15:00 बजे तक जमा करा सकते हैं। कोटेशन दिनांक 21/01/2025 को 15:30 बजे अधिशासी अभियंता का कार्यालय, ऊपरी यमुना मण्डल, केन्द्रीय जल आयोग, नई दिल्ली में खोली जाएगी। इच्छुक बोलीदाता या उनके प्रतिनिधि चाहे तो कोटेशन खोलने के समय उपस्थित रह सकते हैं। कार्य की सूची एवं विशिष्टियाँ (Specifications): संलग्न विवरण के अनुसार।

नियम एवं शर्तें:

- उपरोक्त कार्य Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi के कार्य से सम्बंधित है।
- कोटेशन संलग्न निर्धारित प्रपत्र में फर्म के लेटर पैड पर होनी चाहिए।
- फर्म द्वारा कोटेशन के साथ कुल 3250/- (रुपये (तीन हजार दो सौ पचास रुपये मात्र) की धरोहर राशि (EMD) डिमांड ड्राफ्ट के रूप में अधिशासी अभियंता, ऊपरी यमुना मण्डल, केन्द्रीय जल आयोग के पक्ष में जो कि नई दिल्ली शाखा में देय होगा जमा करनी होगी।
- न्यूनतम बोली लगाने वाले बोलीदाताको छोड़कर अन्य सभी बोलीदाताओं द्वारा दी गई धरोहर राशि (EMD) निर्धारित बोली वैधता अवधि की समाप्ति के तुरंत बाद या सफल बोलीदाता की स्वीकृति के तुरंत बाद जो भी पहले हो वापस कर दी जाएगी।
- इस कार्य में सफल बोलीदाता को कार्य आरंभ करने से पहले लगाई गई कुल बोली का 3% की निष्पादन गारंटी एफंडींग आर के रूप में अधिशासी अभियंता, ऊपरी यमुना मण्डल, केन्द्रीय जल आयोग के पक्ष में जो कि नई दिल्ली शाखा में देय एवं कम से कम माह जुलाई - 2025 तक वैध हो, जमा करनी होगी।
- सफल बोलीदाता को कार्यदिश दिए जाने के पश्चात् प्रस्तुत निष्पादन गारंटी की प्राप्ति पर धरोहर राशि (EMD) वापस कर दी जाएगी।
- मूल्य केवल भारतीय रुपये में उद्धृत किया जाएगा।
- कार्य प्रभारी अभियंता या उसके अधिकृत प्रतिनिधि के दिशा निर्देशों के अनुसार पूरा किया जाएगा एवं कार्यारम्भ पत्र जारी होने के उपरांत 30 दिनों में पूर्ण किया जाना है एवं कार्य पूर्ण होने के 8 माह तक किये गए कार्य में कोई कमी पाई जाती है तो सफल प्रतिभागी को स्वयं के खर्च पर पुनः किया जाएगा।
- उपरोक्त कार्य फॉर्म-3 में दर्शाये गए स्थानों पर किया जाना है।
- कोटेशन आमंत्रण सूचना नंबर एवं खोलने की तारीख लिफाफे के ऊपर लिखी होनी चाहिए।
- दरों को शब्दों एवं अंकों दोनों में लिखा होना चाहिए।
- दरें सभी कर अथवा अन्य प्रभार सहित होनी चाहिए। बोली दरों के अतिरिक्त विभाग कोई भुगतान के लिए जिम्मेदार नहीं होगा।
- सभी कटिंग्स एवं ओवर राइटिंग्स प्रतिष्ठान के अधिकृत व्यक्ति द्वारा हस्ताक्षरित होने चाहिए।
- कोटेशन में दर्शायी गयी दरें 90 दिन तक लागू होगी इस मुद्दे पर किसी कोटेशनदाता की चुप्पी उसकी सहमति मानी जाएगी।
- कार्य आदेश जारी होने के बाद प्रभारी अभियंता के दिशा निर्देशों के साथ पूरा करना अनिवार्य होगा। कार्य को बीच में छोड़कर जाने की स्थिति में अथवा संतोषजनक न होने की स्थिति में अथवा किसी शर्त के ना पालन करने पर फर्म को विभाग में ब्लेकलिस्टेड/ बैन कर दिया जाएगा एवं ऐसी स्थिति में अधोहस्ताक्षरी द्वारा तय की गयी पेनाल्टी फर्म को मान्य करनी होगी।
- उपरोक्त कार्य हेतु जारी किया गया कार्यदिश 10 दिन के नोटिस उपरांत कभी भी निरस्त किया जा सकता है।
- कार्य पूरा होने पर इस कार्यालय में पूर्व प्राप्ति बिल (प्री-रिसिप्टेड बिल) दो प्रतियों में भेजना होगा। बिल में धनराशि अंकों तथा शब्दों दोनों में लिखा होना चाहिए। तत्पश्चात् भुगतान PFMS के माध्यम से किया जाएगा।
- शर्तों के साथ भेजे गए कोटेशन स्वीकार नहीं किए जाएंगे।
- कार्य आदेश की मात्रा घटाने या बढ़ाने का अधिकार अधोहस्ताक्षरी के पास सुरक्षित है। इस संबंध में अधोहस्ताक्षरी का निर्णय अंतिम एवं बाध्यकारी होगा।

20. प्राप्त कोटेशनों का मूल्यांकन बिना जीएसटी के दी गयी दरों के योग के आधार पर किया जाएगा।
21. अधोहस्ताक्षरी के पास बिना कोई कारण बताए किसी अथवा सभी कोटेशन को अस्वीकृत करने एवं सम्पूर्ण कोटेशन प्रक्रिया को निरस्त करने का अधिकार सुरक्षित है। इस संबंध में उनका निर्णय अंतिम एवं बाध्यकारी होगा।
22. निर्धारित तिथि एवं समय के उपरांत प्राप्त होने वाला कोटेशन को स्वीकार नहीं किया जाएगा।
23. फ़ॉर्म GST पंजीकृत होनी चाहिए एवं GST संख्या कोटेशन में दर्शायी जानी चाहिए।
24. कोटेशन फॉर्म- 1 एवं 2 को पूर्णतया: भरकर ही जमा करना होगा, संशयात्मक स्थिति एवं अधूरी सूचना की स्थिति में कोटेशन को अस्वीकार कर दिया जाएगा।
25. विस्तृत जानकारी के लिए वेबसाइट <https://www.cwc.gov.in> एवं CPP पोर्टल पर देखें।

संलग्नक: उपरोक्तानुसार।

नागेन्द्र
15/01/25

(नागेन्द्र कुमार सिंह)
अधिशायी अभियंता

प्रतिलिपि:-

1. अधीक्षण अभियंता, जल विज्ञानीय परीक्षण मण्डल, के.ज.आ., नोएडा।
2. वेतन एवं लेखाधिकारी, केन्द्रीय जल आयोग, सेवा भवन, नई दिल्ली।
3. लेखा शाखा, ऊपरी यमुना मंडल, केन्द्रीय जल आयोग, नई दिल्ली।
4. सूचना पट्ट, ऊपरी यमुना मंडल, केन्द्रीय जल आयोग, नई दिल्ली।
5. केन्द्रीय जल आयोग की वेब साइट पर अपलोड करने हेतु।

कार्य का नाम: "Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi."

1	Name of Company/ Firm / Agency:	
2	Name of proprietor / Director of Company / Firm / agency:	
3	Full Address of Reg. Office :	
4	Telephone No.	
5	FAX No.	
6	E-Mail Address :	
7	Full address of Operating/ Branch Office :	
	Telephone No.	
	FAX No.	
	E-Mail Address :	
8	PAN No.	
9	GST Registration No.	
10	Give details of the major similar contracts handled by the tendering Company / Firm /Agency during the last three years (attach copy)	
11	Additional information, if any (Attach separate sheet, if required)	

स्थान:

अधिकृत व्यक्ति के हस्ताक्षर:

दिनांक:

अधिकृत व्यक्ति का नाम:

एजेंसी/ फ़र्म की सील:

नाम

मात्रा की अनुसूची

कार्य का नाम: "Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi."

S. N.	Description of Items	Qty.	Unit	Rate in Figure Without GST (Rs.)	Rate in Words Without GST (Rs.)	Amount Without GST (Rs.)
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	cum	30.744			
2	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below	Sqm	2.194			
3	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in-Charge.	Nos	1.000			
4	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	sqm	27.203			
5	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete	sqm	4.568			
6	13.81.2 Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats	Sqm	12.962			
7	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both	sqm	3.541			

नाम

	side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
8	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid (Jaquar make)	Each	1.000		
9	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	1.000		
10	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge	Each	1.000		
11	Providing and fixing toilet paper holder : C.P. brass	Each	1.000		
12	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not	Each	1.000		

21/10/20


	less than 105 gms.					
13	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Each	1.000			
14	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	Each	3.000			
15	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 25 mm nominal dia Pipes	metre	15.000			
16	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	Each	1.000			
17	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore	Each	1.000			
18	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.15 mm nominal bore	Each	1.000			
19	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 100 mm nominal dia Pipes	metre	10.000			
20	Providing & fixing chrome plated brass battery based infrared sensor operated pillar cock, having foam flow technology. 15 mm nominal bore	Each	1.000			
21	Providing and fixing factory made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance ± 1 mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be Jointed with galvanized brackets and stainless steel screws, joints mitred and Plastic welded. The	m	8.223			

Handwritten signature/initials in blue ink.

	hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (± 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer in-charge: Extruded section profile size 48x40 mm				
22	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters	sqm	2.194		
23	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, ommissioning etc. as required.Upto 450 mm sweep	Each	1.000		
24	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. Grorup A	Point	1.000		

25	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 A switch	Each	3.000			
26	3 pin 5/6 A socket outlet	Each	1.000			
27	Providing and fixing Hand drier	Each	1.000			
Total						
*GST@.....%						
G. Total						

Total Amount including GST in words: -


 (नागेन्द्र कुमार सिंह)
 अधिशासी अभियंता

एजेंसी/ फ़र्म का नाम एवं सील:

Location of work

कार्य का नाम: "Renovation of Toilet at Kalindi Bhawan, CWC, New Delhi."

S. No.	Name of place	Address
1.	Kalindi Bhawan	Office of the Executive Engineer, Upper Yamuna Division, Central Water Commission, New Delhi-110016.

जाँच