



Cost of Tender Document: Rs.500.00

भारत सरकार

Government of India

जल शक्ती मंत्रालय/Ministry of Jal Shakti

**जल संसाधन, नदी विकास एवं
गंगा संरक्षण विभाग**

Department of Water Resources, RD & GR

केन्द्रीय जल आयोग

Central Water Commission

**e- TENDER FOR SUPPLY OF SCIENTIFIC &
MATHEMATICAL EQUIPMENTS FOR SITES UNDER SOUTH
WESTERN RIVERS DIVISION, CWC, KOCHI**
[Two Envelope with e-Bidding]



South Western Rivers Division, Central Water Commission, Kochi

TENDER NO: NIT No.09/SWRD/CWC/2020-21 dated 24-06-2020

Certified that this tender document contains 33 pages only.

**Executive Engineer
South Western Rivers Division**



निविदा आमंत्रण सूचना/ Notice Inviting Tender

e-TENDER FOR SUPPLY OF SCIENTIFIC & MATHEMATICAL EQUIPMENTS FOR SITES UNDER SOUTH WESTERN RIVERS DIVISION, CWC, KOCHI.

On behalf of the President of India, Executive Engineer, South Western Rivers Division, Central Water Commission, Kochi invites online bids for tendering from the eligible suppliers/manufactures/contractors who have carried out similar works in CWC, other Govt. offices, PSUs & any other reputed firms for the following work.

1. काम का नाम/Name of work :	Supply of Scientific & Mathematical equipments for sites under South Western Rivers Division, CWC, Kochi.
2. अनुमानित लागत/Estimated Cost	Rs. 791500/- (Including GST and all other charges)
3. अग्रिम धन/Earnest Money:	Rs 15830/-
4. Cost of Tender :	Rs.500/-
5. वितरण अवधि/Delivery Period:	45 Days from the date of issue of Supply Order

CRITICAL DATE SHEET

Date of Publishing	24-06-2020 at 18.00 hrs
Bid Document Download Date	25-06-2020 at 10.00 hrs
Clarification Start Date	25-06-2020 at 10.00 hrs
Bid Submission Start Date	25-06-2020 at 10.00 hrs
Clarification End Date	10-07-2020 at 10.00 hrs
Bid Submission End Date	10-07-2020 at 10.00 hrs
Bid Opening Date	13 -07-2020 at 10.00 hrs

Tender document can be downloaded from CWC Website at <http://cwc.gov.in/tenders> or from the Central Public Supply Portal <http://eprocure.gov.in/eprocure/app>.

Bids received on CPP portal (<http://eprocure.gov.in/eprocure/app>) only will be considered. Bids in any other form sent through sealed cover/email/post/fax etc. will be rejected.

-sd-

अधिशाली अभियंता (Executive Engineer)

भारत के राष्ट्रपति की ओर से (For and on behalf of President of India)

प्रतिलिपि:

- (1) The Superintending Engineer, CSRC, CWC, Bangalore (through email).
- (2) Accounts Branch, SWRD, CWC, Kochi (through email).
- (3) CWC Website/ CPP Portal
- (4) Notice Board, SWRD, CWC, Kochi

INDEX

Sl.No	Title	Page Nos
1.	Tender key events and dates	4
2.	Chapter 1- Instructions to Bidders	5-9
3.	Chapter 2- Conditions of Contract	10-15
4.	Chapter 3- Schedules of Requirement	16-19
5.	Chapter 4- Specifications and Allied Technical Details	20-28
6.	Chapter 5- Technical & Financial Bids	29-31
7.	Chapter 6- Other Standard Forms	32-33

=

Tender Key Events and Dates

1.	Tender Inviting Authority Designation/ Address	Executive Engineer, South Western Rivers Division, Central Water Commission, Jaldhara, Kasturba Nagar Kadavanthara P.O, Kochi - 682020
2.	Mode of Submission of tender	The bids are to be submitted online through the e-Supply portal only (http://eprocure.gov.in/eprocure/app). Bids submitted manually will not be accepted. The bidders would be required to register in the website which is free of cost.
3.	Addressee and address at which documents are to be submitted. (Original Bid Security/EMD in approved form & Cost of Tender Document)	Executive Engineer, South Western Rivers Division, Central Water Commission, Jaldhara, Kasturba Nagar KadavantharaP.O, Kochi - 682020
4.	Job requirement	Supply of Scientific & Mathematical Equipments for sites under South Western Rivers Division, CWC, Kochi.
5.	Language(s) in which items to be printed	English
6.	Validity of the Tender	90 Days
7.	Issuance of the Tender	Bid Documents can be downloaded from CWC website http://www.cwc.gov.in or from the Central Public Supply Portal http://eprocure.gov.in/eprocure/app
8.	Cost of Tender Document	Rs.500/- in form of Demand Draft in favour of Executive Engineer, SWRD, CWC, Kochi.
9.	Last date & Time for submission of Bids Online	10/07/2020 at 10.00 hrs
10.	Earnest Money Deposit amount payable	Rs. 15830/-
11.	Date, Time and Place of Public Online Tender Opening Event	Online Opening of bid shall commence at 10.00 hours on 13/07/2020 On opening date, the bidder can login and see the bid opening process. After opening the bids, he/she will receive the competitor bid sheets.
12.	Delivery Period and Place	45 Days from the date of supply order. Delivery place: Free on Road at the delivery location mentioned at Schedule –A.

Chapter 1 – Instructions To Bidders

1. General Conditions

1. Before submitting the tender, the tenderer must ensure that it has understood the exact requirement of the Purchaser. ***In the case of any discrepancy or ambiguity felt by the tenderer in the scope of work, and the desired deliverable functionality from the work, it is mandatory to raise the clarification in writing by the tenderer and in turn get that clarified from the purchaser in writing at least three days before the last date of tender submission.*** In the case of no such clarification required by the tenderer, it will be construed that all the requirements of the purchaser are understood by the tenderer. No communications will be entertained in this regard at any stage of work after the opening of the tenders.
2. Not more than one tender shall be submitted by one supplier or suppliers having a business relationship. Under no circumstances will father and his son (s) or other close relations who have business relationship with one another (i.e when one or more partner(s)/director(s) are common) be allowed to tender for the same contract as separate competitors. A breach of this condition will render the tenders of both parties liable to rejection.
3. Tenderer who has downloaded the tender from the CWC website <https://www.cwc.gov.in> and Central Public Supply portal (CPPP) website <https://eprocure.gov.in> shall not tamper/modify the tender form including downloaded price bid template in any manner. In case if same is found to be tampered /modified in any manner, the tender will be completely rejected and EMD shall be forfeited.
4. Intending tenderers are advised to visit again CWC website www.cwc.gov.in and CPPP website <https://eprocure.gov.in/eprocure/app> at least 1 day prior to closing date of submission of tender for any corrigendum/amendment.
5. Bids will be opened as per Date/Time as mentioned in the Tender Key Event Sheet.
6. No tenderer will be allowed to amend or withdraw any terms and conditions/parts or whole /quoted prices of its tender under any circumstances after submission of the tender.
8. The purchaser has the right to accept or reject any or all the tenders, or cancel the tendering process at any stage, either in part or full, without assigning any reason.
9. Canvassing, Soliciting, Fraud Practices, Suppression of facts, stating wrong facts and Fraudulent practice by the tenderer may lead to rejection of the tender at any stage of the work and may lead to blacklisting for all future CWC works/purchases.
10. The tenderers are expected to understand the forms, terms, specifications, and other details mentioned in the tender document.
11. Each tenderer is entitled to submit only one set of tender. The tender document is non-transferable.

12. At any time prior to the deadline for submission of tenders, the purchaser, for any reason, whether at its own initiative may modify the scope of work or any condition of the tendering documents by amendments.
13. The tenderers must quote the rates keeping in mind all the terms and conditions mentioned in this document.
14. The valid means of communications for this tender shall be in writing a letter through e-mail or fax followed in original by speed/registered post.
15. The Director(s)/Owners of the tendering firms having near relative working at the Gazetted rank post in CWC are debarred from tendering. Any breach of this condition would result in the blacklisting in all future works by Central Water Commission.
16. The tendering firm may ensure that it has no engineer of Gazetted rank, earlier employed in CWC (who has not completed two years after his retirement or leaving of services), and is on its Board of Directors. Such firms are debarred from participating in tendering. Such tender is liable to be rejected at any stage of work.
17. It is suggested that the tenderers may acquaint themselves with the requirements of the work before submitting the tender.
18. No deviation in the payment terms mentioned in the tender document is permissible. The tenderer shall be deemed to agree with the payment terms mentioned in the tender document for submission of the bid.
19. The words “bid” and “bidding” has been used interchangeably with the words “tender” and “tendering” respectively. The term “contractor” has been used interchangeably with “supplier”.
20. For the purpose of this tender the Contract agreement with the successful tenderer shall comprise of:-
 - a. The tender form and financial bid submitted by the tenderer.
 - b. Tender document.
 - c. Amendment to the tender document
 - d. Post tender opening correspondences; and
 - e. Purchaser’s notification of award of the contract

2. Eligibility Criteria for the Tenderers

- a. Should be an authorized dealer/distributor/manufacturer of such items (copy of dealership/distributor may be appended).
- b. Should be a Government registered Firm/Agency.
- c. The tenderer shall have a valid GST number.
- d. The tenderer shall have a valid PAN number.
- e. Should have successfully supplied Scientific & Mathematical Equipments to any Govt/PSU/any reputed organization/firms in last 3 years (Supporting documents shall be appended so that same can be verified).

3. Submission of Documents

- 1) The following documents are to be furnished online as **Technical Bid (COVER I)** by the bidder.
 - i. Scanned copy of Cost of Bid document as Demand Draft for Rs.500/-
 - ii. Scanned Copy of EMD as Demand Draft for Rs.15830/-
 - iii. Signed copy of firm's registration certificate.
 - iv. Signed copy of partnership deed/authorization/dealership/OEM.
 - v. Signed copy of PAN& GST number of the tenderer.
 - vi. Signed original undertaking by the tenderer on his letter head of not being blacklisted and no show cause notice issued by any government department.
 - vii. Signed copy of tender document (each page).
 - viii. Signed copy of similar size supply order of Scientific & Mathematical Equipments in the past 3 three years. (ie. up to FY 2019-20)
 - ix. The bidder shall submit specification & drawings and the literature of the equipment (Including Photos of Equipment).
- 2) The following documents are to be furnished online as **Financial Bid(COVER II)** by the bidder:
 - a) Bill of Quantities (BoQ). Bill of Quantities (BoQ) (using the Schedule uploaded with the bidding documents) wherein the rates shall be entered online. Upon entry of unit rates for all the items, total Bid Price would be calculated automatically by the System and displayed.
- 3) The bidder has to submit following documents in hard copy in a sealed envelope in office before last date and time of opening of Online bid otherwise, the bid will not be considered for opening and will be rejected:
 - a) Cost of Tender Document and Earnest Money Deposit in original

4) Period of Validity of Tenders

The Tender shall remain open for acceptance for a period of 90 days from the date of opening of tenders.

In exceptional circumstances, the purchaser may solicit the tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided shall also be suitably extended. The tenderer may refuse the request without forfeiting its EMD.

5) Cost of Tender Document

The bid documents shall be downloaded for free of cost from the websites www.cwc.gov.in/tenders and from CPP Portal. However the Rs.500/- towards the cost of tender in form of Demand Draft in favour of Executive Engineer, SWRD CWC, Kochi has to be submitted along with the Bid Document

6) Tender Security (EMD)

EMD of Rs.15830/- (Rupees Fifteen Thousand Eight Hundred and Thirty only) shall be deposited in the form of demand Draft in favour of Executive Engineer, South Western Rivers Division, CWC, Kochi or in form of a Bank Guarantee from a scheduled bank as per Performa given in Chapter 7. In case the EMD submitted in the form of the bank guarantee it will remain valid up to 45 days beyond the final tender

validity period. The tenders unaccompanied by the tender security/EMD will be rejected summarily. The EMD shall be submitted as per the format is given in chapter 6 form 1. Government Departments and Public Undertakings are exempted from furnishing this security.

The EMD will be forfeited:

- a) If a tenderer withdraws its tender during the period of tender validity specified by the tenderer; or
- b) In case of a successful tenderer, if the tenderer fails to furnish the specified performance security.

Refund of EMD

EMD furnished by all unsuccessful tenderers will be returned to them without any interest whatsoever, at the earliest after expiry of the final tender validity period but not later than 30 days after conclusion of the contract.

7) Contents of Tender Document:

The contents of the tendering documents as listed below shall be read in conjunction with any addendum, if issued. All the components of the tender shall be considered as a single tender document and include:

- (i) Notice Inviting Tender
- (ii) Instructions to the Tenderers
- (iii) Conditions of the Contract
- (iv) Schedule of requirement
- (v) Specifications and allied technical details
- (vi) Price schedule
- (ix) Performance Security Forms/Bid Security (EMD)

8) Tendering Process

a) Electronic Submission of Bids, and Submission of Original Documents:

Bids, both Technical and Financial Parts, shall be submitted online on the e-Supply Portal (CPP Portal).

Detailed guidelines for viewing Bids and submission of online Bids are given in the CPP Portal. Any Bidder can log on to this CPP Portal and view the NIT and details of Works/Goods for which Bids are invited. However, every Bidder has to enroll/register in the CPP Portal, and should have valid Digital Signature Certificate (DSC) in the form of smart card/etoken obtained from any Authorized Certifying Agency. The Bidder should register in the CPP Portal using the relevant option available. Then the Digital Signature registration has to be done with the e-token, after logging onto the website. The Bidder can then log in the CPP Portal through the secure login by entering the password of the e-token & the user id/ password chosen during registration.

The Bidder should go through the Bidding Document carefully and submit the specified documents, along with the Bid otherwise the Bid may get rejected.

b) Opening of Bids:

Bids will be opened online as per specified date & time.

c) Prices

Prices quoted by the tenderer shall be fixed and not subject to variation on any account and shall be inclusive of all taxes, duties, octroi, transportation charges etc., The transportation and handling of equipment's from the premises of the supplier to the facility of the purchaser(as per schedule A- Schedule of Quantities) is the responsibility of the tenderer. No extra charges are payable on this account. The prices should be given as per the format given in price schedule (BoQ).

1. All prices should be in Indian Rupee.
2. The amount will be automatically calculated by the e-Supply System both in figures and in words.
4. The tenderer should quote for all the items mentioned in the schedule of requirement. The tenders not quoting for all the items are liable to be rejected.
5. The tender for the works/supply shall remain open for acceptance for a period of 90 ninety days from the date of opening of tenders. If any tenderer withdraws his tender before the said period or makes any modifications in the terms and conditions of the tender which are not acceptable to government, then the government shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the re-tendering process of the work.

d) Non-Conformities between the figure and words of the Quoted prices

The e-Supply System automatically calculates the total amount from unit rates and quantities. The System also automatically populates the amount in words from the amount in figures and therefore there is no scope of discrepancy and need for arithmetic correction.

e) Evaluation of Tenders:

The tenders will be evaluated on the basis of specifications/required documents as given the tender document and unit rate of each item and total cost.

- a) The Technical Bids will be evaluated based on the track record and past experience of the firm in providing similar goods to Government/Semi Government Agencies.
- b) The financial bids will be opened only of those bidders whose technical bids would be complete in all respects as per tender document. Further, in case the Same lowest rate is quoted by more than one eligible firm; the selection will be based on the draw of lot.

The purchaser does not bind himself to accept the lowest or any other tender.

f) Award of Contract

1. The Purchaser shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Documents, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.
2. The purchaser shall award the contract to more than one bidder (2 to 3 bidders) based on the lowest rate quoted by them subject to the condition that the awarded contract amount is more than 25% of the estimated cost.

CHAPTER 2 – CONDITIONS OF CONTRACT

Definitions & Interpretations

Goods: means the Scientific & Mathematical Equipments and other items to be provided at the purchaser's facility under the contract.

EE : means Executive Engineer, South Western Rivers Division, CWC, Kochi.

Contract means the agreement reached by the purchaser and the supplier for the purpose of the goods mentioned in this document. All documents, letters, Correspondences exchanged for this work shall be the part of the contract.

Contract Price: The cost of goods identified in the supplier proposal is included in the Contract price in their entirety. This will include such additions/deductions made under variation order as allowed under this contract.

Notices shall be deemed to include any approvals, consents, instructions, certificates and clarifications to be given under this contract.

Purchaser: The President of India through the Executive Engineer, South Western Rivers Division, Central Water Commission, Jaldhara, Kasturba Nagar, Kadavanthara P.O, Kochi-682020

Contractor: The contractor is the agency of the successful tenderer with whom the purchaser enters into a contract for the supply of goods detailed in this document.

The Period of supply is the period during which the contractor is liable to provide goods without any additional cost to the purchaser.

Non-Responsive tender: Any tender not meeting all the requirements mentioned in the tender document

Interpretations

Language: shall be English only for the purpose of this contract

Context: the singular and plural shall be interchangeable as per the context of the contract

Supplier's responsibilities and obligations

- a) The Contractor is responsible for conducting all contracted activities with due care and diligence, in accordance with the contract and using state-of-the-art methods and economic principles, and exercising all reasonable means to achieve the performance specified in the contract.
- b) The contractor is obliged to work closely with the purchaser and abide by directives that are consistent with the terms of the contract.

Purchaser's responsibilities

- a. The purchaser will ensure the accuracy of all information.
- b. The purchaser will ensure the availability of site for supply of equipments
- c. The purchaser does not bind himself to accept the lowest tender.
- d. The equipment which do not qualify with sought technical specifications would be rejected.

Duration of Contract

The period of operation of the contract shall be till the supply of goods to the satisfaction of the purchaser.

Programme of work

- a. Immediately after the signing of the contract, the Contractor shall make necessary arrangements for the supply of goods at the consignee locations mentioned in Schedule A - Schedule of requirements.
- b. The time allowed for carrying out the supply will be 45 days from the date of supply order.
 - i) The Contractor shall not, without the Purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification or information furnished by or on the behalf of the purchaser in connection therewith, to any person other than a person employed by the contractor in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
 - ii) Any document other than the contract itself shall remain the property of the purchaser and all copies thereof shall be returned to the purchaser on termination of the contract.
 - iii) The contractor shall not, without the purchaser's prior consent, make use of any document or information enumerated in this document except for purpose of performing the contract.

Other Conditions of Contract

- a) Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India.
- b) The quantity shown in tender document is approximate and this quantity may increase or decrease as per the requirements without any change in unit price or other terms and conditions.
- c) The contractor should conduct a demonstration if required at the site/place where the equipment shall be supplied at time and date decided by Executive Engineer, SWRD, CWC, Kochi.
- d) The net rate quoted per item/unit of goods shall be for purchaser destination, which should include all taxes, insurance, freight charges etc. While quoting a rate, this point should be kept in time.
- e) Goods to be supplied should be of good quality and as per technical specifications.
- f) Bidder/OEM must have a service center in the state of the consignee location for equipments such as Current meter etc.

- g) The bidder should carefully study and understand all the bid specification, commercial, technical and general conditions.
- h) Incomplete tenders/bids without specified EMD shall be rejected.
- i) Bids received without cost of tender document will be rejected.
- j) Any correction or error, the quotation should be duly authenticated by the person signing the quotation, overwriting should be avoided
- k) The materials should be supplied as per Govt. rules and regulations.
- l) The competent authority on behalf of President of India does not bind itself to accept the lowest or any tender and reserves its right to reject or postpone any or all of the tenders received without the assignment of any reason. All tenders in whom any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
- m) Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection and will be treated as disqualification.
- n) The purchaser reserves the right to reject any tender on the basis of inferior quality.

Liquidated damages

- a) In case the supplier is unable to supply the goods within the original /re-fixed delivery period(s) specified in the contract, the Performance Guarantee amount would be forfeited (or) the buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions as mentioned below, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value which will be decided by the competent Authority as Compensation.
- b) **Penalty for faulty goods:** the purchaser has the right to return back any goods which are not as per the specifications and the same has to be replaced by the supplier failing which the entire PG would be forfeited.
- c) Notwithstanding the provisions of tender document, the Contractor shall not be liable for liquidated damages, or termination for default if and to the extent that its delay in performance or another failure to perform its obligations under the contract is the result of an event of Force Majeure.

Force Majeure

- (i) For purposes of this clause “Force Majeure” will mean an event beyond the control of the contractor and not involving the contractor’s fault or negligence. Such events may include, but are not restricted to, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- (ii) If a force Majeure situation arises, the contractor shall promptly notify the purchaser in writing of such condition and the causes thereof. Unless otherwise directed by the purchaser in writing, the contractor shall continue to perform its obligations under the contract as far as

is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

- (iii) If an event of Force Majeure continues for a period of ninety (90) days or more, the parties may by mutual agreement, terminate the contract without either party incurring any further liabilities towards the other with respect to the contract, other than to effect payment for product already delivered or services already performed.
- (iv) No claim or increased costs are entertained attributable for the Force Majeure.

Warranty

The Tenderer warrants that the Goods supplied for execution under the contract are new, unused, of the most recent or current models and those they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The tenderer further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Tenderer that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

The items should have required warranty for a period of minimum **01 (one) year** from the date of completion of supply, testing & demonstration and if any defect arises during the warranty period the firm is bound to rectify fault or/and replace the faulty items immediately without any extra cost.

After having been notified of the defects / service requirement during warranty period, the Supplier has to complete the required service / rectification within 7 days time limit. If the supplier fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the instrument shall be charged as penalty for each week of delay from the supplier. The supplier can deposit the penalty with the Purchaser directly else the Purchaser shall have a right to recover all such penalty amount from the Performance Guarantee.

Performance Guarantee (PG)& Security Deposit

The successful bidder shall furnish an amount equivalent to 5% of the tendered value as Performance Guarantee in the form of cash (in case guarantee amount is less than Rs. 10000/-) /Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/ Government Securities / Fixed Deposit Receipts/Bank Guarantee of any scheduled bank in favour of Executive Engineer, SWRD, Central Water Commission payable at KOCHI within 7 days of issue of the letter of acceptance. In case the successful bidder fails to deposit the Performance Guarantee within the stipulated 12 days (7 (time allowed) + 5 (maximum extension on written request) of the communication accepting the bid, the EMD shall be forfeited to **Executive Engineer, SWRD, Central Water Commission, Kochi**.

A sum @ 2.5% of gross amount of the bill shall be deducted and released after the completion of warranty period (1 year). This is in addition to the performance guarantee.

Contract Price

Prices quoted by the tenderer shall remain fixed and not subject to variation on any account and shall be inclusive of all taxes, duties, octroy , transportation charges etc including GST. Any variation in the GST will be paid/ deduct on submission of documents. The transportation of goods is the responsibility of the tenderer. No extra charges are payable on this account. The prices should be given as per the format given in price schedule.

Terms of Payment

- a) The payment shall be made on supply of all goods with required quality & specification at the purchaser's premises as identified in chapter 3 & 4 to the satisfaction of the purchaser and as per the terms and conditions of the contract.
- b) The payment shall be made after successful test running of Equipments (Scientific & Mathematical equipments) for one week at the consignee location as specified in the SCHEDULE "A": - SCHEDULE OF QUANTITIES
- c) After supply, of the materials the pre-receipted bill (In duplicate) may be submitted by the contractor to the concerned Subdivisions as mentioned in the Schedule -A.
- d) The payment shall be made through e-payment only as per the bank details provided by the bidder.
- e) TDS on Income Tax and GST at applicable rates will be deducted from the bill.

Tax and Duties

All the existing and new taxes, levies, custom and other charges levied on the goods and services rendered by the Contractor shall be borne by the Contractor only within the quoted rates.

Advances

No advance payment is payable under this contract.

Termination of Contract

For Purchaser's convenience

The purchaser can terminate the contract at any time by giving a notice of 7 days to the Contractor. The Contractor shall have no claim to any payment for the compensation or otherwise whatsoever on account of any profit or advantage which might have been derived.

b. For Contractor's Default

1. The Purchaser without prejudice to any other rights or remedies it may possess may terminate the contract.
 - i. If the contractor becomes bankrupt or insolvent.
 - ii. If the Contractor has abandoned or repudiated the contract, persistently failed to carry out its obligations under this contract.
 - iii. If the Contractor neglects its obligations under this contract.
 - iv. If the Contractor has furnished any false document.
2. The Purchaser may without prejudice to any other right issue a notice of termination of the contract stating the nature of default and requiring the remedy for the same. Failure of the Contractor to carry out a specified work may be sufficient grounds for termination of the contract by the purchaser.

c. Termination by Contractor

The contractor can terminate the contract with 15 days' notice only in case:

- The Contractor is unable to carry out its obligations of the contract for any reason attributable to the purchaser. For this entire or part of Performance Guarantee may be forfeited.

Notices

Notwithstanding anything stated otherwise, all notices of this contract shall be in writing through registered mail, speeds post, personal or courier delivery. The transmission by electronic data exchange (fax, email) shall be reconfirmed in writing. Any change in the address etc. shall be communicated within 10 days to other party.

Disputes

The decision of the Purchaser shall be final regarding the quality of goods provided by the supplier; the other aspects arising shall only be referred as Disputes. The Contractor may address its intention with evidences for the settlement of dispute in writing to the Purchaser.

The work shall not stop, unless agreed mutually or ordered by the arbitrator(s).

Settlement of Disputes

The settlement of all the disputes of any kind arising out of this contract shall be first through a Mediator and only after dissatisfaction with that, the (joint) Arbitrator(s) shall be appointed as per Arbitration & Conciliation Act 1996.

CHAPTER 3 – SCHEDULES OF REQUIREMENT

SCHEDULES

Schedule A Schedule of Quantities(Enclosed)

Schedule B Not Applicable

Schedule C Not Applicable

Schedule D Not Applicable

Schedule E Not Applicable

Schedule F

Reference to General Conditions of contract

Name of work	: “Supply of Scientific & Mathematical equipments for new H.O. sites under South Western Rivers Division, CWC, Kochi.”
Estimated cost of work:	Rs. 791500/-
Earnest Money	: Rs. 15830/-
Delivery Period	: 45 days from the date of issue of supply order.

Office inviting tender: Executive Engineer, South Western Rivers Division, CWC, Kochi

Engineer-in-Charge Executive Engineer, South Western Rivers Division, CWC, Kochi

Accepting Authority Executive Engineer, South Western Rivers Division, CWC, Kochi

Percentage on cost of labour to **NIL**

Cover all overheads and profits

Standard schedule of rates Not applicable

Department **Central Water Commission**

Standard CPWD Contract No, Contract form as given chapter 6

Clause1

(i)Maximum allowable
extension

No extension to be granted

Definitions:

Clause

Authority for fixing
compensation Under Clause 2

Superintending Engineer, CSRC, CWC, Bangalore.

Clause 2A

Whether clause 2A shall applicable No

Clause 5

Number of days from date of issue of Nil
Letter of acceptance for reckoning
due Of start
Clause 6.6A

Clause applicable (6 or 6A) 6A

Clause 7

Gross work to be done together with N.A
Net payment/adjustment of advances
For material collected, if any since the
Last such payment for being eligible
To interim payment Clause 11

Specification to be followed for All rules & regulations of state transport department. As
Execution of work Clause 16 per the specification mentioned in Tender Document

Competent Authority for Not applicable i.e., sub-standard work is not accepted
deciding reduced rates

Clause 36 Not applicable

Clause 42 Not applicable

SCHEDULE – A

SCHEDULE OF QUANTITIES

“Supply of Scientific & Mathematical Equipments for new H.O. sites under South Western Rivers Division, CWC, Kochi.”

Sl No	Description of equipments	Unit	Quantity required
1.	HYDROLOGICAL OBSERVATION EQUIPMENTS		
1.1	Prismatic Compass with Stand (As per the specification given in Annexure – 1 in Chapter 4)	Nos	1
1.2	Cup Type Current Meter with all accessories (10kg fish weight, Wading rod set, wire rope etc.) (As per the specification given in Annexure – 2 in Chapter 4)	Nos	9
1.3	Pigmy Current Meter with accessories (As per the Specification given in Annexure-3 in chapter 4)	Nos	28
1.4	Portable Echo Sounder (As per the Specification given in Annexure-4 in chapter 4)	Nos	3
1.5	Ranging rod (As per the Specification given in Annexure-5 in chapter 4)	Nos	45
1.6	Optical Square (As per the Specification given in Annexure-6 in chapter 4)	Nos	1
1.7	Bridge Outfit (As per the Specification given in Annexure-7 in chapter 4)	Nos	6
1.8	Enameled Steel Protractor for vertical angle measurement (As per the Specification given in Annexure-8 in chapter 4)	Nos	24

The above equipments shall be delivered to the consignee locations as per the details given below:

Sl No.	Description of equipments	Unit	Quantity to be delivered	Address of consignee location with contact number
I. 1	Prismatic Compass with stand	Nos	1	O/o the Sub Divisional Engineer, SWR Sub Division –I, Central Water Commission, Sree Nagar lane, Manikanteswaram Post, Trivandrum, PIN- 695 013. Contact No. 8415858645 (Shri. Anoopraj P.S., Sub divisional Engineer, SWRSD-I, CWC, Trivandrum)
2	Cup Type Current Meter with all accessories	Nos	2	
3	Pigmy Current Meter with accessories	Nos	7	
4	Portable Echo Sounder	Nos	1	
5	Ranging rod	Nos	12	
6	Bridge Outfit	Nos	1	
7	Enameled Steel Protractor for vertical angle measurement	Nos	8	
II. 1.	Cup Type Current Meter with all accessories	Nos	2	O/o the Sub Divisional Engineer, SWR Sub Division-II, Central Water Commission, Jaladhara, Kasthurba Nagar, Kadavanthra P.O., Kochi, PIN- 682020. Contact No. 9995896883 (Shri. Rahul P.R., Sub divisional Engineer, SWRSD-II, CWC, Kochi)
2	Pigmy Current Meter with accessories	Nos	8	
3	Portable Echo Sounder	Nos	1	
4	Ranging rod	Nos	12	
5	Bridge Outfit	Nos	1	
6	Enameled Steel Protractor for vertical angle measurement	Nos	8	
III. 1.	Cup Type Current Meter with all accessories	Nos	3	O/o the Sub Divisional Engineer, Chaliyar Sub Division, Central Water Commission, 'B' wing 4th Floor, Kendriya Bhavan, M.S.Baburaj Road, Kallai P.O., Kozhikode, PIN- 673 003. Contact No. 8095604224 (Smt.Anzy Kamal, Sub divisional Engineer, CSD, CWC, Kozhikode)
2	Pigmy Current Meter with accessories	Nos	7	
3	Portable Echo Sounder	Nos	1	
4	Ranging rod	Nos	11	
5	Bridge Outfit	Nos	1	
6	Enameled Steel Protractor for vertical angle measurement	Nos	4	
IV. 1.	Cup Type Current Meter with all accessories	Nos	2	O/o the Sub Divisional Engineer, SWR Sub Division-III, Central Water Commission, Shubha Building, Bolar Main Road, Jeppu, Mangalore, PIN- 575 001. Contact No. 9698716488 (Shri.Veeravisagan., Sub divisional Engineer, SWRSD-III, CWC, Mangalore)
2	Pigmy Current Meter with accessories	Nos	6	
3	Ranging rod	Nos	10	
4	Optical Square	Nos	1	
5	Bridge Outfit	Nos	3	
6	Enameled Steel Protractor for vertical angle measurement	Nos	4	

Chapter 4- Specifications and allied Technical Details

Annexure -1

(1.1) Prismatic Compass with Stand

Purpose

Prismatic Compass with tripod stand (size 100mm,made from Brass/gun metal, having Aluminium Circle Graduated to 30 minutes with Agate stone bearing, automatic lifter, lens tic prism ,All packed in leather sling case with Tripod stand having ball socket joint)

Conditions & Requirements

- The compass shall be easy to operate and maintain.
- The compass shall be supplied with the accessories as needed for effective use.
- All external materials of the compass shall be non-corrosive.
- An operator's manual, related to the type and model of the compass, shall be part of the delivery.
- The compass and accessories shall be supplied in a sturdy transport case.

Specifications

Type	:	Prismatic
Accuracy	:	0.5°
Operating temperature	:	0 to 60°C
Operating humidity	:	100 %

(1.2) Cup type Current meter with all accessories complete

Purpose

The current meter will be used for flowing water velocity and thus discharge measurements in rivers and canals. It may be used in wading or suspended mode.

Conditions & Requirements

- The current meter shall be of such a design that it operates reliably and accurately under the prevailing flow and environmental conditions.
- The current meter shall be easy to operate and maintain.
- The current meter shall be supplied with the accessories as needed for effective deployment.
- All materials of the current meter shall be non-corrosive.
- An operator's manual, related to the type and model of the current meter, shall be part of the delivery.
- The current meter shall come with the calibration data, i.e. actual calibration velocity versus actual revolutions per second as collected during the calibration process. Calibration data should uniquely identify the instrument body, the rotor, observer, rating tank, way of suspension, methodology and similar information.
- The current meter shall come with a rating table and a rating chart in m/s versus revolutions per second.
- The current meter shall have a provision to adjust its trimming.
- The design shall be sediment resistant and have an air-filled bearing chamber.
- The bearings should be field adjustable.
- The current meter shall come without a protection ring/yoke in front of the rotor. Such a yoke would make the current meter sensitive to its alignment into the flow, which should be avoided.
- The bearing chamber shall be as slim as possible to avoid excessive drag.
- The electrical connections shall not protrude into the current, but backwards instead.
- The electrical connections shall be of a reliable and sturdy construction.
- The current meter and accessories shall be supplied in a sturdy carrying case.
- An appropriate tool-set shall be included in the delivery.
- The current meter shall generally comply with IS 3910-1992
- For suspended operation, adequate fish weight shall be attached below the current meter.
- The fish weight shall have a streamlined form and shall be suspended from a bar of adequate strength
- The current meter shall have a facility to balance it into a horizontal attitude while submersed.
- Horizontal and vertical tail fins at the rear end shall align the fish weight in the direction of flow.
- Except for the suspension bar, no elements shall protrude from the body.

Specifications

1. Sensor

Model	6 cup wheel
Contact	every one revolution
Range	0.05 to 3.5 m/s (starting up to maximum operational Velocity)
Accuracy	for velocities up to 0.3 m/s 1 % Full Scale for velocities >0.3 m/s 0.5 % FS
Contact chamber	magnetic or optic fibre

2. Suspension

Wading**Wading rod**

total length 3 m, graduation in cm

Electrical cable

running from current meter to counter, 10 m

From a cable**Suspension cable**

electrical cable integrated in suspension cable electrical cable from winch to counter, 10 m

Cable torque

torque free suspension cable

The suspension cable should not exert any torque that may adversely affect the alignment of the flow sensor into the direction of flow. In particular in case a heavy suspension weight is used, there is a risk of cable induced torque.

Suspension-rod

for cable suspended measurements with light weight sinkers

Tail fin length

>0.25 m beyond the attach point of the suspension

The tail fin shall be capable of aligning the current meter in the direction of flow and keep it stable in that position throughout the full velocity range.

Accessories

- standard instrument tools
- spare bearings
- carrying case for current meter with counter
- Oil can

(1.3) Pigmy Current Meter with accessories

Purpose

The current meter will be used for flowing water velocity and thus discharge measurements in shallow rivers, streams and canals. It will be used for wading gauging only.

Conditions & Requirements

- The current meter shall be of such a design that it operates reliably and accurately under the prevailing flow and environmental conditions in shallow water.
- The current meter shall be easy to operate and maintain.
- The current meter shall be supplied with the accessories as needed for effective deployment.
- All materials of the current meter shall be non-corrosive.
- An operator's manual, related to the type and model of the current meter, shall be part of the delivery.
- The current meter shall come with the calibration data, i.e. actual calibration velocity versus actual revolutions per second as collected during the calibration process. Calibration data should uniquely identify the instrument body, the rotor, observer, rating tank, way of suspension, methodology and similar information.
- The current meter shall come with a rating table and a rating chart in m/s versus revolutions per second.
- The current meter shall have a provision to adjust its trimming.
- The design shall be sediment resistant and have an air-filled bearing chamber.
- The bearings should be field adjustable.
- The current meter shall come without a protection ring/yoke in front of the rotor; such a yoke would make the current meter sensitive to its alignment into the flow, which should be avoided.
- The bearing chamber shall be as slim as possible to avoid excessive drag.
- The electrical connections shall not protrude into the current, but backwards instead.
- The electrical connections shall be of a reliable and sturdy construction.
- The current meter and accessories shall be supplied in a sturdy carrying case.
- An appropriate tool-set shall be included in the delivery.
- The current meter shall generally comply with IS 3910-1992.

Specifications

1. Sensor

Sensor type	:	6 cup wheel
Material	:	Brass with corrosion resistant plating / Stainless steel
Contact	:	every one revolution
Range	:	0.015 to 0.9 m/s (starting up to maximum operational velocity)
Accuracy	:	for velocity up to 0.3 m/s: 1 % Full Scale for velocity >0.3 m/s: 0.5 % FS
Contact chamber	:	magnetic or optic fibre

2. Suspension

Wading rod	:	total length 3 m, graduation in cm
Cables	:	wading application, from meter to counter, 10 m

Accessories

- Duster and Oil can
- Digital Counter
- Carrying case for pigmy current meter with counter.
- Standard instrument tools
- Spare bearings

(1.4) Portable Echo Sounder

Purpose

The portable echo-sounder specified here is an alternative for manual depth measurement at gauging stations. It will be used during discharge measurements from a boat.

Conditions & Requirements

- The portable echo-sounder shall be of such a design that it operates reliably and accurately under the prevailing environmental conditions.
- The echo-sounder will be used in sediment laden rivers and canals.
- The echo-sounder shall be easy to operate and maintain.
- The echo-sounder shall be supplied with the accessories as needed for effective deployment.
- All materials on the echo-sounder exterior shall be non-corrosive.
- The echo-sounder shall have an expected technical lifetime of not less than 10 years.
- The echo-sounder shall be capable to operate for at least 6 months without any servicing.
- An operator's manual, related to the type and model of the echo-sounder, shall be part of the delivery.
- Actual water depth shall be digitally presented.
- The power supply shall be from batteries, e.g. internal alkaline batteries and/or external car battery.
- Power consumption shall be moderate.
- The displayed value shall not depend on supply voltage.
- The indicated range shall be distance to the bottom. Hence, the echo-sounder should suppress echoes from the water surface (backward sensitivity) and also the result of multiple echoes should be suppressed.
- The echo-sounder shall have adjustment facilities for draft, speed of sound, sensitivity and range.
- The echo-sounder shall have a good performance in sediment laden rivers and canals.
- An in-built chart recorder is not required.
- The echo-sounder shall display water depth on a LCD screen in graphical format.

Specifications

Depth range	:	up to 50 m (selectable)
Acoustic frequency	:	approx. 200 kHz
Transducer beam width	:	narrow beam (approx. 8°)
Transducer cable length	:	minimum 20m
Accuracy	:	≤0.2% of range
Unit of range	:	m
Resolution of display	:	0.10m or better
Power supply	:	10 to 15 VDC, reverse polarity protected
Display	:	LCD, optionally with graphic trace good readability in direct sunlight
Enclosure and connectors	:	compliant with IP55
Operating temperature	:	0 to 50 °C
Operating humidity	:	100%

Accessories

- Charger for car battery

(1.5) Ranging Rod

Purpose

Ranging rod, also known as ranging pole or picket, is generally used in field surveying for ranging out or aligning of long lines on the ground. In brief, this means putting in a series of pegs or other marks such that they all lie on a straight line joining two fixed points or on a straight line running in some fixed direction starting from one fixed point or at right angles to another line. These rods are used for marking points in such a way that the positions of the points may be clearly and exactly seen from some distance away.

Specifications

Material : The ranging rods shall be constructed from any of the following materials:

- Well-seasoned, straight-grained timber of circular cross section of Teak/ Blue Pine/ Sissoo/ Deodar.
- Light alloy tubing conforming to IS: 1285-1958 Specification for Wrought Aluminium and Aluminum Alloys, Extruded Round Tube and Hollow Sections (For General Engineering Purposes) ;
- Mild steel tubes conforming to IS: 1239-1958 Specification for Mild Steel Tubes and Tubular suitably protected against corrosion (26mm thickness and 1.98kg/m)

Size	:	2metres (Shall be at one piece construction)
Overall Length	:	2000 \pm 10mm
Nominal dia	:	30mm
Length of band	:	200 \pm 3mm (Painted Black and White or Red and White in Alternative bands)
Shoe at bottom	:	Pointed, hollow, cast iron shoe or steel sheet shoe of 15 cm length
Straightness	:	The deviation in straightness shall not exceed 5mm for 2m length.

(1.6) Optical Square

An optical square consists of Brass/ suitable metal hollow box having open face about 6 x 3 cm and closed face about 2 x 3 cm and deep about 4cm to 5cm , provided with a brass handle about 8cm in length. Two mirrors fixed at an angle of 45 degree to the inclined sides of the box. Circular type made up of brass & fitted with double reflecting mirror right & left to 90, in case.

(1.7) Bridge Outfit

Purpose

The bridge outfit is used to suspend current meters and samplers from a bridge into a river or canal.

Conditions & Requirements

- The bridge outfit shall be of such a design that it operates reliably and safely under the prevailing environmental conditions.
- The bridge outfit shall be easy to operate and maintain.
- The bridge outfit shall be supplied with the accessories as needed for effective deployment.
- All materials on the bridge outfit exterior shall be non-corrosive.
- The bridge outfit shall have an expected technical lifetime of not less than 10 years.
- The equipment shall consist of a crane and a winch arrangement.
- The current meter shall be lowered by a hand driven winch.
- The bridge outfit shall be provided with a clamping facility to hold the cable at any desired position.
- While hoisting the current meter the cable shall be wound gradually guided from the one drum end to the other and vice versa, to lay the windings tidily next to each other.
- The winch system shall have a re-settable depth counter.
- The winch and its attachments such as crank, brake, ratchet/catch shall be assembled in a compact unit.
- This assembly shall be mounted on a moving crane.
- The crane trolley shall have 4 wheels with solid rubber tyres for easy movement.
- During operation of the current meter, the crane trolley shall stand on pedestals.
- A counter weight for the crane shall be included in the delivery. It should be sufficient to keep the crane from keeling over.
- The cable from which the current meter is suspended shall have an incorporated insulated electrical conductor. The conductor connects the flow sensor revolution sensor switch to the pulse counter. The electrical connection should pass through a slip-ring assembly on the winch.
- If a propeller type flow meter is used then the suspension cable shall be torque free.
- The crane shall have a wire angle indicator.
- The equipment shall generally comply with IS 6064-1971.

Specifications

Material	:	Steel as per IS 6064-1971 with protective coating to prevent rust / corrosion
Mass of current meter	:	up to 100 kg
Maximum load	:	2,500 Newtons
Cable length	:	max. 50 m
Cable torque	:	free suspension cable

The suspension cable should not exert any torque that may adversely affect the alignment of the flow sensor into the direction of flow. In particular in case a heavy suspension weight is used, there is a risk of cable induced torque.


Flow velocity	:	max. 5 m/s
Boom Length	:	1.1m
Boom Height	:	1.2m

(1.8) Enameled Steel Protractor for Vertical angle Measurement.

Materials : Enamelled steel

Painting : Three coats of specialized ceramic coating process, divisions up to 5 degree. The coating is to be fused properly at very high temperature to adhere permanently to protect from all weather conditions.

Dimension : The dimension of the Protractor is as per the following drawing



Thickness of plate : 2mm

The angle markings shall be visible from long distance (approx. 10m). The sample photo is given below.



CHAPTER 5 – TECHNICAL & FINANCIAL BIDS

TECHNICAL BID

TITLE OF TENDER: “SUPPLY OF SCIENTIFIC & MATHEMATICAL EQUIPMENTS FOR NEW H.O. SITES UNDER SOUTH WESTERN RIVERS DIVISION, CWC, KOCHI.”

S.No.	Particulars	To be filled by the Tenderer
1.	Name of the Agency.	
2.	Date of establishment of the agency	
3.	Detailed office address of the Agency with Office Telephone Number, Fax Number and Mobile Number and name of the contact person	
4.	Whether agency is registered with and holding valid licenses from all concerned Government Authorities (Copies of all certificates of registration to be enclosed)	
5.	PAN/TAN Number (copy to be enclosed)	
6.	GST Registration Number (copy to be enclosed)	
7.	Income Tax return filed (Attach proof)	
8.	Whether the firm is blacklisted by any Government Department or any criminal case is registered against the firm or its owner/partners anywhere in India. (If no, a certificate is to be attached in this regard)	
9.	Length of experience in the field	
10.	Experience in dealing with Govt. Departments (indicate the names of the Departments and years of dealing with those Departments and attach copies of contract orders placed on the agency),if any	
11.	Whether agency profile is attached?	
12.	Whether any show cause notice was ever issued or black listed by any Government Agency? If so, details thereof (Please attach the copies of communication , if any)	
13.	Whether the SCIENTIFIC & MATHEMATICAL equipments meet all the technical specifications. If not indicate the variation from specification.	

Signature of the bidder with seal

FINANCIAL BID

With reference to the above tender, I hereby submit the financial bid for the above mentioned tender.

To
EXECUTIVE ENGINEER
SOUTH WESTERN RIVERS DIVISION
CWC, KOCHI

Sub : - Supply of Scientific & Mathematical Equipments for new H.O. sites under South Western Rivers Division, CWC, Kochi. - Reg.

Sir,

With reference to your tender published in dated..... on the subject Mentioned above, I/We quote the rate for above mentioned work as under:

Sl.No	Description of Item	Qty	Unit Rate (Rs.)	Amount (Rs.)
1.	SCIENTIFIC & MATHEMATICAL EQUIPMENTS			
1.1	Prismatic Compass with Stand (As per the specification given in Annexure – 1 in Chapter 4)	1 Nos		
1.2	Cup Type Current Meter with all accessories (10kg fish weight, Wading rod set, wire rope etc.) (As per the specification given in Annexure – 2 in Chapter 4)	9 Nos		
1.3	Pigmy Current Meter with accessories (As per the Specification given in Annexure-3 in chapter 4)	28 Nos		
1.4	Portable Echo Sounder (As per the Specification given in Annexure-4 in chapter 4)	3 Nos		
1.5	Ranging rod (As per the Specification given in Annexure-5 in chapter 4)	45 Nos	To be filled in the BOQ (Excel sheet) and submit online	
1.6	Optical Square (As per the Specification given in Annexure-6 in chapter 4)	1 Nos		
1.7	Bridge Outfit (As per the Specification given in Annexure-7 in chapter 4)	6 Nos		
1.8	Enameled Steel Protractor for vertical angle measurement (As per the Specification given in Annexure-8 in chapter 4)	24 Nos		
	GST @ _____%			
	Grand Total			

Grand Total Amount in words:

Signature of the Bidder:

Seal:

Notes:

- a) The rates shall be quoted inclusive of all taxes.
- b) The rate quoted by the agency shall be inclusive of all the charges including transportation (to the consignee) etc. central, state and local taxes etc. or any other charges which may occur for carrying out contract obligations.
- c) The submission of a bid shall construe that the bidder has carefully read the terms & conditions of the tender document & agree to the same.
- d) The Tenderer shall submit a certificate with a final bill signed in original and issued by Original Equipment Manufacturer/authorized dealer that it will provide back to back support and honor the warranty obligations of the equipment supplied by the supplier.

Chapter 6. Other Standard Forms

Form 1

MODEL BANK GUARANTEE FORMAT FOR FURNISHING EMD

Whereas (herein after called the “tenderer”) has submitted their offer dated..... for the supply of (herein after called the “tender”) against the purchaser’s tender enquiry No. KNOW ALL MEN by these presents that WE of having our registered office at are bound unto (herein after called the “Purchaser) in the sum of for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents. Sealed with the Common Seal of the said Bank this..... day of20.....

THE CONDITIONS OF THIS OBLIGATION ARE:

- (1) If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- (2) If the tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity:-
 - a) If the tenderer fails to furnish the Performance Security for the due performance of the contract.
 - b) Fails or refuses to accept/execute the contract.

WE undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force upto and including 45 days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

.....
(Signature of the authorized officer of the Bank)

.....
.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

Form 2

MODEL BANK GUARANTEE FORMAT FOR PERFORMANCE SECURITY

To
The President of India

WHEREAS (name and address of the supplier) (herein after called “the supplier”) has undertaken, in pursuance of contract no..... dated to supply “SCIENTIFIC & MATHEMATICAL EQUIPMENT

S”(description of goods and services) (herein after called “the contract”).

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until the day of, 20.....

.....

(Signature of the authorized officer of the Bank)

.....

Name and designation of the officer

.....

.....

Seal, name & address of the Bank and address of the Branch