



भारत सरकार
Government of India
जल संसाधन, नदी विकास एवं गंगा पुनरोद्धार मंत्रालय
Ministry of Water Resources, RD & GR
केन्द्रीय जल आयोग
Central Water Commission
कार्यालय अधिशासी अभियंता
O/o Executive Engineer
मध्य गंगा मण्डल-द्वितीय
Middle Ganga Division-II

दूरभाष सं० : 0522-2332524
फैक्स सं० : 0522-2325526
ई-मेल : eemgd2lko@yahoo.co.in



केन्द्रीय भवन, द्वितीय तल, हाल सं०-3
Kendriya Bhawan 2nd Floor hall No. 3
सेक्टर-एच, अलीगंज
Sector H, Aliganj
लखनऊ-226024
Lucknow-226024

Letter No. Z-11011(13)/1/2018-MGD-II/ 1974-76

Dated: 9/4/2019

Notice Inviting Quotation

For and on behalf of the President of India, the Executive Engineer, Middle Ganga Division-II, Central Water Commission, Lucknow invites the sealed quotation for **"Procurement of 01 ltr., 18 gauge thick, jointless Aluminium sampling bottles with rubber cork suitable for Punjab type silt sampler"** for works under Middle Ganga Division-II, 2nd Floor, Hall No.-3, Kendriya Bhawan, Sector-H, Aliganj, Lucknow from bonafide/ reputed contractor as per the terms and conditions mentioned below up to **10:00 hrs dated: 24.04.2019** and the quotations will be opened on the same day at **11:00 hrs** in presence of representative of the firms if any.

"Procurement of 01 ltr., 18 gauge thick, jointless Aluminium sampling bottles with rubber cork suitable for Punjab type silt sampler"
(Schedule of Quantities enclosed)


Terms and Conditions:-

1. The rates should be quoted both in figures and words. Any overwriting and cutting should be initialed.
2. After satisfactory supply, payment will be made via NEFT for which bill in triplicate along with mandate form/cancelled cheque has to be submitted.
3. The envelope containing quotation should be superscribed **"Procurement of 01 ltr., 18 gauge thick, jointless Aluminium sampling bottles with rubber cork suitable for Punjab type silt sampler"**.
4. The quotation should be addressed to the Executive Engineer, Middle Ganga Division-II, 2nd Floor, Hall No.-3, Kendriya Bhawan, Sector-H, Aliganj, Lucknow-226024.
5. Earnest money of **Rs 875/- (Rupees Eight Hundred Seventy Five Only)** in form of demand draft in favour of **Executive Engineer, Middle Ganga Division-2, CWC, Lucknow**, must be submitted with the NIQ, otherwise quotation will not be entertained.
6. Firms having GST number are only eligible to submit their quotation.
7. Above mentioned quantities may increase or decrease at the time of supply order as per our requirement.



(Handwritten signature)

8. On the behalf of the President of India, undersigned reserves the right to reject any or all the quotations and to alter the quantity without assigning any reason thereof.
9. The rates should be valid for 60 days minimum from the date of opening of the quotation.
10. Quotation with conditions will not be accepted.
11. The price shall be quoted in Indian rupees only.
12. The rates quoted should be inclusive of all taxes inclusive G.S.T./ Transportation charges and no additional charge other than above will be paid.
13. Item should be delivered within 15 days.
14. Supply will only be accepted after thorough checking/supervision of authorized personnel.
15. Quotations should be duly signed by the proprietor along with the stamp.
16. All the bidding firms should have GST No. and Pan Card and must enclose photocopies of above documents along with the quotation.



(S.F.H. Abidi)

Executive Engineer

For & on behalf of President of India

Copy to:-

1. Account Branch, MGD-2, CWC, Lucknow
2. Notice board, MGD-2, CWC, Lucknow
3. For uploading on CWC and CPP portal.



Schedule of Quantity for "Procurement of 01 ltr., 18 gauge thick, jointless Aluminium sampling bottles with rubber cork suitable for Punjab type silt sampler"

Sr.No.	Description of Item	Unit	Quantity	Rate inclusive of all taxes (In Rupees)	Amount (In Rupees)
1	Aluminium sampling bottles jointless of capacity 01 ltr. with rubber cork, suitable for Punjab type silt sampler. Thickness of Aluminium sheet: 18 gauge.	Nos.	175		
Total (in figures)					
Total (In words)					

Signature

Stamp

Date

