

By Registered Post  
INFORMATION UNDER RTI ACT, 2005

No.C-30019/2/2017-Estt.VI/271

Government of India  
Central Water Commission

\*\*\*\*\*

528 (N) Sewa Bhawan,  
R.K. Puram, New Delhi-66.  
Dated the 09-05-2018.

14/5/18

To,

Shri Kamal Kumar,  
53/III, Sachivalaya Colony,  
Dehradun,  
Uttarakhand

**Sub: RTI application under RTI Act, 2005 of Shri Kamal Kumar, 53/III, Sachivalaya Colony, Dehradun, Uttarakhand - regarding.**

Sir,

I am directed to refer to your RTI application dated 03.05.2018 and to furnish information under RTI Act, 2005 in respect of Estt.VI Section/CPIO.

Point No.	Information sought	Information being given
1	What are the types of corrections permitted for myopia such as ICL (implantable collamer lens), lasic, IOL etc. For the post of Junior Engineer(civil)	No information about types of corrections permitted for myopia is available in CWC. Hence provided NIL information

2. As per provision 19(1) of RTI Act, Shri N. Mukherjee, Director (Estt.VI), 7<sup>th</sup> Floor (South), Central Water Commission, Sewa Bhawan, New Delhi-110066, is the 1<sup>st</sup> Appellate Authority.

Yours faithfully,



( SACHIN DEV VARMA )  
UNDER SECRETARY (Estt.VI) & CPIO  
Tel.No.29583637

Copy to:-

1. Shri Rajesh Sharma, Under Secretary & Nodal Officer w.r.t. letter No.A-49012/8/2018/RTI/150, dated 03.05.2018.
2. The Deputy Director, SMD, CWC for uploading on website

AKL  
14/5/18  
AD-SCA.

SMD  
756  
14-5-18