भारत सरकार जल शक्ति मंत्रालय जल संसाधन, नदी विकास एवं गंगा संरक्षण विभाग केंद्रीय जल आयोग उत्तर पूर्वी अन्वेषण मण्डल-॥



Government of India
Ministry of Jal Shakti
Dept. of Water Resources, RD&GR
Central Water Commission
North East Investigation Division-II

NEID-II/HQ/NIQ/2023-24/235-34

Date: 21.02.2024

#### **NOTICE INVITING QUOTATION**


For and on behalf of the President of India, scaled quotations are invited by the undersigned from the authorized / reputed contractor/firms for the work of "Repair and Maintenance of quarter D-3 and F-14 under NEID-II, CWC, Aizawl" The Sealed Quotation will be received in the office of undersigned i.e. O/o Executive Engineer, NEID-II, CWC, Aizawl during working hours up to 13:00 hrs. On or before 27/02/2024 & shall be opened on same day by 15:30 hrs. by the undersigned/authorized official in presence of interested quotations or their authorized representatives who desired to remain present at the time of opening of quotations.

Description of the work.	Estimate cost	Last date & time for receiving quotation.	Date & time for opening quotation	Location
Repair and Maintenance of quarter D-3 and F-14 under NEID-II, CWC, Aizawl	1,81,206.00/-	27/02/2024 13:00	27/02/2024 15:30	NEID-II, CWC, Aizawl

Executive Engineer NEID-II, CWC, Aizawl

Copy along with copies of quotation for information and wide circulation to:

- 1. The Accounts Branch, NEID-II, CWC, Aizawl.
- 2. Notice Board.





### LimitedTenderForm/Quotation

NameoftheProcuringEntityCentral Water Commission

Firm's Reference		Date	
FirmRegistrationNo.(ifany)		PAN (attach photocopy)	
TIN/VAT/GSTNo.		Address:office of the Executiv	e Engineer North
Phone	LIMITED	Eastern Investigation Division	•
	TENDER	Commission, Aizawl.	,
Fax	FORM	·	
Email			
M/s:	EnquiryNo.andD	NEID-II/HQ/NIQ/2023-24/	
	ate		
	Date of Tender	27.02.2024	
	Opening		
		be opened at 3.30 pm on the deheaddressmentionedabove.	ate of tender

Please submit on or before 13:00 hrs. on the date of tender opening, your quotation for the followingworks, in accordance with the terms and conditions printed overleaf, in a sealed cover, marked on top with—Enquiry No: Date of Tender Opening.

**Yours Sincerely** 

Sd/-

Designation with office
TenderSchedule: AllRatesinFigures and in WordsinRupees

**Packin** Taxes SI. Performa g/forwa Total **Description and Specification** Qty. Unit RateperUnit &Duti No nce terms rding/ Amount es If any Repair and Maintenance of As per SOP of work and quarter D-3 and F-14 under in accordance NEID-II, CWC, Aizawl. with the Dismantling doors, windows and direction given by clerestory windows (steel or wood) Each 3.0 Engineer-inshutter including chowkhats. charge architrave, holdfasts etc. complete and stacking within 50 metres lead: 15.12.1 Of area 3 sq. metres and below Quarter-D-3 and F-14 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work up to plinth level 1:3:6 (1 Cement: 3 coarse sand 0.506 Cum -do-(zone-III) derived from natural sources: 6 graded stone aggregate 40 mm nominal size derived from natural sources Quarter-D-3 and F-14 Providing and fixing Ist quality ceramic glazed wall tiles -doconforming to IS: 15622 (thickness 17.70 Sqm to be specified by the manufacturer), of approved make, in all colours.

_				<del></del>			.,		-	
		shades except burgundy, bottle		1			'			1
		green, black of any size as approved		'	1		1	1		
		by Engineer-in-Charge, in skirting,		'	1	1	1	-		
		risers of steps and dados, over 12		'		1	1	-		
		mm thick bed of cement mortar 1:3		'	1	1	1			
l		(1 cement : 3 coarse sand) and		'	1	1	1			
		jointing with grey cement slurry @		'	1	1				
		3.3kg per sqm, including pointing in		'	1	1	1			
		white cement mixed with pigment of	i ,	'	1	1	1			
		matching shade complete.	i ,	1 '		1	1	-		
L		Quarter-D-3 and F-14	<del> </del>	<u> </u>	<u> </u>		<u> </u>			_
	- 1	Providing and fixing 1st quality	l 1	1	1	1	1	-		1
	- 1	ceramic glazed floor tiles	1 3	1		1	1			
	ŀ	conforming to IS: 15622 (thickness	i I	1		1	1	,		
		to be specified by the manufacturer)		1	1	1	1	,		
		of approved make in all colours,		1	1	1	1	,		
		shades except burgundy, bottle	1 1	1		1	1	,		
			ŧ .	1	1	1	1	,		
	}	green, black of any size as approved		1	1	1	1			
	4 lt	by Engineer-in-Charge in skirting,	5 060	cam	-do-	1	1	To the second se		
	1	risers of steps and dados over 12	1 1	Sqin		1	,	-		
	ŀ	mm thick bed of cement Mortar 1:3	. 1	1		1	1	***************************************		
	/	(1 cement: 3 coarse sand) and		1	1	1	1	·		
	- 1	jointing with grey cement slurry @	1 1	1	1	1	1			
		3.3kg per sqm including pointing in	1 1	1	1	1			,	
		white cement mixed with pigment of			1	1	1	1	,	
			, ]	1	1	1	'	1	1	
		matching shade complete.	, )		1	1	1		1	
_		Quarter-D-3 and F-14.					L'			
		Providing and fixing factory made			1		'		'	
		uPVC door frame made of uPVC	l 1		[ ]	1	1	,	1	
	F	extruded sections having an overall	, ,	1	1	1	1	1		
		dimension as below (tolerance		1	1	1	1	1	1	
		±1mm), with wall thickness 2.0 mm		1	1	1	1	1	1	
	1	(± 0.2 mm), corners of the door			1	1	1	1		
					1	1	1			
	- 1	frame to be Jointed with galvanized			1	1	1			
	- 1	brackets and stainless steel screws,	1		1	1	1		1	
	ľ	joints mitred and Plastic welded.	i .		1	1	1		1	
		The hinge side vertical of the frames		1	-do-	1	1	1	1	
-		reinforced by galvanized M.S. tube		sqm	· 1	1	1	1	1.	
		of size 19 X 19 mm and 1mm (± 0.1			1	1	1		1	
		mm) wall thickness and 3 nos.	-		1	1	1	1	1	
		stainless steel hinges fixed to the	ļ	1	1	1	1	1	'	
		frame complete as per			[	1	[ '	1		İ
	- 1		1		1	1	-		1	
		-	1		]	1	1		1	
		direction of Engineer-in-charge:	ſ		]	1	[		1	
		Extruded section profile size 48x40			1	1	1	-	1	
		mm			1	ı	1	- Consensation	1	
_		Quarter-D-3 and F-14.				1	1	Tuesday	1	
	F	Providing and fixing factory-made			1					1
		panel PVC door shutter consisting	1		1	į J	1		1	ĺ
		of frame made out of M.S. tubes of		1	1	į.	1		1	1
		19-gauge thickness and size of 19	J	1		ı J	1		1	1
						ı J	1		[ ]	1
$\mid \epsilon \mid$		mm x 19 mm for styles and 15x15	3.60 <sub>s</sub>	leam	-do-	, ,	1	J	1	
	n	mm for top & bottom rails. M.S.		1		r i J	1	1	[ ]	1
		frame on inner side, and joined	J	1	,	ı J	1		f J	
		together with solvent cement	1	1	í	ı J	1		1	1
	ə	adhesive. An additional 5 mm thick		1	í	1	1		1	1
		PVC strip of 20 mm width is to be	I	1	, 1	1	1		1	1
	- 11	Section of 20 min within is to be				· ·		1	1	

			<del></del>		 	<b>T</b>	_
	stuck on the interior side of the 'C'						
	Channel using PVC solvent						
	adhesive etc. complete shall have a						
	coat of steel primers of approved						
	make and manufacture. M.S. frame						
	covered with 5 mm thick heat						
	moulded PVC 'C' channel of size 30						
	mm thickness, 70 mm width out of						
	which 50 mm shall be flat and 20						
	mm shall be tapered in 45 degree						
	angle on both side forming styles						
	and 5 mm thick, 95 mm wide PVC						
	sheet out of which 75mm shall be						
	flat and 20 mm shall be tapered in						
	45 degree on the inner side to form						
	top and bottom rail and 115 mm						
	wide PVC sheet out of which 75						
	mm shall be flat and 20 mm shall be						
	tapered on both sides to form lock					***************************************	
	rail. Top, bottom and lock rails shall						
	be provided both side of the panel.						
							5
	10 mm (5 mm x 2 ) thick, 20 mm						
	wide cross PVC sheet be provided						
	as gap insert for top rail & bottom						
	rail, panelling of 5 mm thick both						
	side PVC sheet to be fitted in the						
	M.S. frame welded/ sealed to the						
	styles & rails with 7 mm (5 mm+2						
	mm) thick x 15 mm wide PVC sheet						
	beading on inner side, and joined						
	together with solvent cement						
	adhesive. An additional 5 mm thick						
	PVC strip of 20 mm width is to be						
	stuck on the interior side of the 'C'						
	Channel using PVC solvent						
	adhesive etc. complete as per						
	direction of Engineer-in-charge,						
	manufacturer's specification &						
	drawing.30 mm thick plain PVC						
	door shutters						
	Quarter-D-3 and F-14						
	Providing wood work in frames of						
	false ceiling, partitions etc. sawn						
7	and fixed in position with necessary			-do-			
	1	600					
	Quarter-D-3 and F-14	.089	Cum				
	Providing and fixing insulating	~					
	board ceiling of approved quality						
	with necessary nails etc. complete						
8	(frame work to be paid separately)6	7 7700	Sqm	-do-			
0	:White face insulating board 12 mm	7.780					
	thick						Ī
	Quarter-D-3 and F-14						
	Providing and fixing wash basin	2	Nos	-do-			
	with C.I. brackets, 15 mm C.P. brass						

	Total amount in words					· · · · · · · · · · · · · · · · · · ·	d.,, , , , , , , , , , , , , , , , , , ,
			Grand	Total			
			Tot	al			
	Quarter-D-3 and F-14		. ,05				
10	C.P. Brass bibcock 15 mm	3	Nos	-do-			
	Quarter-D-3 and F-14						
1	C.P. brass pillar tap						
1	400 x 400 mm with single 15 mm						
	China Angle back wash basin size						
	wherever require: White Vitreous						
	cutting and making good the walls						
	painting of fittings and brackets,					-	
	of standard pattern, including						
	pillar taps, 32 mm C.P. brass waste						

PerformanceSchedule:30 days from issue of work order.

**Specifications/SpecialConditionsofContract:** work should be performed as per CPWD manual/specification & direction of Engineer-in-charge.

## Item/TenderSpecificConditionsofthisTender:

I/we engage to performance the works to your office and comply the following:

- 1. Tender schedule and technical specification indicated.
- 2. Item/tender specific conditions for this tender.
- 3. Terms and conditions printed overleaf.
- 4. General conditions of contract signed by me at the time of supplier registration (for registered suppliers).
- 5. I/we confirm that set off for the GST, etc. Paid on the inputs have been taken into consideration in the above quoted price and further agree to pass on such additional duties as sets offs as may become available in future under GST, etc.
- 6. This offer is valid for 90(ninety)days from the date of opening of the quotations.
- 7. That we have not been debarred by any Government/Undertaking.
- 8. That the rates quoted are not higher than the rates quoted for same item to any Government / Undertaking.
- 9. That the bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration andreplacement.

Signature & SealPlace&Date:	Name of AuthorizedSignatory:	
Address:	Tel. No./ Fax. No./ MobileNo. Emailld:	

# TERMSAND CONDITIONS OFLIMITED TENDER

- i) The quotation must be in the form furnished by procuring entity and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not the quotation will not be considered. Quotation written in pencil will not be considered.
- ii) Quotation will be opened on duc date at 3.30pm at the indicated venue in presence of the entities or their representatives who may wish to be present.
- The Government of India reserves the right to accept the offer by individual items andreject any or all tenders without assigning any reason thereof and does not bind itself to accept lowest quotations.
- Participation in this tender is by invitation only and is limited to the reputed entity involved in similar type of work. Unsolicited offers are liable to be ignored. However, relevant entity who desire to participate in such tenders in future may bring it to the notice of procuring entity and apply for registration as per procedure.
- v) Complete details and specification if any must accompany the quotation. If you have got any counter offer as suitable to the material required buys, the same may be shown separately.
- vi) The Government of India reserves the right to modify the work specified in this enquiry.
- vii) The prices quoted should be firm till the works are completed. Please quote the rates inwordsandfigures. Price quoted should be net and valid for a minimum period of three months from the date of opening of the quotation.
- viii) Payment of GST is primarily the responsibility of the seller and will not be paid unlessthe percentage value is clearly mentioned in the quotations. If no indication regarding GST is recorded in the quotation, the GST will be considered as included.
- ix) The performance period required for completion of work should be invariably specified in thequotation.
- In case your quotation is accepted and order is placed on you, the work completion against theorder should be made within the period stipulated in the order. The Government of Indi a reserves the right to recover any loss sustained due to delayed completion of work by way ofpenalty. Failure to performance of work within the stipulated period shall entitle Procuring Entity for the imposition of penalty without as signing any reasons@ 0.5% of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid groundbeforeexpiryof performance period.
- xi) The quotationers may visit the site before submitting quotation of the above work.
- Dispute clause: Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at \_\_\_\_ (name of the place of tender invitation)only.
- viii) Our normal payment will be made to the contractor on satisfactory completion of work on submission of prereceipted bill in triplicate with mandate form, payment will be made by through e-payment.

\*\*\*\*\*\*\*

#### Copy to:

- 1. The Accounts Branch, NEID-II, CWC, Aizawl.
- 2. Notice Board.