



Government of India केन्द्रीय जल आयोग **Central water Commission** मध्य ब्रहमपुत्र मण्डल Middle Brahmaputra Division

सं : No. 6/31/NIQ-HQ/2017/ 4124-30

दिनांक: 44/12/2017

निविदा आमंत्रण सूचना/NOTICE INVITING TENDER

For and on behalf of the president of india, sealed Tender in item wise rate are hereby invited by the undersigned from the bona fide eligible contractors registered with CPWD, Railway, MES, P &T (Civil) and state PWD/Govt. Undertakings for the below mentioned work under Middle Brahmaputra Division, Central Water Commission, Guwahati on or before 26.12.17. The tender will be opened on 27.12.17 at 15:30 hrs. Interested Tenderers may participate in the bid opening.

	*	L
1.	Name of Work	Repairing and painting works of office building at Sonapur site, Sonapur 2017-18
2.	Estimatedamount (approx)	Rs. 102000/-(Rupees One lakh two thousand only)
3.	Earnest Money Deposit	2 % of Estimated Cost i.e. Rs.2000/- (Rupees Twothousand only) by Demand Draft in favour of Executive Engineer, M. B. Division, CWC, Guwahati payable at SBI, Guwahati.
4.	Security Deposit	5% or as applicable, security deposit will be deducted from the running and final bills and the said amount will be released after expiry of six months from the date of completion of the work subject to satisfying the applicable terms & condition.
5.	Cost of NIT Form	Rs.500/- Non refundable and Non transferable, by Demand Draft only in favour of Executive Engineer, M. B. Division, CWC, Guwahati payable at SBI, Guwahati.
6.	Date of Sale of NIT	The NIT forms can be purchased from the office of the Executive Engineer, M. B. Division, CWC, Guwahati from 16.12.17 to 23.12.17 between 11:00 hrs to 16:00 hrs on all working days. In case tender form is downloaded, DD of Rs.500/- should be attached with the tender document, else the tender will not be accepted
7.	Last Date of Receipt of NIT	26.12.17up to 16:00 hrs
8.	Date of Opening of NIT	27.12.17at 15:30 hrs at office of Executive Engineer, M. B. Division, CWC, Guwahati
9.		30(Thirty) days from date of issue of work order/as specified in CPWD-6.

(Executive Engineer) For and on behalf of President of India)

Copy forwarded with request to make publicity by displaying the enclosed N.I.T on Notice Board to: -

- Superintending Engineer, H.O. Circle, CWC, Guwahati-14 for information. 1.
- Sub-Divisional Engineer, P.P.Sub-Division, CWC, Jail Road, Milanpur, Nalbari-781337 2.
- Sub-Divisional Engineer, M.B .Sub-Division, CWC, Guwahati 3.
- Sub-Divisional Engineer, Barak. Sub-Division, CWC, Panchayat road, Tikarbosti, Silchar-788004 4.
- Accounts Branch, M.B. Division, CWC, Guwahati. 5. Notice Board, M.B. Division, CWC, Guwahati. 6.
- Website www. eprocure. gov. in/ CWC website www.cwc.nic.in 7.

GOVERNMENT OF INDIA CENTRAL WATER COMMISSION NOTICE INVITING TENDER

- Items rate/percentage rate tenders are invited on behalf of the President of India from approved and 1. eligible contractors of C.P.W.D and those of appropriate list of Department of Telecommunications, MES, Railways and State P.W.D. for the works "Repairing and painting works of office building at Sonapur site, Sonapur during 2016-17"
- This estimate, however, is given merely as a rough guide. 1.1
- Tenders will be issued to eligible C.P.W.D as well as non C. P. W. D contractors provided they produce 1.2 definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:

Criteria of eligibility for issue of tender documents

	3	in join locate of tender documents	
1.3	Condition 1.3.1	ons for NON CPWD contractors on For works estimated to cost above Rs. 25 lakhs but up to Rs. 2 crores	Three similar works seek
	1.3.2	For works estimated to cost above Rs. 2 crores but up to Rs. 5 crores	Three similar works each of value 40% of estimated cost or one work of 100% estimated cost (rounded of to nearest 10 lakhs) in the last 7 years ending last day of the month previous to the one in which the
	1.4	Conditions for CPWD as well as NON CPWD contractors.	teriders are invited.
	1.4.1	For works estimated to cost above Rs. 5 crores	Tenders shall be invited from pre-qualified contractors only

For the purpose of this clause 'similar work' means the works of-X

Agreement shall be drawn with the successful tenderer on prescribed Form No. CPWD 7/8 which is available in Govt. of India Publications. Tenderer shall quote his rates as per various terms and conditions of the said form which will form part of the agreement. 3.

The time allowed for carrying out the work will be 30 (thirty) days from the seventh day after the date of written orders to commence the work or from the first day of handing over of the site, whichever is later, in accordance with the phasing if any, indicated in the tender documents.

4. The site for the work is available.

OR

The site for the work shall be made available in parts as specified below:-

Receipt of applications for issue of forms will be stopped by 1600 hrs four days before the date fixed for 5. opening of tenders. Issue of tender forms will be stopped three days before the date fixed for opening of

Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the Executive Engineer, Middle Brahmaputra Division, Central Water commission, Guwahati-781014 between hours of 11.00 A.M. & 04.00 P.M. every day except on Sundays and Public Holidays. Tender documents, excluding standard form, will be issued from his office, during the hours specified above, on payment of Rs.500/- in by Demand Draft only. In case tender form is downloaded, DD of Rs.500/- should be attached with the tender document, else the tender will not be accepted.

The tenderer must produce an Income-Tax clearance certificate in the revised form as modified under 6. Ministry of Finance O.M.No.67/30/69/ITAL dated 02.07.1970 as amended from time to time and other relevant documents before tender papers can be sold to him. 7.

Tenders, which should always be placed in sealed envelope, with the name of work and due date written on the envelopes, will be received by this office up to 04.00 P.M. on 26.12.17 and will be opened by him or his authorized representative in his office on 27.12.17 at 15:30hrs

8.1 The tender shall be accompanied by earnest money (unless exempted), of Rs.2000/-Treasury Challan/ Deposit at Call receipt of a Scheduled Bank/Fixed Deposit Receipt of a Scheduled Bank/ Demand Draft

of a Scheduled Bank issued in favour of Executive Engineer, Middle Brahmaputra Division, Central Water commission or as per provision of CPWD manual. The fixed Deposit Receipt shall be accepted only if it is valid for six months or more after the last date If receipt of tenders and is pledged in favour of Executive Engineer, Middle Brahmaputra Division, Central Water commission. A contractor exempted from depositing earnest money in individual cases, shall enclose with the tender an attested copy of the letter exempting him and shall produce the original when called upon to do so.

The tender and the earnest money shall be placed in separate sealed envelopes each marked "Tender" and "Earnest Money" respectively. Both the envelopes shall be submitted together in another sealed envelope. The envelope mark "Tender" of only those tenderers shall be opened, whose earnest money placed in the other envelope is found to be in order.

9 The description of the work as follows: As per the schedule of work

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affected their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contact documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

10. The competent authority on behalf of President of India does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the Assignment of a reason. All tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.

11. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

12. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

- The contractor shall not be permitted to tender for works in the CPWD Circle (responsible for award and execution of contracts) in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Assistant Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 14. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.
- 15. The tender for the works shall remain open for acceptance for a period of thirty days from the date of opening of tenders. If any tenderer withdraws his tender before said period or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.
- 16. This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work sign the contract consisting of :-
 - (a) The notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.

(b) Standard C.P.W.D Form 7/8

01.00

GOVERNMENT OF INDIA CENTRAL WATER COMMISSION

STATE: - Central	CENTRAL WATER COM	MISSION
BRANCH: - CWC	CIRCLE:-	
ZONE: -	DIVISION:- SUB-DIVISION:-	H. O. Circle, Guwahati M. B. Division, Guwahati MBSD, CWC, Guwahati
(i) To be submitted by 16:00 ho (ii) To be opened in presence of Executive Engineer, M B Divi	f tenderers who may be presention, CWC, Guwahati	der & Contract for Works Iding at Sonapur site, Sonapur 2017-18 Ingineer, M B Division, CWC, Guwahati Int at 15.30 Hours on 27.12.17 in the office of
(Cont	tractor)	
Signature of officer issuing the document of the signature of officer issuing the document of the signature	ments	
Designation_		
	date o	f Issue
Charles and Designis (2)	porol Dul	SChedule A P C P -
I/We hereby tender for the e	t of the work.	schedule, A, B, C, D, E & F, Specifications Conditions of Contract, clauses of contract, eferred to in the conditions of contract and all
I/We hereby tender for the especified in Schedule 'F', viz., schedule designs, drawings and instructions in the conditions of contract and with, such conditions so far as applicable.	execution of the work specified alle of quantities and in accordance writing referred to in Rule–1 of or with such materials as are provided.	d for the President of India within the time ance in all respects with the specifications, yided for, by and in respects in accordance.
I/We hereby tender for the especified in Schedule 'F', viz., schedule designs, drawings and instructions in the conditions of contract and with, such conditions so far as applicable.	execution of the work specified alle of quantities and in accordance writing referred to in Rule–1 of or with such materials as are provided.	eferred to in the conditions of contract and all

of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess

Dated		

Postal Address

Clause							
	Authority for Compensation	fixing on under clause	2	_		<u> </u>	
120				-	1)	V .	
Clause		d for execution	of work		30 Days from date	e of issue of work orde	er/as specified in
	Time allower	u ioi execution (JI WUIK		CPWD-6	or issue or work orde	iras specifica iri
		give fair and rea time for comple		8	as applicable in Cl	PWD works manual	
MILE S	STONES						
	OF MILE ST			·p······		y	
SI. No.	Descrip	otion of Mileston	e (Physical)		allowed in days date of start)	Amount to be with-l	
1	-			<u> </u>			
2		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
3							
4 5							
3		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		OF	?	<u> </u>	J
SI. No.		al Progress ne (Physical)	Time a	allowed of start)	Amount to be will of milestone.	th-held in case of non	achievement
1		20%	1/4 th (of the work)	whole		e event of not achieving the necessary progressessed from the running payments, 1% of	
2		70%	1/2 (-do-)			of work will be withhe	
3		90%	3/4th(-do-)		each mile stone		
4		Full	Full		1		
Clause	Gross work Payment/adj material Coll such payme payment	to be done toge justment of adva- lected, if any, sin nt for being eligions to the followe	ances for nce the last ible to interim	 -			-
Clause	12			-			
	12.2 & 12.3	clause 12.2	mit beyond wh & 12.3 shall a work	apply _			-
		Deviation lir & 12.3 shall app n work		nich _			- -
Clause	Dated 20.04		l be 30%, 50%	%, 100%	as per O. M. No.	DGW/CON/82	
	Competent A			ā	as applicable in Cl	PWD works manual	

Sub-standard work must be got rectified and if necessary may be redone. Acceptance of sub-standard work at reduced rates should be done only under exceptional circumstances. Total value of items at agreement rate for

which the Superintending Engineer accept sub-standard work in a contract shall not exceed 5% of the

Clause 36 Minimum Qualifications & Experience required for Principal Technical Representative.

- For works with estimated cost put to tender more than (a)
 - Rs. 10 lakhs for Civil work (i)
 - Rs. 5 lakhs for Elec/Mech works (ii)

Graduate or retired AE possessing at least recognized diploma.

- For works with estimated cost put to tender (b)
 - More than Rs. 5 lakhs but less (ii)
 - More than Rs. 1 lakh but less than Rs. 5 lakh for Elect/Mech works (iii)
 - Discipline to which the Principal Technical Representative should belong (iv)
 - Minimum experience of works

Recognised Diploma holder Recognised Diploma holder

Civil / Elect. / Mech.

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

SI. No.		PERMISSIBLE VARIATION
OI. 140.	Description of item	
		Rates in figures and words at which recovery shall be mad from the Contractor
		Rate in Schedule 'B' Plus 10% in case materials issued by department
		Excess beyond Less use beyond the
1. Cem	nent	permissible variation permissible variation

- 2. Steel reinforcement
- 3. Structural Sections
- 4. Bitumen issued free
- 5. Bitumen issued at stipulated fixed price
- V) Recovery to be affected from the contractor in the event of fulfilling provision of clause

Clause 42

- Schedule / statement for determining (i) (a) Theoretical quantity of cement & bitumen on the basis of Delhi schedule of Rates_ printed by C.P.W.D.
 - (ii) Cement for works with estimated cost Tender not more than Rs. 5 lakhs For works with estimated cost put to Tender more than Rs. 5 lakhs

3% plus/minus

2% plus/minus

(b) Bitumen for all works

2.5% plus only & nil on minus side

(c) Steel Reinforcement and structural steel 2% plus/minus Sections for each diameter, section And category

(d) All other materials

Nil

ACCEPTANCE

on behalf of the	e President of India	for a sum of R	S			ccepted by	me for and
	rred to below shall						
i)							
ii)							
iii)	No.						
				For & on be	half of the Pres	sident of In	dia
Dated			Sign	ature		2	
			Desigr	nation			

SCHEDULE

Sched	lu	le	'A
- 01100	u		$\overline{}$

Schedule of quantities (Enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor- Not applicable

SI. No.	Description of item	Quantity	Rates in figures & words at which the materials will	
1	2		be charged to the contractor	
CHEDULE 'C'	to be hired to the contract	3	4	<i>E</i>

Tools and plants to be hired to the contractor- Not applicable

SI. No.	D Contracto	r- Not applicable	
Ji. 140.	Description		
1		Hire charges per day	Place of issue
_	2	3	
SCHEDULE 'D'			4
Extra schedule for a	n : 5	la companya da	73.00.00.00.00.00.00.00.00.00.00.00.00.00

Extra schedule for specific requirements/documents to the work, if any-

Schedule of component of Materials, Labour etc. for escalation-CLAUSE 10 CC

Component of materials expressed as percent of total value of work 'X"% Component of labour expressed as percent of total value of work 'Y'%

Component of P. O. L. expressed as percent of total value of work.

'Z'%

SCHEDULE 'F'

Reference to General Conditions of contract-

Estimated cost of work Earnest money	Rs.102000/-
Performance Guarantee	Rs.2000/-
Security Deposit General inviting tender	5% of tender value and will be adjusted/refunded as per provisions in CPWD manual As applicable
Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clause 12.2 & 12.3 1. (i) Engineer-in-Charge	
Z. (VII) Accepting Authority	As applicable
2(x) Percentage on cost of most in	As applicable
2. (xi) Standard schedule of Bet	10%
3. (xiii) Standard CPWD contract Form CPWD form 7/8 as modified & corrected up to	

SCHEDULE OF QUANTITIES

Name of work: - Repairing and painting works of office building at Sonapur site, Sonapur 2017-18

SI. No	Sub-heads and item of work	Unit	Qty	Rate (Rs)	Amount (Rs)
1	Dismantling and removing the existing door and window frame (chowkath) both wooden and steel of different sizes without damaging the walls and removing the frame and necessary repairs to the edges of the walls as directed for all levels. (i) Area of door/window up to 3.00 m2	Each	2		
2	Providing wood work in frame (chowkaths) of doors, windows, clerestory windows and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with M.S. hold fast (40mmx3mmx250mm) as per design embeded in cement concrete block in proportion 1:2:4 and with two coats of kiricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (b) With 1st class timber (Bonsum/ Sundi)	Cum	0.084		
3	Providing, fitting and fixing fully glazed window with sash bars including oxidised M.S butt hinges (75mmx 60mmx3.15mm) 2nos.on each leaf and 3 nos. on single leaf (glass panes to be measured and paid separately). Ĉ) With 1st class local wood. (i) 40mm thick	Sq.m	2.70		
4	Providing and fixing clear sheet glass beded in putty and fixed with/without wooden bidding including necessary cutting and glass to be required sized(payment for wooden bead shall be made separately). (2). Area of glass panes exceeding 0.15m2 but not exceeding 0.52m2. (b). 4.00mm thick.	Sq.m	1.50		
5	10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed. b) In cement mortar 1:4	sqm	15.43		

	Finishing old/ new wall with water proofing weather coat smooth antifungal exterior painting of Nerolac Paints Limited of required shade on old/ new wall surface to give an even shade after cleaning and clearing the surface etc. including scaffolding complete as directed at all levels (two coats). (Outer wall)		m 104.9	02		
	dry distemper of approved brand and manufacture (one coat) and of required shade on old wall surface togive aneven shade, after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing surface even and sand papered smooth. (Inner wall)	Sqm	169.59			
9	surfaces with enamel paint to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth. a) General Purpose (Asian paint/Berger paint/ICI paint/J&N paint/Nerolac) Painting one coats on old GC Late.	Sqm	72.66			
10	Wall painting (two coats) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on new surface to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth. (for ceiling) Extra over item no 13.4.1 above for painting with acrylic amulting sith acrylic am		99.07			
	approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on celling and on sloping roof. (i). Acrylic Emulsion Paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)					

M2	D-:-::					
13	coat) on previously painted steel and other metal surface with enamel pain of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	t t i				
	thickness including top layer and base course and disposal of debris as directed for all levels.		1.33	3		
14	Cement concrete works in topping 1:1:2 (1cement :1sand :2 graded aggregates on R.C.C floor, tread and rise of steps finished with a floating coat of neat cement using cement slurry for bond @ 2.75 kg.of cement per sq. m. of floor to be laid in panels including curing complete as directed. (a) 15 mm thick	Sqm	85.31			
15	Providing 13 mm mesh hexagonal wire net made of one I.S. designation (1mm dia) wire above post plate in eaves with 1st class Hollock/Bonsum/ Sundi timber frame to fit exactly with the corrugation of roofing sheet including kiricide oiling two coats to timber works complete as directed.	Sqm	32.10			
	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work in: Flat Surfaces such as soffits of suspended floors, roofs, landings, cantilever slabs, chajjas, balconies and the like. (a) Floors etc. upto 200mm in thickness. (ii) Using 25mm thick plank.	Sqm	2.16			
i e r c p s fl tr	Providing and laying plain/reinforced cement concrete works cement, coarse sand & 20mm downgraded stone aggregate including dewatering f necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and einforcement will be measured and reinforcement in the province of the provi	cum	0.26			

	concrete or Prop. 1:2:4.			
18	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete. (No extra measurement for lap, hook, chair, anchor etc. will be entertained in the measurement as they are included in the rate) (Upto 1st floor level). a) From Primary Producer: TATA/SAIL/Esser Steel/Jindal steel/Shyam steel/RINL. (i) TMT Corrosion resistant steel (CRS) 10mm tor:	Qntl	0.388	
19	Kota-stone slab flooring of 18 mm thick over 20mm thick base of cement plaster 1:6 (1 cement : 6 coarse sand) laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete. (2) 600mm x 900mm and above	sqm	2.58	
20	1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately). (A) 112mm thick brick wall. (a) In cement mortar in proportion 1:4 (1 cement:4 sand)	Sqm	2.88	
	Total =			10 to