



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय जल आयोग
जल विज्ञान मंडल



GOVERNMENT OF INDIA
Ministry of Jal Shakti,
Department of Water Resources,
River Development & Ganga Rejuvenation
CENTRAL WATER COMMISSION
Hydrology Division

NEERVALAM Complex, No. R-81, TNHB Colony, West Velachery, Chennai-600042.
Phone: 044-29530653. e-mail: ee.chn-cwc@gov.in

NATIONAL COMPETITIVE BIDDING FOR
(Two-Envelope Bidding Process with e-Procurement)

SUPPLY, INSTALLATION, TESTING, COMMISSIONING AND
MAINTENANCE OF REAL TIME DATA ACQUISITION SYSTEM (RTDAS)
WITH TELEMETRY

<i>Bid Reference</i>	Tender No. 02/HD/HQS/NIT/2021-22/2168-71 Dated 28/08/2021
Bid documents	Can be downloaded from Website https://eprocure.gov.in .
Bid Document Publish date & time	28/08/2021 @ 16.00 hrs
Bid Document Download Starting date &	28/08/2021 @ 16.00 hrs
Document Download Closing date & time	09/09/2021 @ 16.00 hrs
Bid Clarification Starting date & time	28/08/2021 @ 16.00 hrs
Bid Clarification Closing date & time	06/09/2021 @ 16.00 hrs
Pre Bid Meeting date & time	03/09/2021 @ 16.00 hrs
Online Bid Submission Starting date & time	28/08/2021 @ 16.00 hrs
Online Bid Submission Closing date & time	09/09/2021 @ 16.00 hrs
Last date and time of Receipt of relevant document as mentioned (IFB) by Speed Post/Courier/by hand.	09/09/2021 @ 16.00 hrs
Date& Time of Opening of Technical Bid	10/09/2021 @ 16.00 hrs
Address for Communication	O/o the Executive Engineer, Hydrology Division, Central Water Commission, Neervalam Complex, R-81, TNHB Colony, West Velachery, Chennai – 600042. Ph: 044-29530653

SECTION I: INVITATION FOR BIDS (IFB)

NATIONAL COMPETITIVE BIDDING FOR
SUPPLY, INSTALLATION, TESTING, COMMISSIONING AND
MAINTENANCE OF REAL TIME DATA ACQUISITION SYSTEM (RTDAS)
WITH TELEMETRY

(Two-Envelope Bidding Process with e-Procurement)

INVITATION FOR BIDS (IFB)

E-Procurement Notice

Tender No. 02/HD/HQS/NIT/2021-22/2168-71

Date: 28/08/2021


1. The Executive Engineer, Hydrology Division, CWC, Chennai on behalf of the President of India now invites online bids from the eligible experienced manufacturers, their authorized dealers/ representatives and Joint Ventures for work of **Supply, Installation, Testing, Commissioning and Maintenance of Automatic Data Acquisition System and Real Time Data Telemetry System** along with a comprehensive warranty of five years and maintenance for two years after the expiry of the warranty period at the locations mentioned in the bid documents. The work is estimated to cost Rs.1,27,70,000 (**Rupees One crore twenty seven lakh and seventy thousand only**). This estimate, however, is tentative and indicative for guidance.
2. Bidding will be conducted through the National Competitive Bidding (NCB) as per procedures and scope mentioned in this bid. The bidding is open to all eligible bidders as defined in this bid document.
3. Bidding documents are available free of cost online on <https://eprocure.gov.in>. Bidders will be required to register in the website, which is free of cost. The bidder would be responsible for ensuring that any addenda available on the website is also downloaded and incorporated.

<i>Bid Reference</i> <i>Procurement Plan Ref. no</i>	Tender No. 02/HD/HQS/NIT/2021-22/2168-71 dated 28/08/2021
Bid documents	Can be downloaded from Website https://eprocure.gov.in .
Bid Document Download Starting date & time	28/08/2021 @ 16.00 hrs
Document Download Closing date & time	09/09/2021 @ 16.00 hrs
Bid Clarification Starting date & time	28/08/2021 @ 16.00 hrs
Bid Clarification Closing date & time	06/09/2021 @ 16.00 hrs
Pre Bid Meeting date&time	03/09/2021 @ 16.00 hrs
Online Bid Submission Starting date & time	28/08/2021 @ 16.00 hrs
Online Bid Submission Closing date & time	09/09/2021 @ 16.00 hrs

Date & Time of Opening of Technical Bid	10/09/2021 @ 16.00 hrs
---	------------------------

6. For submission of the bids, the bidder is required to have Digital Signature Certificate (DSC) from one of the authorized Certifying Authorities, authorised by Government of India for issuing DSC. Aspiring bidders who have not obtained the user ID and password for participating in e-procurement in this Project, may obtain the same from the website: <https://eprocure.gov.in>
7. Bids must be submitted online on <https://eprocure.gov.in> on or before the date and time for receipt of bids, and the 'Technical Part' of bids will be opened online on the specified time and date for opening of bids, as given above. The "Financial Part" shall remain unopened in the e-procurement system until the second public Bid opening for the financial part. Any bid or modifications to bid (including discount) received outside e-procurement system will not be considered. If the office happens to be closed on the date of opening of the bids as specified, the bids will be opened on the next working day at the same time. The electronic bidding system would not allow any late submission of bids.
8. Bids securing declaration (as given in ITB 18) must be submitted.
9. Other details can be seen in the bidding document. The Purchaser shall not be held liable for any delays due to system failure beyond its control. Even though the system will attempt to notify the bidders of any bid updates, the Purchaser shall not be liable for any information not received by the bidder. It is the bidders' responsibility to verify the website for the latest information related to this bid.

The Executive Engineer, R-81, Hydrology Division, Central Water Commission,
Neervalam Complex, TNHB Colony, West Velachery, Chennai-600042
e-mail: ee.chn-cwc@nic.in


(वसंतकुमार वी)/(VASANTHAKUMAR V)
अधिषासी अभियंता/Executive Engineer

प्रतिलिपी/Copy to:

1. The Superintending Engineer, C&SRC, CWC, Bengaluru.
2. The Executive engineer, SWRD, Kochi.
3. The Sub Divisional Engineer, PPSD/Chennai
4. The Accounts Branch, HD, CWC, Chennai to book the expenditure under 06:00:52 M&E DWRIS.

TABLE OF CONTENTS

PART 1 – BIDDING PROCEDURES	6
SECTION I - INSTRUCTIONS TO BIDDERS [ITB].....	7
SECTION II - BIDDING DATA SHEET	30
SECTION V. – ELIGIBLE COUNTRIES.....	65
PART 2 - SUPPLY REQUIREMENTS	66
SECTION VI – SCHEDULE OF REQUIREMENTS	67
PART 3 – CONTRACT.....	1314
SECTION VIII – GENERAL CONDITIONS OF CONTRACT	1325
SECTION IX. SPECIAL CONDITIONS OF CONTRACT	1503
SECTION X – CONTRACT FORMS	1647

PART 1 – BIDDING PROCEDURES

SECTION I - INSTRUCTIONS TO BIDDERS [ITB]

Section I. Instructions to Bidders

Table of Contents

A. GENERAL	11
1. SCOPE OF BID	11
2. CORRUPT & FRAUDULENT PRACTICES	11
3. ELIGIBLE BIDDERS	11
4. ELIGIBLE GOODS AND RELATED SERVICES	13
B. CONTENTS OF BIDDING DOCUMENT	13
5. SECTIONS OF BIDDING DOCUMENTS	13
6. CLARIFICATION OF BIDDING DOCUMENTS	14
7. AMENDMENT OF BIDDING DOCUMENTS	14
C. PREPARATION OF BIDS	15
8. COST OF BIDDING	15
9. LANGUAGE OF BID	15
10. DOCUMENTS COMPRISING THE BID	15
11. PROCESS OF BID SUBMISSION	16
12. ALTERNATIVE BIDS	17
13. BID PRICES AND DISCOUNTS	17
14. CURRENCIES OF BID & PAYMENT	18
15. DOCUMENTS ESTABLISHING THE ELIGIBILITY AND CONFORMITY OF THE GOODS AND RELATED SERVICES	18
16. DOCUMENTS ESTABLISHING THE ELIGIBILITY & QUALIFICATIONS OF THE BIDDER	19
17. PERIOD OF VALIDITY OF BIDS	20
18. BID SECURING DECLARATION	20
19. FORMAT AND SIGNING OF BID	20
D. ONLINE SUBMISSION OF BIDS	20
20. PREPARATION OF BIDS	20
21. DEADLINE FOR SUBMISSION OF BIDS	21
22. LATE BIDS	21
23. WITHDRAWAL, SUBSTITUTION, AND MODIFICATION OF BIDS	21
24. PUBLIC OPENING OF TECHNICAL PARTS OF BIDS	22
E. EVALUATION OF BIDS – GENERAL PROVISIONS	22
25. CONFIDENTIALITY	22
26. CLARIFICATION OF BIDS	23
27. DEVIATIONS, RESERVATIONS, OMISSIONS	23
28. NONCONFORMITIES, ERRORS AND OMISSIONS	23
29. EVALUATION OF TECHNICAL PARTS	24
30. DETERMINATION OF RESPONSIVENESS	24
31. QUALIFICATION OF THE BIDDERS	25
32. PUBLIC OPENING OF FINANCIAL PARTS	25
34. CORRECTION OF ARITHMETICAL ERRORS	27
36. COMPARISON OF FINANCIAL PARTS	27
37. PURCHASER'S RIGHT TO ACCEPT ANY BID, AND TO REJECT ANY OR ALL BIDS	28

F. AWARD OF CONTRACT	28
38 AWARD CRITERIA	28
39 PURCHASER’S RIGHT TO VARY QUANTITIES AT TIME OF AWARD	28
40 NOTIFICATION OF AWARD	28
PUBLICATION OF AWARD	28
RECOURSE TO UNSUCCESSFUL BIDDERS	28
41 SIGNING OF CONTRACT	29
42 PERFORMANCE SECURITY	29

Section I. Instructions to Bidders

A. General

1. **Scope of Bid**
 - 1.1 The Purchaser **indicated in the Bidding Data Sheet (BDS)**, issues these Bidding Documents for the supply of Goods and Related Services incidental thereto as specified in Section VI, Schedule of Requirements. The name, identification and number of lots (Contracts) of this National Competitive Bidding (NCB) procurement are **specified in the BDS**.
 - 1.2 Throughout these Bidding Documents:
 - (a) the term “in writing” means communicated in written form (e.g. by mail, e-mail, fax, telex, including if **specified in the BDS**, distributed or received through the electronic-procurement system used by the Employer) with proof of receipt;
 - (b) if the context so requires, “singular” means “plural” and vice versa; and
 - (c) “day” means calendar day.
2. **Corrupt & Fraudulent Practices**
 - 2.1 “Corrupt practice” means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - 2.2 “Fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Tenderers (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition.
 - 2.3 In further pursuance of this policy, Bidders shall permit and shall cause its agents (whether declared or not), sub-Contractors, sub-consultants, service providers or suppliers and to permit the Purchaser to inspect all accounts, records and other documents relating to the submission of the application, bid submission (in case prequalified), and Contract performance (in the case of award), and to have them audited by auditors appointed by the Purchaser.
 - 2.4 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited.
3. **Eligible Bidders**
 - 3.1 A Bidder may be a firm that is a private entity, or a government owned entity subject to ITB 3.5.
 - 3.2 A Bidder shall not have a conflict of interest. Any Bidder found to have a conflict of interest shall be disqualified. A Bidder may be

considered to have a conflict of interest for the purpose of this bidding process, if the Bidder:

- a. directly or indirectly controls, is controlled by or is under common control with another Bidder; or
- b. receives or has received any direct or indirect subsidy from another Bidder; or
- c. has the same legal representative as another Bidder; or
- d. has a relationship with another Bidder, directly or through common third parties, that puts it in a position to influence the bid of another Bidder, or influence the decisions of the Purchaser regarding this bidding process; or
- e. Participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which such Bidder is involved. However, this does not limit the inclusion of the same Sub-Contractor in more than one bid; or
- f. any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods/equipment that are the subject of the bid; or
- g. any of its affiliates has been hired (or is proposed to be hired) by the Purchaser or Borrower for the Contract implementation;
- h. The tenderer shall not be permitted to tender for works in the CWC circle (responsible for award and execution of contracts) in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer of the concerned Circle, and Assistant Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Water Commission or in the Ministry of Water Resources. Any breach of this condition by the tenderer would render his tender liable to be rejected.
- i. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled, if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

3.3 A Bidder may have the nationality of any country. A Bidder shall be deemed to have the nationality of a country if the Bidder is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-Contractors or sub-consultants for any part of the

Contract including related Services.

3.4 A Bidder that has been sanctioned/debarred by the Purchaser or Government of India shall be ineligible to be prequalified for, bid for, or be awarded, financially or otherwise, during such period of time as the Bank shall have determined.

3.5 Bidders that are Government-owned enterprises or institutions in the Purchaser's Country may participate.

3.6 A Bidder shall not be under suspension from bidding by the Purchaser as the result of the operation of a Bid-Securing Declaration.

3.7 Firms and individuals may be ineligible if so indicated in Section V and (a) as a matter of law or official regulations, the Borrower's country prohibits commercial relations with that country.

3.8 A bidder shall provide such evidence of eligibility satisfactory to the Purchaser, as the Purchaser shall reasonably request.

4 Eligible Goods and Related Services

4.1 All the Goods and Related Services to be supplied under the Contract may have their origin in any country in accordance with Section V, Eligible Countries.

4.2 For purposes of this Clause, the term "goods" includes commodities, raw material, machinery, equipment, and industrial plants; and "related services" includes services such as insurance, installation, training, and initial maintenance.

4.3 The term "origin" means the country where the goods have been mined, grown, cultivated, produced, manufactured or processed; or, through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.

B. Contents of Bidding Document

5 Sections of Bidding Documents

5.1 The Bidding Documents consist of Parts 1, 2, and 3, which include all the Sections indicated below, and should be read in conjunction with any Addendum issued in accordance with ITB Clause 8.

PART 1 Bidding Procedures

- Section I. Instructions to Bidders (ITB)
- Section II. Bidding Data Sheet (BDS)
- Section III. Evaluation and Qualification Criteria
- Section IV. Bidding Forms

- Section V. Eligible Countries

PART 2 Supply Requirements

- Section VI. Schedule of Requirements

PART 3 Contract

- Section VII. General Conditions of Contract (GCC)
- Section VIII. Special Conditions of Contract (SCC)
- Section IX. Contract Forms

5.2 The Invitation for Bids issued by the Purchaser is not part of the Bidding Document.

5.3 Unless obtained directly from the Purchaser, the Purchaser is not responsible for the completeness of the document, responses to requests for clarification, minutes of pre-bid meeting (if any), or Addenda to the Bidding Document in accordance with ITB 8. In case of any contradiction, documents obtained directly from the Purchaser shall prevail.

5.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents and to furnish with its Bid all information or documentation as is required by the Bidding Documents.

6 Clarification of Bidding Documents

6.1 The electronic bidding system **specified in the BDS** provides for online clarifications. A prospective Bidder requiring any clarification on the Bidding Documents may notify the Purchaser online. Clarifications requested through any other mode shall not be considered by the Purchaser. The Purchaser will respond to any request for clarification, provided that such request is received no later than fifteen (15) days prior to the deadline for submission of bids. Description of clarification sought and the response of the Purchaser shall be uploaded for information of all Bidders without identifying the source of request for clarification. Should the Purchaser deem it necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under ITB Clause 7 and ITB Sub-Clause 21.2. It is the bidder's responsibility to check on the e-procurement system, for any addendum/ amendment/ corrigendum to the bidding document.

7 Amendment of Bidding Documents

7.1 At any time prior to the deadline for submission of bids, the Purchaser may amend the Bidding Documents by issuing addendum. The addendum will appear on the e-procurement system under "Latest Corrigendum" and email notification is also automatically sent to those bidders who have started working on the

tender, or as **otherwise specified in BDS.**

7.2 Any addendum thus issued shall be part of the Bidding Documents and shall be deemed to have been communicated to all the bidders.

7.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the Purchaser may, at its discretion, extend the deadline for the submission of bids, pursuant to ITB Sub-Clause 21.2

C. Preparation of Bids

8 Cost of Bidding 8.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

9 Language of Bid 9.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser, shall be written in English language. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages into English language, in which case, for purposes of interpretation of the Bid, such translation shall govern.

10 Documents Comprising the Bid 10.1 The Bid shall comprise two Parts, namely the Technical Part and the Financial Part. These two Parts shall be submitted simultaneously.

10.2 **The Technical Part** shall contain the following:

- (a) Letter of Bid – Technical Part, in accordance with ITB Clause 11;
- (b) Bid Security, in accordance with ITB Clause 18.1, if required;
- (c) Alternative bids– Technical Part, if permissible, in accordance with ITB 12, the Technical Part of any Alternative Bid;
- (d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB Clause 19.2;
- (e) documentary evidence in accordance with ITB Clause 16 establishing the Bidder's qualifications to perform the Contract if its bid is accepted;
- (f) documentary evidence in accordance with ITB 16 establishing the Bidder's eligibility to bid;
- (g) documentary evidence in accordance with ITB Clause 15,

that the Goods and Related Services to be supplied by the Bidder are of eligible origin;

- (h) documentary evidence in accordance with ITB Clauses 15, that the Goods and Related Services conform to the Bidding Documents;
- (i) Manufacturer's authorization form; and
- (j) any other document **required in the BDS**.

10.3 The **Financial Part** shall contain the following:

- (a) Letter of Bid – Financial Part: prepared in accordance with ITB 11 and ITB 13;
- (b) Price Schedules: completed prepared in accordance with ITB 11 and ITB 13;
- (c) Alternative Bid - Financial Part; if permissible in accordance with ITB 12, the Financial Part of any Alternative Bid; and
- (d) any other document **required in the BDS**.

10.4 The Technical Part shall not include any financial information related to the Bid price. Where material financial information related to the Bid price is contained in the Technical Part, the Bid shall be declared non-responsive.

10.5 The Bidder shall furnish in the Letter of Bid, information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Bid.

11 Process of Bid Submission

11.1 The Letter of Bid – Technical Part, Letter of Bid – Financial Part, and Price Schedules shall be prepared using the relevant forms furnished in Section IV, Bidding Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITB 19.2. All blank spaces shall be filled in with the information requested.

11.2 Entire Bid including the Letter of Bid and filled-up Price Schedules shall be submitted online on e-procurement system specified in ITB 6.1. Details and process of online submission of the tender and relevant documents are given in the website mentioned above. Scanned copies of documents listed in clauses 10 and 11.3 should also be uploaded on this website.

11.3 **Submission of Original Documents:** The bidders are required to separately submit (i) original bid security in approved form; and (ii) original affidavit regarding correctness of information furnished with bid document, with the office **specified in the BDS**, before the opening of the technical part of the Bid, either by registered/speed post/courier or by hand, failing which the bids

will be declared non-responsive and will not be opened. Hard copy of rest of the bid is not to be submitted.

12 Alternative Bids 12.1 Unless otherwise **specified in the BDS**, alternative bids shall not be considered.

13 Bid Prices and Discounts 13.1 The prices quoted by the Bidder in the Letter of Bid – Financial Part and in the Price Schedules shall conform to the requirements specified below.

13.2 All lots (Contracts) and items must be listed and priced separately in the Price Schedules.

13.3 The price to be quoted in the Letter of Bid – Financial Part, in accordance with ITB 11.1, shall be the total price of the bid, excluding any discounts offered.

13.4 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account, **unless otherwise specified in the BDS**. A bid submitted with an adjustable price quotation shall be treated as nonresponsive and shall be rejected, pursuant to ITB 30. However, if in accordance with the BDS, prices quoted by the Bidder shall be subject to adjustment during the performance of the Contract, a bid submitted with a fixed price quotation shall not be rejected, but the price adjustment shall be treated as zero.

13.5 If so specified in ITB 1.1, bids are being invited for individual lots (Contracts) or for any combination of lots (packages). Unless otherwise **specified in the BDS**, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot.

13.6 Prices shall be quoted as specified in the Price Schedule included in Section IV, Bidding Forms. The disaggregation of price components is required solely for the purpose of facilitating the comparison of bids by the Purchaser. This shall not in any way limit the Purchaser's right to Contract on any of the terms offered. In quoting prices, the Bidder shall be free to use transportation through carriers registered in any eligible country, in accordance with Section V Eligible Countries. Similarly, the Bidder may obtain insurance services from any eligible country in accordance with Section V Eligible Countries. Prices shall be entered in the following manner:

(a) **For Goods:**

(i) the price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable), including all duties, and GST and other taxes already paid or payable on

the components and raw material used in the manufacture or assembly of the Goods;

(ii) any GST and other taxes which will be payable in India on the Goods, if the Contract is awarded to the Bidder; and

(iii) the price for inland transportation, insurance, and other local services required to convey the Goods to their final destination (Project Site) **specified in the BDS.**

(b) for the Related Services, other than inland transportation and other services required to convey the Goods to their final destination, whenever such Related Services are specified in the Schedule of Requirements:

(i) the price of each item comprising the Related Services (inclusive of any applicable taxes).

14 Currencies of Bid & Payment

14.1 The Bidder shall quote the Price in Indian Rupees only.

15 Documents Establishing the Eligibility and conformity of the Goods and Related Services

15.1 To establish the eligibility of the Goods and Related Services in accordance with ITB Clause 4, Bidders shall complete the country of origin declarations in the Price Schedule Forms, included in Section IV, Bidding Forms.

15.2 To establish the conformity of the Goods and Related Services to the Bidding Documents, the Bidder shall furnish as part of its Bid the documentary evidence that the Goods conform to the technical specifications and standards specified in Section VI, Schedule of Requirements.

15.3 The documentary evidence may be in the form of literature, drawings or data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the Goods and Related Services, demonstrating substantial responsiveness of the Goods and Related Services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Section VI Schedule of Requirements.

15.4 The Bidder shall also furnish a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing

functioning of the Goods during the period **specified in the BDS** following commencement of the use of the goods by the Purchaser.

- 15.5 Standards for workmanship, process, material, and equipment, as well as references to brand names or catalogue numbers specified by the Purchaser in the Schedule of Requirements, are intended to be descriptive only and not restrictive. The Bidder may offer other standards of quality, brand names, and/or catalogue numbers, provided that it demonstrates, to the Purchaser's satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in the Section VI Schedule of Requirements.

**16 Documents
Establishing the
Eligibility
& Qualifications
of the Bidder**

- 16.1 To establish Bidder's eligibility in accordance with ITB 3, Bidders shall complete the Letter of Bid – Technical Part, included in Section IV, Bidding Forms.

- 16.2 The documentary evidence of the Bidder's qualifications to perform the Contract if its bid is accepted shall establish to the Purchaser's satisfaction:

- 16.2.1 that the Bidder meets each of the qualification criterion Criteria specified in Section III, Evaluation and Qualification;

- 16.2.2 (i) that, if **required in the BDS**, a Bidder that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section IV, Bidding Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in the Purchaser's Country;

- (ii) Supplies for any particular item in each schedule of the bid should be from one manufacturer only. Bids from agents offering supplies from different manufacturers for the same item of the schedule in the bid will be treated as non-responsive.

- (iii) that, if **required in the BDS**, the Bidder is or will be (if awarded the Contract) represented by an Agent in the country equipped and able to carry out the Supplier's maintenance, repair and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications;

- (c) Bids from Joint Ventures are acceptable.

- | | |
|--------------------------------------|---|
| 17 Period of Validity of Bids | <p>17.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Purchaser in accordance with ITB 21.1. A bid valid for a shorter period shall be rejected by the Purchaser as non-responsive.</p> <p>17.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Purchaser may request bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. If a Bid Security is requested in accordance with ITB Clause 18, it shall also be extended for a corresponding period. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request shall not be required or permitted to modify its bid.</p> |
| 18 Bid Securing Declaration | <p>18.1 The Bidder shall furnish as part of the Technical Part of its bid, a Bid Securing Declaration as per Tender document.</p> |
| 19 Format and Signing of Bid | <p>19.1 The Bidder shall prepare the Bid as per details given in ITB 20.</p> <p>19.2 The bid shall be signed by a person duly authorized to sign on behalf of the Bidder. The authorization shall consist of a written confirmation as specified in the BDS and shall be uploaded along with the bid..</p> <p>19.3 Corrections if any in the bid can be carried out by editing the information before electronic submission on e-procurement portal.</p> |

D. Online Submission of Bids

- | | |
|-------------------------------|---|
| 20 Preparation of Bids | <p>20.1 Bids, both Technical and Financial Parts, shall be submitted online on the e-procurement system specified in BDS 6.1. Detailed guidelines for viewing bids and submission of online bids are given on the website. The Invitation for Bids under this Project is published on this website. Any citizen or prospective bidder can logon to this website and view the Invitation for Bids and can view the details of goods for which bids are invited. A prospective bidder can submit its bid online; however, the bidder is required to have enrolment/registration in the website and should have valid Digital Signature Certificate (DSC) in the form of smart card/e-token obtained from any authorised certifying agency of Government of India (for class of DSC specified in BDS). The bidder should register in the website using the relevant option available. Then the Digital Signature registration has to be done with the e-token, after logging into the website. The bidder can then login the website through the secured login by entering the password of the e-token & the user id/ password chosen during registration. After getting the bid schedules, the Bidder should go through them carefully and submit the specified documents, along</p> |
|-------------------------------|---|

with the bid, otherwise the bid will be rejected.

- 20.2 The completed bid comprising of documents indicated in ITB 11, should be uploaded on the e-procurement portal along with scanned copies of requisite certificates as are mentioned in different sections in the bidding document and scanned copy of the bid security.
- 20.3 All the documents are required to be signed digitally by the bidder. After electronic online bid submission, the system generates a unique bid identification number which is time stamped as per server time. This shall be treated as acknowledgement of bid submission.
- 21.4 Physical, Email, Telex, Cable or Facsimile bids will be rejected as non-responsive.
- 21 Deadline for Submission of Bids**
 - 21.1 Bids must be uploaded online no later than the date and time **specified in the BDS**.
 - 21.2 The Purchaser may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Documents in accordance with ITB Clause 7, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.
- 22 Late Bids**
 - 22.1 The electronic bidding system would not allow any late submission of bids after due date & time as per server time.
- 23 Withdrawal, Substitution, and Modification of Bids**
 - 23.1 Bidders may modify their bids by using appropriate option for bid modification on the e-procurement portal, before the deadline for submission of bids. For this the bidder need not make any additional payment towards the cost of bid document. For bid modification and consequential re-submission, the bidder is not required to withdraw his bid submitted earlier. The last modified bid submitted by the bidder within the bid submission time shall be considered as the bid. For this purpose, modification/withdrawal by other means will not be accepted. In online system of bid submission, the modification and consequential re-submission of bids is allowed any number of times. A bidder may withdraw his bid by using appropriate option for bid withdrawal, before the deadline for submission of bids, however, if the bid is withdrawn, re-submission of the bid is not allowed (or allowed **if specified in BDS**).
 - 23.2 Bids requested to be withdrawn in accordance with ITB Sub-Clause 23.1 shall not be opened.
 - 23.3 No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the

expiration of the period of bid validity specified by the Bidder on the Letter of Bid (Technical Part and/or Financial Part) or any extension thereof.

Public Opening of Technical Parts of Bids

- 24 Public Opening of Technical Parts of Bids**
- 24.1 The Purchaser shall publicly open Technical Parts of all bids received by the deadline, at the date, time and place **specified in the BDS**, in the presence of Bidder's designated representatives and anyone who chooses to attend, and this could also be viewed by the bidders online. The Financial Parts of the bids shall remain unopened in the e-procurement system, until the subsequent public opening, following the evaluation of the Technical Parts of the Bids. In all cases, original documents submitted as specified in ITB 11.3 shall be first scrutinized, and Bids that do not comply with the provisions of ITB 11.3 will be declared non-responsive and will not be opened. Thereafter, bidder's names, and such other details as the Purchaser may consider appropriate will be notified online as Technical Part bid opening summary.
- In the event of the specified date of bid opening being declared a holiday for the Purchaser, the bids will be opened at the appointed time and location on the next working day.
- 24.2 The electronic summary of the bid opening will be generated and uploaded online. The Purchaser will also prepare minutes of the Bid opening, including the information disclosed and upload the same for viewing online. Only Technical Parts of Bids, alternative bids - Technical Parts if permitted in ITB 12 that are opened at Bid opening shall be considered further for evaluation.

E. Evaluation of Bids – General Provisions

- 25 Confidentiality**
- 25.1 Information relating to the examination, evaluation, comparison, and post-qualification of bids, and recommendation of Contract award, shall not be disclosed to bidders or any other persons not officially concerned with such process until information on Contract Award is communicated to all Bidders in accordance with ITB 40.
- 25.2 Any effort by a Bidder to influence the Purchaser in the examination, evaluation, comparison, and post-qualification of the bids or Contract award decisions may result in the rejection of its Bid.
- 25.3 Notwithstanding ITB Sub-Clause 25.2, from the time of bid opening to the time of Contract Award, if any Bidder wishes to contact the Purchaser on any matter related to the bidding

process, it should do so in writing.

- 26 Clarification of Bids**
- 26.1 To assist in the examination, evaluation, comparison of the bids and post-qualification of the Bidders, the Purchaser may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder in respect to its Bid, that is not in response to a request by the Purchaser shall not be considered. The Purchaser's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Purchaser in the Evaluation of the bids, in accordance with ITB Clause 34.
- 26.2 If a Bidder does not provide clarifications of its bid by the date and time set in the Purchaser's request for clarification, its bid may be rejected.
- 27 Deviations, Reservations, Omissions**
- 27.1 During the evaluation of bids, the following definitions apply:
- (a) "Deviation" is a departure from the requirements specified in the Bidding Documents;
 - (b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Documents; and
 - (c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Documents.
- 28 Nonconformities, Errors and Omissions**
- 28.1 Provided that a Bid is substantially responsive, the Purchaser may waive any non conformities or omissions in the Bid which do not constitute a material deviation, reservation or omission.
- 28.2 Provided that a Bid is substantially responsive, the Purchaser may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price or substance of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 28.3 Provided that a Bid is substantially responsive, the Purchaser shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified **in the BDS.**

Evaluation of Technical Parts of Bids

- | | | |
|---|--------|--|
| 29 Evaluation of Technical Parts | 29.1 | In evaluating the Technical Parts of each Bid, the Purchaser shall use the criteria and methodologies listed in ITB 30, ITB 31, and Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted. |
| 30 Determination of Responsiveness | 30.1 | The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself as defined in ITB 10. |
| | 30.2 | A substantially responsive Bid is one that meets the requirements of the Bidding Documents without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that: <ul style="list-style-type: none">(a) If accepted, would<ul style="list-style-type: none">(i) affect in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or(ii) limit in any substantial way, inconsistent with the Bidding Documents, the Purchaser's rights or the Bidder's obligations under the Contract; or(b) if rectified would unfairly affect the competitive position of other bidders presenting substantially responsive bids. |
| | 30.2.1 | Bids from Agents, without proper authorization from the manufacturer as per Section IV, shall be treated as non-responsive. |
| | 30.3.1 | The Purchaser shall examine the bids to confirm that all documents and technical documentation requested in ITB Clause 10 have been provided, and to determine the completeness of each document submitted. |
| | 30.3.2 | The Purchaser shall examine the bid to confirm that the Bidder has accepted all terms and conditions specified in GCC and the SCC without material deviations or reservations. Deviations from or objections or reservations to critical provisions such as those concerning Performance Security (GCC Clause 18). Warranty (GCC Clause 28), Force Majeure (Clause 32), Limitation of liability (GCC Clause 30), Governing law (GCC Clause 9) and Taxes & Duties (GCC Clause 17) will be deemed to be a material deviation. The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. |
| | 30.4 | If a bid is not substantially responsive to the Bidding Documents, it shall be rejected by the Purchaser and may not |

subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.

31 Qualification of the Bidders

- 31.1 The Purchaser shall determine, to its satisfaction, whether all eligible Bidders, whose Bids have been determined to be substantially responsive to the bidding document, meet the Qualification Criteria specified in Section III, Evaluation and Qualification Criteria.
- 31.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 16. The determination shall not take into consideration the qualifications of other firms such as the Bidder's subsidiaries, parent entities, affiliates, Sub-Contractors (other than specialized Sub-Contractors if permitted in the bidding document), or any other firm(s) different from the Bidder.
- 31.3 If a Bidder does not meet the qualifying criteria specified in Section III, Evaluation and Qualification Criteria, its Bid shall be rejected by the Purchaser and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.
- 31.4 Only Bids that are both substantially responsive to the bidding document, and meet all Qualification Criteria shall have the Financial Parts of their Bids opened at the second public opening

Public Opening of Financial Parts of Bids

32 Public Opening of Financial Parts

- 32.1 Following the completion of the evaluation of the Technical Parts of the Bids, and its approval by the competent authority the Purchaser shall notify in writing those Bidders who have failed to meet the Qualification Criteria and/or whose Bids were considered non-responsive to the requirements in the bidding document, advising them of the following information:
- (a) their Technical Part of Bid failed to meet the requirements of the bidding document;
 - (b) their Financial Part of the Bid shall not be opened; and
 - (c) notify them of the date and time for public opening of the Financial Parts of the Bids. Financial Parts of the bids shall not be opened earlier than seven (7) days from the communication of technical evaluation results to the bidders.
- 32.2 The Purchaser shall, simultaneously, notify in writing those Bidders whose Technical Parts have been evaluated as

substantially responsive to the bidding document and met the Qualification Criteria, advising them of the following information:

- (a) their Bid has been evaluated as substantially responsive to the bidding document and met the Qualification Criteria;
- (b) their Financial Part of Bid will be opened at the public opening of Financial Parts;
- (c) notify them of the date and time of the second public opening of the Financial Parts of the Bids, as **specified in the BDS**.

32.3 The opening date should allow Bidders sufficient time to make arrangements for attending the opening. The Financial Part of the Bid shall be opened publicly in the presence of Bidders' designated representatives and anyone who chooses to attend, and this could also be viewed by the bidders online. The bidder's names, the Bid prices, the total amount of each bid, including any discounts and Alternative Bid – Financial Part, and such other details as the Purchaser may consider appropriate will be notified online by the Purchaser at the time of bid opening.

In the event of the specified date of bid opening being declared a holiday for the Purchaser, the bids will be opened at the appointed time and location on the next working day.

32.4 The electronic summary of the bid opening will be generated and uploaded online. The Purchaser will also prepare minutes of the Bid opening, including the information disclosed and upload the same for viewing online. Only Financial Part of Bids, Financial Parts of Alternative Bids and discounts that are opened and read out at Bid opening shall be considered further for evaluation.

Evaluation of Financial Parts of Bids

33 Evaluation of Financial Parts

33.1 To evaluate the Financial Part of each Bid, the Purchaser shall consider the following:

- (a) evaluation will be done for Items or Lots (Contracts), as specified **in the BDS**; and the Bid Price as quoted in accordance with ITB 13;
- (b) price adjustment due to quantifiable nonmaterial nonconformities in accordance with ITB 28.3; and
- (c) the additional evaluation factors specified in Section III, Evaluation and Qualification Criteria.

33.2 The estimated effect of the price adjustment provisions of the

Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in Bid evaluation.

- 33.3 If this bidding document allows Bidders to quote separate prices for different lots (Contracts), the methodology to determine the lowest evaluated cost of the lot (Contract) combinations, including any discounts offered in the Letter of Bid - Financial Part, is specified in Section III, Evaluation and Qualification Criteria.
- 33.4 The Purchaser's evaluation of a Bid shall include (i) price quoted EXW including GST as applicable on the finished goods; (ii) other taxes, if any, payable on finished goods; (iii) price for inland transportation, insurance, and other local services required to convey the Goods to their Final Destination; and (iv) price for Related Services, if any.
- 33.5 The Purchaser's evaluation of a Bid may require the consideration of other factors, in addition to the Bid price quoted in accordance with ITB 13. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of Bids, unless otherwise specified **in the BDS** from amongst those set out in Section III, Evaluation and Qualification Criteria. The criteria and methodologies to be used shall be as specified in ITB 33.1.
- 34 Correction of Arithmetical Errors**
- 34.1 The e-procurement system automatically calculates the total amount from unit rates and quantities and the system also automatically populates the amount in words from the amount in figures and therefore there is no scope of discrepancy and need for arithmetic correction.
- 35 MSME/Start up bidders**
- 35.1 The Tender fee, bid security, prior turnover and prior experience condition shall be relaxed as specified in BDS for micro and small enterprises (MSEs) registered as per the policy circular No.1 (2) (1)/2016-MA dated 10.03.2016 of Ministry of Micro, Small and Medium Enterprises, Government of India.
- 36 Local content requirement**
- 36.1 Order No. P-45021/2/2017-PP (BE-II) dated 16/09/2020 issued by Department for Promotion of Industry and Internal Trade on Public Procurement (Preference to make in India) shall be valid on this tender,
- 37 Comparison of Financial Parts**
- 37.1 The Purchaser shall compare the evaluated prices of all substantially responsive bids to determine the lowest-evaluated bid, in accordance with ITB Clause 33

- | | |
|--|---|
| 38 Purchaser's
Right to Accept
Any Bid, and to
Reject Any or
All Bids | 38.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to Contract award, without thereby incurring any liability to Bidders. In case of annulment, all documents submitted and specifically, bid securities, shall be promptly returned to the Bidders. |
|--|---|

F. Award of Contract

- | | |
|---|---|
| 39 Award Criteria | 39.1 Subject to ITB 37.1 the Purchaser shall award the Contract to the Bidder whose bid has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Documents, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily. |
| 40 Purchaser's
Right to Vary
Quantities at
Time of Award | 40.1 At the time the Contract is awarded, the Purchaser reserves the right to increase or decrease the quantity of Goods and Related Services originally specified in Section VI, Schedule of Requirements, provided this does not exceed the percentages specified in the BDS , and without any change in the unit prices or other terms and conditions of the bid and the Bidding Documents. |
| 41 Notification of
Award | 41.1 Prior to the expiration of the period of bid validity, the Purchaser shall notify the successful Bidder, in writing, that its Bid has been accepted. The notification letter (hereinafter called "Letter of Acceptance") shall specify the sum that the purchaser will pay in consideration of the supply and installation of Goods (hereinafter called "the Contract Price").

41.2 At the same time the Purchaser shall publish in a National website (GOI web site - http://tenders.gov.in or GoI Central Public Procurement Portal https://eprocure.gov.in/cppp/) or on the Purchaser's website with free access if available, or in the official gazette, the results identifying the bid and lot numbers and the following information: (i) name of each Bidder who submitted a Bid; (ii) bid prices as read out at bid opening; (iii) name and evaluated prices of each Bid that was evaluated; (iv) name of bidders whose bids were rejected and the reasons for their rejection; and (v) name of the successful Bidder, and the price it offered, as well as the duration and summary scope of the Contract awarded. |
| Publication of
Award | |
| Recourse to
Unsuccessful
Bidders | 41.3 The Purchaser shall promptly respond in writing to any unsuccessful Bidder who, after Publication of Contract award, requests in writing the grounds on which its bid was not selected.

41.4 Until a formal Contract is prepared and executed, the notification of award shall constitute a binding Contract. |

41.5 Upon the successful Bidder's furnishing of the performance security and signing the Contract Form pursuant to ITB Clause 41, the Purchaser will promptly notify each unsuccessful Bidder and will discharge its bid security, pursuant to ITB Clause 18.5

42 Signing of Contract

42.1 Promptly after notification, the Purchaser shall send the successful Bidder the Contract Agreement.

42.2 Within twenty-one (21) days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Purchaser.

43 Performance Security

43.1 Within twenty-one (21) days of the receipt of notification of award from the Purchaser, the successful Bidder, if required, shall furnish the Performance Security in accordance with the GCC, using for that purpose the Performance Security Form included in Section IX Contract forms, or another Form acceptable to the Purchaser. Failure of the successful Bidder to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security. In that event the Purchaser may award the Contract to the next lowest evaluated Bidder, whose bid is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily.

SECTION II - BIDDING DATA SHEET

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

ITB Clause Reference	A. General
ITB 1.1	<p>The Purchaser is: Name: The Executive Engineer Address: Hydrology Division, Central Water Commission Neervalam Complex, R-81 , TNHB Colony West Velachery , Chennai-600042 Telephone/Mobile: 044-29530653 Email: ee.chn-cwc@nic.in</p>
ITB 1.1	<p>The name and identification number of the NCB is: Supply, Installation, Testing, Commissioning and Maintenance of Real Time Data Acquisition System (RTDAS) with Telemetry at 8 stations under Cauvery & Southern Rivers Organization, Coimbatore</p>
ITB 1.2(a)	<p>The Purchaser shall use the electronic-procurement system specified in BDS 6.1 to manage this Bidding process.</p>
ITB 3.1	<p>A Bidder may be a firm that is a private entity, a government-owned entity—subject to ITB 3.5—or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the bidding process and, in the event the JV is awarded the Contract, during Contract execution.</p> <p>Numbers of members/firms in a joint venture shall not be more than two including the lead partner.</p>
ITB 3.4	<p>Bidder shall submit an undertaking that he/firm has not been sanctioned/debarred by Purchaser or Government of India.</p>
	<h3 style="text-align: center;">B. Contents of Bidding Documents</h3>
ITB 6.1	<p>Electronic –Procurement System</p> <p>The Purchaser shall use the following electronic-procurement system to manage this Bidding process:</p> <p><u>https://eprocure.gov.in</u></p>
ITB 6.1a	<p>A pre-bid meeting will be held: Yes</p>

	<p>Date of pre-bid meeting: 03.09.2021</p> <p>Time: 12:00 HRS</p> <p>Address: O/o the Chief Engineer, Cauvery & Southern Rivers Organization, Central Water Commission, Sangamam Complex, Peelamedu P.O, Gandhimaanagar, Coimbatore – 641004. Telephone/Mobile: Ph: 0422-2513227</p> <p>Email: cecsro-cwc@nic.in</p> <p>Contact Persons including contact details: Executive Engineer, Hydrology Division, Central Water Commission, Neervalam Complex, R-81, TNHB Colony, West Velachery, Chennai – 600042. Ph: 044-29530653</p>																										
ITB 6.1 b	<p>Add in ITB 6: Clarification of Bidding document, as</p> <p>Minutes of the pre-bid meeting, including the text of the questions raised, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be uploaded online on e-procurement system. Any modification to the Bidding Document that may become necessary as a result of the pre-bid meeting shall be made by the Purchaser exclusively through the issue of an addendum pursuant to ITB 7 and not through the minutes of the pre-bid meeting. It is the bidder's responsibility to check on the e-procurement system, for any addendum/ amendment/ corrigendum on the bidding document.</p>																										
ITB 7.1	<p>The addendum will appear on the e-procurement system under https://eprocure.gov.in under “<i>Latest Corrigendum</i>” and email notification will be automatically sent to those Bidders who started working on this tender to their ‘<i>My Tenders</i>’ area.</p>																										
	C. Preparation of Bids																										
ITB 10.1 (b)	<p>The bidder shall bid securing declaration, before schedule date and time of opening i.e 09.09.2021 (date) 16:00 (time)</p>																										
ITB 10.2(j)	<p>The Bidder shall submit the following additional documents in its bid:</p> <p>1. The following details shall also be provided by Bidders [to be submitted under ‘My Documents (OID)’ Folder]</p> <table border="1"> <thead> <tr> <th>Sl. No.</th><th>Folder Name</th><th>File Description</th><th colspan="2">Details</th></tr> </thead> <tbody> <tr> <td rowspan="3">I</td><td rowspan="3">Certificates</td><td rowspan="3">Certificates.pdf</td><td>1</td><td>PAN Card</td></tr> <tr> <td>2</td><td>GST Registration Certificate</td></tr> <tr> <td>3</td><td>Latest Income Tax Return and I.T Dept. Return Acknowledgement /Receipt.</td></tr> <tr> <td rowspan="3">II</td><td rowspan="3">Company Details</td><td rowspan="3">Companydetails.pdf 1 Companydetails.pdf 2</td><td>1</td><td>For Proprietorship Firms (Trade License)</td></tr> <tr> <td>2</td><td>For Partnership Firms (Partnership Deed, Trade License, Form-VIII/ Memorandum of Registration)</td></tr> <tr> <td>3</td><td>For all Companies</td></tr> </tbody> </table>				Sl. No.	Folder Name	File Description	Details		I	Certificates	Certificates.pdf	1	PAN Card	2	GST Registration Certificate	3	Latest Income Tax Return and I.T Dept. Return Acknowledgement /Receipt.	II	Company Details	Companydetails.pdf 1 Companydetails.pdf 2	1	For Proprietorship Firms (Trade License)	2	For Partnership Firms (Partnership Deed, Trade License, Form-VIII/ Memorandum of Registration)	3	For all Companies
Sl. No.	Folder Name	File Description	Details																								
I	Certificates	Certificates.pdf	1	PAN Card																							
			2	GST Registration Certificate																							
			3	Latest Income Tax Return and I.T Dept. Return Acknowledgement /Receipt.																							
II	Company Details	Companydetails.pdf 1 Companydetails.pdf 2	1	For Proprietorship Firms (Trade License)																							
			2	For Partnership Firms (Partnership Deed, Trade License, Form-VIII/ Memorandum of Registration)																							
			3	For all Companies																							

				(Incorporation Certificate, Trade License, Memorandum of Articles of ROC, List of owners/ Directors/Board Members)
			4	JV agreement or intent letter to form the JV (in such case JV agreement is to be submitted at the time of contract)

2. Certification of incorporation of the bidder.
3. Bidder shall submit the scanned copies of Bid Security in approved form and affidavit regarding correctness of information furnished with bid document along with the technical bid.
4. The bidder shall clearly confirm that all facilities exist with him (or manufacturer, as applicable) in his factory for inspection and testing and these can be accessed by the Purchaser or his representative for inspection.
5. Technical schedules of goods as required by technical specifications.
6. Descriptive Documents, drawings, notes and references of operating and assembly of mechanical parts
7. a detailed description of the Goods essential technical and performance characteristics.
8. A clause-by-clause commentary on the Purchaser's technical specifications demonstrating substantial responsiveness of the Goods and Services to those specifications or a statement of deviations and exceptions to the provisions of the Technical Specifications.
9. For purposes of the commentary to be furnished pursuant to Paragraph 6 above, the Bidder shall note that standards for workmanship, material and goods, and references to brand names or catalogue numbers designated by the Purchaser in its Technical Specifications are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names and/or catalogue numbers in its bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications
10. The documentary evidence of the goods and services eligibility shall consist of a statement in the Price Schedule on the country of origin of the goods and services offered which shall be confirmed by a certificate of origin at the time of shipment
11. Non-manufacturer bidders will submit the manufacturer's authorization Form as per Proforma in Section IV.
12. The following details shall also be provided by Indian Bidders:
 - a. Registration details of the company under GST and other laws as may be applicable.
 - The bidders from outside India shall provide the corresponding details of Income Tax registration, Social Security Number, details regarding Registration under

	<p>goods & services tax (as may be applicable) etc.</p> <p>13. The bidder shall disclose instance of previous past performance that may have resulted into adverse actions taken against the bidder during the last five years.</p> <p>14. All document required in Section 3: Evaluation & Qualification Criteria.</p>
ITB 10.2(k)	In addition to the requirements under ITB 10.1, bids submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement.
ITB 10.3(a)	Note for Bidders: Bidders have to submit filled up format of ‘ Letter of Bid – Financial Part’ in ‘Financial Folder’ only.
ITB 10.3(d)	The Bidder shall submit the following additional documents in its bid – financial part: <i>No additional document.</i>
ITB 11	Note for Bidders: Bidders have to submit the bids on the e-procurement portal along with the relevant required documents.
ITB 11.3	<p>Name: Executive Engineer, Address: Hydrology Division, Central Water Commission, Neervalam Complex, R-81, TNHB Colony, West Velachery, Chennai – 600042. Phone : 044-29530653 Email: ee.chn-cwc@nic.in The Original Document should reach the above address on or before Date 09.09.2021 Time 11:00</p>
ITB 12.1	Alternative Bid shall not be considered.
ITB 13.4	The prices quoted by the Bidder “ <i>shall not</i> ” be subject to adjustment during the performance of the Contract.
ITB 13.5	Bid is invited in single lot.
ITB 13.6 (a) (iii)	“Final destination (Project Site)”: <i>as mentioned in Schedule of Requirements.</i>
ITB 15.4	Manufacturer has to ensure that all equipment would be supported for a minimum period of 10 years after commissioning.
ITB 16.2.2 (i)	Manufacturer’s authorization is: <i>required as per proforma in Section IV.</i>
ITB 16.2.2 (iii)	After Sales service is required which shall be provided by the Supplier or alternatively by its Agent in case of a foreign bidder.
ITB 17.1	The bid validity period shall be 120 days.

ITB 18.1	The bidder shall submit the bid securing declaration. Original Bid Securing Declaration should reach the office of Purchaser before opening of the tender. The format of Bid Securing Declaration is given in Section –IV, Clause 10.
ITB 19.2	<p>The written confirmation of authorization to sign on behalf of the Bidder shall consist of:</p> <p><i>1. Power of Attorney;</i> <i>2. Affidavit vouching for the correctness of the information furnished and documents uploaded;</i></p> <p>In case the Bidder is a JV, the Bid shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives. Original Bid Securing Declaration should reach the office of Purchaser before opening of the tender. The format of Bid Securing Declaration is given in Section –IV, Clause 10.</p>
	D. Online Submission and Opening of Bids
ITB 20.1	Class of DSC required is: Class <i>II</i>
ITB 21.1	<p>The deadline for uploading of bids is:</p> <p>Date: 09.09.2021 Time: 12:00</p>
ITB 23.1	Re-submission of the bid is not allowed if withdrawn.
	Public Opening of Technical Parts of Bids
ITB 24.1	<p>The online bid opening shall take place at:</p> <p>Name: Executive Engineer, Address: Hydrology Division, Central Water Commission, Neervalam Complex, R-81, TNHB Colony, West Velachery, Chennai – 600042. Phone : 044-29530653 Email: ee.chn-cwc@nic.in</p>
	E. Evaluation of Bids – General Provisions
ITB 28.3	The adjustment shall be based on the highest price of the item or component as quoted in other substantially responsive Bids, subject to a maximum of the estimated price of the item. If the price of the item or component cannot be derived from the price of other substantially responsive Bids, the Purchaser shall use its best estimate.
	Public Opening of Financial Parts of Bids
ITB 32.2 (c)	<p>Following the completion of the evaluation of the Technical Parts of the Bids, the Purchaser will notify all Bidders of the date and time of the public opening of Financial Parts.</p> <p>The online opening of the Financial Parts of bids (for technically qualified bidders) shall take place at:</p>

	<p>Name: Executive Engineer, Address: Hydrology Division, Central Water Commission, Neervalam Complex, R-81, TNHB Colony, West Velachery, Chennai – 600042. Phone : 044-29530653 Email: ee.chn-cwc@nic.in</p> <p>Date:[to be notified later] Time: [to be notified later]</p>
	Evaluation and Comparison of Bids
ITB 33.1 a	<p><i>Evaluation will be done for all items together.</i></p> <p><i>Bids will not be evaluated for each item separately and single Contract will be concluded with the successful bidder.</i></p>
ITB 33.5	The adjustments are not applicable
ITB 35	MSME/Start Up bidder are exempted for submission of Bid Security. Further, a relaxation of 50% in the turnover and prior experience qualification and cash flow requirement shall be given.
ITB 39.1	<p style="text-align: center;">F. Award of Contract</p> <p>The maximum percentage by which quantities may be increased is: 15% The maximum percentage by which quantities may be decreased is: 15%</p>

Section III. Evaluation and Qualification Criteria

This Section complements the Instructions to Bidders. It contains the criteria that the Purchaser shall use to evaluate a bid and determine whether a Bidder qualifies in accordance with ITB 31&33. No other criteria shall be used.

TECHNICAL PART

1 Qualification (ITB 31)

1.1 Qualification Criteria (ITB 31.1)

The Purchaser shall assess each Bid against the following Qualification Criteria. Requirements not included in the text below shall not be used in the evaluation of the Bidder's qualifications.

I- Financial Capability

The Bidder shall furnish documentary evidence that it meets the following financial requirement(s):

A) In case of individual Bidder

- i. Capacity to have a cash flow - The Bidder must provide a letter from a reputed bank stating the availability of liquid assets and/or credit facilities exclusively for this Contract only, of no less than **INR 31,92,500** or its equivalent **amount in a freely convertible currency**. *(The availability of liquid assets and/or credit facilities should be clearly certified by Bank (Nationalized or Scheduled Bank In India) in Form-10 provided in Section IV- Bidding forms)*

Or

In case the bidder does not prefer to have support from a Bank and does not require credit facilities from the Bank exclusively for the contract, the bidder shall have to submit the cash resources certificate amounting to **INR. 31,92,500** taking into consideration existing projects being executed by him from its Statutory Chartered Accountant.

- ii. The Minimum required annual turnover in respect of business operations for the successful Bidder in any two of the last five (5) years shall be of **INR 1,27,70,000** or its equivalent amount in a freely convertible currency. Period of 5 years shall be reckoned from 31st march of financial year preceding the year in which bid is published.
- iii. Further, bidder should be in continuous business of supplying and/ or after sale services of products real-time telemetry hydro-meteorological instruments & systems for surface water during the last 3 years prior to date of bid submission.
- iv. Bidder shall furnish the legal status, place of registration and principal place of business of the company or firm or partnership, etc.;
- v. Reports on financial standing of the bidder such as profit and loss statements, balance sheets and auditor's report for the past five years, bankers certificate, etc.
- vi. A firm can submit only one bid in the same bidding process, either individually as a bidder or as a partner of a Joint Venture. A bidder who submits or participates in more than one bid will cause all the bids in which the bidder has participated to be disqualified.

- vii. Should possess GST Registration. In case of foreign bidder, if presently bidder is not having any office(s) in India, he has to provide the GST registration certificate within one month of award of contract.

B) In case of Joint Venture (JV)

- i. Capacity to have a cash flow: The Bidders/JV must provide a letter from a reputed bank stating the availability of liquid assets and/or credit facilities exclusively for this Contract only, of no less than **INR 31,92,500** or equivalent ***amount in a freely convertible currency*** collectively. *(The availability of liquid assets and/or credit facilities should be clearly certified by Bank (Nationalized or Scheduled Bank In India) in Form-10 provided in Section IV-Bidding forms)*

Or

In case the bidder/JV does not prefer to have support from a Bank and does not require credit facilities from the Bank exclusively for the contract, the bidder shall have to submit the cash resources certificate amounting to **Rs. 31,92,500** taking into consideration existing projects being executed by him from its Statutory Chartered Accountant.
- ii. In case of JV, the Minimum required annual turnover in respect of business operations for the successful Bidder in any two of the last five (5) years shall be of **INR 1,27,70,000** its equivalent ***amount in a freely convertible currency*** collectively. Period of 5 years shall be reckoned from 31st march of financial year preceding the year in which bid is published. The lead partner must have minimum annual turnover of **INR 89,39,000** or its equivalent ***amount in a freely convertible currency in*** any two of the last five (5) years while other partner must have minimum annual turnover of **INR 38,31,000** or its equivalent ***amount in a freely convertible currency*** in any two of the last five (5) years
- iii. Further, one member of Joint Venture should be in continuous business of supplying and after sale services of real-time telemetry hydro-meteorological instruments & systems for surface water during the last 3 years prior to date of bid submission while other member should be in continuous business of supplying and/or after sale services of real-time telemetry hydro-meteorological instruments & systems for surface and/or ground water at least 1 year prior to date of bid submission.
- iv. All members of Joint Venture shall furnish the legal status, place of registration and principal place of business of the company or firm or partnership, etc.;
- v. Responsibilities in respect of lead firm as well as each of the Joint Venture members shall be clearly indicated in the JV agreement;
- vi. The Joint Venture agreement shall not be cancelled or amended unilaterally without consent of the Purchaser and a statement to this effect should appear in the JV agreement;
- vii. Reports on financial standing of the each JV members such as profit and loss statements, balance sheets and auditor's report for the past three years, banker's certificate, etc.

- viii. At least one member of Joint Venture should possess GST Registration. . In case of foreign bidder, if presently bidder is not having any office(s) in India, he has to provide the GST registration certificate within one month of award of contract.

II- Experience and Technical Capacity of Bidder

The Bidder shall furnish documentary evidence to demonstrate that it meets the following experience requirement(s):

i) Hydrological, Meteorological Stations Experience

A) In case of individual Bidder

- a) The bidder must have supplied, tested and commissioned Hydro-Met stations with Satellite /GSM /GPRS based telemetry to the extent of at least 3 stations (comprising of minimum 1 data logger and sensor at each station related to surface water or meteorological) total in any two year during a period of last 7 years from the last date of submission of bid document and should be in use satisfactorily with no adverse report for at least one year preceding the date of bid opening.
- b) Details of experience and past performance on equipment offered and on those of similar nature within the past seven years (Prior to the date of bid submission) and details of current contracts in hand and other commitments (suggested Proforma given in Section IV) to be submitted by the bidder

B) In case of Joint Venture (JV)

- c) The JV partners must have supplied, tested and commissioned the Hydro-Met stations with Satellite /GSM /GPRS based telemetry to the extent of at least 3 stations (comprising of minimum 1 data logger and sensor at each station related to surface water or meteorological) collectively total in any two year during a period of last 7 years from the last date of submission of bid document. Out of which the one partner should have supplied, installed, commissioned and provided after sales service satisfactorily to the extent of at least minimum 2 stations (comprising of minimum 1 data logger and sensor at each station) total in any two year during a period of last 7 years from the last date of submission of bid document and other partner should have operated and maintained satisfactorily to the extent of at least minimum 1 station (comprising of minimum 1 data logger and sensor at each station) total in any two year during a period of last 7 years from the last date of submission of bid document and should be in use satisfactorily with no adverse report for at least one year preceding the date of bid opening.
- d) Details of experience and past performance of all members of Joint Venture on equipment offered and on those of similar nature within the past seven years (Prior to the date of bid submission) and details of current contracts in hand and other commitments (suggested Proforma given in Section IV).

ii) Manufacturer Authorization for Hydro-Met equipment

If the bidder /JV partners is/are not the manufacturer of the hydro-met equipment (i.e. listed in table-1), the bidder/JV shall furnish a legally enforceable

authorization from manufacturer in the prescribed Form [Section-IV] assuring full guarantee and warranty obligations as per GCC and SCC for the goods offered;

If the bidder or JV partner, himself is a manufacturer of the hydro-meteorological equipment (listed in Table-1), then a self-authorization suffices.

Further, bidder or JV partners should furnish the documentary evidence from the manufacturer respective of the hydro-meteorological equipment offered under this bid (listed in table-1) to establish that the manufacturer has manufactured and supplied the quantity of the hydro-meteorological equipment as per Table-1 below in any two year during a period of last 7 years from the last date of submission of bid document.

Table-1 Compliance for equipment manufacturer

S No	Item	Total quantity to be supplied as per schedule of requirement	Minimum number of required quantity in any two of last seven years (50% of the quantity mentioned in column 3)
1	2	3	4
1.	Automatic Rain gauge Sensor (ARG)as offered under this bid complying with the technical specifications	8	4
2.	Radar Water Level Sensor as offered under this bid complying with the technical specifications	8	4
8.	2 AI Data loggers with Satellite / GSM / GPRS telemetry port as offered under this bid complying with the technical specifications	8	4
11.	INSAT / Satellite transmitter as offered under this bid complying with the technical specifications	8	4
12.	GPRS / GSM modem as offered under this bid complying with the technical specifications	8	4

- III- The bidder should have after sales support in the region (within a radius of 200 km from the State Capital). If bidder does not have any after sales support office within 200 km from state Capital at the time of bidding, he shall require to be establish the same within one month after successful award of contract
- IV- Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or record of poor performance such as, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.

FINANCIAL PART

Evaluation Criteria (ITB 33.5)

The Purchaser shall use the criteria and methodologies listed in this Section to evaluate Bids. By applying the criteria and methodologies, the Purchaser shall determine the substantially responsive lowest-evaluated bid.

The Purchaser's evaluation of a bid may take into account, in addition to the Bid Price quoted in accordance with ITB Clause 13.6, one or more of the following factors as specified in ITB Sub-Clause 33, using the following criteria and methodologies. :

- (a) **The Purchaser's evaluation of a bid will take into account the Bid Price quoted in accordance with ITB Clause 13.6 including 5years warranty& 2years Operation and Maintenance period.**

3.2. Multiple Contracts (ITB 33.3)

Not Applicable as bid consists of a single Lot.

Section IV – Bidding Forms

1A. LETTER OF BID– TECHNICAL PART

The Bidder must prepare the Letter of Bid on stationery with its letterhead clearly showing the Bidder's complete name and address.

Note: All italicized text is for use in preparing these forms and shall be deleted from the final products.

No alterations to the text except as provided in ITB19.2, shall be permitted and no substitutions shall be accepted except as provided in ITB 11.]

Date: *[insert date (as day, month and year) of Bid Submission]*

NCB No.: *[insert number of bidding
process]*

Invitation for Bid No.: *[insert No of IFB]*

To:
The Executive Engineer
Hydrology Division,
Central Water Commission, Chennai-42.

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda No. issued in accordance with ITB 7: *[insert the number and issuing date of each Addenda]*;
- (b) We meet the eligibility requirements and have no conflict of interest in accordance with ITB 3;
- (c) We have not been suspended nor declared ineligible by the Purchaser in the Purchaser's country in accordance with ITB 3.6;
- (d) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services *[insert a brief description of the Goods and Related Services]*;
- (e) Our bid shall be valid for the period of time specified in ITB Sub-Clause 17.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 21, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (f) If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents;
- (g) We are not participating, as a Bidder or as a sub-Contractor, in more than one bid in this bidding process in accordance with ITB 3.2(e), other than alternative bids submitted in accordance with ITB 12;

- (h) We, along with any of our sub-Contractors, suppliers, consultants, manufacturers, or service providers for any part of the Contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment by Government of India or Purchaser. Further, we are not ineligible under the Purchaser's Country laws or official regulations or pursuant to a decision of the United Nations Security Council;
- (i) We are not a government owned entity/ We are a government owned entity but meet the requirements of ITB 3.5;¹
- (j) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding Contract between us, until a formal Contract is prepared and executed;
- (k) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive;
- (l) We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any type of fraud and corruption; and
- (m) We undertake that, in competing for (and, if the award is made to us, in executing) the above Contract, we will strictly observe the laws against fraud and corruption in force in India namely, "Prevention of Corruption Act 1988."

Name of the Bidder ***[insert complete name of person signing the Bid]***

Name of the person duly authorized to sign the Bid on behalf of the Bidder** ***[insert complete name of person duly authorized to sign the Bid]***

Title of the person signing the Bid ***[insert complete title of the person signing the Bid]***

Signature of the person named above ***[insert signature of person whose name and capacity are shown above]***

Date signed ***[insert date of signing]*** day of ***[insert month]***, ***[insert year]***

** : Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.

¹ Bidder to use as appropriate

1B. LETTER OF BID- FINANCIAL PART

The Bidder must prepare the Letter of Bid on stationery with its letterhead clearly showing the Bidder's complete name and address.

Note: All italicized text is for use in preparing these forms and shall be deleted from the final products.

No alterations to the text except as provided in ITB 19.2, shall be permitted and no substitutions shall be accepted except as provided in ITB 11.]

Date: *[insert date (as day, month and year) of Bid Submission]*

NCB No.: *[insert number of bidding process]*

Invitation for Bid No.: *[insert No of IFB]*

To:

The Executive Engineer

Hydrology Division,

Central Water Commission, Chennai-42.

We, the undersigned Bidder, hereby submit the second part of our Bid, the Financial Part. In submitting our Financial Part we make the following additional declarations:

- (a) Our bid shall be valid for the period of time specified in ITB Sub-Clause 17.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 21, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (b) The total price of our Bid is:

In case of only one lot, total price of the Bid **[insert the total price of the bid in words and figures];**

In case of multiple lots, total price of each lot [insert the total price of each lot in words and figures];

In case of multiple lots, total price of all lots (sum of all lots) [insert the total price of all lots in words and figures];

- (c) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: *[insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]*

Name of Recipient	Address	Reason	Amount
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

(If none has been paid or is to be paid, indicate “none.”)

- (e) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding Contract between us, until a formal Contract is prepared and executed.

Name of the Bidder ***[insert complete name of person signing the Bid]***

Name of the person duly authorized to sign the Bid on behalf of the Bidder** ***[insert complete name of person duly authorized to sign the Bid]***

Title of the person signing the Bid ***[insert complete title of the person signing the Bid]***

Signature of the person named above ***[insert signature of person whose name and capacity are shown above]***

Date signed ***[insert date of signing]*** day of ***[insert month]***, ***[insert year]***

** : Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.

2. BIDDER INFORMATION FORM

[The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: *[insert date (as day, month and year) of Bid Submission]*

NCB No.: *[insert number of bidding process]*

Page _____ of _____ pages

1. Bidder's Legal Name <i>[insert Bidder's legal name]</i>
2. Bidder's actual or intended Country of Registration: <i>[insert actual or intended Country of Registration]</i>
3. Bidder's Year of Registration: <i>[insert Bidder's year of registration]</i>
4. Bidder's Legal Address in Country of Registration: <i>[insert Bidder's legal address in country of registration]</i>
5. Bidder's Authorized Representative Information Name: <i>[insert Authorized Representative's name]</i> Address: <i>[insert Authorized Representative's Address]</i> Telephone/Fax numbers: <i>[insert Authorized Representative's telephone/fax numbers]</i> Email Address: <i>[insert Authorized Representative's email address]</i>
6. Attached are copies of original documents of: <i>[check the box(es) of the attached original documents]</i> <input type="checkbox"/> Articles of Incorporation or Registration of firm named in 1, above, in accordance with ITB Sub-Clauses 3.3. <input type="checkbox"/> In case of government owned entity from the Purchaser's country, documents establishing legal and financial autonomy and compliance with commercial law and not dependent agency of borrower or sub-borrower or purchaser, in accordance with ITB Sub-Clause 3.5. <input type="checkbox"/> Included are the organizational chart, a list of Board of Directors, and the beneficial ownership

3. FORM OF AFFIDAVIT FOR CORRECTNESS OF INFORMATION AND DOCUMENTS SUBMITTED WITH BID

[Reference ITB 19.2]

[This affidavit should be on a non-judicial stamp paper of Rs.10/- and shall be attested by Magistrate/ Sub-Judge/ Notary Public]

I, (*name of the authorised representative of the Bidder*) solemnly affirm and state as under:

1. I hereby certify that all the information and documents furnished with the Bid submitted online in response to IFB number date issued by (*authority inviting bids*) for (*name and identification of Goods & Related Services*) are true and correct.
2. *I hereby certify that I have been authorised by (*the Bidder*) to sign on their behalf, the Bid mentioned in paragraph 1 above.

Deponent

Place:

Date:

**This sub-paragraph is not applicable if the Bidder is an individual and is signing the Bid on his own behalf.*

4. Joint Venture Partner Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below].

Date: *[insert date (as day, month and year) of Bid Submission]*

NCB No.: *[insert number of bidding process]*

Page _____ of _____ pages

1. Bidder's Legal Name: <i>[insert Bidder's legal name]</i>
2. JV's Party legal name: <i>[insert JV's Party legal name]</i>
3. JV's Party Country of Registration: <i>[insert JV's Party country of registration]</i>
4. JV's Party Year of Registration: <i>[insert JV's Part year of registration]</i>
5. JV's Party Legal Address in Country of Registration: <i>[insert JV's Party legal address in country of registration]</i>
6. JV's Party Authorized Representative Information Name: <i>[insert name of JV's Party authorized representative]</i> Address: <i>[insert address of JV's Party authorized representative]</i> Telephone/Fax numbers: <i>[insert telephone/fax numbers of JV's Party authorized representative]</i> Email Address: <i>[insert email address of JV's Party authorized representative]</i>
7. Attached are copies of original documents of: <i>[check the box(es) of the attached original documents]</i> <input type="checkbox"/> Articles of Incorporation or Registration of firm named in 2, above, in accordance with ITB Sub-Clauses 3.1 and 3.2. <input type="checkbox"/> In case of government owned entity from the Purchaser's country, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB Sub-Clause 3.5.

5. Price Schedule Forms

Note: Bidders are required to populate the Excel file containing the BOQ (uploaded along with the NIQ) and upload it in the requisite financial folder for submission of the bid

A. PRICE SCHEDULE FOR SUPPLY OF GOODS AS PER SCHEDULE OF REQUIREMENT

Date: _____ NCB No: _____ Page No. _____ of _____										
Name of the Bidder/ Bidding Firm / Company :						Tender Inviting Authority:				
						Name of Work:				
						Contract No:				
						Name of the Bidder/ Bidding Firm / Company :				
PRICE SCHEDULE (DOMESTIC TENDERS - RATES ARE TO GIVEN IN RUPEES (INR) ONLY) (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)										
1	2	3	4	5	6	7	8	9	10	11
Line Item No	Description of Goods	Country of Origin	Delivery Date	Quantity	Unit	Unit price EXW[excluding GST]	Total EXW price per line item [excluding GST] (Col. 5×7)	Price per line item for inland transportation, insurance and other services required to convey the Goods to their final destination (ITB 14.8 (a)(iii))	GST* and other taxes payable per item if Contract is awarded (in accordance with ITB 14.8(a)(ii))	Total Price per line item excluding GST (Col. 8+9)
1	(ARG+ AWLR) (STATIONS 1 TO 8)									
1.01	Supply of Automated Rain Gauge (ARG) Stations Equipment set with necessary hardware as per technical specifications		5 months from date of signing of Contract	8	Nos.					
1.02	Supply of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir having 15m range with all necessary hardware as per technical specifications		5 months from date of signing of Contract	7	Nos.					
1.03	Supply of Automated Water Level Recorder (non-		5 months	1	Nos.					

	contact RADAR) for River /Canal/Reservoir having 35m range with all necessary hardware as per technical specifications		from date of signing of Contract							
1.04	Supply of Data Logger with 2AI channels with INSAT, GSM& GPRS based telemetry including antenna and all necessary equipment for data transmission as per technical specifications.		5 months from date of signing of Contract	8	Nos.					
1.05	Supply of Solar panel with all connectors, cables and conduit for cables as per technical specifications.		5 months from date of signing of Contract	8	Nos.					
1.06	Supply of Battery, charger regulator with all interconnecting connectors, cables for DCP as per technical specifications		5 months from date of signing of Contract	8	Nos.					
1.07	Supply of NEMA4X OR Equivalent Enclosure box to suit master unit equipment with locking, other ancillary equipment, fittings earthing, lightning arrestor with all connectors, cables and conduit for cables, mast to mount DCP, sensor mount complete as per technical specifications		5 months from date of signing of Contract	8	Nos.					
2.00	Set of Data Center Equipment at the Modelling center located at SWRD , Kochi and Display system at Chief Engineer Office , Coimbatore									
2.01	High Speed Internet Connection with min 9 mbps speed with Static IP (for 5 years)		5 months from date of signing of Contract	1	Set					
2.02	Computer Node (workstation) along with monitor and necessary accessories and 3 KVA online UPS as per technical specification at SWRD/Kochi, HD,		5 months from date of signing of Contract	3	Set					

	Chennai and CE(CSRO) office, Coimbatore									
2.03	Supply of GSM & GPRS data receiving system with all ancillary equipment, as per technical specifications at SWRD Kochi		5 months from date of signing of Contract	1	Set					
2.04	42" LED display system at CE, CSRO Office Coimbatore including displaying data of 8 remote stations including configuration as per technical specification		5 months from date of signing of Contract	1	Set					
				TOTALPRICE [excluding GST] Rs. (A)						
				GST Rs.						

*GST to be quoted item wise as per HSN Code.

Name of Bidder [insert complete name of Bidder]

Signature of Bidder [signature of person signing the Bid]

Date [insert date]

B. PRICE AND COMPLETION SCHEDULE - RELATED SERVICES

		Prices in Rs	Date: _____ NCB No: _____ Alternative No: _____ Page N° _____ of _____						
		Tender Inviting Authority:							
		Name of Work:							
		Contract No: WBIW/NHP/RTDAS- DAM-BAR/IFB-/2019-20							
Name of the Bidder/ Bidding Firm / Company :									
		PRICE SCHEDULE (DOMESTIC TENDERS - RATES ARE TO GIVEN IN RUPEES (INR) ONLY) (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
1	2	3	4	5	6	7	8	9	
Service No	Description of Services	Country of Origin	Delivery Date at place of Final destination	Quantity	Unit	Unit price (excluding GST)	Total GST* payable per item if Contract is awarded	Total Price per Service excluding GST (Col. 5*7)	
S-1.00	(ARG+ AWLR) (STATIONS 1 TO 8)								
S-1.01	Installation testing & Commissioning of Automated Rain Gauge (ARG) Stations Equipment set with necessary hardware as per technical specifications		9 months from date of signing of Contract	8	Nos.				
S-1.02	Installation testing & Commissioning of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir and associated civil works for mounting the RADAR having 15m range with all necessary hardware as per technical specifications		9 months from date of signing of Contract	7	Nos.				

S-1.03	Installation testing & Commissioning of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir and associated civil works for mounting the RADAR having 35m range with all necessary hardware as per technical specifications		9 months from date of signing of Contract	1	Nos.			
S-1.05	Installation testing & Commissioning of Data Logger with 2AI channels with INSAT, GSM & GPRS based telemetry including antenna and all associated civil work such as tower/mast etc. and all necessary equipment for data transmission as per technical specifications.		9 months from date of signing of Contract	8	Nos.			
S-1.06	Installation testing & Commissioning of solar panel with all connectors, cables and conduit for cables as per technical specifications		9 months from date of signing of Contract	8	Nos.			
S-1.07	Installation testing & commissioning of Battery, charger regulator with all interconnecting connectors, cables for DCP as per technical specifications		9 months from date of signing of Contract	8	Nos.			
S-1.08	Installation testing & commissioning of NEMA4X OR Equivalent Enclosure box to suit master unit equipment with locking, other ancillary equipment, fittings earthing, lightning arrestor with all connectors, cables and conduit for cables, mast to mount DCP, sensor mount complete as per technical specifications		9 months from date of signing of Contract	8	Nos.			
S-1.09	Installation of Chain link Fencing (5m*5m) *2m including associated civil works for ARG sensors (line item no. S-1), along with lockable gates for external protection of ARG, Sensors and DCP at remote stations as mentioned in Schedule of Requirements as per technical specifications @ 3 locations viz Chembarabakkam, Pennalur Causeway, Nemam Tank including supply of fencing and its related materials.		9 months from date of signing of Contract	3	Nos.			
S-2.00	Set of Data Center Equipment at the Modelling center located at SWRD , Kochi and Display system at Chief Engineer Office , Coimbatore							
S-2.01	Installation testing & Commissioning of High Speed Internet Connection with min 9 mbps speed with Static IP (for 5 years)		5 months from date of signing	1	Set			

			of Contract					
S-2.02	Installation testing & Commissioning of Computer Node (workstation) along with monitor and necessary accessories and 3 KVA online UPS as per technical specification at SWRD/Kochi, HD, Chennai and CE(CSRO) office, Coimbatore		5 months from date of signing of Contract	3	Set			
S-2.03	Installation testing & Commissioning of GSM & GPRS data receiving system with all ancillary equipments as per technical specifications at SWRD, Kochi		5 months from date of signing of Contract	1	Set			
S-2.04	Installation testing & Commissioning of 42" LED display system at CE, CSRO Office Coimbatore including displaying data of 8 remote stations including configuration as per technical specification		5 months from date of signing of Contract	1	Set			
S-3.00	Operation & Maintenance and Comprehensive Warranty for RTDAS with Telemetry system as specified in Schedule of Requirement along with accessories, installed at designated locations and Data Center equipments after final acceptance of RTDAS systems. This includes replacement of material / goods& consumable as & when required at bidders cost. This also includes Minimum one service Engineer shall be placed at the modelling centre at Kochi for operation of RTDAS system with Telemetry for entire warranty period of 5 years. This includes configuration for data receiveal and related communication and integration component at existing Modelling centre at HD,Chennai as per scope of work given in tender document. The cost of Communication for GSM & GPRS telemetry for data transmission shall be borne by bidder. The license fee as applicable for DOT for INSAT transmission shall be borne by purchaser.		Continuous activity for five years after successful commissioning and Final acceptance certificate of RTDAS	1	Job			
S-4.00	Comprehensive AMC for two years complete for RTDAS with Telemetry system as specified in Schedule of Requirement along with accessories, installed at designated locations and Data centre		Continuous activity for two years after five	1	Job			

	equipment at Modelling centre , Kochi and CE office Coimbatore as per schedule of rates under this contract after 5 years of warranty period. This includes configuration for data receival and related communication and integration component at existing Modelling centre at HD,Chennai as per scope of work given in tender document. This includes the cost of communication for GSM and GPRS Telemetry for data transmission shall be borne by bidder. The license fee as applicable for DOT for INSAT transmission shall be borne by purchaser.		years of O&M and Comprehensive warranty for RTDAS					
S-5.00	3 days training of the purchaser's personnel (15 members) at the supplier's plant and/or/onsite in assembly, start up, operation, maintenance and/or repair of the supplied goods. Course topic will include sensor calibration, data logger configuration, data downloading, data retrieval, collection, troubleshooting, processing maintenance requirement and procedures from equipment configuration, installation, site testing and commissioning including training kit containing course material in soft and hard copies as per technical specification for 7 years		Continuous activity	7	Nos.			
			Total Price[excluding GST] Rs. (B)					
			GST Rs.					
			Total Bid Price [excluding GST] (A + B) Rs.					
Grand Total of GST	Quoted GST in Words		XXXX					
			XXXX					
Grand Total	Quoted Rate in Words		XXXX					

*GST to be quoted item wise as per HSN code

Name of Bidder *[insert complete name of Bidder]*

Signature of Bidder *[signature of person signing the Bid]*

Date *[insert date]*

7. MANUFACTURER'S AUTHORIZATION

*[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are legally binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the **BDS**.]*

Date: *[insert date (as day, month and year) of Bid Submission]*
NCB No.: *[insert number of bidding process]*

A

To:
The Executive Engineer
Hydrology Division, CWC, Chennai
Neervalam, R-81, TNHB Colony
West Velachery, Chennai -600042
.....

WHEREAS

We *[insert complete name of Manufacturer]*, who are official manufacturers of *[insert type of goods manufactured]*, having factories at *[insert full address of Manufacturer's factories]*, do hereby authorize *[insert complete name of Bidder]* to submit a bid the purpose of which is to provide the following Goods, manufactured by us *[insert name make & model number, and brief description of the hydro-met equipment proposed for this bid]*, and to subsequently negotiate and sign the Contract against the above IFB.

We hereby extend our full guarantee and warranty in accordance with Clause 27 of the General Conditions of Contract, with respect to the Goods offered by the above firm against this IFB.

We as a manufacturer of *[insert type of goods manufactured]* confirm to provide the spare & service support for a minimum period of 10 years after commissioning

Signed: *[insert signature(s) of authorized representative(s) of the Manufacturer]*

Name: *[insert complete name(s) of authorized representative(s) of the Manufacturer]*
Title: *[insert title]*

Duly authorized to sign this Authorization on behalf of: *[insert complete name of Bidder]*

Dated on _____ day of _____, _____ *[insert date of signing]*

Note – Modify this format suitably in cases where manufacturer's warranty and guarantee are not applicable for the items for which bids are invited. If the supply consists of number of items, indicate the specific item (s) for which alone the above authorization is required.

8. PERFORMA FOR PERFORMANCE STATEMENT

[Please see ITB Clause 36.2 and Section III-
Evaluation and Qualification Criteria]

Proforma for Performance Statement (for a period of last three/five years)

Bid No. _____
_____ Hours

Date of opening _____

Time

Name of the Firm _____

<u>Order placed by</u> <u>(full address of</u> <u>Purchaser)</u>	<u>Order</u> <u>No.</u> <u>and</u> <u>date</u>	<u>Description</u> <u>and quantity</u> <u>of ordered</u> <u>equipment</u>	<u>Value</u> <u>of</u> <u>order</u>	<u>Date of completion</u> <u>of delivery</u>		<u>Remarks</u> <u>indicating</u> <u>reasons for</u> <u>late delivery,</u> <u>if any</u>	<u>Has the equipment been</u> <u>satisfactorily functioning?</u> <u>(Attach a certificate from the</u> <u>Purchaser/Consignee with</u> <u>details Bill of quantity , end user</u> <u>certificates)</u>
				As per Contract	Actual		
1	2	3	4	5	6	7	8

Signature and seal of the Bidder

9. FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF CASH FLOW

(To be provided on the letter head of the Bank)

AVAILABILITY OF CASH FLOW (WORKING CAPITAL)

(This should be given in this form only by a nationalized or scheduled bank in India. No other substitute will be acceptable)

This is to certify that M/s. _____ is a reputed company with a good financial standing.

If the contract for the works, namely _____ [funded by the World Bank] is awarded to the above firm, we shall be able to provide overdraft/credit facilities to the extent of INR _____ to meet their capital requirements for executing the above contract.

-- Sd. --

Name of Bank Manager

Senior Bank Manager

Address of the Bank

*** Change the text as follows for Joint venture:**

This is to certify that M/s. who has formed a JV with M/s. and M/s. for participating in this bid, is a reputed company with a good financial standing.

If the contract for the work, namely [funded by the World Bank] is awarded to the above Joint Venture, we shall be able to provide overdraft/credit facilities to the extent of Rs. to meet the working capital requirements for executing the above contract.

[This should be given by the JV members in proportion to their financial participation.]

10. Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: *[date (as day, month and year)]*

Bid No.: *[number of bidding process]*

Alternative No.: *[insert identification No if this is a Bid for an alternative]*

To: *[complete name of Purchaser]*

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Purchaser for the period of time of *five year* starting on *[date]*, if we are in breach of our obligation(s) under the bid conditions, because we:

- (a) have withdrawn our Bid during the period of bid validity specified in the Letter of Bid; or
- (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract; or (ii) fail or refuse to furnish the Performance Security, if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder* _____

Name of the person duly authorized to sign the Bid on behalf of the Bidder** _____

Title of the person signing the Bid _____

Signature of the person named above _____

Date signed _____ day of _____,

*: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

**: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the bid.]

SECTION V. – ELIGIBLE COUNTRIES

Public Information Center

Eligibility for the Provision of Goods, Works and Non Consulting Services in Bank-Financed Procurement

In reference to ITB 3.7 and 4.1, for the information of the Bidders, at the present time firms, goods and services from the following countries are excluded from this bidding process:

As declared by GoI.

PART 2 - SUPPLY REQUIREMENTS

SECTION VI – SCHEDULE OF REQUIREMENTS

1. List of Goods and Delivery Schedule

Line Item No	Description of Goods	Quantity	Physical Unit	Final (Site)Destination as specified in BDS	Delivery (As per Incoterm) date		
					Earliest Delivery Date	Latest Delivery Date	Bidder's offeredDelivery date[to be provided by the bidder]
1.00	(ARG+ AWLR) (STATIONS 1 TO 8)						
1.01	Supply of Automated Rain Gauge (ARG) Stations Equipment set with necessary hardware as per technical specifications	8	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
1.02	Supply of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir having 15m range with all necessary hardware as per technical specifications	7	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
1.03	Supply of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir having 35m range with all necessary hardware as per technical specifications	1	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
1.04	Supply of Data Logger with 2AI channels with INSAT, GSM & GPRS based telemetry including antenna and all necessary equipment for data transmission as per technical specifications.	8	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
1.05	Supply of Solar panel with all connectors, cables and conduit as per technical specifications	8	Nos.	As per list of Installation sites for	5 months from date of signing of	5 months from date of signing of	

				RTDAS system	Contract	Contract	
1.06	Supply of Battery, charger regulator with all interconnecting connectors, cables for DCP as per technical specifications	8	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
1.07	NEMA4X OR Equivalent Enclosure box to suit master unit equipment with locking, other ancillary equipment, fittings earthing, lightening arrestor with all connectors, cables and conduit for cables, mast to mount DCP, sensor mount complete as per technical specifications	8	Nos.	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
2.00	Set of Data Center Equipment at the Modeling center located at SWRD, Kochi and Display system at Chief Engineer Office , Coimbatore						
2.01	High Speed Internet Connection with min 9 mbps speed with Static IP (for 5 years)	1	Set	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
2.02	Computer Node (workstation) along with monitor and necessary accessories and 3 KVA online UPS as per technical specification at SWRD/Kochi, HD, Chennai and CE(CSRO) office, Coimbatore	3	Set	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
2.03	Supply of GSM & GPRS data receiving system with all ancillary equipment, as per technical specifications at SWRD Kochi	1	Set	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	
2.04	42" LED display system at CE, CSRO Office Coimbatore including displaying data of 8 remote stations including configuration as per technical specification	1	Set	As per list of Installation sites for RTDAS system	5 months from date of signing of Contract	5 months from date of signing of Contract	

2.LIST OF RELATED SERVICES {[ITB CLAUSE 14.8B]} AND COMPLETION SCHEDULE

Service No	Description of Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Quantity	Physical Unit	Place where Services shall be performed	Final Completion Date of Services
1	2	3	4	5	6
S-1.00	(ARG+ AWLR) (STATIONS 1 TO 8)				
S-1.01	Installation testing & Commissioning of Automated Rain Gauge (ARG) Stations Equipment set with necessary hardware as per technical specifications	8	Nos.	Chembarambakkam, Anakaputhur, Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara, Madamon	9 months from date of signing of Contract
S-1.02	Installation testing & Commissioning of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir and associated civil works for mounting the RADAR having 15m range with all necessary hardware as per technical specifications	7	Nos.	Chembarambakkam, Anakaputhur, Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara	9 months from date of signing of Contract
S-1.03	Installation testing & Commissioning of Automated Water Level Recorder (non-contact RADAR) for River /Canal/Reservoir and associated civil works for mounting the RADAR having 35m range with all necessary hardware as per technical specifications	1	Nos.	Madamon	9 months from date of signing of Contract
S-1.05	Installation testing & Commissioning of Data Logger with 2AI channels with INSAT, GSM & GPRS based telemetry including antenna and all associated civil work such as tower/mast and all necessary equipment for data transmission as per technical specifications.	8	Nos.	Chembarambakkam, Anakaputhur, Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara, Madamon	9 months from date of signing of Contract
S-1.06	Installation testing & Commissioning of solar panel with all connectors, cables and conduit for cables as per technical	8	Nos.	Chembarambakkam, Anakaputhur,	9 months from date of signing of Contract

	specifications			Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara, Madamon	
S-1.07	Installation testing & commissioning of Battery, charger regulator with all interconnecting connectors, cables for DCP as per technical specifications	8	Nos.	Chembarambakkam, Anakaputhur, Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara, Madamon	9 months from date of signing of Contract
S-1.08	Installation testing & commissioning of NEMA4X OR Equivalent Enclosure box to suit master unit equipment with locking, other ancillary equipment, fittings earthing, lightening arrestor with all connectors, cables and conduit for cables, mast to mount DCP, sensor mount complete as per technical specifications	8	Nos.	Chembarambakkam, Anakaputhur, Anaikattucherry, Pennalur, Nemam, Neeleshwaram, Malakkara, Madamon	9 months from date of signing of Contract
S-1.09	Installation of Chain link Fencing (5m*5m) *2m including associated civil works for ARG sensors (line item no. S-1), along with lockable gates for external protection of ARG, Sensors and DCP at remote stations as mentioned in Schedule of Requirements as per technical specifications. including supply of fencing and its related materials.	3	Nos.	Chembarambakkam, , Pennalur cause, Nemam tank,	9 months from date of signing of Contract
S-2.00	Set of Data Center Equipment at the Modelling center located at SWRD , Kochi and Display system at Chief Engineer Office , Coimbatore				
S-2.01	Installation testing & Commissioning of High Speed Internet Connection with min 9 mbps speed with Static IP (for 5 years) at SWRD , Kochi	1	Set	SWRD, Kochi	5 months from date of signing of Contract
S-2.02	Installation testing & Commissioning of Computer Node (workstation) along with monitor and necessary accessories and 3 KVA online UPS as per technical specification at SWRD/Kochi, HD, Chennai and CE(CSRO) office, Coimbatore	3	Set	SWRD, Kochi, CE office, Coimbatore HD, Chennai	5 months from date of signing of Contract

S-2.03	Installation testing & Commissioning of GSM & GPRS data receiving system with all ancillary equipments as per technical specifications at SWRD, Kochi	1	Set.	SWRD, Kochi	5 months from date of signing of Contract
S-2.04	Installation testing & Commissioning of 42" LED display system at CE, CSRO Office Coimbatore including displaying data of 8 remote stations including configuration as per technical specification	1	Set.	CE office , Coimbatore	5 months from date of signing of Contract
S-3.00	Operation & Maintenance and Comprehensive Warranty for RTDAS with Telemetry system as specified in Schedule of Requirement along with accessories, installed at designated locations and Data Center equipments after final acceptance of RTDAS systems. This includes replacement of material / goods& consumable as & when required at bidders cost. This also includes Minimum one service Engineer shall be placed at the modelling centre at Kochi for operation of RTDAS system with Telemetry for entire warranty period of 5 years. This includes configuration for data receival and related communication and integration component at existing Modelling centre at HD,Chennai as per scope of work given in tender document. The cost of Communication for GSM & GPRS telemetry for data transmission shall be borne by bidder. The license fee as applicable for DOT for INSAT transmission shall be borne by purchaser.	1	Job	SWRD, Kochi, CE office, Coimbatore HD, Chennai	<i>Continuous activity for 5 years after successful commissioning and final acceptance certificate of RTDAS</i>
S-4.00	Comprehensive AMC for two years complete for RTDAS with Telemetry system as specified in Schedule of Requirement along with accessories, installed at designated locations and Data centre equipment at Modelling centre , Kochi and CE office Coimbatore as per schedule of rates under this contract after 5 years of warranty period. This includes configuration for data receival and related communication and integration component at existing	1	Job	SWRD, Kochi, CE office, Coimbatore HD, Chennai	<i>Continuous activity for 2 years after 5 years of O&M and comprehensive warranty of RTDAS</i>

	Modelling centre at HD, Chennai as per scope of work given in tender document. This includes the cost of communication for GSM and GPRS Telemetry for data transmission shall be borne by bidder. The license fee as applicable for DOT for INSAT transmission shall be borne by purchaser.				
S-5.00	Training of the purchaser's personnel at the supplier's plant and/or/onsite in assembly, startup, operation, maintenance and/or repair of the supplied goods. Course topics will include sensor calibration, data logger configuration, data downloading, data retrieval, collection, Trouble shooting, processing maintenance requirements and procedure for equipment configuration, installation, site testing and commissioning including training kit containing course material in soft and hard copies as per technical specification	1	Nos.	SWRD, Kochi, CE office, Coimbatore HD, Chennai	<i>Continuous activity</i>

Table -2 : Details of Hydro-meteorological Equipment

Sl no	type of structure	Location	Depth below bridge deck	District	Lat	Long	ARG	AWLR	Data Logger			Solar panel battery, NEMA box	Fencing		Telemetry type INSAT,GSM-GPRS
									2 AI	8 AI	16 AI		5 m x 5m	10m x10m	
1	Bridge**	Neeleshwaram	14.5 m	Ernakulam	10.1822222	76.504722	1	1	1			1			1
2	Bridge**	Madamon	18.15 m	Palakkad	9.34333333	76.828889	1	1*	1			1			1
3	Bridge**	Malakkara	14.9 m	Patanamthitta	9.33083333	76.675833	1	1	1			1			1
4	Tank/Reservoir	Chembarambakkam	-	Kanchipuram	13.008889	80.080833	1	1	1			1	1		1
5	Bridge**	Anakaputhur	10 m	Chennai	12.9861111	80.119722	1	1	1			1			1
6	Bridge**	Anaikattucherry	12 m	Thiruvallur	13.1072222	80.059444	1	1	1			1			1
7	Tank/Reservoir	Nemam Tank	-	Thiruvallur	13.0688889	80.015833	1	1	1			1	1		1
8	Bridge**	Pennalur Causeway	3.5 m	Thiruvallur	12.9675	79.976667	1	1	1			1	1		1
				TOTAL			8	8	8			8	3		8

* AWLR 35m Radar Sensor** While installing the telemetry, all the requirements as per the permission conveyed by Bridge authorities shall be complied

Engineer-in-Charges for the sites and Modelling Centres

S. No	Name of the Station	Engineer-in-charge
1.	Neeleshwaram	EE, SWRD, Kochi
2.	Madamon	
3.	Malakkara	
	Modelling Centre, Kochi, LED Display System at CE,CSRO Coimbatore	
4.	Chembarambakkam	EE,HD Chennai
5.	Anakaputhur	
6.	Anaikattucherry	
7.	Nemam Tank	
8.	Pennalur Causeway	
	Modelling Centre, HD Chennai	

3. TECHNICAL SPECIFICATIONS

Introduction

Central Water Commission (CWC) is a premier Technical Organization of India in the field of Water Resources. It is headed by a Chairman and is presently functioning as an attached office of the Ministry of Jal Shakti, Department of Water Resources, River Development and Ganga Rejuvenation, Government of India. CWC is entrusted with the general responsibilities of initiating, coordinating and furthering in consultation of the State Governments concerned, schemes for control, conservation and utilization of water resources throughout the country, for purpose of Flood Control, Irrigation, Navigation, Drinking Water Supply and Water Power Development. It also undertakes the investigations, construction and execution of any such schemes as required. The work of the Commission is divided among 3 wings namely, Designs and Research (D&R) Wing, River Management (RM) Wing and Water Planning and Projects (WP&P) Wing.

The River Management (RM) Wing is headed by an engineering officer designated as Member (RM). The wing comprises of organizations headed by Chief Engineer. Cauvery & Southern Rivers Organisation (C&SRO) was set up with headquarters at Coimbatore in April, 1992. C&SRO is headed by Chief Engineer who is assisted by Superintending Engineer (Co-ordination) for day-to-day activities and is responsible for overall functioning of subordinate offices. The Organisation comprises Circle Office headed by a Superintending Engineer at Bengaluru, Monitoring Directorate at Chennai and Beach Erosion Directorate at Kochi.

The Circle Office, Bengaluru has three Divisions, located at Chennai, Coimbatore, and Kochi. The details of each Division are as below:

1. Southern Rivers Division (SRD), located at Coimbatore, has three Sub-Divisions located at Coimbatore, Tiruchirapalli and Madurai; all in Tamil Nadu State.
2. South Western Rivers Division (SWRD), located at Kochi, has four Sub-Divisions located at Kochi, Thiruvananthapuram, Kozhikode (all in Kerala State) and Mangaluru in Karnataka state.
3. Hydrology Division (HD), located at Chennai, was set-up under Hydrology Project and has three Sub-Divisions located at Chennai in Tamil Nadu, Kadapa in AP and Karaikal in U.T of Puducherry

The key objectives of the RTDAS consist of the following:

1. Install new equipment capable of providing measurements in real time at proposed RTDAS stations.
2. Provide the number of rainfall, River/Reservoir water level (stage) and weather stations to provide improved assessments of hydrologic/hydraulic

conditions in various River and Reservoir locations in the state of Tamil Nadu and Kerala.

3. Utilize a combination of INSAT, GSM & GPRS Data communications to relay Data in real time.
4. Contract for station installation and maintenance to assure the proper operation of RTDAS.
5. Establish real time Regional Data Center.

1. General Technical Concept

The concept of implementation on which the present technical specifications and special conditions are based intends to acquire the state of art technology available for setting up automated Data Collection Platform (DCP), Data storage, processing and Data communication technologies with the requirements of high availability and sustainability required by such an important project. Emphasis is provided on a robust and reliable technology. The Data acquisition system will comprise of two segments, the Data acquisition segment and the Data communication segment. Data acquisition segment and Data communication segment co-operate automatically in an integrated manner to complete the cyclic function of Data collection. The Data acquisition segment comprises of sensor, Data acquisition controller/ Data logger and an integrated power controller. The Data communication segment comprises of the Data communication equipment at site, all intermediate components and the network controller / web server at Data Processing Center.

It is preferred that the rechargeable battery used at site gets uninterruptedly recharged by a solar panel attached to the system. Under this particular job, Data transmission has been proposed using INSAT, **GSM & GPRS** technology. Accordingly, the sites have been chosen verifying the coverage of Telecom network. This methodology has been chosen keeping in view its advantages over the other systems in respect of investment, maintenance and reliability. The Bidder shall ensure that the system remains operational even under extreme conditions of weather. The failure of transmission due to temporary disturbances in the network must be taken care of by providing adequate storage in the Data logger and ensuring subsequent relay immediately after the network is restored. Two-ways communication facility and event notification through SMS is highly desirable in the system to be provided by the Bidder. Uninterrupted Data recording must be guaranteed for long periods during which regular maintenance visits may not be possible.

Maintenance is an integral part of any system and a system that has the challenges of unattended operation in remote, exposed areas stresses the need for a well thought out approach to maintenance. The corrective maintenance will be required for Data collection issues, whether they may be component failures or due to environmental issues.

To minimize corrective maintenance and to increase the performance of the monitoring network, a well-organized preventative maintenance plan is highly

recommended. The preventative maintenance is required for all system components as well as the infrastructure in place to house the electronic Data collection components. It is recognized that the maintenance of a monitoring network is often grossly underestimated as well as underperformed task. This leads to reduced life expectancy of the equipment and possibly the collection of misleading Data during the period of operation. A strong maintenance plan will be the foundation for sustaining Purchaser's monitoring network operation over the expected lifetime of the technology, which is considered to be 10 years.

The Central Water Commission has proposed the Data communication will be GSM /GPRS and INSAT, which is based on the crucial nature of the Data and/or availability of INSAT.

The Technical Specifications consist of the installation of the RTDAS for the different Dams and Barrages and sites at the location mentioned in schedule of requirement. This shall include the design, manufacture, factory testing, deliver to site, installation (including the associated interface wiring/termination), commissioning and site acceptance testing, supply of mandatory spares.

Data Collection Platforms (DCP), monitoring system hardware **shall interface and be fully integrated and tested with the existing Modelling Centre Located at Hydrology Division Chennai and new Modelling Centre to be installed at SWRD, Kochi and Display system at CE (CSRO) office, Coimbatore.** The requirements are given below in respect of each major component of the system. The Bidder shall ensure that the fundamental requirements stated in this document are not compromised. Further details are also provided in Inspections and Tests.

The RTDAS should have the following monitoring systems for the Hydro-met network

- **ARG with INSAT, GSM & GPRS Telemetry: 8 Nos**
- **AWLR- Radar Sensors with INSAT, GSM & GPRS Telemetry: 8 Nos.**
- **Modelling Centre equipment's establishment: 1 Nos. (SWRD , Kochi)**
- **42" LED display system with configuration for display : 1Nos (CE (CSRO), Coimbatore)**
- **Integration and Configuration at existing modeling centre : 1 Nos (HD, Chennai)**

GENERAL

Real Time Hydro-Met data acquisition network which will be implemented under this project provides key data required for forecasting Inflows into the Basin and other related activities. A Real Time Data Acquisition System (**RTDAS**) will consist of a telemetry network of Automatic Rainfall Stations, Automated Weather Station and Water Levels at the dams and barrage locations which will be installed to provide inputs to the **RTDAS**. The concept of implementation on which the present technical specifications and special conditions are based intends to combine the advantages of modern Data Loggers, data

storage, processing and data communication technologies with the requirements of high availability and sustainability required by such an important project. Preference will be given to robust, reliable technology. The real-time data acquisition system networks have the greatest possible reliability, thus minimizing the maintenance to the extent possible.

The sensors like Automatic Rain Gauge (ARG) sensor Automatic Water Level Recorder (AWLR) should be combined within a single station. This specifically means that it is encouraged to combine data from multiple instruments through the use of wired or wireless technology to minimize the number of **INSAT, GSM & GPRS** data transmission systems.

The Technical Specifications consists of the installation of the real time data acquisition system for the Rivers and reservoirs in Tamil Nadu and Kerala which includes the design, manufacture, factory testing, deliver to site, installation (including the associated interface wiring/termination), knowledge transfers and other accessories, commissioning and site acceptance testing, and supply of mandatory spares.

2.0 DESIGN PRINCIPLES

The following basic principles have been applied to the design of the real time hydrological data acquisition system network for the Dams and Barrages in West Bengal.

- Installation of Water Level Recording Sensors (AWLR) which will have the primary function of measuring water levels at the installed sites, Rivers/Reservoir locations.
- Installation of Automatic Rain Gauge (ARG) Station with Tipping Bucket rain gauge (TBRG) Sensors which will have the primary function of measuring hourly and daily accumulated Rain fall data at the installed locations. The rain gauge will be installed as per the WMO guidelines.
- Recoded data at field stations will be transmitted through INSAT telemetry to Earth Receiving Stations (ERS) at New Delhi/Jaipur/Burla and from ERS to WIMS software for further processing. Simultaneously GSM/GPRS data from field stations will be communicated to the dedicated server computer provided at existing and new modeling centre at HD, CWC, Chennai and SWRD, CWC, Kochi respectively and then from modeling centre to WIMS software at Delhi and Modelling centre at Chennai and display system at CE(CSRO) office at Coimbatore via internet for further processing. The configuration of INSAT data and GSM data in WIMS will be responsibility of the bidder for which access and assistance will be provided by CWC.

3.0 SCOPE OF WORK

- 1) Complete supply, installation, testing, commissioning of remote stations including associated civil works, sensors, data logger, software, hardware and ancillaries' equipment, solar panel, mounting poles, masts, towers, cables, electrical and network cabling, lightening arrestors, earthing etc. complete.
- 2) Technical design, supply, installation, testing, commissioning of the real time hydrological& other data collection network and establish data communications

using INSAT telemetry between the remote stations and the Earth Receiving Station at New Delhi/Jaipur/Burla and GSM / GPRS Telemetry between the remote stations and the dedicated computer server provided at existing modeling centre. This includes, but is not limited to acquiring service, and maintaining all aspects of the service during the warranty period as well as the maintenance period.

- 3) Establish a GSM & GPRS receiving system along with all required data reception arrangement at existing and new modeling Centers to collect GSM & GPRS data and also make provision to transfer RTDAS data from modeling Centers to WIMS. This shall include a required hardware & computer that will support the reception of the GSM & GPRS Data stream from all RTDAS station to be installed under this project as well as from other RTDAS stations and also reception of INSAT telemetry data from Earth Receiving Station at New Delhi/Jaipur/Burla through internet. This consists of acquiring all hardware and software, installation, configuration.
- 4) Providing work station with monitor and 5 years data backup facility (1 TB), online 3KVA UPS at modeling centre, at SWRD,Kochi that will support the reception of GSM, GPRS data.
- 5) Assure the collection, storage/backup and seamless flow of Real Time Data from all types of automated sensors to ERS and then to modeling centre.
- 6) Perform on-site assembly, start-up of the supplied goods.
- 7) Complete commissioning integration, testing & organization of the whole system. Bidder is responsible for, interfaces between the sensors and the DCP, DCP and transmission equipment and that between ERS and Modeling Centre and ensure compatible data format as per bid document and trouble-free operation of system. The warranty must be comprehensive without any exclusion except from physical damage or force majeure will be permitted.
- 8) Provide operation & maintenance services during Five (5) years warranty period to include all components at the remote stations as well as all newly acquired equipment in the data center.
- 9) Provide installation and maintenance reports as required by the Purchaser and any delay is not acceptable in time schedule provided by supplier.
- 10) Supply on-site spares to repair any part of the remote stations upon determination of malfunction or failure. This includes, but is not limited to, DCP, sensors, batteries, solar panel and other accessories etc. required in seamless operation of the real time data acquisition system.
- 11) Supply detailed operation and maintenance manual for each component in the system and compile Knowledge and working supply type Manual for training purpose (including multimedia training kits).
- 12) Onsite Calibration and validation of the installed system shall be performed on half yearly basis which shall be continuous process during the entire warranty period .This will include calibration of canals against water level to obtain discharge data.

- 13) All selected sites should conform to the extent practical to **WMO** guidelines. The purchaser will be responsible for obtaining permission to use property. Rain gauge data will be logged every 1 hour and transmit data based on a schedule set in the data logger (e.g. once an hour) and/or in case of INSAT, GSM/GPRS communication the data transmission on an event (e.g. a measurement reaching programmed threshold values).
- 14) The remote stations (DCPs) shall store the data for at least one year.
- 15) To provide necessary facility to generate daily report of RTDAS data at specified time and in the specified format as prescribed by Engineer-in-charge
- 16) Bidder shall supply a detailed operation and maintenance manual for each appropriate unit of supplied goods and compile Knowledge and working supply type Manual for training purpose (including multimedia training kits).
- 17) A guarantee by the manufacturer that all equipment being provided will have maintenance & Spare support for a minimum of ten years from the date of issuance of final acceptance certificate by engineer in charge including Warranty and Operation & Maintenance period;
- 18) Provide classroom and field trainings on the acquisition system to the sufficient number of personnel from **CSRO,CWC**. This includes operation and maintenance procedures. Training will have to be imparted at selected field locations as selected by the Purchaser. Provide formal and on-the-job training to purchaser's personnel at the plant & onsite. This includes startup, operation, maintenance and/or repair of the supplied goods. Course topics will include sensor calibration, data logger configuration, data downloading, data retrieval, collection, Trouble shooting, processing maintenance requirements and procedure for equipment configuration, installation, site testing and commissioning including training kit containing course material in soft and hard copies.

4.0 GENERAL FEATURES/ SPECIFICATIONS

- i. It is imperative that all instrumentation, other equipment shall operate effectively with the DCP's and the DCP's in turn shall operate effectively with the satellite equipment and other systems of ERS. In addition, the input/output protocols of individual items of equipment (AWS, AWLR, ARG, DCP's, solar power arrangements, gate sensors/ shaft encoders etc.) shall interface accurately. For this purpose, the interfaces between the sensors and the DCP, DCP and transmission equipment and that between ERS and modelling centers are ensured to be compatible and trouble free.
- ii. The specific electrical, electronic and mechanical design parameters mentioned in case of individual sensors are indicative of a typical design and variations therein can be considered provided the output, resolution accuracy and ruggedness against environment are not compromised in any manner. In such cases where the supplier proposes to deviate from the specifications a full technical justification shall be provided. The Purchaser is not bound to accept such justification.

- iii. It shall be the Suppliers responsibility to ensure that the installation is robust and shall continue to work in extreme weather conditions.
- iv. Reliability of operation during normal and extreme weather conditions is imperative.
- v. The sensors and all accessories and facilities shall be fully compatible with the data acquisition and transmission system. The sensors and DCP's shall form a complete automated data acquisition storage and transmission system.
- vi. In case of any of the sensors, the equipment is supplied with certain optional features which are required to be ordered separately and are not included as a part of the offer; the same shall be clearly mentioned in the bid along with the functions of such features. The purchaser shall be provided with all necessary information which shall enable him to take an informed decision at the time of entering into the Contract as to the ordering any such feature or otherwise.
- vii. The Bidder shall enclose technical literature with photographs in respect of all the sensors, datalogger and other equipment being quoted. The features which are mentioned in the literature but are not being quoted as a part of the current system shall be clearly brought out in the bid. In the event of failure of the Bidder to explicitly mention any such exclusion, it shall be taken as inclusion of all features mentioned in the bid as a part of the supply and the Bidder shall have to provide all such features/ accessories without claim of extra cost to the purchaser.
- viii. Although all accessories and fixtures required for installation of the equipment & their specifications have been specified in technical specifications however, bidder shall ensure the satisfactory performance & functioning of RTDAS system complete, for this if any accessory or item s are required that shall be provided by bidder, the cost towards that is deemed to be included in the cost tendered by the bidder, no extra cost shall be paid to the bidder on this account.
- ix. Bidders shall give general layout of all the installations including all civil works for types of stations and materials including that for the equipment at the time of bidding. Afterwards, the successful Bidder shall furnish the details of all the mounting arrangements, including civil works. Indian Standard codes of practice shall be followed for all civil works and mounting arrangements.
- x. The security arrangement provisions for sensors installed in the open ground like Chain Link fencing, locking etc. shall be provided by the Bidder.
- xi. Security of installed equipment's including theft and vandalism will be the responsibility of the Bidder till successful installation, commissioning, two stages of site acceptance testing.
- xii. All fixings shall be non-corrodible.
- xiii. The Bidder has to specify how the calibration will be carried out and has to use his own calibration equipment during the period of warranty.
- xiv. Ensure that all software licenses and maintenance agreements are in the name of Purchaser and should seek full support and updates for such software for the duration of the **Warranty and AMC** Period. Also, all the software licenses

should be valid for the design life of the system, that is 10 years from date of commissioning.

- xv. Site Preparation and Installation: The Purchaser will designate the installation sites before the scheduled installation date to allow the Supplier to perform a site inspection before the installation of the RTDAS and associated telemetry system. In case there is a delay in handing over the site by the purchaser, appropriate extension of time shall be granted without imposition of liquidated damages in accordance with the provisions of contract.

5.0 EQUIPMENT ARRANGEMENT AT REMOTE STATIONS

5.1 Automated Water Level Recorder (AWLR) for River /Reservoir:

The Automatic Water Level Recorder (AWLR) station shall be equipped with all necessary equipment's and peripherals including the following:

- i. Data Collection Platform (DCP) mounted inside an enclosure which will house the following items.
 - Data Logger with INSAT, GSM & GPRS Transmission facilities with built-in display.
 - Battery for power requirements
 - Pre-wiring and configuration.
 - Solar panel-based power supply system.
 - Antenna's (INSAT, GPS, GSM / GPRS) & required accessories
- ii. Installation of suitable range of Non- contact type Water Level Radar sensor for Automatic Water Level Recorder (AWLR) station with all fittings, accessories and cables and conduits.
- iii. At selected at stations, installation of Gate position sensor with all fittings, accessories and cables. Gate position sensor, ARG & AWS data shall be integrated with the AWLR data logger and transmit.
- iv. Tower/Mast / tripod to mount DCP at the site (alternatively, where walled enclosure or tower is available, same can be mounted on the same.
- v. Tower/Mast / tripod for solar panel & INSAT antenna. (provided locally by the Bidder). Mast can be shared with the DCP mast also.
- vi. Civil works for Tower/Mast / tripod (provided locally by the Bidder).
- vii. Conduit for cables GI Flexible conduits and HDPE pipe conduits.
- viii. Power & signal cables with cable conduits.
- ix. Grounding and lightning protection (provided locally by the Bidder)
- x. All necessary hardware required for the system to operate properly.

5.2 Automatic Rain Gauge: (ARG)

The Automatic Rain Gauge shall be equipped with all necessary equipment's and peripherals including the following:

- i. Data Collection Platform (DCP) mounted inside an enclosure which will house the following items.
 - o Datalogger with INSAT, GSM & GPRS facilities for transmission of data with built in display.
 - o Battery for power requirements
 - o Pre-wiring and configuration.
 - o Solar panel-based power supply system.
 - o Antenna's (INSAT, GPS, GSM /GPRS)& required accessories.
- ii. Automatic Rain Gauge station will have Tipping Bucket Rain Gauge (TBRG) sensor with all fittings, accessories and cables. The rain gauge will be installed as per the WMO guidelines.
- iii. Tower/Mast /tripod to mount DCP at the site (alternatively, where walled enclosure or tower is available, same can be mounted on the same).
- iv. Tower/Mast/ tripod for solar panel & INSAT antenna. (provided locally by the Bidder)
- v. Tower/Mast/ tripod can be shared with the DCP mast also.
- vi. Associated Civil works for installation of Rain Gauge (provided locally by the Bidder).
- vii. Conduit for cables GI Flexible conduits and HDPE pipe conduits.
- viii. Chain Link fencing for ARS (5m x 5m x 2m height) and gate with lock if required (provided locally by the Bidder) @ 3 locations.
- ix. Power & Signal cables with conduits.
- x. Grounding and lightning protection (provided locally by the Bidder).
- xi. All necessary hardware required for the system to operate properly.
- xii. The installation should be made as per WMO guidelines at standard height.
- xiii. At selected site, ARG shall be integrated with the AWLR, AWS& gate sensor data logger.

5.6 TELEMETRY

The data communications employed on RTDAS network will use INSAT/GSM / GPRS radio communications. It will be the responsibility of the bidder to confirm mobile network coverage. The bidder will be ultimately responsible for establishing data communication at all sites.

The bidder will provide all associated civil works related to the installation of the antenna, including cabling, wiring and other such infrastructure.

5.7 Modeling CENTER

5.7.1 Old Modelling Centre with existing Equipments

The Modeling Centre is already established at HD, Chennai

The bidder has to make necessary arrangement at existing Modeling Centre for receiving INSAT data from ERS at New **Delhi/ Jaipur /Burla** through cloud service of WIMS cloud and GSM/GPRS data directly from remote stations through GSM/GPRS receiving system located at Modelling centre SWRD,Kochi through internet.

5.7.2 New Modelling Centre with Equipments to be installed under this project

The Modeling Centre equipments is to be installed at SWRD, Kochi

The bidder has to make necessary arrangement at Modeling Centre for receiving INSAT data from ERS at New **Delhi/ Jaipur /Burla** through VSAT and cloud service of WIMS cloud. And also make necessary arrangement at Modeling Centre for receiving of GSM/GPRS data directly from remote stations. Both the type of data will be stored in the same data base server at Modeling Centre.

Necessary equipment such as, Server for GSM &GPRS data reception, UPS, etc. will be installed at the Modeling Centre. The system shall be able to accept coded SMS messages from manually operated remote stations and as a back-up to the RTDAS systems. The components include GPRS communication system and workstation for data collection /application /storage backup for the collection, quality. This infrastructure includes all networking devices to connect the equipment via INTRANET to the Web. The space needed for these equipment will be provided by the purchaser.

5.7.3 LED Display system to be installed under this project

42" LED Display system is to be installed at CE, CSRO's office at Coimbatore. The data from all the remote stations are to be displayed at the system seamlessly. This includes all integration configuration of displaying the data.

5.8 GSM &GPRS Data Collection Station

- The GSM & GPRS data collection station shall be established at existing and to be established Modeling Centre at HD,Chennai and SWRD,Kochi. The GSM &GPRS data collection station will be able to interrogate the DCPs based on a schedule of the State's choice and as implemented by the bidder.
- The GSM &GPRS Data Collection Station will also be able to receive data sent by the remote RTDAS stations whether the data is sent via SMS text or over GPRS internet connectivity.
- In case of failure of INSAT telemetry on RTDAS sites, the provision for polling the data by GPRS telemetry so that missing of data is avoided. The bidder will provide all civil works related to the installation of the antenna, including cabling, wiring and other such infrastructure required to operate the GSM & GPRS Data collection station.

5.9 INSTALLATION REQUIREMENTS FOR RTDAS

SITE PREPARATION AND INSTALLATION

- The purchaser will provide details of the installation sites before the scheduled installation date to allow the Bidder to perform site inspection and construction of suitable structures before the installation of the hardware.
- The location of antenna, sensors and related civil work will be decided by the respective Site Engineer-in-charge Depending on the site and river flow conditions.
- The Bidder should complete the required works at the site for proper installation of the equipment before receipt of the equipment.
- These are the basic guidelines for installation of RTDAS system however it may vary as per site conditions, in case of variation from installation guidelines stated below drawings shall be approved by engineer-in charge prior to the start of installation work

1. SPECIFICATIONS FOR INSTALLATION


i) Automatic Rainfall Station

ARG stations will require a hardened enclosure on a structure (pipes, mast, and tower) to make the enclosure stable. The enclosure will be mounted 1.5 m above the ground. The rain gauge will be placed away from objects such that the rain gauge orifice is no closer than the 2 times the difference in height (top of the rain gauge to the top of the nearby objects) to other objects. Latest IS standards & WMO guidelines are required to be followed for ARG installation.

ii) Automatic Water Level Recorder (AWLR) for River and Reservoir

SAFETY REQUIREMENTS

- The sensor and its accessories should be protected from theft. The bidder is encouraged for minor modifications in installation of sensor and its accessories so as to minimize the chances of theft. Mortise lock is proposed to avoid theft. Due care must be taken while modifying the installations. In no case the basic principle and working of sensor is allowed to disturb.
- Radar sensors should be mounted such that they have a direct vertical shot to the water surface with no obstruction of their beams. Beam spread must be determined based on manufacturer's specification and the maximum expected distance to be measured at low flows. Consideration should be made in designing the mounting structure to allow for easy access to the instrument for maintenance
- Framework support to attach Radar sensor to Bridge Tower.
- Framework support made of fabrication of M.S. Angle 50mm x 50mm x 5mm with gusset plate 8mm thick (0.85m x 0.3m) including welding, riveting, anticorrosive paint, colour etc. complete as per FIG



iii) Specifications for Civil Works

Common Enclosure for Site

Area of the ARG and AWLR Station should be ideally 5m x 5m x 2m height. If a rare condition demands then even lesser area (5 m x 4 m) can be demarcated in consultation with officials.

The approach to the site should be made free of obstacles like bushes; trees etc. and a suitable cement path must be laid to approach the platform.

Following are the common specification for civil works for all the Telemetry sites.

Fencing for site

- The height of the fencing for the site must be 2 meters from the ground level.
- The fencing must be made over a Concrete foundation which is 230mm above ground level.
- Fencing angle should be of size 50mm x 50mm x 6mm and pre-coated with red-oxide.

- The total length of the fencing angle should be 2.8 meters i.e. (2.0m above ground level + 0.8 m below ground level)
- Two MS angles must be used diagonally at each of the four corner angles of the site. The angles can be attached (with welding or the other appropriate means) from the middle of the existing corner angle to the ground. The depth of the support will remain the same as of main angle.
- The dimensions of the fencing angle foundation should be 450mm x 450mm (length X width) and at a depth of 800mm. The foundation should be square shaped. Distance between each fencing angle should be 1.5 to 2 meters.

Chain link Fencing

- Dimensions of GI Chain-link: 3 inches x 3 inches and of Gauge: 10 (3 mm diameter).
- GI chain-link mesh must be stretched and welded/fixed properly on the fencing angles.
- A pipe or angle must be fixed on the upper part of the fencing to have a neat finishing and at the same time to avoid loosening of the fencing over a period of time.
- The chain-link fencing should be fastened with the help of screws fitted on the fencing angles. Alternately it may be welded neatly at four equidistant positions of 0.5 m each.

Gate

- Dimensions: 1 m X 2 m (Width x Height) with locking facility
- The gate must be fabricated by MS Angle whose dimensions should be minimum 40mm x 40mm x 6mm
- Suitable locking facility with 3 keys for safety purposes is mandatory. Standard locks should be used.
- Gate and MS Angle must be well painted with white / silver colour.
- Gate should have proper support of MS angles with additional support of crossed MS angles. Alternately gate should be fixed with the support of RCC pillars.

Rain Gauge and WL sensor Foundation

- Rain gauge foundation must be of dimensions 450mm x 450mm (length x width) and 800mm deep.
- The rain gauge may be located so that it is at a minimum distance of 2 m away from obstructions on all four sides.
- The raised platform should be 230mm above the ground level.

- The orphic rim of rain gauge should be 1.0 to 1.2 meters above ground level. In the case of flood prone areas, the base plate on which the rain gauge is mounted should be placed 1.0 m above ground level. The location must be decided after discussion with Field Officer.

Tower/Mast/Tripod Foundation

- Foundation Dimensions: 750mm X 750mm (length x width) and 1.2m deep. The raised platform of the foundation must be 300 mm above the ground level.
- The height of the mast should be minimum 3 meters above raised platform.

Proportions for concrete foundations

- Concrete pillar foundations for the (RTDAS) mast/tripod/tower, fencing angle should be made in the volumetric mixing proportions as follows:
- Concrete foundation: 1 (Cement): 2 (Sand): 4 (Metal)
- Fine plastering: 1 (Cement): 3 (Sand)
- Concrete Pillar must be cemented to achieve smooth finish above the ground level.
- After 8 hours, these foundations should be cured with water at least 3 times a day for four days.

Local Earthing

- Material required: Salt: 20 Kg; Charcoal: 20 Kg; Sand 100 Kg
- The lightning arrestor rod is made of copper which is mounted on the top most part of the RTDAS Mast / Tripod / tower.
- It should be of thickness 12 mm and of one-meter length with a connected copper wire of 6mm thickness (gauge). At the other end of copper wire is the Earthing rod of dimensions 15mm thickness and 1.8-meter length, which is buried into the ground.
- On the bottom of earthing rod, one copper plate of dimensions 300mm x 300mm should be connected. RTDAS Data logger enclosure should also be grounded with local earthing.
- A pit of 1200- 1500 mm depth, 600 x 600 mm wide at bottom (like a cone shaped pit) has to be dug.
- After leveling the bottom of the pit, uniform layer in the sequence of 150 mm of Salt + 150 mm Charcoal + 150mm Sand is filled. Such sequence is repeated 3 times till the earth pit is filled to the top. The copper earthing rod is placed in the center of the pit. The pit is closed and leveled.

Painting

- The tower, fencing angles, chain-link fencing and gate should be properly painted with one coat of red lead oxide primer & two coats of silver paint every year to avoid rusting.
- All concrete foundations shall be painted using white cement paint every year.

6.0 TECHNICAL SPECIFICATION

6.1 Radar Type Water Level Sensor (35m)

Functional Requirement: To measure the water level

Design Requirements: The equipment offered should conform to the following technical Specifications:

Feature	Value
Site Conditions	
Ambient Temperature	From -5 to +60 Degree Celsius
Humidity	0 to 100 %
Altitude	0 to 2500 meter
Sensor	
Sensor Type	Microwave non-contact sensor
Range	35meters
Resolution	3 mm or better
Accuracy	0.02 % FSO
Output Interface	SDI-12 / RS-485 / 4-20mA
Power Supply	To be powered by Solar Panel provided by bidder with DCP
Beam angle	Less than 16degrees
General Features	
HousingMaterial	Corrosion Resistance (Stainless steel / Aluminum /PVC/UV stabilized ABS with metal casing)
Enclosure	The Sensor shall be easy to dismount and replace in the event of malfunction.
Tools	Complete tool kit for operation and routine maintenance
Manuals	Full Documentation and maintenance manual in English
Accessories	Sensor Mounting support, cables and other accessories as required
Protection	NEMA 4 or IP67 or better
Horizontal Mounting/Installation Arrangements	Above FRL, below a bridge girder wherever available otherwise horizontal cantilever arrangement from a mast/wall/pedestal to be provided
Radar Sensor should have inbuilt diagnostic feature & averaging function	

6.3 Automatic Rain Gauge : (ARG)

FUNCTIONAL REQUIREMENT:

- Rainfall shall be measured using the tipping bucket method and shall be able to record cumulative rainfall.
- A spout filter shall prevent ingress of insects and debris.
- IMD/WMO certification is required.

Feature	Value
Site Conditions	
Ambient Temperature	From -5to +60 Degree C
Humidity	5 to 100 %
Altitude	0 to 2500 meter
Sensor	
Sensor Type	Tipping Bucket type with reed switch
Range	250 mm/h or better
Resolution	0.5 mm or better
Accuracy	2% or better, ± 2 mm
General Features	
Output Interface	SDI12/ RS-485 / 4-20 mA/Switching closure output
Power Supply	To be powered by solar power provided by bidder with DCP
Material	Corrosion Resistance Metal (Stainless steel/ Aluminum)
Enclosure	NEMA 4 or IP65
Tools	Complete tool kit for operation and routine maintenance
Manuals	Full Documentation and maintenance manual in English
Accessories	Sensor Mounting support, cables and other accessories as required
Certification	IMD/ WMO certification shall be provided.
Note: Bidder shall provide spout filter and bird cage to prevent ingress of insects and debris , And with Bubble Spirit Level and adjustable legs for horizontal alignment of tipping bucket mechanism	

6.6Data logger with 2 AI channels

Feature	Value
Site Conditions	

Ambient Temperature	From -5to +60 Degree C
Humidity	5 to 100 %
Altitude	0 to 2500meter
Sensor Interface	
Analogue Inputs	2-Analogue Input Channels 4 to 20 mA, 100% over range withstand (Analog input channels are required in datalogger, if any sensor offered by bidder requires Analog interface to integration with datalogger)
SDI Port	One SDI-12 Interface port
Serial Port for sensor interface	One RS-232 / RS-485 for sensor Interface port
Pulse Input	1 Input for Rain Gauge impulse
Input - Output Interfaces	
Data Transfer	USB stick option for Data transfer
Port for Configuration	One Serial Port (RS-232 /USB) for communication with Laptop for programming
Port for Telemetry	2 Ports for Communication with Telemetry (GSM,GPRS and INSAT) device Both telemetry systems should work simultaneously for redundancy.
Display Port	Port for connecting external display screen for data in running text
Computer Software	
Operating System	Windows software for system configuration / communication
Version	English language version
Licenses	All required licenses shall be included
Analog to Digital Converter	
Resolution	16 bit or better
Conversion Accuracy	± 1 LSB
Sample intervals	1 Sec to 24 hours (user scalable)
General Features	
Flash memory	Non-volatile Flash memory that can store one year of data. &expandable upto1GB Via USB/SD Card.
Recording Interval	Individual recording intervals for each sensor/parameter
Firmware Operating System	Multi-tasking operating system - must log data and transmit at same time
Display	Inbuilt Digital Display for viewing current data and setting

	values
Power Supply	Shall be powered by solar Power supply to be provided by bidder with DCP , low current drain (quiescent $\leq 10.0\text{mA}$)
Battery Voltage	Monitoring of battery voltage level
Internal battery	Internal battery backup for clock, lithium battery, storage 2 years
Charge Controller	Internal or External
User Permissions	Different user levels, system of user rights / passwords, access restricted to unauthorized personnel
Internal clock	Internal clock with drift less than 1 second per Week
Keypad	For displaying or transferring data to memory stick, configuration of data logger and sensors
Real time clock	GPS synchronized & timing in IST format required
System integrity	System integrity check procedures
Enclosure	for wall-mounting in a shelter / enclosure with IP65 (NEMA 4 or equivalent) protection or better
Accessories	Serial cable + adaptor (if required) for notebook connection. All accessories (fixing units, etc.) as required
Tools	complete tool kit for installation and routine maintenance giving full detail (number of pieces and type)
Manuals	full documentation and maintenance instructions in English (1 copy per station).
GSM- &GPRS MODEM	
Ambient Site Conditions	
Operating Temperature	From -5 to +60°C
Performance	Data Reception availability of 95% or better
Form factor	The GSM &GPRS modem should either be integral part of data logger specified above, or it should be supplied as independent unit compatible with supplied data logger
Specific Features	
Communication Direction	Utilize GPRS network for two-way connection with FTP, TCP/IP (INTERNET) connection and SMS
Transmission trigger	Data collection to be triggered by interrogation from Data Center, or by event-based transmission triggered by remote site
Power Saving	Ability to disable interrogation system in order to save power at remote site
Communication Protocol	Data transmission to execute HTTP Post, FTP, SMS to transmit and receiving data to the Data Center
Accessories	All associated equipment, including Antenna all cables and

	mounting hardware
Antenna features	
Frequency range	900 MHz: 824-960 MHz/1800MHz:1710-1880 MHz, 4G and better
Impedance	50 ohms
VSWR	≤ 2.0
Radiation	Omni-directional
Operating temperature	-5 to + 60 degrees Celsius
Connector	SMA or suitable RF connector adaptable to GSM/GPRS modem
Cable length	As required at site

7.0 DATA COLLECTION PLATFORM

7.1 Functional Requirement

1. The system shall automatically collect the observations from attached sensors, process and store them into its memory and transmit through GSM /GPRS communication link to central station as per the preprogrammed measurement interval, and also system shall transmit hourly basis data of every full hour IST to the ERS through satellite at preprogrammed transmission time
2. The DCP shall also continuously monitor the status of the instruments, power supply and communication. In the event of failure of an instrument or disruption of any of the power sources, an alarm shall be sent back to the existing Modeling Centre. The sensor's signal conditioning unit should be an integral part of the system.
3. The number of analog/ digital/ SDI-12 /RS-232 / RS-485 channels in the data logger must be compatible to the sensors being supplied and also for other battery monitoring systems
4. The System shall have provision to easily include and change the following information in field as mandatory requirements:
 - Unique station identification code.
 - Time of observation and Transmission.
 - Sensor identification
 - Data transmission time for INSAT & GSM/ GPRS communication
 - Programmable Sensor data measurement interval
 - Configuration of Measurement, logging & GPRS/GSM data transmission interval
 - Gain, offset, Datum parameterization for all sensors
 - Configuration of FTP server & mobile number of data center.

5. Parameterization & configuration of RTDAS stations remotely through GPRS/ GSM communication shall be available
6. The system shall have an integrated microprocessor-based data acquisition and storage system having adequate hardware configuration and software support to serve as an interface between sensors and the communication link to perform tasks as stated below.
7. Providing necessary electrical power to the sensors and conversion of electrical output signals from the sensors into engineering value based on calibration information stored in the memory. Full compatibility with all types of sensors provided in the package is mandatory.
8. Storage of observed data along with time for all the parameters in the memory. Memory capacity to retain at least 365 days data is required. Data shall be available even if the power supply to the system has failed (RAM Backup battery) for one year
9. The stored data shall be retrievable via serial port to a PC/ laptop or USB device. The downloaded data shall be provided in the prescribed format provided for GSM/GPRS in technical specifications
10. Full compatibility with all types of sensors provided in the packages shall be mandatory.
11. The system should be stand alone and all programming functions / setups to be carried out through system keypad and display independent of a PC / Laptop.
12. The system should be capable of continuous updating of the values of sensed parameters and post processing the instantaneous values into average values over a specified period of time for transmission to the DCP with earth receiving station.
13. Management of DCP transmitter to optimize the battery consumption
14. The system shall provide a complete health status of the battery, transmitter and other components
15. The system shall support the following functions:
 - Easy programming set up.
 - Multi-tasking capability.
 - User friendly software programming.
 - The system shall have self-diagnostic facility and be capable of displaying station ID / sensor ID code and messages of the display panel for general identification of the fault. It should have facility to monitor these code and other health status through an external laptop / PC.
 - Setup shall be organized in a tree of menus and sub menus. Protection of setup parameters and data through password should be supported by the system. In addition, the DCP shall support the manual entry of data through keyboard and its display.

- Data including the setup and program files shall be transferable from the system via. serial port to PC and SD card or other suitable memory device and vice versa. The scripts / software for configuration of datalogger should be part of supply.
 - Facility for Pooling of data via GPRS shall available in datalogger
16. The DCP shall be housed in a weather proof and temper proof housing of NEMA 4 or equivalent type enclosure of steel or fiber glass
 17. DCP Should be supplied with Software for configuration and troubleshooting
 18. The data logger shall be programmable locally in field via laptop / PC.
 19. The DCP shall be located in a place specified by the Engineer-in-charge at each site and shall be generally one meter above Highest Flood Level (HFL) attained at that site. The DCP at each site shall be located in such a way it is easily approachable even in floods.
 20. The surge suppression in form of fuse or other appropriate device shall be provided for all interfaces to protect the data logger from the surges emanating from the sensors.
 21. Datalogger shall have a provision to display, store and transmit the water level with respect to MSL or with respect to zero level/bed level (user selectable).
 22. The datalogger shall store data in memory, in case of GPRS/GSM communication failure. The data shall be transferred automatically once GPRS/GSM communication is retained. This will ensure no data loss during no communication also.

7.2 Technical Specification

7.2.1 INSAT Radio

FUNCTIONAL REQUIREMENT: To transmit data

DESIGN REQUIREMENTS: The equipment offered should conform to the following technical Specifications:

Feature	Value
Operating Temperature	From -5to +60°C
Environment Relative Humidity	0 to 100 %
Career Frequency	402 – 403 MHz
Carrier Stability	In steps of 100Hz from 402.0 MHz to 403.0 MHz
Modulator	PCM/BPSK
Data coding	NRZ (L)
Output Power	3-10Watt, user settable
Data Bit Rate	4.8 kbps
Frequency Stability	
a.Long Term	Transmit frequency inaccuracy including aging of oscillator should not exceed ± 400 Hz per year. Oscillators/synthesizer should have

	provision to adjust for the long-term drift.
b. for temperature	±1ppm or better (-40 to +55 degrees Celsius)
Signal Bandwidth	6.0 KHz maximum or better
Power Stability	±1dB
Spurious	-60dB or better
Harmonics	-40dB or better
Antenna cable	LMR 400 grade or better
Performance	Data Reception availability of 99% or better
Form factor	The Transmitter should either be integral part of data logger specified above, or it should be supplied as independent unit compatible with supplied data logger
Operating Power	Switched 12V DC controlled by data logger
Yagi Antenna	
Polarization	LHCP or RHCP, switchable in field
Gain	Minimum 11 dbi or better
Center Frequency	402-403 MHz
Mounting	Proper mounting and Pointing arrangement for 360-degree azimuth and elevation adjustment
Operating Wind speed	250 kmph
Wind Survival	300 kmph
Material	Rust-proof and Oxidation-proof
Specific Features	
Satellite System	INSAT Radio System to be Used on the INSAT Satellite operated by ISRO
Certification	Certificate of acceptance required by ISRO or IMD as part of the bid package
Accessories	All associated equipment, including GPS, GPS Antenna, INSAT Antenna, all cables and mounting hardware

8.0 TRANSMITTER & ANTENNA

The INSAT transmitter should be an internal or external component of DCU. It should have necessary hardware and software to receive data from the data logger and transmit in TDMA mode. The transmitter should have the capability to handle data transmission to the DRTs located on any of the INSAT series of satellites. The selection of frequency and mode of transmission shall be through software settings only. No hardware changes for switching from one satellite DRT to another are acceptable.

8.1 Antenna features

- The tenderer shall ensure compatibility of the antenna in the entire system and also ensure achievement of objectives given in the telemetry link calculations to be provided by the tenderer.
- The antenna should not allow accumulation of rain water, there by degrading its performance.

- iii. The antenna shall have a proper mounting and pointing arrangement suitable for transmission to any one of INSAT satellites-based DRTs (located anywhere in the geostationary arc from 45°E to 115°E longitude). The tenderer shall also provide suitable templates and fixtures/ tools for reorienting of the antenna towards any satellite by the field personnel as and when required.
- iv. Proper lightning and surge protection shall be provided to protect all the equipment connected to the antenna from atmospheric hazards. This arrangement shall be in addition to the general arrangement already covered under general scope of the work.
- v. Antenna to be designed with an optimum size so that it could be easily transported to remote and inaccessible places. Mounting of antenna should take care of Azimuth and Elevation changes. Systems have to operate in harsh and saline conditions and adaptable to tropical conditions.
- vi. The following technical features shall be supplied by the tenderer in addition to the technical information being provided by him as part of the Tender.

a.	Polarization	:	LHCP and RHCP (Switchable in field)
b.	Gain	:	Minimum 11 dBi or better
c.	Center frequency	:	402.50 MHz
d.	3dB Beam width	:	40°
e.	VSWR	:	1.2: 1
f.	Impedance	:	50 ohms
g.	Axial Ratio	:	To be specified by tenderer
h.	Operating wind speed	:	250 kmph
i.	Wind Survival	:	300 kmph
j.	Material	:	Rust-proof and oxidation-proof for use in coastal and saline areas
k.	Connector type	:	Compatible
l.	Mounting	:	Should have engraved elevation angle marking
m.	Operating temperature	:	-10°C to +60°C
n.	Operating Relative Humidity	:	0 to 100% RH
o.	Weight	:	Light weight
p.	Size	:	Small, portable
q.	Operating rain rate	:	100 mm/hr and water proof
r.	Mounting /Installation arrangements	:	Mounting shall be done on a mast with sufficient foundation and structural strength

9.0 INSAT COMMUNICATION SYSTEM

9.1 Time Division Multiple Access (TDMA) Scheme

In TDMA type of transmitting system, each remote RTDAS station shall have a unique GPS synchronized transmission time which must be stamped on the body of the system by the supplier. The TDMA burst format shall be same as mentioned in the bid document.

TDMA technique is an open loop system with timing derived from GPS receiver which is part of the RTDAS system. TDMA frame duration is one hour. Each RTDAS system is assigned 1-second time slot, on this time slot the each RTDAS system shall transmit the current hour data along with previous hour data as per the TDMA Transmission Format for RTDAS Stations mention below.

In case of Automatic Rain Gauge (ARG) station, Automatic Water Level Recorder (AWLR) station and ARG + AWLR station are monitoring only Rainfall and Water level data and in this case it is possible to transmit current hour data along with previous hour. However, in case of Automatic Weather Station, Gate Position Sensor Stations and other stations where thenumbers of sensor parameters are more Six, in that situation it is difficult to accommodate the previous hour data, therefore only current hour data shall be transmitted.

The one second frame is worked out taking into account the following details:

- 20 millisecond differential propagation delay over coverage area.
- RTC clock accuracy around 150 milliseconds per day – GPS receiver updates RTC once every twenty-four hours to conserve battery power of RTDAS system.
- GPS receiver accuracy of less than 1 microsecond
- Guard time required in the present burst receiver at Hub station.

9.2 Features of ISRO TDMA transmission

Features of ISRO TDMA transmission scheme are provided for general guidance. However international norms applicable for TDMA may be followed.

- Total number of RTDAS that could be accommodated in a single carrier is 3600.
 - By including CRC in the data frame, data validity could be ensured.
 - With preserving BCH coding of SID, data quality could be checked and valid data retrieved even for the bad CRC.
 - By preserving present SID (Station Identification Code) structure of IMD, SID for all users of DRT could be standardized. The SID consists of 21bits (9 bits for user type, 2 bits for priority, and 10 bits for Platform ID)
 - With Forward error correction convolution coding, better data quality is ensured.
1. With one repeat transmission, reliability of data reception is improved.

1	CRC CODE GENERATION	Polynomial; CRC-CCITT-16 $X^{16}+X^{12}+X^5+1$
2	DATA SCRAMBLING	Polynomial: $1+X^{-1}+X^{-15}$

		Initial State: 6959 (Hex)
3	CONVOLUTION ENCODING	Convolution Coding ½ Rate, Constraint Length K=7 Polynomial: G1=133(Octal), G2=171(Octal)
4	HEADER DETAILS	CR: 192 Symbols (all '0's) BTR: 64 Symbols (all '1's) UW: 64 Symbols (07EA CDDA 4E2F 28C2 (Hex)) Note: UW transmitted with LSB first of every byte, starting from 07EA. (See Fig.1)
5	RF DATA ENCODING	Differential coding (NRZ-L) is done for the entire burst (Preamble and the convolution coded bits) before RF modulation.




Fig. 1: Burst Transmission Format for TDMA Technique (4800 Symbols/sec.)




Fig. 2: TDMA Transmission Frame Format

Fig.1 may be referred to. CRC is calculated for 262 bits which include FS and EOT. It is then scrambled. 1byte, all '0's is added with the scrambled bits, after which the entire bits are convolution coded. Preamble (CR, BTR and UW) is appended with the convolution coded bits. The resulting bits are then differential coded and transmitted.

The system should have flexibility to accommodate more number of carrier channels by suitable changes in the TDMA transmission scheme.

More details will be provided at the time of the design review meeting which will be held with the successful bidder. However, it should be ensured by the bidder that the system configuration is flexible and accommodate all the proposed sensors without any additional cost.

9.3 INSAT DRT Specifications

For the purpose of data transfer from field AWLR/AWS/ARG/ Gate sensor units to CWC Earth Receiving Station at Delhi/Burla/Jaipur the Data Relay Transponder (DRT) on the different INSAT / KALPANA-1 series of satellites shall be used and the specifications given below shall be treated as standard to be adhered by the offered telemetry system.

SATELLITE	KALPANA-1 74° E	INSAT-3A 83°E	INSAT-3D 82°E
RECEIVE FREQ. BAND	402.65 – 402.85Mhz	402.65 – 402.85Mhz	402.10 – 402.50Mhz
TRANSMIT FREQ. BAND	4500-4510Mhz band 4506.05Mhz	4500-4510Mhz band 4506.05Mhz	4500-4510Mhz band 4506.05Mhz
RECEIVE G/T	-19db/deg.K	-19db/deg.K	-19db/deg.K
MAX.EIRP	24dBW peak	24 dbW peak	24 dbW peak
C-BAND EIRP for RECEIVE FLUX DENSITY	2.0dBW for –146 dBW/m ²	2.0 dbW for –146 dbW/m ²	2.0 dbW for –146 dbW/m ²
REC.POLAR ISATION	RHCP	LHCP	LHCP
TRANSMIT POL	LINEAR	LINEAR	LINEAR
FREQ.TRAN SLATION ERROR	± 40Khz over life ± 6Khz over 1 month	± 40Khz over life ± 6Khz over 1 month	± 40Khz over life ± 6Khz over 1 month

Data Relay Transponder (DRT) onboard INSAT 3D will have a receiving frequency band of 402.3 MHz ± 200 KHz.

9.4 TDMA Transmission Format for RTDAS Stations

Table below gives the RTDAS sensor parameters and their sensor identification code used in the TDMA transmission format. All the measurement should be done as per Indian Standard Time (IST) format

Sl. No.	Sensor Position / Channel no.	For stations (with Repeat transmission) ARG / AWLR / ARG + AWLR +Evap.	
		Sensor ID	Sensor Parameter
1	Cal1	C1:	Battery voltage at full Current hour in volts
2	Cal2	C2:	Hourly rainfall at full Current hour in mm
3	Cal3	C3:	Daily rainfall at full Current hour (rounded off to next higher integer). Reset at 08:00 IST
4	Sen-1	0001 (s01:)	Hourly rainfall at full Previous hour (Repeat transmission) in mm
5	Sen-4	0010 (s02:)	Daily rainfall at full Previous hour (Repeat transmission) (round off to next higher integer)
6	Sen-6	1100 (s12:)	Water Level (Integer Part) Instantaneous value at full Previous hour (Repeat transmission) in Meter
7	Sen-7	1101 (s13:)	Water Level (Decimal Part) Instantaneous value at full Previous hour (Repeat transmission) in Meter
8	Sen-8	1000 (s08:)	Water Level (Integer Part) Instantaneous value at full Current hour in Meter
9	Sen-9	1001 (s09:)	Water Level (Decimal Part) Instantaneous value at full Current hour in Meter

Decoding equations to be apply in datalogger before Transmission

Sr. No.	Sensor Parameter	Unit	Sensor Resolution	Decoding equations in datalogger
1	Battery Voltage (Batt)	V	0.1	Integer (Batt * 10)
2	Hourly Rainfall (RainHr)	mm	0.5	Integer (RainHr *2)
3	Daily Rainfall (RainD)	mm	1	Integer (RainD + 0.5)
4	Water Level (WL)	m	0.001	Integer Part of Water Level as one sensor Parameter And Decimal Part of Water Level as other sensor Parameter

Note - In case if INSAT communication, If the total data parameters are more than 10 sensor parameters then the data logger shall transmit two data transmission (Burst) from the same data logger and transmitter with different station ID and sensor data at unique predefined transmission time.

9.5 GSM & GPRS Transmission Format for RTDAS Stations

Table below gives the GSM / GPRS data parameters and their identification code format which is required to transmit the data from datalogger to FTP server.

FORMAT:

Station ID, Date and Time, Mobile Number, Battery, Water Level, Hourly Rainfall, Daily rainfall, Air temperature, Snow Depth, Evaporation, Wind speed, Wind direction, Atmospheric pressure, Humidity, Sunshine Duration

Example Data String:

&738D1E76,07/01/18 10:00,9849556430,13.5,26.347,1.5,15.5,-11.4,--,187,1.2,256,936.7,56,125

Sl.No.	Channel no.	Parameter	Sensor Resolution
1	Station ID	Start of String should be '&' and Eight Characters Station ID provider by bidder	
2	Date and Time	Measurement date and Time in DD/MM/YY HH:MM (in IST format)	
3	Mobile Number	Mobile no of remote station SIM	
4	Battery	Battery voltage at full Current hour in volts with 1 right digit	0.1
5	Water Level	Water Level Instantaneous value at full Current hour in Meter	0.001
6	Hourly Rainfall	Hourly rainfall at full Current hour in mm	0.5
7	Daily rainfall	Daily rainfall at full Current hour (rounded off to next higher integer). Reset at 08:00 IST	1

Note:

1. If any sensor is not connected then it should transmit '--' characters in place of the sensor value.
2. In case of gate positions sensors or other sensors type station will follow the same GSM & GPRS transmission format up to first for parameters (Station ID, Date and Time, Mobile Number, Battery) as defined above and after that other sensor parameters shall be placed with comma separation.
3. Attached format is indicative, recommended for standardised data acquisition for development of unified Water Information System. In case bidder deviates from this format then bidder shall be responsible for integration of the data in E-SWIS without any manual intervention.
4. In case of dual Transmission (INSAT and GSM / GPRS) the both mode of transmission should be same data for the respective measurement hour.

GSM & GPRS Data File Naming Format

NHP projects the GPRS data shall be transmitter to the FTP server at respective State Data Centre (SDC). For standard the file name format shall be as follows:

SSWD_YYMMDD_HHMMSS_StationID.csv

SS	State initial (mostly as per RTO norms)
WD	Water Resource Department (WR) / Surface water (SW) or ground water (GW)
YY	Year of latest record it contains
MM	Month of latest record it contains
DD	Date of latest record it contains
HH	Hour of latest record it contains
Mm	Minute of latest record it contains
SS	Second of latest record it contains
StationID	INSAT & GSM/GPRS telemetry -- Station ID allocated by IMD In GSM / GPRS telemetry – IA to allocate unique 8 Character Station ID
_	separator
.csv	file format extension

For Example.

NHP-West Bengal-RTDAS: WBSW_20190511_120000_7D8FD640.csv

10.0 LIGHTNING PROTECTION

The entire unit has to be adequately protected against lightning and build of static charges. The lightning rod should protrude 1 m above the highest point (Antenna) and should be placed in the center of the pole. The mast should be electrically grounded by following as per CPWD earthing procedures. As a part of the maintenance, the lightning equipment shall be inspected on a yearly basis for its conductivity

and effectiveness. Such inspection shall be carried out in the pre-monsoon period and any faults noticed shall be rectified.

11.0 EARTHING FOR EQUIPMENT

The electrical grounding for all other electronic and electrical equipment should be done by following standard CPWD procedure. The earthing for the equipment's should be done separately and should have a minimum distance of 2.5 meter from the earthing done for lightning rod. In no case both the earths should be done in the same earthing rod.

As a part of the maintenance, the earthing equipment shall be inspected on a yearly basis for its conductivity and effectiveness. Such inspection shall be carried out in the pre-monsoon period and any faults noticed shall be rectified.

12.SOLAR POWER SUPPLY WITH BATTERY BACKUP

12.1 Solar Power Supply

Solar Panel mounting hardware shall be designed to allow a great variety of attachment methods and accommodate a variety of mounting surfaces. They may be used to mount a module on a horizontal or vertical surface, on surfaces at angles between horizontal and vertical and on metal poles. Attachment methods include bolts, lag bolts, u – bolt brackets and stainless-steel hose clamps.

The Solar power supply shall be mounted on the roof of site buildings where existing. The Bidder shall supply a pole – mounted arrangement including a standard pole and necessary foundation and fixing arrangements.

The location of solar power installation shall be indicated by the concerned engineer – in – charge of each DCP.

In order to guard against frequent theft of solar panels the mounting device shall be so designed as to make the solar panel detachable as and when required. It is intended to store the solar panel during the night hours as well for longer durations in the non-monsoon period and the arrangement should be designed in such a way that the arrangement is sturdy and capable of handling frequent disconnecting and re connections.

The power supply shall primarily function through a set of sealed maintenance free rechargeable batteries capable of preventing deep discharge.

12.2 Batteries

The batteries required for the equipment above shall be maintenance free, rechargeable sealed batteries with the following features:

- Overcharge and deep discharge protection
- Leak-proof
- Easy handling – no special shipping container required
- Long service life
- Excellent recharge ability

One batterypack shall be provided for each DCP. The batteries pack provided shall have adequate capacity to sustain the maximum sized DCP configuration of sensors and telemetry equipment for a period of 15days of continuous operation at the frequency of one observation per hour per sensor and one transmission per hour on a 24-hourly basis. This capacity shall be available If it not, battery pack should be replaced with new one free of cost.

The necessary housing and configuration of the batteries shall be furnished in detail by the Bidder.

The battery pack shall also include arrangements of charging through a standard 220 V AC domestic power supply outlet and also from solar panels established as above. The normal supply to the DCP equipment shall be from battery pack only.

The Power Supply Unit shall have audio and/or visual alarms for overcharging and deep discharging conditions. The charge level shall also be indicated on the front panel of the pack.

The sealed construction shall allow trouble-free, safe operation in any position. The battery case shall be high-impact, with sufficient resistance to shock, vibration, chemicals and heat.

12.3 Solar Power supply for DCP

Solar panel offered should confirm the following technical specifications:

Feature	Units
Battery	
Voltage	From 0 to +60 V / as compatible with DCP and all sensors
Type	Sealed maintenance free
Capacity	Based on site conditions and telemetry method, power supply system shall provide 15 days of backup to all equipment's being powered up by the solar panel
Solar Panel	
Size	Based on site conditions and telemetry method, power supply system shall provide 15 days of backup to all equipment's being powered up by the solar panel
Mounts	The mounts should be sturdy in design and detachable but should not move or rotate with wind. It should have a provision to adjust direction and elevation during installation for optimal solar power generation
Charger	Smart solar charger with protection shall be provided by the bidder
General	
The supplier should determine optimal size of solar panels and batteries such that the system should be operational for atleast 15 days in absence of charging.	

12.4 Specification for Cabling and conduits.

- i. The term cable shall always include necessary type of connectors at both the ends for connecting between two equipment. The connectors shall be properly anchored with protective sheathing of the cable in such a way that the loads due to pulling and twisting shall be borne by the protective sheathing and the conductors shall not be subjected to any stress.
- ii. The connectors shall be so fixed on the individual components of the system that the metal/plastic connector shall always transfer the loads due to pulling and twisting directly to

the protective body of the component and the internal interface cards/ connections shall not be subjected to any load.

- iii. Laying of necessary data and power supply cables for connecting various components and embedding them or protecting them with necessary conduits shall be carried out as per directions of engineer-in-charge.
- iv. Wherever the cables are to be laid indoors and the length of the individual cable run exceeds 1 meter, the cable shall be housed in a protective conduit made of electrical supply grade conduit of appropriate diameter and the conduit shall be fixed with the wall at a height not less than 1 meter above the floor surface. Whenever the indoor cable is required to cross the floor, it shall be housed in a HDPE pipe of 25 mm internal diameter and the pipe shall be fixed to the floor with suitable protective covering to avoid tripping of personnel using the area or disturbance to the pipe due to such movement.
- v. Wherever cables are to run through open ground including the public road and pathways, the cable shall be armored/ shielded and shall be water ingress proof up to static water pressure of 5 kg/cm². All joints made in cable shall also meet the water proofing criteria. In addition, the cable shall be protected by housing the same in 25 mm HDPE pipe/flexible metallic conduit embedded at a depth of not less than 1.0 meter below the ground surface with a warning brick on the same. A sketch of the cable layout with respect to the identifiable marks of the area shall be prepared and handed over to the Engineer-in-charge for each such cable run on completion of the work of cable laying operation.
- vi. The joints in the cable connecting between the sensor and data collection unit shall be avoided by measuring the appropriate length of the cable required and attaching the same in one piece. If the cable joints become necessary, prior permission of the Engineer-in-charge shall be obtained before executing the same. The joint fabricated through a splicing and jointing kit shall be stronger than the parent cable.
- vii. The cable carrying data and electrical AC power shall be housed separately in different conduits separated by adequate distance to prevent leakage currents. The data cables shall also be laid out in such a way that the data integrity is not compromised due to mutual interference.
- viii. Shielded (screened) cables shall be used for external Cabling, the power and control cables shall be generally as per IS 8130/34. For these cables, equivalent IEC/IS specifications are also acceptable
 - All cables shall have stranded copper conductor of suitable cross section depending on load.
 - The Communication cable/power cable shall be of shielded, twisted pair type.

These are minimum requirements. Bidder is free to propose improved cabling technology

13. DATA PROCESSING HARDWARE AT DATA CENTRE

The purchaser will provide access to the existing Modelling center. The purchaser will also provide a Local Area Network connecting the modeling center server with the other nodes on the network for analysis purposes.

The data collected at site from various DCPs will be stored and transmitted **through INSAT telemetry** every hour to Earth Receiving Station (ERS) of CWC, New Delhi /Jaipur /Burla. Also the GPRS & GSM data shall be simultaneously transmitted by DCP and shall be received by GPRS & GSM receiving station at existing State Data center. Thereafter, both data shall be transmitted through internet to e-SWIS software for further processing in the form of reports/bulletins. Subsequently, WIMS software will send the decoded and/or raw data along with reports /bulletins to Regional as well as State Data Centre through Internet and WIMS cloud which would be required to be appropriately stored by the bidder in the already available server in Regional state data centre. The necessary automated arrangement is to be made by bidder.

The Bidder shall provide one high end server with monitor and with online 3KVA UPS with power backup of 4 hour at the Modelling Centre at SWRD, Kochi and inspect the available hardware and other required equipments at HD, Chennai any extra requirement may be quoted along with O&M and warranty cost,. The all the consumables (including batteries) except cartridge papers shall be responsibility of the Bidder during the entire period of warranty for each regional data center

The minimum specification of server, computer node is as below:

Hardware at state data center shall be provided by bidder which will mainly comprise of following major item:

- a) Workstation with Monitor for reception of INSAT data transmitted through internet &GSM,GPRS data and Data storage of 8TB for 5 years
- b) 3KVA online UPS with 4 hours backup time

13.1 Technical Specification:

The minimum specification of computer node (workstation) are as below:

Data Center Computer Workstation		
No.	Item	Technical Specification
1	Form Factor	• Workstation
2	Processor	11th Generation Intel® Core™ i 7-11700F processor (8-Core, 16M Cache, 2.5GHz to 4.9GHz)
	RAM	• 16GB, 16Gx1, DDR4, 2933MHz
3	DIMM Memory	• DDR4 PC4-19200 • CL=17 • Single Ranked • x8 based • Unbuffered • NON-ECC • DDR4-2400 • 1.2V
4	Hard Drive	512 GB M.2 Solid State Drive • 1TB 7200 rpm 3.5" SATA Hard Drive
5	Network Adapter	• Intel Gigabit Ethernet 1GbE NIC PCIe Card
6	Power Supply	• 300W 90% efficient PSU (80PLUS Gold Certified Certified) Energy Star compliant;
6	Electrical Supply	• 220V A/C
7	Devices	• Keyboard, • Mouse, • 22" monitor minimum
8	Software	• Windows 10 Pro (64-bit) English with latest MS office software & firewall system, with Good antivirus etc.
9	Accessories	• Power Cord
10	Internet Connectivity	• Intel® Gigabit Ethernet NIC (1Gbps) PCIe Card (Full Height)
11	Optical drive	• 1 optical drive: DVD+/-RW

14. TRAINING AND DOCUMENTATION

The Bidder is required to provide an extensive training programme for the system. The training set forth in the following paragraphs is a minimum requirement and the bidder should propose any additional training that he considers critical for long term success of the system operations.

The Bidder is expected to provide an outline or table indicating the contents of each of the required courses. The table shall describe the specific topics to be covered for each day of the training period.

The Bidder is responsible for the salaries of the training instructors and all training materials. The costs of travel, transportation and per diem for the trainees shall be borne by the Purchaser.

Training shall be provided by the bidder in several phases. The training shall include both classroom and field trainings and will be continued during all five years. The bidder is required to have hydro-meteorological equipment specialists.

14.1 The Bidder shall provide trainings as training modules as part of the Tender given as under:

S.	Description	Numbers of training	Number of
----	-------------	---------------------	-----------

No.			Participants per session
1	3 days training of the purchaser's personnel (15 members) at the supplier's plant and/or/onsite in assembly, start up, operation, maintenance and/or repair of the supplied goods. Course topic will include sensor calibration, data logger configuration, data downloading, data retrieval, collection, troubleshooting, processing maintenance requirement and procedures for equipment configuration, installation, site testing and commissioning including training kit containing course material in soft and hard copies as per technical specification for 7 years	7 (5 before /during commissioning and 2 during warranty period)	15

All aspects of the electrical, instrumentation and telemetry equipment being supplied shall be covered in the courses and full documentation shall be provided. The documentation and kits shall be got approved from purchaser in advance. The course shall provide detail documentation and shall ensure that the purchaser's personnel shall be able to modify settings/ parameters without reference back to the Supplier. The places / sites where this training will be held will be decided later by the purchaser.

The training course will take place as decided by the Purchaser. In case of formal training the Purchaser will provide classroom and other logistics. The Bidder will facilitate the professional and the training material. On-the-job training will be provided by the Bidder in conjunction with the installation of hydro-meteorological stations and during the course of maintenance as required.

14.2 TA/ DA of the trainees shall be borne by the purchaser.

14.3 Training kit containing course material in soft as well as hard copy shall be provided by the Bidder.

14.4 All logistical arrangement such as projector, training space etc. for training is to be made by purchaser.

15.0 PREVENTIVE MAINTENANCE

The bidder shall be responsible for operation and maintenance of all stations /components of installations, commissioning, site acceptance and operation tests. All equipment maintenance cost, repairs, replacements and repairs to civil work shall be borne by the bidder during the warranty Period. The scope of O&M support would include all materials and services including replacement of components and consumables including batteries, mandatory spare parts required to ensure smooth and sustainable operations of the entire system. The bidder shall provide monthly maintenance reports during the course of maintenance. The bidder shall supply a Manual specifying all the faults experienced by the system together with an account of how such faults have been rectified.

The bidders shall ensure the following minimum visits at remote site for preventive maintenance. The bidders should take time stamped geo tagged photographs of the equipment during each

maintenance visit(either scheduled or unscheduled visit). The photographs should show the condition of equipment before maintenance, during maintenance and after maintenance.

15.1 SCHEDULE SHOWING FREQUENCY OF SCHEDULED VISITS FOR ROUTINE AND PREVENTIVE MAINTENANCE

Sl. No.	Station Category	Minimum Preventive Visits	Remarks
1	Maintenance of data Server& allied equipment's in Data center with all accessories	4	Every Quarter and also on need basis
2	Maintenance of Automated rainfall station (ARS) , Evaporation- Pan and (AWLR) Automated water level recorder Stations with all accessories	4	One pre-monsoon, two in monsoon period and one in post monsoon and also on need basis
3	Maintenance of Automatic Weather Stations (AWS)&Gate position sensor with all accessories.	4	One pre-monsoon, two in monsoon period and one in post monsoon and also on need basis

15.2 Operation & Maintenance

Bidder shall provide Service Engineer cum operator at the at each regional Data Center for Operation of RTDAS system and ensure seamless data transfer from remote stations to ERS at Delhi/Jaipur/Burla& then to Regional and State data Center via internet & e-SWIS software and also GSM/GPRS data transmission as per technical specifications.

Operation and Maintenance shall include free of cost repairs/ replacement of hardware and Software necessary to keep the system functional for the period of five years (warranty) from Date of Installation.

TECHNICAL RESPONSIVENESS FORM

Bidder shall furnish clause by clause commentary against the laid down technical specification and standards as per the format given below:

(A) Summary of Instructions

- (i) Particulars of Manufacturer and local agent cum representative are to be given under rows Model and Address.
- (ii) **All entry boxes in column “Specification and Standards as offered in by Bidder” shall be filled-in accurately and comprehensively. Quantitative fields shall be filled in accurately. It is not acceptable to use ‘Yes’, No, Compliant or similar evading words. Following format is designed to help the Bidder to understand the requirements of the equipment being procured. The Bidder must describe in the format how his bid responds to the technical requirements of the equipment. Bidder to note that one or two-word responses (e.g. “Yes”, “No” “will comply” or similar evading words) are normally not sufficient to confirm the responsiveness with the technical requirements, hence elaborate responses are sought from the bidders. In case deviation on the following technical requirements of equipment is not as per the minimum criteria mentioned, the bids may be declared “non-responsive”**
- (iii) Requested materials and information shall be enclosed with the bid and be unambiguously associated with instruments as offered in the bid
- (iv) Negligence to comply with the instructions and requirements as stated above makes the bid liable to be rejected.
- (v) Abbreviations: OD-Outer Diameter; ID-Inner Diameter; FS-Full Scale; Pa-Pascal (unit of pressure), RTDAS-Real time data acquisition system; DRS-Data Retrieval System, DCP-Data collection Platform, AWS- Automatic Weather Station, ARG- Automatic Rain Gauge, AWLR- Automatic Water Level Recorder.
- (vi) Sample interval is the interval at which samples or sensor readings are taken. The recording /measurementinterval defines the interval at which the data records are stored in memory. A data record can represent a single sample or the average of a number of samples. In particular the result of the wave suppression filter is a single record representing the average value of a number of samples.

B) Entries requiring special attention:

- 1) The proposed maintenance interval and the recommended spares as offered in the bid shall be based on instrument deployment history. The training proposal shall be based on experience in similar cases. Moreover, it shall consider the educational level and specialization of the trainees.

C) Bidder shall provide information in the formats given below:

- i) Make/ Model/ Local Agent etc.:

Bidder	AWLR make/ model	ARG make/model	Data Logger, GSM- GPRS Modem, INSAT transmittermake/ model	Computer Node/Workstation make / Model
Name / Complete Address/Website/E-mail	Model: Manufacturer: Authorization: Name: Place: Tel: Fax: E-mail: Web:	Model: Manufacturer: Authorization: Name: Place: Tel: Fax: E-mail: Web:	Model: Manufacturer: Authorization: Name: Place: Tel: Fax: E-mail: Web:	Model: Name: Address: Tel: Fax: E-mail: Web:

ii)BClause by Clause Commentary against laid down technical specifications:

1) Specifications of the RADAR Water Level Transmitter (AWLR) :

Name of Goods-Its Features		Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
RADAR Level Sensor			Make: Model: Manufacturer Name, address, email, phone, website, fax	
Site Conditions				
Ambient Temperature		From -5 to +60 Degree Celsius		
Humidity		0 to 100 %		
Altitude		0 to 2500 meter		
Sensor				
Sensor Type		Microwave non-contact sensor		
Range		35meters		
Resolution		3 mm or better		
Accuracy		0.02 % FSO		
Output Interface		SDI-12 / RS-485 / 4-20mA		
Power Supply		To be powered by Solar Panel provided by bidder.		
Beam angle		Less than 16 degrees.		

General Features			
Housing Material	Corrosion Resistance (Stainless steel / Aluminum PVC/ UV stabilized ABS with metal casing)		
Enclosure	The Sensor shall be easy to dismount and replace in the event of malfunction.		
Tools	Complete tool kit for operation and routine maintenance		
Manuals	Full Documentation and maintenance manual in English		
Accessories	Sensor Mounting support, cables and other accessories as required		
Protection	NEMA 4 or IP67 or better		
Horizontal Mounting/Installation Arrangements	Above FRL, Below a bridge girder wherever available otherwise horizontal cantilever arrangement from a mast/wall/pedestal to be provided		
Special Feature	Radar Sensor should have inbuilt diagnostic & averaging feature		

3. Automated Rain Gauge (ARG)			
Name of Goods-Its Features	Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
Automated Rain Gauge		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Site Conditions			
Ambient Temperature	From -5to +60 Degree C		
Humidity	5 to 100 %		
Altitude	0 to 2500 meter		
Sensor			
Sensor Type	Tipping Bucket type with reed switch		
Range	250 mm/h or better		
Resolution	0.5 mm or better		
Accuracy	2% or better, ± 2 mm		
General Features			
Output Interface	SDI12/ RS-485 / 4-20 mA/Switch closure output		

Power Supply	To be powered by solar power provided by bidder with DCP		
Material	Corrosion Resistance Metal (Stainless steel/ Aluminum)		
Enclosure	NEMA 4 or IP65		
Tools	Complete tool kit for operation and routine maintenance		
Manuals	Full Documentation and maintenance manual in English		
Accessories	Sensor Mounting support, cables and other accessories as required		
Protection	Bidder shall provide spout filter and bird cage to prevent ingress of insects and debris and with Bubble Spirit Level and adjustable legs for horizontal alignment of tipping bucket mechanism		
Certification	IMD/ WMO certification shall be provided.		

6. Specifications of Data Logger with 2 AI Channel

Name of Goods-Its Features	Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
Data Logger with 2AI sensors		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Site Conditions			
Ambient Temperature	From -5to +60 Degree C		
Humidity	5 to 100 %		
Altitude	0 to 2500meter		
Sensor Interface			
Analogue Inputs	2-Analogue Input Channels 4 to 20 mA, 100% over range withstand (Analog input channels are required in datalogger,if any sensor offered bybidder requires Analoginterface to integration with datalogger)		

SDI Port	One SDI-12 Interface port		
Serial Port for sensor interface	One RS-232 / RS-485 for sensor Interface port		
Pulse Input	1 Input for Rain Gauge impulse		
Input - Output Interfaces			
Data Transfer	USB stick option for Data transfer		
Port for Configuration	One Serial Port (RS-232 /USB) for communication with Laptop for programming		
Port for Telemetry	2 Ports for Communication with Telemetry (GSM,GPRS and INSAT) device Both telemetry systems should work simultaneously for redundancy		
Display Port	Port for connecting external display screen for data in running text		
Computer Software			
Operating System	Windows software for system configuration / communication		
Version	English language version		
Licenses	All required licenses shall be included		
Analog to Digital Converter			
Resolution	16 bit or better		
Conversion Accuracy	± 1 LSB		
Sample intervals	1 Sec to 24 hours (user scalable)		
General Features			
Flash memory	Non-volatile Flash memory that can store one year of data and expandable upto minimum of 1 GB via. USB/SD card		
Recording Interval	Individual recording intervals for each sensor/parameter		
Firmware Operating System	Multi-tasking operating system - must log data and transmit at same time		
Display	Inbuilt Digital Display for viewing current data and setting values		
Power Supply	Shall be powered by solar Power supply to be provided by bidder with DCP,low current drain (quiescent ≤ 10.0 mA)		
Battery Voltage	Monitoring of battery voltage level		
Internal battery	Internal battery backup for clock, lithium		

	battery, storage 2 years		
Charge Controller	Internal or External (details require)		
User Permissions	Different user levels, system of user rights / passwords, access restricted to unauthorized personnel		
Internal clock	Internal clock with drift less than 1 second per Week		
Keypad	For displaying or transferring data to memory stick, configuration of data logger and sensors		
Real time clock	GPS synchronized & timing is required in IST format		
System integrity	System integrity check procedures		
Enclosure	for wall-mounting in a shelter / enclosure with IP65 (NEMA 4 or equivalent) protection or better		
Accessories	Serial cable + adaptor (if required for Notebook connection). All accessories (fixing units, etc.) as required		
Tools	complete tool kit for installation and routine maintenance giving full detail (number of pieces and type)		
Manuals	full documentation and maintenance instructions in English (1 copy per station).		
<u>GSM &GPRS MODEM</u>		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Operating Temperature	From -5 to +60 °C		
Transmission System	GPRS/edge-based data transmission system		
Performance	Data Reception availability of 95% or better		
Form factor	The GSM &GPRS modem should either be integral part of data logger specified above, or it should be supplied as independent unit compatible with supplied data logger		
Specific Features			
Communication Direction	Utilize GPRS network for two-way connection with FTP, TCP/IP		

	(INTERNET) connection and SMS		
Transmission trigger	Data collection to be triggered by interrogation from Data Center, or by event-based transmission triggered by remote site		
Power Saving	Ability to disable interrogation system in order to save power at remote site		
Communication Protocol	Data transmission to execute HTTP Post, FTP, SMS to transmit and receiving data to the Data Center		
Accessories	All associated equipment, including Antenna all cables and mounting hardware		
Antenna features			
Frequency range	900 MHz: 824-960 MHz/1800MHz:1710-1880 MHz, 4G and better		
Impedance	50 ohms		
VSWR	≤ 2.0		
Radiation	Omni-directional		
Operating temperature	-5 to +60 degrees Celsius		
Connector	SMA or suitable RF connector adaptable to GSM/GPRS modem		
Cable length	As required at site		

Specifications of INSAT Radio

Name of Goods-Its Features	Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
INSAT Transmitter Radio		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Operating Temperature	From -5to +60°C		
Environment Relative Humidity	0 to 100 %		
Career Frequency	402 – 403 MHz		
Carrier Settability	In steps of 100Hz from 402.0 MHz to		

	403.0 MHz		
Modulator	PCM/BPSK		
Data coding	NRZ (L)		
Output Power	3-10Watt, user settable		
Data Bit Rate	4.8 kbps		
Frequency Stability			
a) Long Term drift	Transmit frequency inaccuracy including aging of oscillator should not exceed $\pm 400\text{Hz}$ per year. Oscillators/synthesizer should have provision to adjust for the long-term drift.		
for temperature	$\pm 1\text{ppm}$ or better (-40 to +55 degree Celsius)		
Signal Bandwidth	6.0 KHz maximum or better		
Power Stability	$\pm 1\text{dB}$		
Spurious	-60dB or better		
Harmonics	-40dB or better		
Antenna cable	LMR 400 grade or better		
Performance	Data Reception availability of 99% or better		
Form factor	The Transmitter should either be integral part of data logger specified above, or it should be supplied as independent unit compatible with supplied data logger		
Operating Power	Switched 12V DC controlled by data logger		
Yagi Antenna		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Polarization	LHCP or RHCP, switchable in field		
Gain	Minimum 11 dBi or better		
Center Frequency	402-403 MHz		
3dB Beam width	40°		
VSWR	1.2 : 1		
Impedance	50 ohms		
Axial Ratio	To be specified by tenderer		
Operating temperature	-5°C to $+60^\circ\text{C}$		
Operating Relative Humidity	0 to 100% RH		

Size	Small, portable		
Operating rain rate	100 mm/hr and water proof		
Mounting	Proper mounting and Pointing arrangement for 360-degree azimuth and elevation adjustment		
Operating Wind speed	250 kmph		
Wind Survival	300 kmph		
Material	Rust-proof and Oxidation-proof		
Specific Features			
Satellite System	INSAT Radio System to be Used on the INSAT Satellite operated by ISRO		
Certification	Certificate of acceptance required by ISRO and / or IMD as part of the bid package		
Accessories	All associated equipment, including GPS, GPS Antenna, INSAT Antenna, all cables and mounting hardware		
TDMA Transmission Format	As specified in the table for channel specifications for TDMA transmission format		
GPRS / GSM transmission format	As specified in the table for GSM /GPRS communication format		

8. Specifications of Solar Power Supply System

Name of Goods-Its Features	Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
Battery		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Voltage	From 0 to +60 V / as compatible with DCP and all sensors		
Type	Sealed maintenance free		

Capacity	Based on site conditions and telemetry method, power supply system shall provide 15 days of backup to all equipment's being powered up by the solar panel		
Solar Panel		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Size	Based on site conditions and telemetry method, power supply system shall provide 15 days of backup to all equipment's being powered up by the solar panel		
Mounts	The mounts should sturdy in design and be detachable but should not move or rotate with wind. It should have a provision to adjust direction and elevation during installation for optimal solar power generation		
Charger	Smart solar charger with protection shall be provided by the bidder		
Power budget calculation	For Battery and Solar panel size power budget calculation require.		

9. Specifications of Computer Node (Work Station)


Name of Goods-Its Features	Required Specifications and standards as per bidding document	Specification and standard as offered in by Bidder	Remarks
Work Station with Monitor		Make: Model: Manufacturer Name, address, email, phone, website, fax	
Form Factor	Workstation		
Processor	11th Gen Intel® Core™ i7-11700F processor (8-Core, 16M Cache, 2.5GHz to 4.9GHz		
RAM	16GB, 16Gx1, DDR4, 2933MHz		
DIMM Memory	DDR4 PC4-19200 • CL=17 • Single Ranked • x8 based • Unbuffered • NON-ECC • DDR4-2400 • 1.2V		
Hard Drive	<ul style="list-style-type: none"> • 512 GB Solid State Drive • 1 TB 7200rpm SATA 3.5" HDD 		

Optical drive	• 1 optical drive: DVD+/-RW		
Network Adapter	Intel Gigabit Ethernet 1GbE NIC PCIe Card		
Power Supply	300W 90% efficient PSU (80PLUS Gold Certified Certified) Energy Star compliant;		
Electrical Supply	220V A/C		
Devices	<ul style="list-style-type: none"> • Keyboard, • Mouse, 22" monitor minimum		
Software	Windows 10 Pro (64-bit) English with latest MS office software & firewall system, with Good antivirus etc.		
Accessories	• Power Cord		
Internet Connectivity	Intel® Gigabit Ethernet NIC (1Gbps) PCIe Card (Full Height)		

Drawings

List of Drawings		
Drawing No.	Name	Purpose
1	Location of Proposed Dams, Barrage & Weir	Index Map

Fig 1: Location of Proposed Remote locations and Modelling Centres



5. INSPECTIONS AND TESTS

The following inspections and tests shall be performed:

5.1 General:

1. After manufacture, the supplier shall get each equipment/item of Goods inspected in manufacturer/s works as per approved datasheets and QAP and forward to the Purchaser along with his letter seeking to inspect an equipment/item of Goods conforming to Contract specifications.
2. Upon receipt of the test certificate and calibration certificates, the purchaser or its representative shall arrange for inspection and/or test of any or part or all the equipment /Goods prior to issuance of dispatch clearance. In cases where the supplies are received from abroad, the purchaser may waive the pre-dispatch inspection.
3. However, the inspection and dispatch clearance by the Purchaser or the waiver thereof shall not prejudice the right of the Purchaser or its consignee to test the equipment/goods on receipt at destination. Upon receipt of the goods at final destination, the Purchaser shall have the right to inspect and/or test the equipment/Goods to confirm their conformity to Contract specifications.
4. If the equipment fails to meet the Contract specifications during inspection, whether pre-dispatch or upon receipt at final destination, the supplier shall take immediate steps to remedy the deficiency or replace the defective equipment to ensure that all supplies meet with the specifications specified in the Contract

5.2 Inspection and tests prior to shipment of Goods and at final acceptance are as follows:

1. The inspection of the Goods shall be carried out to check whether the Goods are in conformity with the approved technical specifications attached to the Contract and shall be in line with the inspection/test procedures laid down in the Technical Specifications and the General Conditions of Contract. Following broad test procedure will generally be followed for inspection and testing of equipment. The supplier will dispatch the goods to the ultimate consignee after internal inspection testing along with the supplier's inspection report and manufacturer's warranty certificate. The purchaser will test the equipment after completion of the installation and commissioning at the site of the installation.
 - a. Site Preparation and Installation: The Purchaser will designate the installation sites before the scheduled installation date to allow the Supplier to perform a site inspection before the installation of the RTDAS and associated telemetry system. In case there is a delay in handing over the site by the purchaser ,appropriate extension of time shall be granted without imposition of liquidated damages in accordance with the provisions of contract.
 - b. For site preparation, the supplier should furnish all details to the purchaser sufficiently in advance so as to get the works completed before receipt of the equipment.
2. Complete hardware and software as specified in 'List of Goods and Delivery Schedule' Under the Schedule of Requirement should be supplied, installed and commissioned properly by the supplier prior to commencement of performance tests.
3. The acceptance test will be conducted by the purchaser/their consultant or any other person nominated by the purchaser, at its option. The acceptance will involve trouble-free operation for

Fifteen consecutive days. There shall not be any additional charges for carrying out acceptance tests. No malfunction, partial or complete failure of any part of hardware, equipment's, Data Servers attached to printers, drivers etc. or bugs in the software should occur. The supplier shall maintain necessary log in respect of the results of the tests to establish to the entire satisfaction of the purchaser, the successful completion of the test specified. An average uptake efficiency of 95% for the duration of test period shall be considered as satisfactory.

4. In the event of the equipment's & hardware failing to pass the acceptance test, a period not exceeding two weeks will be given to rectify the defects and clear the acceptance test, failing which the purchaser reserves the rights to get the equipment replaced by the supplier at no extra cost to the purchaser.
5. RTDAS system procured would be subject to the Acceptance Protocol given below

5.3ACCEPTANCE PROTOCOL

General

- a) The delivery of goods/equipment and software (if applicable) should be in accordance with the Contract agreement and the process of delivery will adhere to the following 'Acceptance Protocol'. The Acceptance Protocol shall serve as a formal guidance during delivery of the RTDAS system. Its primary goals are twofold.
 - (i) Ascertain the delivery and completeness of all ordered products and related documents.
 - (ii) Check the functioning of the equipment's of RTDAS system in a formal way against the specifications by application of Acceptance Tests. The tests also verify the accuracy and stability of the equipment.
- b) The Acceptance Protocol shall be executed in close co-operation between the Supplier and the Client.
- c) Products shall be accepted only if they meet the requirements and are functioning in compliance with the approved technical specifications, approved QAP and the related documents are complete and correct. Defective products and any other discrepancies shall have to be replaced/ resolved, within a pre-defined time frame.

The following documents shall accompany the delivery of the RTDAS system:

- i. Administrative and Quality Assurance (QA) documents
- ii. Test and calibration documents
- iii. Manuals and Guidelines

All documents shall have identification and references to subject or instrument, date, time, location and officer in charge.

- d) The Acceptance Report lays down the findings and observations during the execution of the Acceptance Protocol and is a formal document to record the acceptance or rejection of any item as covered in the Bid document. Any flaws or findings are to be reported. The forms and checklists filled out during the execution of the Acceptance Protocol are to be enclosed with the Acceptance Report. The Supplier receives a signed copy of the Acceptance Report, which the Supplier can use as proof that the items listed in the report were accepted.
- e. The content of the various documents shall be as follows:

5.4 Administrative and QA documents:These QA documents shall include:

- i) Production documents associated with the instruments.

- ii) Type codes, serial numbers and other identification data on, possibly externally procured, sensors and major assemblies, to clearly demarcate the sensors/major assemblies associated with RTDAS system.
- iii) Shipping documents indicating instrument/product type, serial number, measuring range, cable length and other similar data.

5.5 Test and calibration documents:

- i) A comprehensive Method Statement on the applied calibration and in-factory test procedures shall accompany the bid. The Method Statement should define the test and calibration methods applied on the instruments and the components thereof. The Method Statement shall also include, for each calibrated product, an audit trail to national standards on all instruments and facilities used for testing and calibration. The Audit Trail Report shall associate the calibration of the reference instruments and test equipment to the national calibration standards.
- ii) If the Supplier or Manufacturer is not in a position to deliver an Audit Trail Report to the national standards, the Manufacturer shall explain what the quality standards are and how they are maintained and monitored.
- iii) Conditions during calibration, such as room and/or instrument temperature, equipment and facilities used, shall be included in the calibration and test documents.
- iv) The test and calibration documents (QAP) shall contain the data generated during calibration and testing, including:
 - Calibration data provided by the Manufacturer for all instruments
 - Calibration and test data of the data-logger electronics
 - Data on hysteresis test, temperature tests, zero stability test, scale stability test
 - Humidity test
 - Spray test on enclosure(s), connectors and cables

5.6 Manuals and Guidelines

- i) The manuals shall meet the requirements on style and clarity, completeness, preciseness, detail and accessibility. This includes:
 - System manual,
 - Operation, Maintenance and Service manuals,
 - Observation guideline, and
 - Training handouts.

5.7 Acceptance Tests

General:

- i) Qualified engineers under responsibility of a test manager shall execute the Acceptance Tests. The progress of the Acceptance Tests would be monitored and supervised by the Client and/or his authorized representative. The Client may have any tests redone or additional tests executed as deemed required based on the results of previous tests conducted. The Client's and/or his authorized representative shall have the right of access to any instrument and may request any data or information at any time. The Supplier has the obligation to deliver requested information without delay; i.e. collected test data and documents must be available at the test site.

- ii) It is important that all activities (what, when, where, who, which instrument, etc.) are annotated and uniquely linked to the individual instruments.
- iii) The Acceptance Tests mainly comprise three levels viz.:
 - **Functional Tests:** The
 - Functional Tests shall verify the proper functioning of the instruments and the associated software. Primary goal is to verify that the instrument performs its functions according to the bid specifications.
 - **Accuracy Tests:** The Accuracy Tests shall verify that each individual instrument is functional and operates according to the bid specifications. A number of relatively simple accuracy tests are routinely exercised on the instruments.
 - **Overall Test:** The main purpose of the Overall Test is to verify the common features that are identical to all the instruments in a series. Typical components of the Overall Test are: in-built software functions of instruments, materials of the instrument, cables, connectors, etc. Further tests include battery and memory autonomy, details of sensor specifications like temperature effects, hysteresis, long term stability etc.
 - The above tests can be executed at any one of the following locations: -Premises of the Manufacturer/Supplier; Premises of the Client; Independent organization; at Site of installation
- iv) The charges for testing shall be borne by the Manufacturer/Supplier. The Client and/or his authorized representative may at his cost opt to be present during the performances of the tests.

5.8 Site Acceptance Protocol

In order to facilitate the site acceptance of the system by the site – in – charges, the Bidder should give a list of deliverables for each site to the respective sites as well as to the headquarters. The list shall be verified by the site – in – charge and accordingly will give a verification report whether all deliverables have been delivered properly at the site. The Bidder should preferably, complete the required civil works at the site for proper installation of the equipment before supplying the equipment at the site.

For site acceptance test, the supplier should give a check – list of all components and their functions. This check list shall be decided in consultation with the purchaser. This check list shall indicate the tests to be conducted at the site and the results that are expected for each and every component that are to be installed at the site. This check list will have to be provided to each and every site one month before the installation begins.

5.9 Site Acceptance Tests (SAT)for Remote Stations

The acceptance test will be conducted by the purchaser or any other person nominated by the purchaser, at its option. Site acceptance test shall be carried out in two stages. The first stage of acceptance will be based on preliminary inspection of the equipment supplied with respect to the required and supplied components such as sensors, DCP with the weather proof enclosures, batteries (charger/regulator), gauge apparatus with enclosures and sensors, transmitter, antenna, solar panel and mounting hardware, including all associated accessories.

Second stage of site testing shall be undertaken for a period of 15 days following successful

completion of witnessed commissioning to prove the equipment and the interconnecting cable installation and ensure that all operators are fully conversant with the equipment and calibration procedures, methods of operation and all facilities provided by software. During the period of 15 days, there shall be no occurrence of any malfunction in any component necessitating replacement or repairs. No malfunction, partial or complete failure of any part of hardware or excessive heating of motors or other electro-mechanical equipment or bugs in the software should occur. All the software should be complete and no missing modules/ sections will be allowed. The supplier shall maintain necessary log in respect of the results of the tests to establish to the entire satisfaction of the purchaser, the successful completion of the test specified. An average data acquisition efficiency of 95% for the duration of test period shall be considered as satisfactory. The testing schedule will be agreed to by both the parties during performance of Contract. In this stage a regular comprehensive check of functioning of all the components will be made. On conclusion of site acceptance, all relevant documentation pertaining to the site shall be handed over by the supplier to the representative of the purchaser.

5.10 Data Centre Level Acceptance Tests

Data Centre Level acceptance tests shall involve successful receiving of remote stations data at the State Data Centertserver and Regional Data server. It shall include (hardware and software), data dissemination software indicating their full implementation as specified and trouble-free operation of all modules for a period of 3 days operating on 24 X 7 basis. An average data acquisition efficiency of 95% for the duration of test period shall be considered as satisfactory.

5.11 Spare parts

Bidder shall provide the list of mandatory spare parts & ensure the availability of sufficient spare parts in its godown for fulfilling its service obligations during warranty period. The same can be inspected by Engineer-in Charge or its authorized representative.

5.12 Manuals

- Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals of the goods and equipment. These shall be in such detail as will enable the Purchaser to operate, maintain, adjust and repair all parts of the equipment as stated in the specifications.
- The manuals shall be in the ruling language (English) and in such form and numbers as stated in the Contract.
- Unless and otherwise agreed, the goods and equipment shall not be considered to be completed for the purpose of taking over until such manuals have been supplied to the Purchaser.

5. 13 For the System and Other Software the following will apply:

The Supplier shall provide complete and legal documentation of hardware, and licensed operating systems. The supplier shall also indemnify the purchaser against any levies/penalties on account of any default in this regard.

5.14 Acceptance Certificates:

- On successful completion of acceptability test, receipt of deliverables etc., and after the purchaser is satisfied with the working of the RTDAS system, the acceptance certificate signed by the supplier and the Engineer-in-Charge and/or the representative of the purchaser will be issued. The date on which such certificate is signed shall be deemed to be the date of successful commissioning of the systems.

6.PROFORMA OF CERTIFICATE FOR ISSUE BY THE PURCHASER AFTERSUCCESSFUL INSTALLATION AND STARTUP OF THE SUPPLIED GOODS

[This is to be attached for supply, erection, supervision of erection and startup Contracts only]

No.

Date:

M/s.

Sub: Certificate of startup of the supplied Goods

1. This is to certify that the plant/s as detailed below has/have been received in good condition along with all the standard and special accessories (subject to remarks in Para No. 2) and a set of spares in accordance with the Contract/Specifications. The same has been installed and commissioned.

- (a) Contract No. _____ dated _____
- (b) Description of the plant _____
- (c) Plant Nos. _____
- (d) Quantity _____
- (e) Rail/Roadways Receipt No. _____ dated _____
- (f) Name of the consignee _____
- (g) Date of startup and proving test _____

2. Details of accessories/spares not yet supplied and recoveries to be made on that account.

<u>S. No.</u>	<u>Description</u>	<u>Amount to be recovered</u>
---------------	--------------------	-------------------------------

3. The proving test has been done to our entire satisfaction and operators have been trained to operate the plant.

4. The supplier has fulfilled his Contractual obligations satisfactorily. *

or

The supplier has failed to fulfill his Contractual obligations with regard to the following:

- (a)

(b)

(c)

(d)

5. The amount of recovery on account of non-supply of accessories and spares is given under Para No. 2.
6. The amount of recovery on account of failure of the supplier to meet his Contractual obligations is as indicated in endorsement of the letter.

Signature _____

Name _____

Designation with Stamp _____

* Explanatory notes for filling up the certificates:

- (a) He has adhered to the time schedule specified in the Contract in dispatching the documents/drawings pursuant to Technical Specifications.
- (b) He has supervised the startup of the plan in time i.e., within the period specified in the Contract from the date of intimation by the Purchaser in respect of the installation of the plant.
- (c) Training of personnel has been done by the supplier as specified in the Contract
- (d) In the event of documents/drawings having not been supplied or installation and startup of the plant have been delayed on account of the supplier, the extent of delay should always be mentioned.

PART 3 – CONTRACT

SECTION VIII – GENERAL CONDITIONS OF CONTRACT

Section VIII. General Conditions of Contract

Table of Clauses

1.	DEFINITIONS.....	136
2.	CONTRACT DOCUMENTS	137
3.	CORRUPT & FRAUDULENT PRACTICES	137
4.	INTERPRETATION.....	137
5.	LANGUAGE	138
6.	JOINT VENTURE, CONSORTIUMS OR ASSOCIATION.....	138
7.	ELIGIBILITY	138
8.	NOTICES.....	139
9.	GOVERNING LAW	139
10.	SETTLEMENT OF DISPUTES	139
11.	INSPECTIONS AND AUDIT BY THE BANK	139
12.	SCOPE OF SUPPLY	140
13.	DELIVERY AND DOCUMENTS	140
14.	SUPPLIER'S RESPONSIBILITIES	140
15.	CONTRACT PRICE.....	140
16.	TERMS OF PAYMENT	140
17.	TAXES AND DUTIES.....	141
18.	PERFORMANCE SECURITY	141
19.	COPYRIGHT.....	141
20.	CONFIDENTIAL INFORMATION	141
21.	SUBCONTRACTING	142
22.	SPECIFICATIONS AND STANDARDS	142
23.	PACKING AND DOCUMENTS	143
24.	INSURANCE.....	143
25.	TRANSPORTATION& INCIDENTAL SERVICES.....	143
26.	INSPECTIONS AND TESTS.....	144
27.	LIQUIDATED DAMAGES	145
28.	WARRANTY	145
29.	PATENT INDEMNITY.....	146
30.	LIMITATION OF LIABILITY	147
31.	CHANGE IN LAWS AND REGULATIONS.....	147
32.	FORCE MAJEURE	148
33.	CHANGE ORDERS AND CONTRACT AMENDMENTS.....	148
34.	EXTENSIONS OF TIME.....	149
35.	TERMINATION.....	149
36.	ASSIGNMENT.....	150

Section VIII. General Conditions of Contract

1. Definitions

The following words and expressions shall have the meanings hereby assigned to them:

- (a) “Contract” means the Contract Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
- (b) “Contract Documents” means the documents listed in the Contract Agreement, including any amendments thereto.
- (c) “Contract Price” means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions there from, as may be made pursuant to the Contract.
- (d) “Day” means calendar day.
- (e) “Completion” means the fulfillment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
- (f) “GCC” means the General Conditions of Contract.
- (g) “Goods” means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
- (h) “Purchaser’s Country” is India.
- (i) “Purchaser” means the entity purchasing the Goods and Related Services, as specified in the **SCC**.
- (j) “Related Services” means the services incidental to the supply of the goods, such as insurance, installation, start-up, training and initial maintenance and other such obligations of the Supplier under the Contract.
- (k) “SCC” means the Special Conditions of Contract.
- (l) “Sub-Contractor” means any natural person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is sub Contracted by the Supplier.

(m) “Supplier” means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.

(n) “The Project Site,” where applicable, means the place named in the SCC.

2. Contract Documents

2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole.

3. Corrupt & Fraudulent Practices

3.1 The Purchaser requires compliance with its policy in regard to corrupt and fraudulent practices as set forth in Appendix to the GCC.

3.2 The Purchaser requires the Supplier to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

4. Interpretation

4.1 If the context so requires it, singular means plural and vice versa.

4.2 Incoterms.

(a) Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of parties there under shall be as prescribed by Incoterms.

(b) The terms EXW and other similar terms, when used, shall be governed by the rules prescribed in the current edition of Incoterms specified in the SCC and published by the International Chamber of Commerce in Paris, France.

4.3 Entire Agreement

The Contract constitutes the entire agreement between the Purchaser and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

4.4 Amendment

No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party

thereto.

4.5 Non waiver

- (a) Subject to GCC Sub-Clause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- (b) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

4.6 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

5. Language

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be English. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate translation of the relevant passages in English language, in which case, for purposes of interpretation of the Contract, this translation shall govern.
- 5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.

6. Joint Venture, Consortium or Association

- 6.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Purchaser for the fulfillment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser.

7. Eligibility

- 7.1 The Supplier and its Sub-Contractors shall have the nationality of an eligible country. A Supplier or Sub-Contractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in

conformity with the provisions of the laws of that country.

- 7.2 All Goods and Related Services to be supplied under the Contract shall have their origin in Eligible Countries. For the purpose of this Clause, origin means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.

8. Notices

- 8.1 Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the **SCC**. The term “in writing” means communicated in written form with proof of receipt.
- 8.2 A notice shall be effective when delivered or on the notice’s effective date, whichever is later.

9. Governing Law

- 9.1 The Contract shall be governed by and interpreted in accordance with the laws of the Union of India.

10. Settlement of Disputes

- 10.1 The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 10.2 If, after twenty-eight (28) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract. Arbitration proceedings shall be conducted in accordance with the rules of procedure **specified in the SCC**.
- 10.3 Notwithstanding any reference to arbitration herein,
- (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - (b) the Purchaser shall pay the Supplier any monies due the Supplier.

11. Inspections and Audit by the

- 11.1 The Supplier shall keep, and shall make all reasonable efforts to cause its Sub-Contractors to keep, accurate and systematic accounts and records in respect of the Goods in such form and

Bank	details as will clearly identify relevant time changes and costs
	11.2 The Supplier shall permit, and shall cause its Sub-Contractors to permit, the Purchaser and/or persons appointed by the Purchaser to inspect the Supplier's offices and all accounts and records relating to the performance of the Contract and the submission of the bid, and to have such accounts and records audited by auditors appointed by the Purchaser, if required. The Supplier's and its Sub-Contractors and consultants' attention is drawn to Clause 3 [Fraud and Corruption], which provides, inter alia, that acts intended to materially impede the exercise of the Purchaser's inspection and audit rights provided for under this Sub-Clause 11.1 constitute a prohibited practice subject to Contract termination.
12. Scope of Supply	12.1 The Goods and Related Services to be supplied shall be as specified in the Special Conditions of Contract .
13. Delivery and Documents	13.1 Subject to GCC Sub-Clause 33.1, the Delivery of the Goods and Completion of the Related Services shall be in accordance with the Delivery and Completion Schedule specified in the Schedule of Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC .
14. Supplier's Responsibilities	14.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.
15. Contract Price	15.1 Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in the SCC .
16. Terms of Payment	<p>16.1 The Contract Price, including any Advance Payments, if applicable, shall be paid as specified in the SCC.</p> <p>16.2 The Supplier's request for payment shall be made to the Purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to GCC Clause 13 and upon fulfillment of all other obligations stipulated in the Contract.</p> <p>16.3 Payments shall be made promptly by the Purchaser, but in no case later than sixty (60) days after submission of an invoice or request for payment by the Supplier, and after the Purchaser has accepted it.</p> <p>16.4 The payments shall be made in Indian Rupees to the Supplier under this Contract.</p> <p>16.5 In the event that the Purchaser fails to pay the Supplier any</p>

payment by its due date or within the period set forth in the **SCC**, the Purchaser shall pay to the Supplier interest on the amount of such delayed payment at the rate shown in the **SCC**, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage award.

17. Taxes and Duties

17.1 The Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the Contracted Goods to the Purchaser.

18. Performance Security

18.1 If required as specified in the **SCC**, the Supplier shall, within twenty-one (21) days of the notification of Contract award, provide a performance security for the performance of the Contract in the amount specified in the **SCC**.

18.2 The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

18.3 As specified in the **SCC**, the Performance Security shall be denominated in the Indian Rupees, and shall be in the format stipulated by the Purchaser in the **SCC**, or in another format acceptable to the Purchaser.

18.4 The Performance Security shall be discharged by the Purchaser and returned to the Supplier not later than twenty-eight (28) days following the date of Completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the **SCC**.

19. Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

20. Confidential Information

20.1 The Purchaser and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Sub-Contractor such documents, data, and other information it receives from the Purchaser to the extent required for the Sub-Contractor to perform its work under the Contract, in which event the Supplier shall obtain from such Sub-Contractor an undertaking

of confidentiality similar to that imposed on the Supplier under GCC Clause 20.

20.2 The Purchaser shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the Contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Purchaser for any purpose other than the performance of the Contract.

20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:

- (a) the Purchaser or Supplier need to share with the Bank or other institutions participating in the financing of the Contract;
- (b) now or hereafter enters the public domain through no fault of that party;
- (c) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
- (d) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.

20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.

20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.

21. Sub Contracting

21.1 The Supplier shall notify the Purchaser in writing of all sub Contracts awarded under the Contract if not already specified in the bid. Such notification, in the original bid or later shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.

21.2 Sub Contracts shall comply with the provisions of GCC Clauses 3 and 7.

22. Specifications and Standards

22.1 Technical Specifications and Drawings

- (a) The Goods and Related Services supplied under this Contract shall conform to the technical specifications and standards mentioned in Section VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin.
- (b) The Supplier shall be entitled to disclaim responsibility for

any design, data, drawing, specification or other document, or any modification thereof provided or designed by or on behalf of the Purchaser, by giving a notice of such disclaimer to the Purchaser.

- (c) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Purchaser and shall be treated in accordance with GCC Clause 33.

23. Packing and Documents

- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 23.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in the **SCC**, and in any other instructions ordered by the Purchaser.

24. Insurance

- 24.1 Unless otherwise specified in the **SCC**, the Goods supplied under the Contract shall be fully insured—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the **SCC**.

25. Transportation & Incidental Services

- 25.1 Unless otherwise specified in the **SCC**, responsibility for arranging transportation of the Goods shall be in accordance with the specified Incoterms.
- 25.2 The Supplier may be required to provide any or all of the following services, including additional services, if any, **specified in Schedule of Requirements and SCC**:
 - (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
 - (c) furnishing of a detailed operations and maintenance

manual for each appropriate unit of the supplied Goods;

- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Purchaser's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods

25.3 Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

26. Inspections and Tests

26.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all such tests and/or inspections of the Goods and Related Services as are specified in the **SCC**.

26.2 The inspections and tests may be conducted on the premises of the Supplier or its Sub-Contractor, at point of delivery, and/or at the Goods' final destination, or in another place in the Purchaser's Country as specified in the **SCC**. Subject to GCC Sub-Clause 26.3, if conducted on the premises of the Supplier or its Sub-Contractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Purchaser.

26.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.

26.4 Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.

26.5 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other

obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.

- 26.6 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.7 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice pursuant to GCC Sub-Clause 26.4.
- 26.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.

27. Liquidated Damages

- 27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the **SCC** of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those **SCC**. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to GCC Clause 35.

28. Warranty

- 28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- 28.2 Subject to GCC Sub-Clause 22.1(b), the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.
- 28.3 Unless otherwise specified in the **SCC**, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the **SCC**, or for eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period

concludes earlier.

- 28.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 28.5 Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC**, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the **SCC**, the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

29. Patent Indemnity

- 29.1 The Supplier shall, subject to the Purchaser's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
 - (a) the installation of the Goods by the Supplier or the use of the Goods in the country where the Site is located; and
 - (b) the sale in any country of the products produced by the Goods.

Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.

- 29.2 If any proceedings are brought or any claim is made against the Purchaser arising out of the matters referred to in GCC Sub-Clause 29.1, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or

claim.

- 29.3 If the Supplier fails to notify the Purchaser within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Purchaser shall be free to conduct the same on its own behalf.
- 29.4 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.
- 29.5 The Purchaser shall indemnify and hold harmless the Supplier and its employees, officers, and Sub-Contractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Purchaser.

30. Limitation of Liability

- 30.1 Except in cases of criminal negligence or willful misconduct,
 - (a) the Supplier shall not be liable to the Purchaser, whether in Contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser, and
 - (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to indemnify the purchaser with respect to patent infringement.

31. Change in Laws and Regulations

- 31.1 Unless otherwise specified in the Contract, if after the date of 28 days prior to date of Bid submission, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in India, where the Site is located (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any

of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.

32. Force Majeure

32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

32.2 For purposes of this Clause, “Force Majeure” means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

32.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

33. Change Orders and Contract Amendments

33.1 The Purchaser may at any time order the Supplier through notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the followings:

- (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
- (b) the method of shipment or packing;
- (c) the place of delivery; and
- (d) the Related Services to be provided by the Supplier.

33.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier’s performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within twenty-eight (28) days from the date of the Supplier’s receipt of the Purchaser’s

change order.

33.3 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

33.4 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

34. Extensions of Time

34.1 If at any time during performance of the Contract, the Supplier or its Sub-Contractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.

34.2 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

35. Termination

35.1 Termination for Default

(a) The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:

(i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 34;

(ii) if the Supplier fails to perform any other obligation under the Contract; or

(iii) if the Supplier, in the judgment of the Purchaser has engaged in fraud and corruption, as defined in GCC Clause 3, in competing for or in executing the Contract.

(b) In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Purchaser may procure, upon such terms and in such manner as it deems

appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

35.2 Termination for Insolvency.

- (a) The Purchaser may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser.

35.3 Termination for Convenience.

- (a) The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- (b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
 - (i) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

36. Assignment

- 36.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

APPENDIX TO GENERAL CONDITIONS

Purchaser's Policy- Corrupt and Fraudulent Practices

(text in this Appendix shall not be modified)

“Fraud and Corruption:

1.16 Bidders, suppliers, Contractors and their agents (whether declared or not), sub-Contractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of Contracts. In pursuance of this policy, the Purchaser:

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) “corrupt practice” is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - (ii) “fraudulent practice” is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - (iii) “collusive practice” is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
 - (iv) “coercive practice” is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - (v) "obstructive practice" is:
 - (aa) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Purchase investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or
 - (bb) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under paragraph 1.16(e) below.
- (b) will reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-Contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the Contract in question;

SECTION IX. SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and / or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

GCC 1.1(j)	The Purchaser is: The Executive Engineer Hydrology Division ,CWC, Chennai Neervalam, R-81, TNHB Colony West Velachery Chennai -600042
GCC 1.1 (o)	The Project Site(s)/Final Destination(s) is/are: <i>as mentioned in schedule of Requirements</i>
GCC 4.2 (a)	The meaning of the trade terms shall be as prescribed by Incoterms.
GCC 8.1	For <u>notices</u> , the Purchaser's address shall be: The Executive Engineer Hydrology Division, Central Water Commission, Chennai-42. For <u>notices</u> , the Suppliers' Address shall be:
GCC 10.2	Settlement of Disputes The dispute settlement mechanism to be applied for adhoc arbitration shall be as follows: (a) In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act 1996 as amended up-to date. The arbitral tribunal shall consist of 3 arbitrators one each to be appointed by the Purchaser and the Supplier. The third Arbitrator shall be chosen by the two Arbitrators so appointed by the Parties and shall act as Presiding arbitrator. In case of failure of the two arbitrators appointed by the parties to reach upon a consensus within a period of 30 days from the appointment of the arbitrator appointed subsequently, the Presiding Arbitrator shall be appointed by the president of the institution of Engineers (India).

	<p>(b) If one of the parties fails to appoint its arbitrator in pursuance of sub-clause (a) above, within 30 days after receipt of the notice of the appointment of its arbitrator by the other party, then the president of the Institution of Engineers (India) shall appoint the arbitrator. A certified copy of the order of the President of the Institution of Engineers (India), making such an appointment shall be furnished to each of the parties.</p> <p>(d) Arbitration proceedings shall be held at New Delhi India, and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.</p> <p>(e) The decision of the majority of arbitrators shall be final and binding upon both parties. The cost and expenses of Arbitration proceedings will be paid as determined by the arbitral tribunal. However, the expenses incurred by each party in connection with the preparation, presentation etc. of its proceedings as also the fees and expenses paid to the arbitrator appointed by such party or on its behalf shall be borne by each party itself.</p> <p>(f) Where the value of the Contract is Rs. 1 crore and below, the disputes or differences arising shall be referred to the Sole Arbitrator. The Sole Arbitrator should be appointed by agreement between the parties; failing such agreement, by the appointing authority namely the President of the Institution of Engineers (India).</p> <p>(g) Except otherwise agreed to by the Parties, Arbitrators should give a decision in writing within 120 days of receipt of notification of dispute.</p>
GCC 12.1 and 25.2	The scope of supply for the Goods and Related Services to be supplied shall be as specified in the Schedule of requirement.
GCC 13.1	<p>Details of Shipping and other Documents to be furnished by the Supplier are given below:</p> <p>GCC 13.1 Upon delivery of the goods to the transporter/consignee, the supplier shall notify the purchaser and mail the following documents to the Purchaser:</p> <p>(i) Four Copies of the Supplier invoice showing Contract number, goods description, quantity, unit price, total amount;</p> <p>(ii) Delivery note, Railway receipt, or Road consignment note or equivalent transport document or acknowledgement of receipt of goods from the Consignee;</p> <p>(iii) Four Copies of packing list identifying contents of each</p>

	<p>package;</p> <p>(iv) Insurance certificate;</p> <p>(v) Manufacturer's/Supplier's warranty certificate;</p> <p>(vi) Inspection certificate issued by the nominated inspection agency, and the Supplier's factory inspection report; and</p> <p>(vii) Certificate of origin.</p> <p>The above documents shall be received by the Purchaser before arrival of the Goods (except where it is handed over to the Consignee with all documents) and if not received, the supplier will be responsible for any consequent expenses.</p>
GCC 14.1	<p>ADD to GCC 14.1;</p> <p>The supplier is responsible for and obliged to conduct all contracted activities in accordance with the contract using state- of- the- art methods and economic principles and exercising all means available to achieve the performance specified in the Contract. The Supplier is obliged to work closely with the Purchaser's staff, act within its own authority and abide by directives issued by the Purchaser and implementation activities. The Supplier will abide by the job safety measures prevalent in India and will free the Purchaser from all demands or responsibilities arising from accidents or loss of life the cause of which is the supplier's negligence. The Supplier will pay all indemnities arising from such incidents and will not holding the activities of its personnel or sub-contracted personnel and will hold itself responsible for any misbehavior/ misconduct. The Supplier will treat as confidential all data and information about the purchaser, obtained in the execution of his responsibilities, in strict confidence and will not reveal such information to any other party without the prior written approval of the Purchaser.</p>
GCC 15.1	<p>The prices charged for the Goods supplied and the related Services performed <i>shall not be</i> adjustable.</p>
GCC 16.1	<p>Payment shall be made in Indian Rupees in the following manner:</p> <p>The Bidder shall be paid 60%(as per clause i) of the Contract Price (excluding AMC cost) and the balance 40%(as per clause ii) of the Contract Price (excluding AMC cost) for O&M and data communication over the next five years @ 8% per year which include 5years period of onsite warranty and half yeraly payment of the AMC cost on proportionate basis (as per clause iii) as mentioned below:</p>

(Note: Contract Price does not include any taxes or levies, as may be applicable and treated separately)

i) Disbursement of Payment shall be as under:

- Advance Payment: Ten (10) % of the total contract price cost excluding GST and AMC cost shall be paid within thirty (30) days of signing of Contract and upon submission of bank guarantee for the equivalent amount valid until the goods are delivered and in the form provided in the bidding documents.
- 30% of Contract Price (excluding AMC cost) against Supply of Goods shall be released on pro-rata basis after 30 days of the successful Delivery of the instruments/ Equipment as per Schedule of Requirements and its Final acceptance upon submission of the documents specified in clause 13 of SCC.
- 30% of Contract Price Invoice (excluding AMC cost) will be paid on pro-rata basis after 30 days of successful installation, testing, commissioning and final acceptance.

Advance payment of 10% paid against Bank Guarantee will be adjusted in 30% payment paid against Supply of Goods.

ii) 40% of the Contract Price (excluding AMC) but including replacement of parts if any and seamless data communication, here onwards referred as maintenance charges over the balance 05(five) years (5 years of warranty period) shall be paid as per follows;

- **8% per Year to be paid on Half Yearly basis** (4% at every six month) excluding of GST payable on Supply of related services. The Conditions (applicable for this payment) shall be governed by **Annexure I: Service Level Conditions**

*iii) Payment to the Annual Maintenance Contract shall be made on half yearly basis (50% of the annual cost at every six months) excluding of GST payable on services. The Conditions (applicable for this payment) shall be governed by **Annexure I: Service Level Conditions***

iv) Payment of GST will be against valid Invoice as per GST Act & Rules and submission of GST Registration Certificate along with declaration that GST Registration is valid and all liabilities towards GST have been discharged by the vendor. GST amount will be reimbursed after 30 days of submission of valid Invoice and all required documents and declaration by vendor.

v) For all the payments to be made, against Bank guarantees, the

	<p><i>bank guarantee shall be issued by a Scheduled Indian Bank in India.</i></p> <p><i>vi) Bank Guarantee for advance payment shall be released not later than 30 days after the adjustment of advance amount against payment due after testing, commissioning and final acceptance. The bank guarantee should be valid for a period of 180 days or till 45 days beyond the date of final testing, commissioning and final acceptance whichever is later, from the date of issue of bank guarantee including claim period.</i></p> <p>The bidder shall indicate in the Price Schedules specifying all items prices shown therein including the unit prices and total prices of the goods and related services along with GST or any other duties and taxes applicable against the schedule of requirements. GST shall be paid as applicable. Any statutory variation shall be paid on submission of documentary evidence. Bidders shall be required to quote HSN code and applicable tax rates.</p> <p>“GST” means all four Acts CGST, SGST, UTGST, IGST and any other regulations by Government in relation to GST and rules thereto.</p>
GCC 16.5	<p>The payment-delay period after which the Purchaser shall pay interest to the supplier shall be 60 days.</p> <p>The interest rate that shall be applied is 4% per annum.</p>
GCC 17	<p>In the case of tax/ duty waiver, the purchaser will issue only the certificates in terms of the Government of India’s notification as per information given by supplier in form stipulated in Section IV. Supplier is solely responsible for obtaining such benefits and in case of failure to receive such benefits, the purchaser will not compensate the supplier separately.</p>
GCC 18.1	<p>Within 21 days of notification of award, the supplier shall furnish the Performance Security to the Purchaser shall be for an amount of 3% of the Contract value, valid upto 60 days after the date of completion of performance obligations including warranty obligations.</p> <p>In the event of any correction of defects or replacement of defective material during the warranty period, the warranty for the corrected/ replaced material shall be extended to a further period of 12 months and the Performance Bank guarantee for proportionate value shall be extended 60 days over and above the extended warranty period.</p>

GCC 18.3	The Performance Security shall be in the form of a “Bank Guarantee” drawn in favor of ‘The Executive Engineer, Hydrology Division, Central Water Commission, Chennai-42’
GCC 18.4	Discharge of the performance Security shall take place not later than 60 days following the date of completion of the Supplier’s performance obligations, including the warranty obligation, under the Contract.
GCC 18.5	<p>Add as Clause 18.5 to the GCC the following:</p> <p>In the event of any Contractual amendment, the Supplier shall, within 28days of receipt of such amendment, furnish the amendment to the Performance Security, rendering the same valid for the duration of the Contract, as amended for 60 days after the completion of performance obligations including warranty services obligations.</p>
GCC 23.2	<p><u>Packing Instructions:</u> The Supplier will be required to make separate packages for each Consignee. Each package will be marked on three sides with proper paint/indelible ink with the following:</p> <p>(i) Project; (ii) Contract No.; (iii) Country of Origin of Goods; (iv) Supplier’s Name; (v) Packing List Reference Number.</p> <p>Suppliers should use recycled materials as much as possible for packing</p>
GCC 24.1	The insurance shall be paid in an amount equal to 110 percent of the EXW value of the Goods from “Warehouse to warehouse (final destination)” on “All Risks” basis including War Risks and Strikes.
GCC 25.1	The Supplier is required under the Contract to transport the Goods duly insured to the specified final destination, and until the commissioning & final acceptance of each equipment, and all related costs shall be included in the Contract Price.
GCC 25.2	Incidental services to be provided are: All services under GCC clause 25.2
GCC 26.1	<p>The inspections and tests shall be as detailed in Para 5 of Section VII-Schedule of Requirement:</p> <p>(a) The supplier shall get each item indicated in the Schedule of requirement inspected in manufacturer’s works or at the premises of supplier and submit a test certificate and also manufacturer’s guarantee /warranty certificate that the items conforms to the laid down specification.</p> <p>The Purchaser or its representative may inspect and /or test any or all the items to confirm their conformity to the Contract specification, prior to dispatch from the manufacturer’s</p>

	<p>premises/supplier's premises. Such inspection and clearance will not prejudice the right of the consignee to inspect and test the items on receipt at destination to verify conformity to technical specification.</p> <p>If the items are fails to meet the laid down specifications the supplier shall take immediate steps to remedy the deficiency or replace the defective parts of the each to the satisfaction of the purchaser/ consignee.</p>
GCC 26.2	<p>The inspections and tests shall be:</p> <p>Any or all of the following inspection procedures and tests are required by the Purchaser.</p> <ol style="list-style-type: none"> 1. Inspection of equipment before dispatch. 2. Inspection of equipment at site of work before installation commissioning. 3. Testing of equipment at site of work after installation to ensure conformity to the specification. <p>The detailed procedure of testing for the purpose of acceptance of the Goods and Services is given under Section VII Technical Specifications.</p>
GCC 27.1	<p>The liquidated damages shall be: 0.5% of Contract price delayed Goods or Services per week or part thereof. This is applicable upto successful installation testing and commissioning.</p> <p>Further, for the performance towards the related services after acceptance of the system, following shall govern-</p> <p>Penalty for Faulty Stations/ Data Centre;</p> <ol style="list-style-type: none"> 1. For remote site in monsoon period Rs 3000/- per day. 2. For remote site in Non-monsoon period Rs 1000/- per day. 3. For Data Centre(both monsoon and non- monsoon period) Rs 4000/- per day. <p>The conditions when the penalty as above would be applicable, provision of clause 28.5 to be referred.</p>
GCC 27.2	<p>The maximum amount of liquidated damages shall be: 10% of the Contract price.</p>
GCC 28.3	<p>The period of validity of the Warranty shall be five years (Sixty (60) months) after successful installation, testing, commissioning and acceptance. This includes seamless communication of data through telemetry system to WIMS platform.</p>

	For purposes of the Warranty, the place(s) of final destination(s) shall be: <i>Respective Hydromet instrument locations in Anakaputhur, Anaikattuchery, Nemam Tank, Chembarambakkam reservoir, Pennalur Causeway, Neeleshwaram, Malakkara, Madamon</i>
GCC 28.5	<p>Bidder shall provide Service Engineer cum operator at Modelling centre SWRD, Kochi seamless data transfer from remote stations to ERS at Delhi / Jaipur/ Burla & then to State data Center via Internet & WIMS software and also GSM/GPRS data transmission as per technical specifications. The period for repair or replacement shall be: 48Hours during monsoon /120 Hours during non-monsoon. It is the responsibility of the bidder to rectify/replace the equipment without any notice from purchaser and it is the duty of its personnel i.e. service engineer cum data entry operator to notice that site become non-operational or become faulty.</p> <p>A remote site shall be treated as faulty if it fails to respond or transmits erroneous data during six consecutive pre-programmed observation cycles. The decision of Engineer-in-Charge about errors in data shall be final and binding. If a remote site continues to remain "fail" for more than 6 hours in excess of the maintenance time schedule of 48/120 Hours. The Contractor is liable to pay penalty @ Rs. 1000/- per Day/ remote site during non-monsoon period and @Rs 3000/ per day/remote site during monsoon period (15th June to 15th October). The Day for the purpose of penalty shall be taken as failure period of 24 hours or part thereof for a particular remote site. The amount of penalty will be recovered from performance bank guarantee or payment due to bidder during warranty period.</p> <p>The penalty for faulty data centers beyond MRTR would be Rs 4000/- per day.</p>
GCC 28.6	The maximum period shall be 14 days.
GCC 31.1	This clause will apply only to variations in GST and other taxes payable in India on the final product which is being supplied and not for variations in tax on the individual components / raw materials which go into the product.
GCC 33.5	<p>Security of installed equipment's including theft and vandalism will be the responsibility of the Bidder till successful installation, commissioning, two stages of site acceptance testing.</p> <p>During operation & maintenance period the supplier shall supply and replace / reinstall /recommission goods in case of damage /theft or vandalism not attributable to the supplier, as per applicable line item / items listed in Price schedule for supply of goods as per schedule of requirement and Price and completion schedule – related services of this contract and payment shall be accordingly made at the quoted rates in this contract by the supplier for the line item. The procedure adopted shall be in accordance with GCC 33 Change orders and contract amendments.</p>

GCC 37	<p>Add the following additional sub clauses.</p> <p>37.1 Supplier integrity:</p> <p>The supplier is responsible for and obliged to conduct all Contracted activities in accordance with the Contract using state- of- the- art methods and economic principles and exercising all means available to achieve the performance specified in the Contract.</p>
GCC 37.2	<p>37.2</p> <p>Supplier's obligations:</p> <p>The Supplier is obliged to work closely with the Purchaser's staff, act within its own authority and abide by directives issued by the Purchaser and implementation activities.</p> <p>The Supplier will abide by the job safety measures prevalent in India and will free the Purchaser from all demands or responsibilities arising from accidents or loss of life the cause of which is the supplier's negligence. The Supplier will pay all indemnities arising from such incidents and will not hold the purchaser responsible or obligated.</p> <p>The Supplier is responsible for managing the activities of its personnel or sub- Contracted personnel and will hold itself responsible for any misdemeanors.</p> <p>The Supplier will treat as confidential all data and information about the purchaser, obtained in the execution of his responsibilities, in strict confidence and will not reveal such information to any other party without the prior written approval of the Purchaser.</p>
GCC 37.3	<p>37.3 Site preparation and installation</p> <p>The supplier is responsible for associated civil work required for installation and commissioning of the supplies in the Schedule of Requirement under the heading of Relative services.</p>
GCC 37.4	<p>37.4</p> <p>Hardware installation:</p> <p>The Supplier is responsible for all unpacking, assemblies, wiring, installations, cabling between hardware units and connecting to power supplies. The Supplier will test all hardware operations and accomplish all adjustments necessary for successful and continuous operation of the hardware at all installation sites.</p>

SERVICE LEVEL CONDITIONS

1. The bidder is fully responsible to keep the system functional during installation and warranty period. The bidder should take sue-moto action to repair any faulty instrument and should not wait for a complaint from purchaser to initiate action.

2. DEFINITIONS

i. REMOTE SITE

Remote site is the site at remote location where hydro-meteorological sensors are installed. The Remote site may be river gauging site, automatic weather station, automatic rain gauge station, canal gauging site, reservoir water level monitoring site, reservoir outflow monitoring site using gate sensor, groundwater level monitoring site or any combination of these sites.

ii. DATA CENTRE

Data centre is the respective server where data is expected to be received. In case of GSM & GPRS, based telemetry, the data centre is the server installed in state data centre for receiving GSM & GPRS transmission. In case of INSAT based telemetry, the Data Centre is Earth receiving station (ERS) server maintained by CWC at New Delhi/ Jaipur/ Burla.

iii. INVALID DATA

A data would be considered **invalid** if

- The value recorded / transmitted is beyond permissible limit for that variable. The examples of invalid data are negative rainfall, negative water level, relative humidity outside the range of 0-100, temperature outside the range of -40 to +60°C, any abnormally high or low number, negative values of atmospheric pressure, wind direction beyond the range of 0-360 degree etc. The valid permissible upper limits and lower limits for each monitoring variable for each site would be provided to bidder by the purchaser.
- If the sensor value recorded / transmitted is absurd values or sudden variation in the value (may be within the specified limits) which is not in-line with the actual physical parameter. (e.g. If the Water level sensor recorded / transmitted value is showing absurd sudden variation of 2mts (beyond the limits of rate of change of sensor value) with respective to the previous measurement interval, then this data is the invalid data).
- If the sensor value recorded / transmitted is having frequent / periodic gapes then the data will be considered as invalid data.
- If the sensor value recorded / transmitted is remain constant, even if there is variation in the physical parameters. (e.g. If the Water level recorded / transmitted value is showing constant / fix value even there is variation in the water level, then this data is the invalid data)

- If the sensor value recorded / transmitted is not in line with the value of co-located automatic / manual observation of the same sensor parameter.

iv. **FAILED DATA TRANSMISSION**

For each remote station, each scheduled transmission (for all variables including battery voltage) would consist of one data transmission. A data transmission would be considered failed if any of the following conditions are true

- There is no transmission of data from **Remote Site**
- Data is transmitted from **remote site** but not received at **Data Centre/ERS /e-SWIS**.
- Data is recorded in datalogger but not transmitted
- Data is not recorded by datalogger
- Battery voltage and / or GPS status (GPS valid only in case of INSAT telemetry) not transmitted
- Only battery voltage is transmitted without any actual data from sensors
- Data is transmitted but data values are **invalid**.
- For RTDAS stations, data is missing / **invalid** for more than two variables
- Rainfall data is missing / **invalid** for ARG station

v. **FAULTY STATION**

A station would be considered faulty if:

- In case of hourly transmission cycle, there are six or more than six failed hourly data transmissions in a day.
- In case Datalogger is not recording any of the sensor Data / Battery voltage OR recording the **invalid** data of any of the sensor / Battery voltage for four or more than four measurement cycles.

vi. **FAULTY DATA CENTRE**

A Data Centre shall be treated as Faulty if

- Vital Hardware Equipment's installed by bidder at Data Centre Viz. Server, Internet, GSM modem, online 3 KVA UPS, etc. are not functioning properly.
- Bidder has failed to pay the communication charges (SIM, internet, GSM/GPRS etc.) & system is not in function due to unpaid communication charges.

vii. MONSOON PERIOD

The monsoon period is defined between 15 June to 15 October or as per IMD notification every year.

viii. MAXIMUM RESPONSE TIME FOR REPAIR (MRTR)

- The MRTR for Remote station would be 48 hours during Monsoon season
- The MRTR for Remote station would be 120 hours during Non-Monsoon season
- The MRTR for Data Centre would be 24 hours during monsoon and non-monsoon season

ix. MINIMUM TIME BETWEEN REPAIRS PER STATION

- The minimum time between repairs is six months. If a station went faulty for reasons attributed to bidder and availed of MRTR once, it would not be eligible to avail the free repair period within payment period (six months)

3. PAYMENT FOR DATA RECEPTION

- The payment would be released proportion to data received at the Data centre. A table below presents the percentage of data reception and corresponding payment

Percentage of data received	Payment to be made to vendor
90-100%	100% of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
80-89.99 %	90% of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
70-79.99 %	80 % of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
60-69.99 %	70 % of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
50- 59.99%	60% of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
40- 49.99%	40% of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
30-39.99%	25% of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))
Below 30%	NIL of (6% of Contract price to be paid six monthly as per SCC clause no. 16.1 (ii))

The calculations for data reception percentage are as below

Data reception percentage for each station = [1- (No of Failed transmissions / No of transmissions expected)] *100

Data reception percentage for each station is calculated for payment period (six months)

Number of transmissions expected is calculated based on transmission cycle. For hourly transmission cycle, if there are 182 days in six months period, the no. of expected transmissions = 182 (days) * 24 (hourly transmission) for a given station. If a station went faulty during payment period of six months and availed of free time of MRTR (48 hours or 120 hours based on monsoon / non-monsoon period), the 2 days / 5 days period would be subtracted from no. of expected transmissions. For example, if a station went faulty during monsoon period and payment period is for 182 days, the number of transmissions expected would be calculated as:

Number of transmissions expected = (182-2) * 24; here 2 represents 48 hours' time to repair in monsoon period. However, this deduction would be allowed only once in six months period for any given station.

$$\textbf{Total data Reception percentage} = \frac{\sum_{i=1}^n \text{Data reception percentage of } i^{th} \text{ station}}{n}$$

Where n is number of remote stations

- In case the percentage of data reception is below 50% continuously for 3 months, the Engineer-in-charge may initiate termination process as per GCC clause no. 35.

SECTION X – CONTRACT FORMS

1. LETTER OF ACCEPTANCE

[letterhead paper of the Purchaser]

[date]

To: *[name and address of the Supplier]*

Subject: **Notification of Award Contract No.**

This is to notify you that your Bid dated . . . *[insert date]* . . . for execution of the *[insert name of the Contract and identification number, as given in the SCC]*. for the Accepted Contract Amount of *[insert amount in numbers and words in Rupees]*, as corrected and modified in accordance with the Instructions to Bidders is hereby accepted by our Agency.

You are requested to furnish the Performance Security within 21 days in accordance with the Conditions of Contract, using for that purpose the of the Performance Security Form included in Section X, Contract Forms, of the Bidding Document.

Authorized Signature: _____

Name and Title of Signatory: _____

Name of Agency: _____

Attachment: Contract Agreement

2. CONTRACT AGREEMENT

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

THIS CONTRACT AGREEMENT is made

the [*insert: number*] day of [*insert: month*], [*insert: year*].

BETWEEN

- (1) [*insert complete name of Purchaser*], a [*insert description of type of legal entity, for example, an agency of the Ministry of of the Government of {insert name of Country of Purchaser}, or corporation incorporated under the laws of {insert name of Country of Purchaser}*] and having its principal place of business at [*insert address of Purchaser*] (hereinafter called “the Purchaser”), and
- (2) [*insert name of Supplier*], a corporation incorporated under the laws of [*insert: country of Supplier*] and having its principal place of business at [*insert: address of Supplier*] (hereinafter called “the Supplier”).

WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz., [*insert brief description of Goods and Services*] and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of [*insert Contract Price in words and figures, expressed in Rs*] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and construed as an integral part of the Contract Agreement. This Agreement shall prevail over all other Contract documents: In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed below.
 - (a) The letter of Acceptance
 - (b) this Contract Agreement
 - (c) Letter of Bid – Technical Part
 - (d) The Supplier’s letter of Bid – Financial Part and original completed Schedules including Price Schedules
 - (e) Special Conditions of Contract
 - (f) General Conditions of Contract
 - (g) Technical Requirements (including Schedule of Requirements and Technical Specifications)
 - (h) [*Add here any other document(s) listed in GCC/SCC as part of Contract*]

3. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of *[insert the name of the Contract governing law country]* on the day, month and year indicated above.

For and on behalf of the Purchaser

Signed: *[insert signature]*
in the capacity of *[insert title or other appropriate designation]*
in the presence of *[insert identification of official witness]*

For and on behalf of the Supplier

Signed: *[insert signature of authorized representative(s) of the Supplier]*
in the capacity of *[insert title or other appropriate designation]*
in the presence of *[insert identification of official witness]*

3. Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: *[date (as day, month and year)]*

Bid No.: *[number of bidding process]*

Alternative No.: *[insert identification No if this is a Bid for an alternative]*

To: *[complete name of Purchaser]*

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Purchaser for the period of time of *five year* starting on *[date]*, if we are in breach of our obligation(s) under the bid conditions, because we:

- (a) have withdrawn our Bid during the period of bid validity specified in the Letter of Bid; or
- (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract; or (ii) fail or refuse to furnish the Performance Security, if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder* _____

Name of the person duly authorized to sign the Bid on behalf of the Bidder** _____

Title of the person signing the Bid _____

Signature of the person named above _____

Date signed _____ day of _____, _____

*: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

**: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the bid.]

4. Performance Security - Bank Guarantee

[Guarantor letterhead or SWIFT identifier code]

Performance Guarantee No.....*[insert guarantee reference number]*

Date.....*[insert date of issue of the guarantee]*

To: _____ *[name of Purchaser]*

_____ *[address of Purchaser]*

WHEREAS _____ *[name and address of Supplier²]* (hereinafter called "the Applicant") has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ *[name of Contract and brief description of Goods and related Services]* (hereinafter called "the Contract");

AND WHEREAS it has been stipulated by you in the said Contract that the Applicant shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Applicant such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Applicant, up to a total of _____ *[amount of guarantee³]* _____ *[in words]*, such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ *[amount of guarantee]* as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Applicant before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Goods and related Services to be supplied thereunder or of any of the Contract documents which may be made between you and the Applicant shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

²*In the case of a JV, insert the name of the Joint Venture*

³*An amount shall be inserted by the Guarantor, representing the percentage of the Contract Price specified in the Contract and denominated in Indian Rupees.*

This guarantee shall be valid until (i.e.) 60 days following the Completion date of the Contract including any warranty obligations⁴, and any demand for payment under it must be received by us at this office on or before that date.

Signature and seal of the guarantor _____

Name of Bank _____

Address _____

Date _____

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

⁴Completion date as described in GC Clause 18.4

5. Advance Payment Security

Demand Guarantee

[Guarantor letterhead or SWIFT identifier code]

Advance Payment Guarantee No.....[insert guarantee reference number]

Date.....[insert date of issue of the guarantee]

To: _____ [name of Purchaser]

_____ [address of Purchaser]
_____ [name of Contract]

Gentlemen:

In accordance with the provisions of the Conditions of Contract, Clause 16 ("Terms of Payment") of the above-mentioned Contract, _____ [name and address of Supplier⁵] (hereinafter called "the Applicant") shall deposit with _____ [name of Purchaser] a bank guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of _____ [amount of guarantee⁶] _____ [in words].

We, the _____ [bank or financial institution], as instructed by the Applicant, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to _____ [name of Purchaser] on his first demand without whatsoever right of objection on our part and without his first claim to the Applicant, in the amount not exceeding _____ [amount of guarantee] _____ [in words].

We further agree that no change or addition to or other modification of the terms of the Contract or of Goods and related Services to be supplied there under or of any of the Contract documents which may be made between _____ [name of Purchaser] and the Applicant, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until _____ [name of Purchaser] receives full repayment of the same amount from the Applicant. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

⁵In the case of a JV, insert the name of the Joint Venture

⁶An amount shall be inserted by the bank representing the amount of the Advance Payment, and denominated in Indian Rupees.

Yours truly,

Signature and seal: _____

Name of Bank: _____

Address: _____

Date: _____

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.