## Central Water Commission (APAR Section)

\*\*\*\*

Room No. 312(S), Sewa Bhawan R K Puram, New Delhi 110606

Sub: Uploading 04 APARs of Shri Sudhir Kumar Mishra, Cameraman of Publication and Library Cadres of CWC – reg

APAR Section has uploaded the following APARs of Shri Sudhir Kumar Mishra, Cameraman of Publication and Library Cadre of CWC in CWC APAR Management System on 12.12.2017.

SI No	Name &Designation (S/Shri/Smt/Ms)	Employee Code	DoB	APAR/ NRC	Period of APAR
1	Sudhir Kumar Mishra	112005001	15/10/1981	APAR	01/04/2015 to 31/08/2015
				APAR	01/04/2016 to 21/10/2016
				NRC	22/10/2016 to 31/10/2016
				APAR	01/11/2016 to 31/03/2017

- 2. The concerned employees may view his APARs by logging in with 9 digit unique employee code given against his name with generic password generated by SM Dte. In case of logging problem they may contact DD (SMD) at 011-2958-3603 or through email at smdte@nic.in.
- 3. It is requested that representation, if any, may please be communicated to this office immediately. The last date for receipt of representation, if any, from the concerned employee expires on 12.01.2018. If no representation is received within the stipulated date, it will be deemed that he has no representation to make and the APAR for the period uploaded in CWC website will be treated as final.

4. In view of above, the concerned employee is requested to view his APAR and submit the representation, if any, immediately to APAR Section.

(S M Sundaram) 15/14

Section Officer (APAR)

Telefax No. 011-2958 3343 & 2958 3645

Email: soapar-cwc@gpv.in

APAR Section Central Water Commission New Delhi-110066 Tel. 011-2958-3343, 2958-3645

dated: 15.12.2017

Under Secretary (Estt. XIII), CWC, New Delhi CWC ID Note No. 2/9/2015-APAR/1007-1009

Copy for information to:-

- 1. Concerned Employees of Publication and Library Cadre of CWC through Employee Corner in CWC website.
- 2. Shri R A Kaloria, General Secretary, Central Water Commission (P&I Division) NH-IV, 1064, Type V, Faridabad 121001 (Haryana) (Mob: 98683-59240)

3. PS to CE (HRM)

- V 20